

General wellness & longevity

NOVA-FLOW IV push series in a 250 mL saline drip · physician reference protocol

CARRIER**250 mL**

0.9% saline, on drip

NOVA-FLOW**2-4 cc**

slow IV push into the line

PUSH SPACING**≥ 1 min**

between each IV push

OBSERVATION**15-30 min**

post-infusion

A systemic wellness and longevity approach: NOVA-FLOW given as a slow IV push into a running 250 mL saline drip, followed by a spaced sequence of supportive micronutrients — with at least one minute between each push to monitor tolerance.

Indications

- General wellness and vitality optimization
- Healthy-aging and longevity support
- Antioxidant and mitochondrial support
- Energy, recovery, and immune support
- Adjunct to a physician-directed wellness program

Contraindications & cautions

- Active infection or sepsis
- Known hypersensitivity to any component (cobalamin, thiamine, NAC, zinc)
- Uncontrolled coagulopathy
- Fluid-overload states (decompensated CHF, significant renal impairment) — caution with the 250 mL bolus
- Pregnancy or breastfeeding unless cleared by the treating physician

Procedure

PREPARATION

1. Review history, medications, and allergies; obtain informed consent.
2. Establish patent IV access (20–22 G).
3. Hang 250 mL 0.9% saline; start a slow-to-moderate drip and confirm patency, no infiltration.
4. Verify each additive, dose, and product integrity before use.
5. Have anaphylaxis / emergency supplies on hand.

POST — PATIENT INSTRUCTIONS

- Hydrate well over the next 24 h
- Report any delayed rash, wheezing, or swelling
- Resume normal activity as tolerated
- Space treatments per the physician plan

IV PUSH SEQUENCE — ≥ 1 MIN BETWEEN EACH

1. **NOVA-FLOW 2-4 cc** — slow IV push into the running line.
2. **Vitamin B-12** (methylcobalamin) — 500 mcg.
3. **Thiamine (B1)** — 100 mg.
4. **NAC** (N-acetylcysteine) — 600 mg.
5. **Zinc** — 4 mg.

Push each slowly and pause **≥ 1 minute** between pushes, watching for flushing, chest tightness, taste change, or hypotension. Then let the remaining saline infuse to completion.

FOLLOW-UP & OUTCOME MEASURES

Reassess energy, recovery, and wellness goals at **2-4 weeks**. Repeat on a physician-directed cadence (e.g., **every 2-4 weeks**) based on response and tolerance.

ENERGY

RECOVERY

SLEEP

IMMUNE

WELLBEING

REGULATORY

CelluNOVA products are supplied for use by licensed healthcare professionals. CelluNOVA does not direct, prescribe, or control the practice of medicine, and nothing here guarantees a clinical outcome.

PATIENT NAME

DATE OF BIRTH

PATIENT ID / MRN

DATE OF VISIT

PROVIDER

INITIAL · FOLLOW-UP

VISIT TYPE — CIRCLE

REFERRING PROVIDER, IF
ANY

TIME IN / OUT

S SUBJECTIVE**Wellness / longevity goals**

CHIEF COMPLAINT / GOALS

ONSET / DURATION

SEVERITY — VAS 0-10

PRIOR TREATMENTS TRIED

FUNCTIONAL IMPACT

MEDICATIONS — INCL. ANTICOAGULANTS /
IMMUNOSUPPRESSANTS

ALLERGIES · RELEVANT PMH

O OBJECTIVE

BP

HR

TEMP

WEIGHT

GENERAL APPEARANCE

Exam / relevant findings

BASELINE — ENERGY

BASELINE — RECOVERY

BASELINE — SLEEP

BASELINE — WELLBEING

A ASSESSMENT**Wellness optimization; no acute illness**

WORKING DIAGNOSIS — CONFIRM OR AMEND

ADDITIONAL DIAGNOSES / CODES

☐ Appropriate candidate — indications met, contraindications absent☐ Alternatives discussed, including conservative care and doing
nothing☐ Non-FDA-approved status explained; no outcome promised☐ Patient questions answered; informed consent obtained**P PLAN**

Establish IV access; hang 250 mL 0.9% saline on a drip. Slow IV push in sequence with **≥ 1 min between each**: NOVA-FLOW 2-4 cc, Vitamin B-12 500 mcg, Thiamine (B1) 100 mg, NAC 600 mg, Zinc 4 mg. Then infuse remaining saline. Observe 15-30 min.

PROVIDER SIGNATURE

DATE

PATIENT NAME

DATE OF BIRTH

PATIENT ID / MRN

DATE OF VISIT

PROVIDER

INITIAL · FOLLOW-UP
VISIT TYPE — CIRCLEREFERRING PROVIDER, IF
ANY

TIME IN / OUT

PRE-PROCEDURE CHECKLIST

- | | |
|---|--|
| ☐ Informed consent verified | ☐ Patient identity / timeout confirmed |
| ☐ Allergies and current medications reviewed | ☐ Product preparation, dose, and integrity verified |
| ☐ IV / IM access and site prep complete | ☐ Anaphylaxis / emergency supplies available |

PRODUCTS ADMINISTERED

PRODUCT	LOT #	EXP	VOLUME	SITE / ROUTE
NOVA-FLOW			2-4 cc	IV push
Vitamin B-12 (methylcobalamin)			500 mcg	IV push
Thiamine (B1)			100 mg	IV push
NAC (N-acetylcysteine)			600 mg	IV push
Zinc			4 mg	IV push
0.9% Sodium chloride (carrier)			250 mL	IV drip

TECHNIQUE & TOLERANCE

Administration notes (approach, sequence, spacing)

TIME IN

TIME OUT

WELL TOLERATED · REACTION
TOLERANCE — CIRCLE

Adverse events / interventions (none, or describe)

DISPOSITION

- | | |
|--|---|
| ☐ Observed 15-30 min post-administration | ☐ No acute reaction on discharge |
| ☐ Post-care instructions given to patient | ☐ Follow-up scheduled / advised |

PROVIDER SIGNATURE

DATE

PATIENT NAME

DATE OF VISIT

PROVIDER

WHAT WE DID TODAY

You received an IV wellness infusion: a 250 mL saline drip with NOVA-FLOW and a spaced series of supportive nutrients (Vitamin B-12, Thiamine, NAC, and Zinc), each given slowly with a short pause in between.

WHAT TO EXPECT

- Possible warmth, a vitamin taste, or mild flushing during the pushes
- A short period of feeling tired or energized afterward
- Mild soreness at the IV site for a day

AFTERCARE**DO**

- Hydrate well over the next 24 hours
- Eat a normal meal
- Resume activity as tolerated
- Keep any planned follow-up

AVOID

- Skipping fluids afterward
- Alcohol for 24 h
- Ignoring a delayed rash or swelling
- Strenuous exercise right after if lightheaded

WHEN TO CALL US

Call the clinic — or seek urgent care — for: spreading rash or hives, wheezing or trouble breathing, facial or throat swelling, fever, or severe or worsening pain at an injection or IV site.

YOUR NEXT VISIT

FOLLOW-UP DATE

CLINIC CONTACT

PATIENT SIGNATURE — RECEIVED & UNDERSTOOD

DATE