

Storage & cold chain

Receiving, storage temperatures, monitoring, and excursion response

Storage conditions by product form

PRODUCT FORM	STORAGE	SHELF LIFE	AFTER THAW / OPENING
Cryopreserved cellular	−80 °C ± 10 °C, or LN ₂ vapor phase	Per label / COA expiry	Use within 15–30 min · do not refreeze
Cryopreserved acellular	−20 °C to −80 °C	Per label / COA expiry	Use within 30 min · single use only
Lyophilized vesicle	2–8 °C · protect from light	Per label / COA expiry	Reconstitute at time of use · discard remainder
In transit	Validated dry-ice or cold shipper	Ship-to-storage same day	Transfer to storage within 30 min of receipt

Values above are general handling guidance. The product label and lot-specific COA govern actual storage limits and expiry.

On receipt

- Inspect the shipper for damage before opening; photograph anything compromised.
- Read and retain the temperature indicator or data logger.
- Confirm every lot and quantity against the packing list and the accompanying COA.
- Transfer to the correct storage unit immediately — do not stage at room temperature.
- Record receipt on the chain-of-custody log (page 18) and file the COA.

Ongoing monitoring

- Dedicated biologics unit — no food, specimens, or shared clinic stock.
- Continuous electronic monitoring with audible and remote alarm.
- Manual temperature check twice daily, initialled on the unit log.
- Documented backup plan: emergency power or a validated transfer unit.
- Annual calibration of thermometers and loggers, records retained.

EXCURSION If a unit alarms or a shipper arrives warm: quarantine the affected lots, label them **DO NOT USE**, record the duration and highest temperature reached, and contact CelluNOVA before any clinical use. Product exposed to an undocumented excursion should not be administered.