

npm-debug.log

74037 silly lifecycle fuzzysearch@1.0.3~preinstall: no script for preinstall, continuing  
74038 silly lifecycle getpass@0.1.6~preinstall: no script for preinstall, continuing  
74039 silly lifecycle globals@8.18.0~preinstall: no script for preinstall, continuing  
74040 silly lifecycle graceful-readlink@1.0.1~preinstall: no script for preinstall, continuing  
74041 silly lifecycle graceful-fs@4.1.6~preinstall: no script for preinstall, continuing  
74042 silly lifecycle commander@2.9.0~preinstall: no script for preinstall, continuing  
74043 silly lifecycle growl@1.9.2~preinstall: no script for preinstall, continuing  
74044 silly lifecycle has@1.0.1~preinstall: no script for preinstall, continuing  
74045 silly lifecycle has-ansi@2.0.0~preinstall: no script for preinstall, continuing  
74046 silly lifecycle colormin@1.1.2~preinstall: no script for preinstall, continuing  
74047 silly lifecycle has-flag@1.0.0~preinstall: no script for preinstall, continuing  
74048 silly lifecycle hoek@2.16.3~preinstall: no script for preinstall, continuing  
74049 silly lifecycle cryptiles@2.0.5~preinstall: no script for preinstall, continuing  
74050 silly lifecycle boom@2.10.1~preinstall: no script for preinstall, continuing  
74051 silly lifecycle hoist-non-react-statics@1.2.0~preinstall: no script for preinstall, continuing  
74052 silly lifecycle hosted-git-info@2.1.5~preinstall: no script for preinstall, continuing  
74053 silly lifecycle html-comment-regex@1.1.1~preinstall: no script for preinstall, continuing  
74054 silly lifecycle isarray@0.0.1~preinstall: no script for preinstall, continuing  
74055 silly lifecycle entities@1.0.0~preinstall: no script for preinstall, continuing  
74056 silly lifecycle html-entities@1.2.0~preinstall: no script for preinstall, continuing  
74057 silly lifecycle https-browserify@0.0.0~preinstall: no script for preinstall, continuing  
74058 silly lifecycle iconv-lite@0.4.13~preinstall: no script for preinstall, continuing  
74059 silly lifecycle icss-replace-symbols@1.0.2~preinstall: no script for preinstall, continuing  
74060 silly lifecycle ieee754@1.1.6~preinstall: no script for preinstall, continuing  
74061 silly lifecycle encoding@0.1.12~preinstall: no script for preinstall, continuing  
74062 silly lifecycle immutable@3.8.1~preinstall: no script for preinstall, continuing

npm-debug.log

74063 silly lifecycle ignore@3.1.5~preinstall: no script for preinstall, continuing  
74064 silly lifecycle imurmurhash@0.1.4~preinstall: no script for preinstall, continuing  
74065 silly lifecycle indexes-of@1.0.1~preinstall: no script for preinstall, continuing  
74066 silly lifecycle indexof@0.0.1~preinstall: no script for preinstall, continuing  
74067 silly lifecycle http-browserify@1.7.0~preinstall: no script for preinstall, continuing  
74068 silly lifecycle inherits@2.0.1~preinstall: no script for preinstall, continuing  
74069 silly lifecycle interpret@1.0.1~preinstall: no script for preinstall, continuing  
74070 silly lifecycle ipaddr.js@1.1.1~preinstall: no script for preinstall, continuing  
74071 silly lifecycle error-ex@1.3.0~preinstall: no script for preinstall, continuing  
74072 silly lifecycle is-absolute-url@2.0.0~preinstall: no script for preinstall, continuing  
74073 silly lifecycle is-arrayish@0.2.1~preinstall: no script for preinstall, continuing  
74074 silly lifecycle is-binary-path@1.0.1~preinstall: no script for preinstall, continuing  
74075 silly lifecycle is-buffer@1.1.4~preinstall: no script for preinstall, continuing  
74076 silly lifecycle is-builtin-module@1.0.0~preinstall: no script for preinstall, continuing  
74077 silly lifecycle is-callable@1.1.3~preinstall: no script for preinstall, continuing  
74078 silly lifecycle is-date-object@1.0.1~preinstall: no script for preinstall, continuing  
74079 silly lifecycle is-dom@1.0.5~preinstall: no script for preinstall, continuing  
74080 silly lifecycle is-dotfile@1.0.2~preinstall: no script for preinstall, continuing  
74081 silly lifecycle is-extendable@0.1.1~preinstall: no script for preinstall, continuing  
74082 silly lifecycle is-extglob@1.0.0~preinstall: no script for preinstall, continuing  
74083 silly lifecycle extglob@0.3.2~preinstall: no script for preinstall, continuing  
74084 silly lifecycle glob-parent@2.0.0~preinstall: no script for preinstall, continuing  
74085 silly lifecycle is-glob@2.0.1~preinstall: no script for preinstall, continuing  
74086 silly lifecycle is-obj@1.0.1~preinstall: no script for preinstall, continuing  
74087 silly lifecycle glob-base@0.3.0~preinstall: no script for preinstall, continuing  
74088 silly lifecycle is-path-cwd@1.0.0~preinstall: no script for preinstall, continuing

npm-debug.log

74089 silly lifecycle dot-prop@3.0.0~preinstall: no script for preinstall, continuing  
74090 silly lifecycle is-plain-obj@1.1.0~preinstall: no script for preinstall, continuing  
74091 silly lifecycle is-posix-bracket@0.1.1~preinstall: no script for preinstall, continuing  
74092 silly lifecycle expand-brackets@0.1.5~preinstall: no script for preinstall, continuing  
74093 silly lifecycle is-equal-shallow@0.1.3~preinstall: no script for preinstall, continuing  
74094 silly lifecycle is-primitive@2.0.0~preinstall: no script for preinstall, continuing  
74095 silly lifecycle is-promise@2.1.0~preinstall: no script for preinstall, continuing  
74096 silly lifecycle is-property@1.0.2~preinstall: no script for preinstall, continuing  
74097 silly lifecycle is-regex@1.0.3~preinstall: no script for preinstall, continuing  
74098 silly lifecycle generate-object-property@1.2.0~preinstall: no script for preinstall, continuing  
74099 silly lifecycle is-subset@0.1.1~preinstall: no script for preinstall, continuing  
74100 silly lifecycle is-stream@1.1.0~preinstall: no script for preinstall, continuing  
74101 silly lifecycle is-svg@2.0.1~preinstall: no script for preinstall, continuing  
74102 silly lifecycle is-symbol@1.0.1~preinstall: no script for preinstall, continuing  
74103 silly lifecycle es-to-primitive@1.1.1~preinstall: no script for preinstall, continuing  
74104 silly lifecycle es-abstract@1.6.1~preinstall: no script for preinstall, continuing  
74105 silly lifecycle is-utf8@0.2.1~preinstall: no script for preinstall, continuing  
74106 silly lifecycle is-typedarray@1.0.0~preinstall: no script for preinstall, continuing  
74107 silly lifecycle isarray@1.0.0~preinstall: no script for preinstall, continuing  
74108 silly lifecycle doctrine@1.3.0~preinstall: no script for preinstall, continuing  
74109 silly lifecycle buffer@4.9.1~preinstall: no script for preinstall, continuing  
74110 silly lifecycle isobject@2.1.0~preinstall: no script for preinstall, continuing  
74111 silly lifecycle isstream@0.1.2~preinstall: no script for preinstall, continuing  
74112 silly lifecycle commander@0.6.1~preinstall: no script for preinstall, continuing  
74113 silly lifecycle mkdirp@0.3.0~preinstall: no script for preinstall, continuing  
74114 silly lifecycle jade@0.26.3~preinstall: no script for preinstall, continuing

npm-debug.log

74115 silly lifecycle jju@1.3.0~preinstall: no script for preinstall, continuing  
74116 silly lifecycle js-base64@2.1.9~preinstall: no script for preinstall, continuing  
74117 silly lifecycle js-tokens@1.0.3~preinstall: no script for preinstall, continuing  
74118 silly lifecycle jsbn@0.1.0~preinstall: no script for preinstall, continuing  
74119 silly lifecycle ecc-jsbn@0.1.1~preinstall: no script for preinstall, continuing  
74120 silly lifecycle jodid25519@1.0.2~preinstall: no script for preinstall, continuing  
74121 silly lifecycle webidl-conversions@3.0.1~preinstall: no script for preinstall, continuing  
74122 silly lifecycle acorn@2.7.0~preinstall: no script for preinstall, continuing  
74123 silly lifecycle jsesc@0.5.0~preinstall: no script for preinstall, continuing  
74124 silly lifecycle json-loader@0.5.4~preinstall: no script for preinstall, continuing  
74125 silly lifecycle json-parse-helpfulerror@1.0.3~preinstall: no script for preinstall, continuing  
74126 silly lifecycle json-schema@0.2.2~preinstall: no script for preinstall, continuing  
74127 silly lifecycle json-stringify-safe@5.0.1~preinstall: no script for preinstall, continuing  
74128 silly lifecycle json5@0.5.0~preinstall: no script for preinstall, continuing  
74129 silly lifecycle jsonify@0.0.0~preinstall: no script for preinstall, continuing  
74130 silly lifecycle json-stable-stringify@1.0.1~preinstall: no script for preinstall, continuing  
74131 silly lifecycle jsonpointer@2.0.0~preinstall: no script for preinstall, continuing  
74132 silly lifecycle keycode@2.1.4~preinstall: no script for preinstall, continuing  
74133 silly lifecycle kind-of@3.0.4~preinstall: no script for preinstall, continuing  
74134 silly lifecycle is-number@2.1.0~preinstall: no script for preinstall, continuing  
74135 silly lifecycle lodash@4.15.0~preinstall: no script for preinstall, continuing  
74136 silly lifecycle lazy-cache@1.0.4~preinstall: no script for preinstall, continuing  
74137 silly lifecycle async@2.0.1~preinstall: no script for preinstall, continuing  
74138 silly lifecycle lodash-es@4.15.0~preinstall: no script for preinstall, continuing  
74139 silly lifecycle lodash.\_basecopy@3.0.1~preinstall: no script for preinstall, continuing  
74140 silly lifecycle lodash.\_bindcallback@3.0.1~preinstall: no script for preinstall, continuing

npm-debug.log

74141 silly lifecycle lodash.\_getnative@3.9.1~preinstall: no script for preinstall, continuing  
74142 silly lifecycle lodash.\_isiterateecall@3.0.9~preinstall: no script for preinstall, continuing  
74143 silly lifecycle lodash.\_root@3.0.1~preinstall: no script for preinstall, continuing  
74144 silly lifecycle lodash.deburr@3.2.0~preinstall: no script for preinstall, continuing  
74145 silly lifecycle lodash.indexof@4.0.5~preinstall: no script for preinstall, continuing  
74146 silly lifecycle lodash.isarguments@3.1.0~preinstall: no script for preinstall, continuing  
74147 silly lifecycle lodash.isarray@3.0.4~preinstall: no script for preinstall, continuing  
74148 silly lifecycle lodash.keys@3.1.2~preinstall: no script for preinstall, continuing  
74149 silly lifecycle lodash.\_baseassign@3.2.0~preinstall: no script for preinstall, continuing  
74150 silly lifecycle lodash.pick@4.4.0~preinstall: no script for preinstall, continuing  
74151 silly lifecycle lodash.pickby@4.6.0~preinstall: no script for preinstall, continuing  
74152 silly lifecycle lodash.restparam@3.6.1~preinstall: no script for preinstall, continuing  
74153 silly lifecycle lodash.\_createassigner@3.1.1~preinstall: no script for preinstall, continuing  
74154 silly lifecycle lodash.assign@3.2.0~preinstall: no script for preinstall, continuing  
74155 silly lifecycle lodash.words@3.2.0~preinstall: no script for preinstall, continuing  
74156 silly lifecycle lodash.\_createcompounder@3.0.0~preinstall: no script for preinstall, continuing  
74157 silly lifecycle lodash.camelcase@3.0.1~preinstall: no script for preinstall, continuing  
74158 silly lifecycle lolex@1.3.2~preinstall: no script for preinstall, continuing  
74159 silly lifecycle longest@1.0.1~preinstall: no script for preinstall, continuing  
74160 silly lifecycle invariant@2.2.1~preinstall: no script for preinstall, continuing  
74161 silly lifecycle macaddress@0.2.8~preinstall: no script for preinstall, continuing  
74162 silly lifecycle loose-envify@1.2.0~preinstall: no script for preinstall, continuing  
74163 silly lifecycle lru-cache@2.7.3~preinstall: no script for preinstall, continuing  
74164 silly lifecycle map-obj@1.0.1~preinstall: no script for preinstall, continuing  
74165 silly lifecycle camelcase-keys@2.1.0~preinstall: no script for preinstall, continuing  
74166 silly lifecycle math-expression-evaluator@1.2.14~preinstall: no script for preinstall, continuing

npm-debug.log

74167 silly lifecycle merge-descriptors@1.0.1~preinstall: no script for preinstall, continuing  
74168 silly lifecycle media-typer@0.3.0~preinstall: no script for preinstall, continuing  
74169 silly lifecycle methods@1.1.2~preinstall: no script for preinstall, continuing  
74170 silly lifecycle mime@1.3.4~preinstall: no script for preinstall, continuing  
74171 silly lifecycle mime-db@1.23.0~preinstall: no script for preinstall, continuing  
74172 silly lifecycle mime-types@2.1.11~preinstall: no script for preinstall, continuing  
74173 silly lifecycle form-data@1.0.1~preinstall: no script for preinstall, continuing  
74174 silly lifecycle minimatch@3.0.3~preinstall: no script for preinstall, continuing  
74175 silly lifecycle minimist@1.2.0~preinstall: no script for preinstall, continuing  
74176 silly lifecycle mkdirp@0.5.1~preinstall: no script for preinstall, continuing  
74177 silly lifecycle minimist@0.0.8~preinstall: no script for preinstall, continuing  
74178 silly lifecycle mobx@2.5.1~preinstall: no script for preinstall, continuing  
74179 silly lifecycle commander@2.3.0~preinstall: no script for preinstall, continuing  
74180 silly lifecycle escape-string-regexp@1.0.2~preinstall: no script for preinstall, continuing  
74181 silly lifecycle ms@0.7.1~preinstall: no script for preinstall, continuing  
74182 silly lifecycle supports-color@1.2.0~preinstall: no script for preinstall, continuing  
74183 silly lifecycle debug@2.2.0~preinstall: no script for preinstall, continuing  
74184 silly lifecycle negotiator@0.6.1~preinstall: no script for preinstall, continuing  
74185 silly lifecycle mute-stream@0.0.5~preinstall: no script for preinstall, continuing  
74186 silly lifecycle node-fetch@1.6.0~preinstall: no script for preinstall, continuing  
74187 silly lifecycle accepts@1.3.3~preinstall: no script for preinstall, continuing  
74188 silly lifecycle normalize-path@2.0.1~preinstall: no script for preinstall, continuing  
74189 silly lifecycle node-uuid@1.4.7~preinstall: no script for preinstall, continuing  
74190 silly lifecycle isarray@0.0.1~preinstall: no script for preinstall, continuing  
74191 silly lifecycle normalize-range@0.1.2~preinstall: no script for preinstall, continuing  
74192 silly lifecycle nth-check@1.0.1~preinstall: no script for preinstall, continuing  
74193 silly lifecycle css-select@1.2.0~preinstall: no script for preinstall,

npm-debug.log

continuing  
74194 silly lifecycle num2fraction@1.2.2~preinstall: no script for preinstall, continuing  
74195 silly lifecycle is-fullwidth-code-point@1.0.0~preinstall: no script for preinstall, continuing  
74196 silly lifecycle number-is-nan@1.0.0~preinstall: no script for preinstall, continuing  
74197 silly lifecycle is-finite@1.0.1~preinstall: no script for preinstall, continuing  
74198 silly lifecycle repeating@2.0.1~preinstall: no script for preinstall, continuing  
74199 silly lifecycle indent-string@2.1.0~preinstall: no script for preinstall, continuing  
74200 silly lifecycle code-point-at@1.0.0~preinstall: no script for preinstall, continuing  
74201 silly lifecycle nmatcher@1.3.8~preinstall: no script for preinstall, continuing  
74202 silly lifecycle oauth-sign@0.8.2~preinstall: no script for preinstall, continuing  
74203 silly lifecycle object-assign@4.1.0~preinstall: no script for preinstall, continuing  
74204 silly lifecycle loader-utils@0.2.15~preinstall: no script for preinstall, continuing  
74205 silly lifecycle file-loader@0.9.0~preinstall: no script for preinstall, continuing  
74206 silly lifecycle esrecurse@4.1.0~preinstall: no script for preinstall, continuing  
74207 silly lifecycle figures@1.7.0~preinstall: no script for preinstall, continuing  
74208 silly lifecycle escope@3.6.0~preinstall: no script for preinstall, continuing  
74209 silly lifecycle babel-loader@6.2.5~preinstall: no script for preinstall, continuing  
74210 silly lifecycle object-is@1.0.1~preinstall: no script for preinstall, continuing  
74211 silly lifecycle object-keys@1.0.11~preinstall: no script for preinstall, continuing  
74212 silly lifecycle define-properties@1.1.2~preinstall: no script for preinstall, continuing  
74213 silly lifecycle array-includes@3.0.2~preinstall: no script for preinstall, continuing  
74214 silly lifecycle object.assign@4.0.4~preinstall: no script for preinstall, continuing  
74215 silly lifecycle object.entries@1.0.3~preinstall: no script for preinstall, continuing  
74216 silly lifecycle object.getownpropertydescriptors@2.0.3~preinstall: no script for preinstall, continuing  
74217 silly lifecycle object.omit@2.0.0~preinstall: no script for preinstall, continuing  
74218 silly lifecycle object.values@1.0.3~preinstall: no script for preinstall, continuing  
74219 silly lifecycle on-finished@2.3.0~preinstall: no script for preinstall,

npm-debug.log

continuing  
74220 silly lifecycle onetime@1.1.0~preinstall: no script for preinstall,  
continuing  
74221 silly lifecycle minimist@0.0.10~preinstall: no script for preinstall,  
continuing  
74222 silly lifecycle wordwrap@1.0.0~preinstall: no script for preinstall,  
continuing  
74223 silly lifecycle os-browserify@0.1.2~preinstall: no script for preinstall,  
continuing  
74224 silly lifecycle user-home@2.0.0~preinstall: no script for preinstall,  
continuing  
74225 silly lifecycle os-homedir@1.0.1~preinstall: no script for preinstall,  
continuing  
74226 silly lifecycle os-tmpdir@1.0.1~preinstall: no script for preinstall,  
continuing  
74227 silly lifecycle @kadira/storybook-channel-pagebus@2.0.2~preinstall: no  
script for preinstall, continuing  
74228 silly lifecycle osenv@0.1.3~preinstall: no script for preinstall,  
continuing  
74229 silly lifecycle page-bus@3.0.1~preinstall: no script for preinstall,  
continuing  
74230 silly lifecycle output-file-sync@1.1.2~preinstall: no script for  
preinstall, continuing  
74231 silly lifecycle pako@0.2.9~preinstall: no script for preinstall,  
continuing  
74232 silly lifecycle browserify-zlib@0.1.4~preinstall: no script for  
preinstall, continuing  
74233 silly lifecycle parse-glob@3.0.4~preinstall: no script for preinstall,  
continuing  
74234 silly lifecycle parse5@1.5.1~preinstall: no script for preinstall,  
continuing  
74235 silly lifecycle parse-json@2.2.0~preinstall: no script for preinstall,  
continuing  
74236 silly lifecycle parseurl@1.3.1~preinstall: no script for preinstall,  
continuing  
74237 silly lifecycle path-exists@1.0.0~preinstall: no script for preinstall,  
continuing  
74238 silly lifecycle path-browserify@0.0.0~preinstall: no script for  
preinstall, continuing  
74239 silly lifecycle path-is-absolute@1.0.0~preinstall: no script for  
preinstall, continuing  
74240 silly lifecycle path-is-inside@1.0.1~preinstall: no script for  
preinstall, continuing  
74241 silly lifecycle is-path-inside@1.0.0~preinstall: no script for  
preinstall, continuing  
74242 silly lifecycle path-to-regexp@0.1.7~preinstall: no script for  
preinstall, continuing  
74243 silly lifecycle is-path-in-cwd@1.0.0~preinstall: no script for  
preinstall, continuing  
74244 silly lifecycle pbkdf2-compat@2.0.1~preinstall: no script for preinstall,  
continuing  
74245 silly lifecycle pify@2.3.0~preinstall: no script for preinstall,



npm-debug.log

continuing  
74246 silly lifecycle pinkie@2.0.4~preinstall: no script for preinstall,  
continuing  
74247 silly lifecycle path-type@1.1.0~preinstall: no script for preinstall,  
continuing  
74248 silly lifecycle pinkie-promise@2.0.1~preinstall: no script for  
preinstall, continuing  
74249 silly lifecycle path-exists@2.1.0~preinstall: no script for preinstall,  
continuing  
74250 silly lifecycle find-up@1.1.2~preinstall: no script for preinstall,  
continuing  
74251 silly lifecycle pluralize@1.2.1~preinstall: no script for preinstall,  
continuing  
74252 silly lifecycle postcss-message-helpers@2.0.0~preinstall: no script for  
preinstall, continuing  
74253 silly lifecycle postcss-value-parser@3.3.0~preinstall: no script for  
preinstall, continuing  
74254 silly lifecycle prelude-ls@1.1.2~preinstall: no script for preinstall,  
continuing  
74255 silly lifecycle prepend-http@1.0.4~preinstall: no script for preinstall,  
continuing  
74256 silly lifecycle preserve@0.2.0~preinstall: no script for preinstall,  
continuing  
74257 silly lifecycle private@0.1.6~preinstall: no script for preinstall,  
continuing  
74258 silly lifecycle process@0.11.9~preinstall: no script for preinstall,  
continuing  
74259 silly lifecycle process-nextick-args@1.0.7~preinstall: no script for  
preinstall, continuing  
74260 silly lifecycle progress@1.1.8~preinstall: no script for preinstall,  
continuing  
74261 silly lifecycle promise@7.1.1~preinstall: no script for preinstall,  
continuing  
74262 silly lifecycle protocols@1.4.1~preinstall: no script for preinstall,  
continuing  
74263 silly lifecycle is-ssh@1.3.0~preinstall: no script for preinstall,  
continuing  
74264 silly lifecycle parse-url@1.3.3~preinstall: no script for preinstall,  
continuing  
74265 silly lifecycle git-up@2.0.2~preinstall: no script for preinstall,  
continuing  
74266 silly lifecycle git-url-parse@6.0.5~preinstall: no script for preinstall,  
continuing  
74267 silly lifecycle proxy-addr@1.1.2~preinstall: no script for preinstall,  
continuing  
74268 silly lifecycle prr@0.0.0~preinstall: no script for preinstall,  
continuing  
74269 silly lifecycle errno@0.1.4~preinstall: no script for preinstall,  
continuing  
74270 silly lifecycle q@1.4.1~preinstall: no script for preinstall, continuing  
74271 silly lifecycle punycode@1.4.1~preinstall: no script for preinstall,  
continuing

npm-debug.log

74272 silly lifecycle coa@1.0.1~preinstall: no script for preinstall, continuing  
74273 silly lifecycle qs@6.2.1~preinstall: no script for preinstall, continuing  
74274 silly lifecycle querystring-es3@0.2.1~preinstall: no script for preinstall, continuing  
74275 silly lifecycle querystring@0.2.0~preinstall: no script for preinstall, continuing  
74276 silly lifecycle randomatic@1.1.5~preinstall: no script for preinstall, continuing  
74277 silly lifecycle range-parser@1.2.0~preinstall: no script for preinstall, continuing  
74278 silly lifecycle @kadira/storybook-addon-actions@1.0.4~preinstall: no script for preinstall, continuing  
74279 silly lifecycle react-dom@15.3.1~preinstall: no script for preinstall, continuing  
74280 silly lifecycle react-addons-test-utils@15.3.1~preinstall: no script for preinstall, continuing  
74281 silly lifecycle react-inspector@1.1.0~preinstall: no script for preinstall, continuing  
74282 silly lifecycle react-modal@1.4.0~preinstall: no script for preinstall, continuing  
74283 silly lifecycle readline2@1.0.1~preinstall: no script for preinstall, continuing  
74284 silly lifecycle balanced-match@0.1.0~preinstall: no script for preinstall, continuing  
74285 silly lifecycle reduce-css-calc@1.3.0~preinstall: no script for preinstall, continuing  
74286 silly lifecycle reduce-function-call@1.0.1~preinstall: no script for preinstall, continuing  
74287 silly lifecycle regenerate@1.3.1~preinstall: no script for preinstall, continuing  
74288 silly lifecycle babel-runtime@6.11.6~preinstall: no script for preinstall, continuing  
74289 silly lifecycle regenerator-runtime@0.9.5~preinstall: no script for preinstall, continuing  
74290 silly lifecycle react-simple-di@1.2.0~preinstall: no script for preinstall, continuing  
74291 silly lifecycle react-fuzzy@0.3.3~preinstall: no script for preinstall, continuing  
74292 silly lifecycle babel@6.9.1~preinstall: no script for preinstall, continuing  
74293 silly lifecycle babel-plugin-transform-runtime@6.15.0~preinstall: no script for preinstall, continuing  
74294 silly lifecycle babel-plugin-transform-react-jsx-source@6.9.0~preinstall: no script for preinstall, continuing  
74295 silly lifecycle babel-plugin-transform-react-jsx-self@6.11.0~preinstall: no script for preinstall, continuing  
74296 silly lifecycle babel-plugin-transform-react-display-name@6.8.0~preinstall: no script for preinstall, continuing  
74297 silly lifecycle babel-plugin-transform-object-rest-spread@6.8.0~preinstall: no script for

npm-debug.log

preinstall, continuing  
74298 silly lifecycle  
babel-plugin-transform-react-constant-elements@6.9.1~preinstall: no script for  
preinstall, continuing  
74299 silly lifecycle  
babel-plugin-transform-es2015-typeof-symbol@6.8.0~preinstall: no script for  
preinstall, continuing  
74300 silly lifecycle  
babel-plugin-transform-flow-strip-types@6.14.0~preinstall: no script for  
preinstall, continuing  
74301 silly lifecycle  
babel-plugin-transform-es2015-template-literals@6.8.0~preinstall: no script for  
preinstall, continuing  
74302 silly lifecycle babel-plugin-transform-es2015-spread@6.8.0~preinstall: no  
script for preinstall, continuing  
74303 silly lifecycle babel-plugin-transform-es2015-literals@6.8.0~preinstall:  
no script for preinstall, continuing  
74304 silly lifecycle babel-plugin-transform-es2015-for-of@6.8.0~preinstall: no  
script for preinstall, continuing  
74305 silly lifecycle  
babel-plugin-transform-es2015-destructuring@6.9.0~preinstall: no script for  
preinstall, continuing  
74306 silly lifecycle  
babel-plugin-transform-es2015-block-scoped-functions@6.8.0~preinstall: no  
script for preinstall, continuing  
74307 silly lifecycle  
babel-plugin-transform-es2015-arrow-functions@6.8.0~preinstall: no script for  
preinstall, continuing  
74308 silly lifecycle babel-plugin-check-es2015-constants@6.8.0~preinstall: no  
script for preinstall, continuing  
74309 silly lifecycle babel-messages@6.8.0~preinstall: no script for  
preinstall, continuing  
74310 silly lifecycle babel-polyfill@6.13.0~preinstall: no script for  
preinstall, continuing  
74311 silly lifecycle regjsgen@0.2.0~preinstall: no script for preinstall,  
continuing  
74312 silly lifecycle regex-cache@0.4.3~preinstall: no script for preinstall,  
continuing  
74313 silly lifecycle regjsparser@0.1.5~preinstall: no script for preinstall,  
continuing  
74314 silly lifecycle regexpu-core@2.0.0~preinstall: no script for preinstall,  
continuing  
74315 silly lifecycle regexpu-core@1.0.0~preinstall: no script for preinstall,  
continuing  
74316 silly lifecycle css-selector-tokenizer@0.6.0~preinstall: no script for  
preinstall, continuing  
74317 silly lifecycle repeat-element@1.1.2~preinstall: no script for  
preinstall, continuing  
74318 silly lifecycle repeat-string@1.5.4~preinstall: no script for preinstall,  
continuing  
74319 silly lifecycle fill-range@2.2.3~preinstall: no script for preinstall,  
continuing

npm-debug.log

74320 silly lifecycle expand-range@1.8.2~preinstall: no script for preinstall, continuing  
74321 silly lifecycle micromatch@2.3.11~preinstall: no script for preinstall, continuing  
74322 silly lifecycle braces@1.8.5~preinstall: no script for preinstall, continuing  
74323 silly lifecycle align-text@0.1.4~preinstall: no script for preinstall, continuing  
74324 silly lifecycle anymatch@1.3.0~preinstall: no script for preinstall, continuing  
74325 silly lifecycle center-align@0.1.3~preinstall: no script for preinstall, continuing  
74326 silly lifecycle repeating@1.1.3~preinstall: no script for preinstall, continuing  
74327 silly lifecycle detect-indent@3.0.1~preinstall: no script for preinstall, continuing  
74328 silly lifecycle resolve@1.1.7~preinstall: no script for preinstall, continuing  
74329 silly lifecycle rechoir@0.6.2~preinstall: no script for preinstall, continuing  
74330 silly lifecycle resolve-from@1.0.1~preinstall: no script for preinstall, continuing  
74331 silly lifecycle require-uncached@1.0.2~preinstall: no script for preinstall, continuing  
74332 silly lifecycle restore-cursor@1.0.1~preinstall: no script for preinstall, continuing  
74333 silly lifecycle cli-cursor@1.0.2~preinstall: no script for preinstall, continuing  
74334 silly lifecycle right-align@0.1.3~preinstall: no script for preinstall, continuing  
74335 silly lifecycle cliui@2.1.0~preinstall: no script for preinstall, continuing  
74336 silly lifecycle ripemd160@0.2.0~preinstall: no script for preinstall, continuing  
74337 silly lifecycle rx-lite@3.1.2~preinstall: no script for preinstall, continuing  
74338 silly lifecycle formatio@1.1.1~preinstall: no script for preinstall, continuing  
74339 silly lifecycle samsam@1.1.2~preinstall: no script for preinstall, continuing  
74340 silly lifecycle sax@1.2.1~preinstall: no script for preinstall, continuing  
74341 silly lifecycle semver@4.3.6~preinstall: no script for preinstall, continuing  
74342 silly lifecycle semver-regex@1.0.0~preinstall: no script for preinstall, continuing  
74343 silly lifecycle semver@5.3.0~preinstall: no script for preinstall, continuing  
74344 silly lifecycle semver-truncate@1.1.2~preinstall: no script for preinstall, continuing  
74345 silly lifecycle setprototypeof@1.0.1~preinstall: no script for preinstall, continuing

npm-debug.log

74346 silly lifecycle set-immediate-shim@1.0.1~preinstall: no script for preinstall, continuing  
74347 silly lifecycle crypto-browserify@3.2.8~preinstall: no script for preinstall, continuing  
74348 silly lifecycle sha.js@2.2.6~preinstall: no script for preinstall, continuing  
74349 silly lifecycle shallowequal@0.2.2~preinstall: no script for preinstall, continuing  
74350 silly lifecycle react-komposer@1.13.1~preinstall: no script for preinstall, continuing  
74351 silly lifecycle shebang-regex@1.0.0~preinstall: no script for preinstall, continuing  
74352 silly lifecycle mantra-core@1.7.0~preinstall: no script for preinstall, continuing  
74353 silly lifecycle minimatch@0.3.0~preinstall: no script for preinstall, continuing  
74354 silly lifecycle sigmund@1.0.1~preinstall: no script for preinstall, continuing  
74355 silly lifecycle glob@3.2.11~preinstall: no script for preinstall, continuing  
74356 silly lifecycle signal-exit@3.0.0~preinstall: no script for preinstall, continuing  
74357 silly lifecycle slash@1.0.0~preinstall: no script for preinstall, continuing  
74358 silly lifecycle loud-rejection@1.6.0~preinstall: no script for preinstall, continuing  
74359 silly lifecycle slice-ansi@0.0.4~preinstall: no script for preinstall, continuing  
74360 silly lifecycle slide@1.1.6~preinstall: no script for preinstall, continuing  
74361 silly lifecycle hawk@3.1.3~preinstall: no script for preinstall, continuing  
74362 silly lifecycle sntp@1.0.9~preinstall: no script for preinstall, continuing  
74363 silly lifecycle source-list-map@0.1.6~preinstall: no script for preinstall, continuing  
74364 silly lifecycle sort-keys@1.1.2~preinstall: no script for preinstall, continuing  
74365 silly lifecycle source-map@0.5.6~preinstall: no script for preinstall, continuing  
74366 silly lifecycle source-map@0.1.32~preinstall: no script for preinstall, continuing  
74367 silly lifecycle source-map-support@0.2.10~preinstall: no script for preinstall, continuing  
74368 silly lifecycle spdx-license-ids@1.2.2~preinstall: no script for preinstall, continuing  
74369 silly lifecycle spdx-expression-parse@1.0.3~preinstall: no script for preinstall, continuing  
74370 silly lifecycle spdx-correct@1.0.2~preinstall: no script for preinstall, continuing  
74371 silly lifecycle sprintf-js@1.0.3~preinstall: no script for preinstall, continuing

npm-debug.log

74372 silly lifecycle js-yaml@3.6.1~preinstall: no script for preinstall, continuing  
74373 silly lifecycle argparse@1.0.7~preinstall: no script for preinstall, continuing  
74374 silly lifecycle assert-plus@1.0.0~preinstall: no script for preinstall, continuing  
74375 silly lifecycle stack-source-map@1.0.5~preinstall: no script for preinstall, continuing  
74376 silly lifecycle stackframe@0.3.1~preinstall: no script for preinstall, continuing  
74377 silly lifecycle error-stack-parser@1.3.6~preinstall: no script for preinstall, continuing  
74378 silly lifecycle redbox-react@1.3.0~preinstall: no script for preinstall, continuing  
74379 silly lifecycle statuses@1.3.0~preinstall: no script for preinstall, continuing  
74380 silly lifecycle http-errors@1.5.0~preinstall: no script for preinstall, continuing  
74381 silly lifecycle send@0.14.1~preinstall: no script for preinstall, continuing  
74382 silly lifecycle serve-static@1.11.1~preinstall: no script for preinstall, continuing  
74383 silly lifecycle lowdb@0.13.1~preinstall: no script for preinstall, continuing  
74384 silly lifecycle steno@0.4.4~preinstall: no script for preinstall, continuing  
74385 silly lifecycle isarray@0.0.1~preinstall: no script for preinstall, continuing  
74386 silly lifecycle strict-uri-encode@1.1.0~preinstall: no script for preinstall, continuing  
74387 silly lifecycle string\_decoder@0.10.31~preinstall: no script for preinstall, continuing  
74388 silly lifecycle query-string@4.2.3~preinstall: no script for preinstall, continuing  
74389 silly lifecycle readable-stream@1.1.14~preinstall: no script for preinstall, continuing  
74390 silly lifecycle normalize-url@1.6.1~preinstall: no script for preinstall, continuing  
74391 silly lifecycle readable-stream@1.1.14~preinstall: no script for preinstall, continuing  
74392 silly lifecycle stream-browserify@1.0.0~preinstall: no script for preinstall, continuing  
74393 silly lifecycle readable-stream@1.1.14~preinstall: no script for preinstall, continuing  
74394 silly lifecycle htmlparser2@3.8.3~preinstall: no script for preinstall, continuing  
74395 silly lifecycle string.prototype.padend@3.0.0~preinstall: no script for preinstall, continuing  
74396 silly lifecycle string.prototype.padstart@3.0.0~preinstall: no script for preinstall, continuing  
74397 silly lifecycle stringstream@0.0.5~preinstall: no script for preinstall, continuing

npm-debug.log

74398 silly lifecycle strip-ansi@3.0.1~preinstall: no script for preinstall, continuing  
74399 silly lifecycle airbnb-js-shims@1.0.1~preinstall: no script for preinstall, continuing  
74400 silly lifecycle string-width@1.0.2~preinstall: no script for preinstall, continuing  
74401 silly lifecycle clap@1.1.1~preinstall: no script for preinstall, continuing  
74402 silly lifecycle chalk@1.1.3~preinstall: no script for preinstall, continuing  
74403 silly lifecycle log-symbols@1.0.2~preinstall: no script for preinstall, continuing  
74404 silly lifecycle csso@2.0.0~preinstall: no script for preinstall, continuing  
74405 silly lifecycle babel-code-frame@6.11.0~preinstall: no script for preinstall, continuing  
74406 silly lifecycle strip-bom@2.0.0~preinstall: no script for preinstall, continuing  
74407 silly lifecycle load-json-file@1.1.0~preinstall: no script for preinstall, continuing  
74408 silly lifecycle chalk@1.1.1~preinstall: no script for preinstall, continuing  
74409 silly lifecycle strip-indent@1.0.1~preinstall: no script for preinstall, continuing  
74410 silly lifecycle redent@1.0.0~preinstall: no script for preinstall, continuing  
74411 silly lifecycle strip-json-comments@1.0.4~preinstall: no script for preinstall, continuing  
74412 silly lifecycle style-loader@0.13.1~preinstall: no script for preinstall, continuing  
74413 silly lifecycle supports-color@3.1.2~preinstall: no script for preinstall, continuing  
74414 silly lifecycle postcss@5.2.0~preinstall: no script for preinstall, continuing  
74415 silly lifecycle postcss-reduce-initial@1.0.0~preinstall: no script for preinstall, continuing  
74416 silly lifecycle postcss-reduce-transforms@1.0.3~preinstall: no script for preinstall, continuing  
74417 silly lifecycle postcss-reduce-idents@2.3.0~preinstall: no script for preinstall, continuing  
74418 silly lifecycle postcss-ordered-values@2.2.1~preinstall: no script for preinstall, continuing  
74419 silly lifecycle postcss-modules-values@1.2.2~preinstall: no script for preinstall, continuing  
74420 silly lifecycle postcss-normalize-charset@1.1.0~preinstall: no script for preinstall, continuing  
74421 silly lifecycle postcss-modules-scope@1.0.2~preinstall: no script for preinstall, continuing  
74422 silly lifecycle postcss-normalize-url@3.0.7~preinstall: no script for preinstall, continuing  
74423 silly lifecycle postcss-modules-local-by-default@1.1.1~preinstall: no script for preinstall, continuing

npm-debug.log

74424 silly lifecycle postcss-modules-extract-imports@1.0.1~preinstall: no script for preinstall, continuing  
74425 silly lifecycle postcss-minify-font-values@1.0.5~preinstall: no script for preinstall, continuing  
74426 silly lifecycle postcss-minify-gradients@1.0.3~preinstall: no script for preinstall, continuing  
74427 silly lifecycle postcss-merge-idents@2.1.7~preinstall: no script for preinstall, continuing  
74428 silly lifecycle postcss-merge-longhand@2.0.1~preinstall: no script for preinstall, continuing  
74429 silly lifecycle postcss-discard-overridden@0.1.1~preinstall: no script for preinstall, continuing  
74430 silly lifecycle postcss-loader@0.11.1~preinstall: no script for preinstall, continuing  
74431 silly lifecycle postcss-discard-duplicates@2.0.1~preinstall: no script for preinstall, continuing  
74432 silly lifecycle postcss-discard-empty@2.1.0~preinstall: no script for preinstall, continuing  
74433 silly lifecycle postcss-convert-values@2.4.0~preinstall: no script for preinstall, continuing  
74434 silly lifecycle postcss-discard-comments@2.0.4~preinstall: no script for preinstall, continuing  
74435 silly lifecycle postcss-colormin@2.2.0~preinstall: no script for preinstall, continuing  
74436 silly lifecycle postcss-calc@5.3.1~preinstall: no script for preinstall, continuing  
74437 silly lifecycle autoprefixer@6.4.1~preinstall: no script for preinstall, continuing  
74438 silly lifecycle symbol-observable@1.0.2~preinstall: no script for preinstall, continuing  
74439 silly lifecycle @kadira/storybook-ui@3.4.1~preinstall: no script for preinstall, continuing  
74440 silly lifecycle redux@3.6.0~preinstall: no script for preinstall, continuing  
74441 silly lifecycle symbol-tree@3.1.4~preinstall: no script for preinstall, continuing  
74442 silly lifecycle tapable@0.1.10~preinstall: no script for preinstall, continuing  
74443 silly lifecycle enhanced-resolve@0.9.1~preinstall: no script for preinstall, continuing  
74444 silly lifecycle text-table@0.2.0~preinstall: no script for preinstall, continuing  
74445 silly lifecycle through@2.3.8~preinstall: no script for preinstall, continuing  
74446 silly lifecycle to-fast-properties@1.0.2~preinstall: no script for preinstall, continuing  
74447 silly lifecycle timers-browserify@1.4.2~preinstall: no script for preinstall, continuing  
74448 silly lifecycle babel-traverse@6.15.0~preinstall: no script for preinstall, continuing  
74449 silly lifecycle babel-types@6.15.0~preinstall: no script for preinstall, continuing



npm-debug.log

74450 silly lifecycle babel-template@6.15.0~preinstall: no script for preinstall, continuing  
74451 silly lifecycle babel-helpers@6.8.0~preinstall: no script for preinstall, continuing  
74452 silly lifecycle babel-plugin-transform-strict-mode@6.11.3~preinstall: no script for preinstall, continuing  
74453 silly lifecycle babel-plugin-transform-es2015-shorthand-properties@6.8.0~preinstall: no script for preinstall, continuing  
74454 silly lifecycle babel-plugin-transform-es2015-modules-commonjs@6.14.0~preinstall: no script for preinstall, continuing  
74455 silly lifecycle babel-plugin-transform-es2015-modules-amd@6.8.0~preinstall: no script for preinstall, continuing  
74456 silly lifecycle babel-plugin-transform-es2015-modules-umd@6.12.0~preinstall: no script for preinstall, continuing  
74457 silly lifecycle babel-plugin-transform-es2015-duplicate-keys@6.8.0~preinstall: no script for preinstall, continuing  
74458 silly lifecycle babel-plugin-transform-es2015-block-scoping@6.15.0~preinstall: no script for preinstall, continuing  
74459 silly lifecycle babel-helper-regex@6.9.0~preinstall: no script for preinstall, continuing  
74460 silly lifecycle babel-plugin-transform-es2015-unicode-regex@6.11.0~preinstall: no script for preinstall, continuing  
74461 silly lifecycle babel-plugin-transform-es2015-sticky-regex@6.8.0~preinstall: no script for preinstall, continuing  
74462 silly lifecycle babel-helper-optimise-call-expression@6.8.0~preinstall: no script for preinstall, continuing  
74463 silly lifecycle babel-helper-replace-supers@6.14.0~preinstall: no script for preinstall, continuing  
74464 silly lifecycle babel-plugin-transform-es2015-object-super@6.8.0~preinstall: no script for preinstall, continuing  
74465 silly lifecycle babel-helper-hoist-variables@6.8.0~preinstall: no script for preinstall, continuing  
74466 silly lifecycle babel-plugin-transform-es2015-modules-systemjs@6.14.0~preinstall: no script for preinstall, continuing  
74467 silly lifecycle babel-helper-get-function-arity@6.8.0~preinstall: no script for preinstall, continuing  
74468 silly lifecycle babel-helper-function-name@6.8.0~preinstall: no script for preinstall, continuing  
74469 silly lifecycle babel-plugin-transform-es2015-function-name@6.9.0~preinstall: no script for preinstall, continuing  
74470 silly lifecycle

npm-debug.log

babel-plugin-transform-class-properties@6.11.5~preinstall: no script for preinstall, continuing  
74471 silly lifecycle babel-helper-remap-async-to-generator@6.11.2~preinstall: no script for preinstall, continuing  
74472 silly lifecycle  
babel-plugin-transform-async-to-generator@6.8.0~preinstall: no script for preinstall, continuing  
74473 silly lifecycle  
babel-helper-explode-assignable-expression@6.8.0~preinstall: no script for preinstall, continuing  
74474 silly lifecycle babel-helper-define-map@6.9.0~preinstall: no script for preinstall, continuing  
74475 silly lifecycle  
babel-plugin-transform-es2015-computed-properties@6.8.0~preinstall: no script for preinstall, continuing  
74476 silly lifecycle babel-plugin-transform-es2015-classes@6.14.0~preinstall: no script for preinstall, continuing  
74477 silly lifecycle babel-helper-call-delegate@6.8.0~preinstall: no script for preinstall, continuing  
74478 silly lifecycle  
babel-plugin-transform-es2015-parameters@6.11.4~preinstall: no script for preinstall, continuing  
74479 silly lifecycle babel-helper-builder-react-jsx@6.9.0~preinstall: no script for preinstall, continuing  
74480 silly lifecycle babel-plugin-transform-react-jsx@6.8.0~preinstall: no script for preinstall, continuing  
74481 silly lifecycle babel-preset-react@6.11.1~preinstall: no script for preinstall, continuing  
74482 silly lifecycle  
babel-helper-builder-binary-assignment-operator-visitor@6.15.0~preinstall: no script for preinstall, continuing  
74483 silly lifecycle babel-preset-stage-3@6.11.0~preinstall: no script for preinstall, continuing  
74484 silly lifecycle  
babel-plugin-transform-exponentiation-operator@6.8.0~preinstall: no script for preinstall, continuing  
74485 silly lifecycle babel-preset-es2016@6.11.3~preinstall: no script for preinstall, continuing  
74486 silly lifecycle babel-helper-bindify-decorators@6.8.0~preinstall: no script for preinstall, continuing  
74487 silly lifecycle babel-helper-explode-class@6.8.0~preinstall: no script for preinstall, continuing  
74488 silly lifecycle babel-plugin-transform-decorators@6.13.0~preinstall: no script for preinstall, continuing  
74489 silly lifecycle babel-preset-stage-2@6.13.0~preinstall: no script for preinstall, continuing  
74490 silly lifecycle babel-generator@6.14.0~preinstall: no script for preinstall, continuing  
74491 silly lifecycle to-iso-string@0.0.2~preinstall: no script for preinstall, continuing  
74492 silly lifecycle babel-eslint@6.1.2~preinstall: no script for preinstall, continuing

npm-debug.log

74493 silly lifecycle mocha@2.5.3~preinstall: no script for preinstall, continuing  
74494 silly lifecycle tough-cookie@2.3.1~preinstall: no script for preinstall, continuing  
74495 silly lifecycle trim-newlines@1.0.0~preinstall: no script for preinstall, continuing  
74496 silly lifecycle tr46@0.0.3~preinstall: no script for preinstall, continuing  
74497 silly lifecycle tryit@1.0.2~preinstall: no script for preinstall, continuing  
74498 silly lifecycle is-resolvable@1.0.0~preinstall: no script for preinstall, continuing  
74499 silly lifecycle tty-browserify@0.0.0~preinstall: no script for preinstall, continuing  
74500 silly lifecycle tunnel-agent@0.4.3~preinstall: no script for preinstall, continuing  
74501 silly lifecycle tv4@1.2.7~preinstall: no script for preinstall, continuing  
74502 silly lifecycle tweetnacl@0.13.3~preinstall: no script for preinstall, continuing  
74503 silly lifecycle type-check@0.3.2~preinstall: no script for preinstall, continuing  
74504 silly lifecycle sshpk@1.10.0~preinstall: no script for preinstall, continuing  
74505 silly lifecycle optionator@0.8.1~preinstall: no script for preinstall, continuing  
74506 silly lifecycle levn@0.3.0~preinstall: no script for preinstall, continuing  
74507 silly lifecycle escodegen@1.8.1~preinstall: no script for preinstall, continuing  
74508 silly lifecycle chai@3.5.0~preinstall: no script for preinstall, continuing  
74509 silly lifecycle type-detect@1.0.0~preinstall: no script for preinstall, continuing  
74510 silly lifecycle type-is@1.6.13~preinstall: no script for preinstall, continuing  
74511 silly lifecycle ua-parser-js@0.7.10~preinstall: no script for preinstall, continuing  
74512 silly lifecycle async@0.2.10~preinstall: no script for preinstall, continuing  
74513 silly lifecycle typedarray@0.0.6~preinstall: no script for preinstall, continuing  
74514 silly lifecycle uglify-to-browserify@1.0.2~preinstall: no script for preinstall, continuing  
74515 silly lifecycle uniq@1.0.1~preinstall: no script for preinstall, continuing  
74516 silly lifecycle postcss-selector-parser@2.2.1~preinstall: no script for preinstall, continuing  
74517 silly lifecycle postcss-minify-selectors@2.0.5~preinstall: no script for preinstall, continuing  
74518 silly lifecycle unid@3.1.0~preinstall: no script for preinstall, continuing

npm-debug.log

74519 silly lifecycle postcss-filter-plugins@2.0.1~preinstall: no script for preinstall, continuing  
74520 silly lifecycle uniqs@2.0.0~preinstall: no script for preinstall, continuing  
74521 silly lifecycle postcss-zindex@2.1.1~preinstall: no script for preinstall, continuing  
74522 silly lifecycle postcss-unique-selectors@2.0.2~preinstall: no script for preinstall, continuing  
74523 silly lifecycle postcss-discard-unused@2.2.1~preinstall: no script for preinstall, continuing  
74524 silly lifecycle postcss-minify-params@1.0.5~preinstall: no script for preinstall, continuing  
74525 silly lifecycle unpipe@1.0.0~preinstall: no script for preinstall, continuing  
74526 silly lifecycle raw-body@2.1.7~preinstall: no script for preinstall, continuing  
74527 silly lifecycle body-parser@1.15.2~preinstall: no script for preinstall, continuing  
74528 silly lifecycle finalhandler@0.5.0~preinstall: no script for preinstall, continuing  
74529 silly lifecycle mime@1.2.11~preinstall: no script for preinstall, continuing  
74530 silly lifecycle url-loader@0.5.7~preinstall: no script for preinstall, continuing  
74531 silly lifecycle punycode@1.3.2~preinstall: no script for preinstall, continuing  
74532 silly lifecycle url@0.10.3~preinstall: no script for preinstall, continuing  
74533 silly lifecycle user-home@1.1.1~preinstall: no script for preinstall, continuing  
74534 silly lifecycle home-or-tmp@1.0.0~preinstall: no script for preinstall, continuing  
74535 silly lifecycle babel-register@6.14.0~preinstall: no script for preinstall, continuing  
74536 silly lifecycle babel-plugin-transform-regenerator@6.14.0~preinstall: no script for preinstall, continuing  
74537 silly lifecycle babel-core@6.14.0~preinstall: no script for preinstall, continuing  
74538 silly lifecycle babel-preset-es2015@6.14.0~preinstall: no script for preinstall, continuing  
74539 silly lifecycle util@0.10.3~preinstall: no script for preinstall, continuing  
74540 silly lifecycle sinon@1.17.5~preinstall: no script for preinstall, continuing  
74541 silly lifecycle assert@1.4.1~preinstall: no script for preinstall, continuing  
74542 silly lifecycle util-deprecate@1.0.2~preinstall: no script for preinstall, continuing  
74543 silly lifecycle readable-stream@2.0.6~preinstall: no script for preinstall, continuing  
74544 silly lifecycle readdirp@2.1.0~preinstall: no script for preinstall, continuing

npm-debug.log

74545 silly lifecycle memory-fs@0.3.0~preinstall: no script for preinstall, continuing  
74546 silly lifecycle chokidar@1.6.0~preinstall: no script for preinstall, continuing  
74547 silly lifecycle concat-stream@1.5.2~preinstall: no script for preinstall, continuing  
74548 silly lifecycle bl@1.1.2~preinstall: no script for preinstall, continuing  
74549 silly lifecycle @kadira/storybook-database@2.1.0~preinstall: no script for preinstall, continuing  
74550 silly lifecycle uuid@2.0.2~preinstall: no script for preinstall, continuing  
74551 silly lifecycle utils-merge@1.0.0~preinstall: no script for preinstall, continuing  
74552 silly lifecycle v8flags@2.0.11~preinstall: no script for preinstall, continuing  
74553 silly lifecycle validate-npm-package-license@3.0.1~preinstall: no script for preinstall, continuing  
74554 silly lifecycle @kadira/storybook-database-local@1.2.0~preinstall: no script for preinstall, continuing  
74555 silly lifecycle normalize-package-data@2.3.5~preinstall: no script for preinstall, continuing  
74556 silly lifecycle read-pkg@1.1.0~preinstall: no script for preinstall, continuing  
74557 silly lifecycle read-pkg-up@1.0.1~preinstall: no script for preinstall, continuing  
74558 silly lifecycle meow@3.7.0~preinstall: no script for preinstall, continuing  
74559 silly lifecycle bin-version@1.0.4~preinstall: no script for preinstall, continuing  
74560 silly lifecycle find-versions@1.2.1~preinstall: no script for preinstall, continuing  
74561 silly lifecycle bin-version-check@2.1.0~preinstall: no script for preinstall, continuing  
74562 silly lifecycle vary@1.1.0~preinstall: no script for preinstall, continuing  
74563 silly lifecycle express@4.14.0~preinstall: no script for preinstall, continuing  
74564 silly lifecycle vendors@1.0.1~preinstall: no script for preinstall, continuing  
74565 silly lifecycle verror@1.3.6~preinstall: no script for preinstall, continuing  
74566 silly lifecycle postcss-merge-rules@2.0.10~preinstall: no script for preinstall, continuing  
74567 silly lifecycle jsprim@1.3.0~preinstall: no script for preinstall, continuing  
74568 silly lifecycle http-signature@1.1.1~preinstall: no script for preinstall, continuing  
74569 silly lifecycle node-libs-browser@0.6.0~preinstall: no script for preinstall, continuing  
74570 silly lifecycle vm-browserify@0.0.4~preinstall: no script for preinstall, continuing  
74571 silly lifecycle async@0.9.2~preinstall: no script for preinstall,

npm-debug.log

continuing  
74572 silly lifecycle watchpack@0.2.9~preinstall: no script for preinstall,  
continuing  
74573 silly lifecycle webidl-conversions@2.0.1~preinstall: no script for  
preinstall, continuing  
74574 silly lifecycle webpack-core@0.6.8~preinstall: no script for preinstall,  
continuing  
74575 silly lifecycle source-map@0.4.4~preinstall: no script for preinstall,  
continuing  
74576 silly lifecycle webpack-dev-middleware@1.6.1~preinstall: no script for  
preinstall, continuing  
74577 silly lifecycle webpack-hot-middleware@2.12.2~preinstall: no script for  
preinstall, continuing  
74578 silly lifecycle async@1.5.2~preinstall: no script for preinstall,  
continuing  
74579 silly lifecycle interpret@0.6.6~preinstall: no script for preinstall,  
continuing  
74580 silly lifecycle isomorphic-fetch@2.2.1~preinstall: no script for  
preinstall, continuing  
74581 silly lifecycle whatwg-fetch@1.0.0~preinstall: no script for preinstall,  
continuing  
74582 silly lifecycle react@15.3.1~preinstall: no script for preinstall,  
continuing  
74583 silly lifecycle fbjs@0.8.4~preinstall: no script for preinstall,  
continuing  
74584 silly lifecycle webidl-conversions@3.0.1~preinstall: no script for  
preinstall, continuing  
74585 silly lifecycle whatwg-url-compat@0.6.5~preinstall: no script for  
preinstall, continuing  
74586 silly lifecycle whet.extend@0.9.9~preinstall: no script for preinstall,  
continuing  
74587 silly lifecycle whatwg-url@2.0.1~preinstall: no script for preinstall,  
continuing  
74588 silly lifecycle postcss-svgo@2.1.4~preinstall: no script for preinstall,  
continuing  
74589 silly lifecycle svgo@0.6.6~preinstall: no script for preinstall,  
continuing  
74590 silly lifecycle css-loader@0.24.0~preinstall: no script for preinstall,  
continuing  
74591 silly lifecycle cssnano@3.7.4~preinstall: no script for preinstall,  
continuing  
74592 silly lifecycle wordwrap@0.0.3~preinstall: no script for preinstall,  
continuing  
74593 silly lifecycle optimist@0.6.1~preinstall: no script for preinstall,  
continuing  
74594 silly lifecycle window-size@0.1.0~preinstall: no script for preinstall,  
continuing  
74595 silly lifecycle wrapappy@1.0.2~preinstall: no script for preinstall,  
continuing  
74596 silly lifecycle once@1.4.0~preinstall: no script for preinstall,  
continuing  
74597 silly lifecycle run-async@0.1.0~preinstall: no script for preinstall,

npm-debug.log

continuing  
74598 silly lifecycle inquirer@0.12.0~preinstall: no script for preinstall,  
continuing  
74599 silly lifecycle inflight@1.0.5~preinstall: no script for preinstall,  
continuing  
74600 silly lifecycle glob@7.0.6~preinstall: no script for preinstall,  
continuing  
74601 silly lifecycle shelljs@0.7.4~preinstall: no script for preinstall,  
continuing  
74602 silly lifecycle rimraf@2.5.4~preinstall: no script for preinstall,  
continuing  
74603 silly lifecycle del@2.2.2~preinstall: no script for preinstall,  
continuing  
74604 silly lifecycle globby@5.0.0~preinstall: no script for preinstall,  
continuing  
74605 silly lifecycle glob@5.0.15~preinstall: no script for preinstall,  
continuing  
74606 silly lifecycle write@0.2.1~preinstall: no script for preinstall,  
continuing  
74607 silly lifecycle flat-cache@1.2.1~preinstall: no script for preinstall,  
continuing  
74608 silly lifecycle file-entry-cache@1.3.1~preinstall: no script for  
preinstall, continuing  
74609 silly lifecycle write-file-atomic@1.2.0~preinstall: no script for  
preinstall, continuing  
74610 silly lifecycle xdg-basedir@2.0.0~preinstall: no script for preinstall,  
continuing  
74611 silly lifecycle xml-name-validator@2.0.1~preinstall: no script for  
preinstall, continuing  
74612 silly lifecycle configstore@2.1.0~preinstall: no script for preinstall,  
continuing  
74613 silly lifecycle xregexp@3.1.1~preinstall: no script for preinstall,  
continuing  
74614 silly lifecycle table@3.7.8~preinstall: no script for preinstall,  
continuing  
74615 silly lifecycle is-my-json-valid@2.13.1~preinstall: no script for  
preinstall, continuing  
74616 silly lifecycle har-validator@2.0.6~preinstall: no script for preinstall,  
continuing  
74617 silly lifecycle xtend@4.0.1~preinstall: no script for preinstall,  
continuing  
74618 silly lifecycle request@2.74.0~preinstall: no script for preinstall,  
continuing  
74619 silly lifecycle jsdom@8.5.0~preinstall: no script for preinstall,  
continuing  
74620 silly lifecycle jsdom@7.2.2~preinstall: no script for preinstall,  
continuing  
74621 silly lifecycle cheerio@0.20.0~preinstall: no script for preinstall,  
continuing  
74622 silly lifecycle enzyme@2.4.1~preinstall: no script for preinstall,  
continuing  
74623 silly lifecycle babel-cli@6.14.0~preinstall: no script for preinstall,

npm-debug.log

```
continuing
74624 silly lifecycle eslint@2.13.1~preinstall: no script for preinstall,
continuing
74625 silly lifecycle yargs@3.10.0~preinstall: no script for preinstall,
continuing
74626 silly lifecycle uglify-js@2.6.4~preinstall: no script for preinstall,
continuing
74627 silly lifecycle webpack@1.13.2~preinstall: no script for preinstall,
continuing
74628 silly lifecycle @kadira/storybook@2.11.0~preinstall: no script for
preinstall, continuing
74629 silly doReverseSerial remove 0
74630 silly doSerial move 0
74631 silly doSerial finalize 761
74632 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\@kadira\react-split-pane
74633 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\@kadira\storybook-addon-links
74634 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\@kadira\storybook-addons
74635 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\@kadira\storybook-channel
74636 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\abab
74637 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\acorn
74638 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\acorn-globals\node_modules\acorn
74639 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\acorn-globals
74640 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\acorn-jsx
74641 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\alphanum-sort
74642 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\amdefine
74643 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\ansi-escapes
74644 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\ansi-html
74645 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\ansi-regex
74646 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\ansi-styles
74647 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\arr-flatten
74648 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\arr-diff
74649 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\array-equal
74650 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\array-find-index
74651 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\array-flatten
74652 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\array-uniq
74653 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\array-union
74654 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\array-unique
74655 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\arrify
74656 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\asap
74657 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\asn1
74658 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\assert-plus
74659 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\assertion-error
74660 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\async-each
74661 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\aws-sign2
74662 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\aws4
74663 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\babel-cli\node_modules\supports-color
```



npm-debug.log

74664 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-code-frame\node\_modules\js-tokens  
74665 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-core\node\_modules\json5  
74666 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-eslint\node\_modules\lodash.assign  
74667 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-syntax-async-functions  
74668 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-syntax-class-properties  
74669 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-syntax-decorators  
74670 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-syntax-exponentiation-operator  
74671 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-syntax-flow  
74672 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-syntax-jsx  
74673 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-syntax-object-rest-spread  
74674 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-syntax-trailing-function-commas  
74675 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\balanced-match  
74676 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\Base64  
74677 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\base64-js  
74678 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\bcrypt-pbkdf\node\_modules\tweetnacl  
74679 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\bcrypt-pbkdf  
74680 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\big.js  
74681 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\binary-extensions  
74682 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\bluebird  
74683 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\body-parser\node\_modules\qs  
74684 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\boolbase  
74685 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\builtin-modules  
74686 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\bytes  
74687 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\callsites  
74688 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\caller-path  
74689 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\camelcase  
74690 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\camelcase-keys\node\_modules\camelcase  
74691 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\caniuse-db  
74692 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\browserslist  
74693 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\case-sensitive-paths-webpack-plugin  
74694 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\caseless

npm-debug.log

74695 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\chalk\node\_modules\supports-color  
74696 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\cheerio\node\_modules\acorn  
74697 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\circular-json  
74698 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\classnames  
74699 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\cli-width  
74700 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\cliui\node\_modules\wordwrap  
74701 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\clone  
74702 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\color-convert  
74703 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\color-name  
74704 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\color-string  
74705 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\color  
74706 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\colors  
74707 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\concat-map  
74708 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\brace-expansion  
74709 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\constants-browserify  
74710 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\content-disposition  
74711 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\content-type  
74712 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\convert-source-map  
74713 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\cookie  
74714 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\cookie-signature  
74715 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\core-js  
74716 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\core-util-is  
74717 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\css-color-names  
74718 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\css-what  
74719 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\cssesc  
74720 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\cssom  
74721 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\cssstyle  
74722 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\currently-unhandled  
74723 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\dashdash\node\_modules\assert-plus  
74724 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\dashdash  
74725 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\date-now  
74726 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\console-browserify  
74727 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\decamelize  
74728 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\deep-eql\node\_modules\type-detect  
74729 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\deep-eql  
74730 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\deep-equal  
74731 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\deep-is  
74732 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\defined  
74733 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\delayed-stream  
74734 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\combined-stream  
74735 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\depd  
74736 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\destroy

npm-debug.log

74737 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\diff  
74738 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\dom-serializer\node\_modules\dom-element-type  
74739 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\domain-browser  
74740 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\dom-element-type  
74741 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\domhandler  
74742 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\ee-first  
74743 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\element-class  
74744 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\emojis-list  
74745 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\encodeurl  
74746 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\enhanced-resolve\node\_modules\memory-fs  
74747 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\entities  
74748 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\dom-serializer  
74749 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\domutils  
74750 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\es5-shim  
74751 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\es6-shim  
74752 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\es6-symbol  
74753 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\es5-ext  
74754 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\d  
74755 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\es6-iterator  
74756 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\es6-weak-map  
74757 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\escape-html  
74758 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\escape-string-regexp  
74759 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\escodegen\node\_modules\source-map  
74760 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\escope\node\_modules\estraverse  
74761 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\eslint-config-airbnb  
74762 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\eslint-plugin-babel  
74763 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\eslint-plugin-jsx-a11y  
74764 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\eslint-plugin-react  
74765 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\eslint\node\_modules\estraverse  
74766 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\eslint\node\_modules\globals  
74767 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\eslint\node\_modules\shelljs  
74768 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\esprez  
74769 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\esprima  
74770 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\esrecurse\node\_modules\estraverse  
74771 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\estraverse  
74772 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\esutils  
74773 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\etag

npm-debug.log

74774 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\event-emitter  
74775 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\es6-set  
74776 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\es6-map  
74777 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\events  
74778 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\exenv  
74779 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\exit-hook  
74780 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\express\node\_modules\qs  
74781 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\extend  
74782 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\extsprintf  
74783 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\fast-levenshtein  
74784 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\fastparse  
74785 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\fbjs\node\_modules\core-js  
74786 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\filename-regex  
74787 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\flatten  
74788 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\for-in  
74789 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\for-own  
74790 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\foreach  
74791 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\forever-agent  
74792 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\forwarded  
74793 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\fresh  
74794 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\fs-readdir-recursive  
74795 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\fs.realpath  
74796 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\function-bind  
74797 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\fuse.js  
74798 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\fuzzysearch  
74799 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\generate-function  
74800 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\get-stdin  
74801 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\getpass\node\_modules\assert-plus  
74802 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\getpass  
74803 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\globals  
74804 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\graceful-fs  
74805 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\graceful-readlink  
74806 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\commander  
74807 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\growl  
74808 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\has  
74809 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\colormin  
74810 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\has-ansi  
74811 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\has-flag  
74812 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\hoek  
74813 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\boom  
74814 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\cryptiles  
74815 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\hoist-non-react-statics  
74816 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\hosted-git-info  
74817 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\html-comment-regex

npm-debug.log

```
74818 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\html-entities
74819 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\htmlparser2\node_modules\entities
74820 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\htmlparser2\node_modules\isarray
74821 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\https-browserify
74822 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\iconv-lite
74823 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\encoding
74824 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\icss-replace-symbols
74825 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\ieee754
74826 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\ignore
74827 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\immutable
74828 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\imurmurhash
74829 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\indexes-of
74830 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\indexof
74831 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\inherits
74832 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\http-browserify
74833 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\interpret
74834 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\ipaddr.js
74835 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-absolute-url
74836 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-arrayish
74837 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\error-ex
74838 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-binary-path
74839 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-buffer
74840 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\is-builtin-module
74841 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-callable
74842 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-date-object
74843 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-dom
74844 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-dotfile
74845 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-extendable
74846 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-extglob
74847 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\extglob
74848 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-glob
74849 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\glob-parent
74850 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\glob-base
74851 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-obj
74852 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\dot-prop
74853 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-path-cwd
74854 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-plain-obj
74855 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-posix-bracket
74856 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\expand-brackets
74857 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-primitive
74858 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-equal-shallow
74859 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-promise
74860 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-property
74861 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\generate-object-property
74862 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-regex
74863 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-stream
74864 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-subset
```

npm-debug.log

```
74865 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-svg
74866 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-symbol
74867 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\es-to-primitive
74868 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\es-abstract
74869 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-typedarray
74870 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-utf8
74871 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\isarray
74872 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\doctrine
74873 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\buffer
74874 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\isobject
74875 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\isstream
74876 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\jade\node_modules\commander
74877 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\jade\node_modules\mkdirp
74878 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\jade
74879 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\jju
74880 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\js-base64
74881 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\js-tokens
74882 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\jsbn
74883 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\jodid25519
74884 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\ecc-jsbn
74885 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\jsdom\node_modules\acorn
74886 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\jsdom\node_modules\webidl-conversions
74887 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\jesc
74888 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\json-loader
74889 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\json-parse-helpfulerror
74890 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\json-schema
74891 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\json-stringify-safe
74892 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\json5
74893 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\jsonify
74894 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\json-stable-stringify
74895 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\jsonpointer
74896 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\keycode
74897 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\kind-of
74898 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-number
74899 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\lazy-cache
74900 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\lodash
74901 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\async
74902 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\lodash-es
74903 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\lodash._basecopy
74904 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\lodash._bindcallback
74905 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\lodash._getnative
74906 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\lodash._isiterateecall
```

npm-debug.log

74907 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\lodash.\_root  
74908 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\lodash.deburr  
74909 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\lodash.indexof  
74910 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\lodash.isarguments  
74911 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\lodash.isarray  
74912 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\lodash.keys  
74913 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\lodash.\_baseassign  
74914 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\lodash.pick  
74915 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\lodash.pickby  
74916 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\lodash.restparam  
74917 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\lodash.\_createassigner  
74918 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\lodash.assign  
74919 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\lodash.words  
74920 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\lodash.\_createcompounder  
74921 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\lodash.camelcase  
74922 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\lolex  
74923 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\longest  
74924 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\loose-envify  
74925 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\invariant  
74926 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\lru-cache  
74927 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\macaddress  
74928 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\map-obj  
74929 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\camelcase-keys  
74930 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\math-expression-evaluator  
74931 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\media-typer  
74932 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\merge-descriptors  
74933 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\methods  
74934 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\mime  
74935 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\mime-db  
74936 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\mime-types  
74937 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\form-data  
74938 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\minimatch  
74939 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\minimist  
74940 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\mkdirp\node\_modules\minimist  
74941 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\mkdirp  
74942 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\mobx  
74943 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\mocha\node\_modules\commander  
74944 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\mocha\node\_modules\escape-string-regexp  
74945 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\mocha\node\_modules\supports-color  
74946 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\ms  
74947 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\debug

npm-debug.log

```
74948 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\mute-stream
74949 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\negotiator
74950 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\accepts
74951 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\node-fetch
74952 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\node-libs-browser\node_modules\isarra
y
74953 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\node-uuid
74954 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\normalize-path
74955 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\normalize-range
74956 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\nth-check
74957 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\css-select
74958 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\num2fraction
74959 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\number-is-nan
74960 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\is-fullwidth-code-point
74961 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-finite
74962 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\indent-string\node_modules\repeating
74963 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\indent-string
74964 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\code-point-at
74965 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\nwmatcher
74966 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\oauth-sign
74967 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\object-assign
74968 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\loader-utils
74969 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\file-loader
74970 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\figures
74971 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\esrecurse
74972 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\escape
74973 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\babel-loader
74974 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\object-is
74975 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\object-keys
74976 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\define-properties
74977 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\array-includes
74978 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\object.assign
74979 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\object.entries
74980 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\object.getownpropertydescriptors
74981 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\object.omit
74982 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\object.values
74983 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\on-finished
74984 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\onetime
74985 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\optimist\node_modules\minimist
74986 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\optionator\node_modules\wordwrap
74987 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\os-browserify
74988 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\os-homedir
74989 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\eslint\node_modules\user-home
74990 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\os-tmpdir
```



npm-debug.log

74991 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\osenv  
74992 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\output-file-sync  
74993 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\page-bus  
74994 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\@kadira\storybook-channel-pagebus  
74995 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\pako  
74996 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\browserify-zlib  
74997 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\parse-glob  
74998 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\parse-json  
74999 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\parse5  
75000 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\parseurl  
75001 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\path-browserify  
75002 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\path-exists  
75003 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\path-is-absolute  
75004 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\path-is-inside  
75005 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\is-path-inside  
75006 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\is-path-in-cwd  
75007 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\path-to-regexp  
75008 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\pbkdf2-compat  
75009 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\pify  
75010 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\pinkie  
75011 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\pinkie-promise  
75012 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\path-type  
75013 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\find-up\node\_modules\path-exists  
75014 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\find-up  
75015 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\pluralize  
75016 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-message-helpers  
75017 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-value-parser  
75018 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\prelude-ls  
75019 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\prepend-http  
75020 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\preserve  
75021 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\private  
75022 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\process  
75023 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\process-nextick-args  
75024 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\progress  
75025 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\promise  
75026 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\protocols  
75027 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\is-ssh  
75028 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\parse-url  
75029 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\git-up  
75030 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\git-url-parse  
75031 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\proxy-addr  
75032 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\prr  
75033 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\errno  
75034 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\punycode  
75035 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\q  
75036 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\coa  
75037 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\qs

npm-debug.log

75038 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\querystring  
75039 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\querystring-es3  
75040 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\randomatic  
75041 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\range-parser  
75042 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\react-addons-test-utils  
75043 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\react-dom  
75044 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\react-inspector  
75045 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\@kadira\storybook-addon-actions  
75046 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\react-modal  
75047 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\readline2  
75048 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\reduce-function-call\node\_modules\balanced-match  
75049 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\reduce-function-call  
75050 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\reduce-css-calc  
75051 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\regenerate  
75052 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\regenerator-runtime  
75053 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\babel-runtime  
75054 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\react-simple-di  
75055 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\react-fuzzy  
75056 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\babylon  
75057 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-runtime  
75058 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-react-jsx-source  
75059 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-react-jsx-self  
75060 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-react-display-name  
75061 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-react-constant-elements  
75062 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-object-rest-spread  
75063 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-flow-strip-types  
75064 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-typeof-symbol  
75065 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-template-literals  
75066 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-spread

npm-debug.log

75067 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-literals

75068 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-for-of

75069 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-destructuring

75070 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-block-scoped-functions

75071 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-arrow-functions

75072 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-check-es2015-constants

75073 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\babel-messages

75074 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\babel-polyfill

75075 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\regex-cache

75076 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\regjsgen

75077 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\regjsparser

75078 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\regexpu-core

75079 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\css-selector-tokenizer\node\_modules\regexpu-core

75080 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\css-selector-tokenizer

75081 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\repeat-element

75082 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\repeat-string

75083 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\fill-range

75084 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\expand-range

75085 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\braces

75086 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\micromatch

75087 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\anymatch

75088 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\align-text

75089 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\center-align

75090 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\repeating

75091 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\detect-indent

75092 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\resolve

75093 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\rechoir

75094 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\resolve-from

75095 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\require-uncached

75096 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\restore-cursor

75097 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\cli-cursor

75098 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\right-align

75099 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\cliui

75100 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\ripemd160

75101 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\rx-lite

75102 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\samsam

75103 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\formatio

75104 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\sax

75105 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\semver

npm-debug.log

75106 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\semver-regex  
75107 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\semver-truncate\node\_modules\semver  
75108 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\semver-truncate  
75109 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\set-immediate-shim  
75110 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\setprototypeof  
75111 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\sha.js  
75112 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\crypto-browserify  
75113 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\shallowequal  
75114 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\react-komposer  
75115 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\mantra-core  
75116 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\shebang-regex  
75117 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\sigmund  
75118 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\mocha\node\_modules\minimatch  
75119 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\mocha\node\_modules\glob  
75120 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\signal-exit  
75121 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\loud-rejection  
75122 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\slash  
75123 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\slice-ansi  
75124 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\slide  
75125 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\sntp  
75126 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\hawk  
75127 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\sort-keys  
75128 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\source-list-map  
75129 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\source-map  
75130 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\source-map-support\node\_modules\source-map  
75131 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\source-map-support  
75132 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\spdx-expression-parse  
75133 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\spdx-license-ids  
75134 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\spdx-correct  
75135 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\sprintf-js  
75136 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\argparse  
75137 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\js-yaml  
75138 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\sshpk\node\_modules\assert-plus  
75139 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\stack-source-map  
75140 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\stackframe  
75141 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\error-stack-parser  
75142 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\redbox-react  
75143 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\statuses  
75144 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\http-errors  
75145 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\send  
75146 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\serve-static

npm-debug.log

75147 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\steno  
75148 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\lowdb  
75149 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\stream-browserify\node\_modules\isarray  
75150 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\strict-uri-encode  
75151 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\query-string  
75152 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\normalize-url  
75153 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\string\_decoder  
75154 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\stream-browserify\node\_modules\readable-stream  
75155 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\stream-browserify  
75156 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\node-libs-browser\node\_modules\readable-stream  
75157 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\htmlparser2\node\_modules\readable-stream  
75158 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\htmlparser2  
75159 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\string.prototype.padend  
75160 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\string.prototype.padstart  
75161 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\airbnb-js-shims  
75162 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\stringstream  
75163 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\strip-ansi  
75164 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\string-width  
75165 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\chalk  
75166 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\log-symbols  
75167 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\clap  
75168 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\csso  
75169 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\babel-code-frame  
75170 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-cli\node\_modules\chalk  
75171 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\strip-bom  
75172 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\load-json-file  
75173 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\strip-indent  
75174 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\redent  
75175 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\strip-json-comments  
75176 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\style-loader  
75177 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\supports-color  
75178 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\postcss  
75179 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-reduce-transforms  
75180 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-reduce-initial  
75181 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-reduce-idents

npm-debug.log

75182 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-ordered-values  
75183 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-normalize-url  
75184 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-normalize-charset  
75185 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-modules-values  
75186 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-modules-scope  
75187 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-modules-local-by-default  
75188 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-modules-extract-imports  
75189 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-minify-gradients  
75190 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-minify-font-values  
75191 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-merge-longhand  
75192 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-merge-idents  
75193 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-loader  
75194 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-discard-overridden  
75195 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-discard-empty  
75196 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-discard-duplicates  
75197 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-discard-comments  
75198 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-convert-values  
75199 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-colormin  
75200 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\postcss-calc  
75201 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\autoprefixer  
75202 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\symbol-observable  
75203 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\redux  
75204 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\@kadira\storybook-ui  
75205 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\symbol-tree  
75206 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\tapable  
75207 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\enhanced-resolve  
75208 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\text-table  
75209 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\through  
75210 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\timers-browserify  
75211 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\to-fast-properties  
75212 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\babel-types  
75213 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\babel-traverse

npm-debug.log

75214 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\babel-template  
75215 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\babel-helpers  
75216 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-strict-mode  
75217 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-shorthand-properties  
75218 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-modules-commonjs  
75219 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-modules-amd  
75220 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-modules-umd  
75221 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-duplicate-keys  
75222 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-block-scoping  
75223 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-helper-regex  
75224 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-unicode-regex  
75225 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-sticky-regex  
75226 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-helper-optimise-call-expression  
75227 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-helper-replace-supers  
75228 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-object-super  
75229 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-helper-hoist-variables  
75230 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-modules-systemjs  
75231 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-helper-get-function-arity  
75232 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-helper-function-name  
75233 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-function-name  
75234 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-class-properties

npm-debug.log

75235 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-helper-remap-async-to-generator  
75236 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-async-to-generator  
75237 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-helper-explode-assignable-expression  
75238 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-helper-define-map  
75239 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-computed-properties  
75240 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-classes  
75241 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-helper-call-delegate  
75242 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-es2015-parameters  
75243 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-helper-builder-react-jsx  
75244 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-react-jsx  
75245 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-preset-react  
75246 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-helper-builder-binary-assignment-operator-visitor  
75247 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-exponentiation-operator  
75248 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-preset-stage-3  
75249 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-preset-es2016  
75250 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-helper-bindify-decorators  
75251 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-helper-explode-class  
75252 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-plugin-transform-decorators  
75253 silly finalize  
C:\Users\run\Desktop\KOT\kad\node\_modules\babel-preset-stage-2  
75254 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\babel-generator  
75255 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\babel-eslint  
75256 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\to-iso-string  
75257 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\mocha  
75258 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\tough-cookie  
75259 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\tr46  
75260 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\trim-newlines  
75261 silly finalize C:\Users\run\Desktop\KOT\kad\node\_modules\tryit



npm-debug.log

```
75262 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-resolvable
75263 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\tty-browserify
75264 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\tunnel-agent
75265 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\tv4
75266 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\tweetnacl
75267 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\sshpk
75268 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\type-check
75269 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\levn
75270 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\optionator
75271 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\escape-string-regexp
75272 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\type-detect
75273 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\chai
75274 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\type-is
75275 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\typedarray
75276 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\ua-parser-js
75277 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\uglify-js\node_modules\async
75278 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\uglify-to-browserify
75279 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\uniq
75280 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\postcss-selector-parser
75281 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\postcss-minify-selectors
75282 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\uniqueid
75283 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\postcss-filter-plugins
75284 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\uniqu
75285 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\postcss-zindex
75286 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\postcss-unique-selectors
75287 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\postcss-minify-params
75288 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\postcss-discard-unused
75289 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\unpipe
75290 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\raw-body
75291 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\body-parser
75292 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\finalhandler
75293 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\url-loader\node_modules\mime
75294 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\url-loader
75295 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\url\node_modules\punycode
75296 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\url
75297 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\user-home
75298 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\home-or-tmp
75299 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\babel-register
75300 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\babel-core
75301 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\babel-plugin-transform-regenerator
75302 silly finalize
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\babel-preset-es2015
75303 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\util
75304 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\sinon
75305 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\assert
75306 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\util-deprecate
75307 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\readable-stream
75308 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\readdirp
75309 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\chokidar
75310 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\memory-fs
75311 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\concat-stream
75312 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\bl
75313 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\utils-merge
75314 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\uuid
75315 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\@kadira\storybook-database
75316 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\@kadira\storybook-database-local
75317 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\v8flags
75318 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\validate-npm-package-license
75319 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\normalize-package-data
75320 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\read-pkg
75321 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\read-pkg-up
75322 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\meow
75323 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\find-versions
75324 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\bin-version
75325 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\bin-version-check
75326 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\vary
75327 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\express
75328 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\vendors
75329 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\postcss-merge-rules
75330 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\verror
75331 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\jsprim
75332 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\http-signature
75333 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\vm-browserify
75334 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\node-libs-browser
75335 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\webpack\node_modules\async
75336 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\webpack
75337 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\webidl-conversions
75338 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\webpack-core\node_modules\source-map
75339 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\webpack-core
75340 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\webpack-dev-middleware
75341 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\webpack-hot-middleware
```

npm-debug.log

```
75342 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\webpack\node_modules\async
75343 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\webpack\node_modules\interpret
75344 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\whatwg-fetch
75345 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\isomorphic-fetch
75346 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\fbjs
75347 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\react
75348 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\whatwg-url-compat
75349 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\whatwg-url\node_modules\webidl-conver
sions
75350 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\whatwg-url
75351 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\whet.extend
75352 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\svgo
75353 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\postcss-svg
75354 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\cssnano
75355 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\css-loader
75356 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules>window-size
75357 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\wordwrap
75358 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\optimist
75359 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\wrappy
75360 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\once
75361 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\run-async
75362 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\inquirer
75363 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\inflight
75364 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\glob
75365 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\shelljs
75366 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\rimraf
75367 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\globby
75368 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\del
75369 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\babel-cli\node_modules\glob
75370 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\write
75371 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\flat-cache
75372 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\file-entry-cache
75373 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\write-file-atomic
75374 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\xdg-basedir
75375 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\configstore
75376 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\xml-name-validator
75377 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\xregexp
75378 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\table
75379 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\xtend
75380 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\is-my-json-valid
75381 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\har-validator
75382 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\request
75383 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\jsdom
75384 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\cheerio\node_modules\jsdom
```

npm-debug.log

```
75385 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\cheerio
75386 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\enzyme
75387 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\babel-cli
75388 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\eslint
75389 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\yargs
75390 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\uglify-js
75391 silly finalize C:\Users\run\Desktop\KOT\kad\node_modules\webpack
75392 silly finalize
C:\Users\run\Desktop\KOT\kad\node_modules\@kadira\storybook
75393 silly doSerial build 761
75394 silly build @kadira/react-split-pane@1.4.7
75395 info linkStuff @kadira/react-split-pane@1.4.7
75396 silly linkStuff @kadira/react-split-pane@1.4.7 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75397 verbose linkBins @kadira/react-split-pane@1.4.7
75398 verbose linkMans @kadira/react-split-pane@1.4.7
75399 silly build @kadira/storybook-addon-links@1.0.1
75400 info linkStuff @kadira/storybook-addon-links@1.0.1
75401 silly linkStuff @kadira/storybook-addon-links@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75402 verbose linkBins @kadira/storybook-addon-links@1.0.1
75403 verbose linkMans @kadira/storybook-addon-links@1.0.1
75404 silly build @kadira/storybook-addons@1.5.0
75405 info linkStuff @kadira/storybook-addons@1.5.0
75406 silly linkStuff @kadira/storybook-addons@1.5.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75407 verbose linkBins @kadira/storybook-addons@1.5.0
75408 verbose linkMans @kadira/storybook-addons@1.5.0
75409 silly build @kadira/storybook-channel@1.1.0
75410 info linkStuff @kadira/storybook-channel@1.1.0
75411 silly linkStuff @kadira/storybook-channel@1.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75412 verbose linkBins @kadira/storybook-channel@1.1.0
75413 verbose linkMans @kadira/storybook-channel@1.1.0
75414 silly build abab@1.0.3
75415 info linkStuff abab@1.0.3
75416 silly linkStuff abab@1.0.3 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
75417 verbose linkBins abab@1.0.3
75418 verbose linkMans abab@1.0.3
75419 silly build acorn@3.3.0
75420 info linkStuff acorn@3.3.0
75421 silly linkStuff acorn@3.3.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
75422 verbose linkBins acorn@3.3.0
75423 verbose link bins [ { acorn: './bin/acorn' },
75423 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
75423 verbose link bins false ]
75424 verbose linkMans acorn@3.3.0
75425 silly build acorn@2.7.0
75426 info linkStuff acorn@2.7.0
```

npm-debug.log

```
75427 silly linkStuff acorn@2.7.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\acorn-globals\node_modules as its
parent node_modules
75428 verbose linkBins acorn@2.7.0
75429 verbose link bins [ { acorn: './bin/acorn' },
75429 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\acorn-globals\\node_modules\\
.bin',
75429 verbose link bins false ]
75430 verbose linkMans acorn@2.7.0
75431 silly build acorn-globals@1.0.9
75432 info linkStuff acorn-globals@1.0.9
75433 silly linkStuff acorn-globals@1.0.9 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75434 verbose linkBins acorn-globals@1.0.9
75435 verbose linkMans acorn-globals@1.0.9
75436 silly build acorn-jsx@3.0.1
75437 info linkStuff acorn-jsx@3.0.1
75438 silly linkStuff acorn-jsx@3.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75439 verbose linkBins acorn-jsx@3.0.1
75440 verbose linkMans acorn-jsx@3.0.1
75441 silly build alphanum-sort@1.0.2
75442 info linkStuff alphanum-sort@1.0.2
75443 silly linkStuff alphanum-sort@1.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75444 verbose linkBins alphanum-sort@1.0.2
75445 verbose linkMans alphanum-sort@1.0.2
75446 silly build amdefine@1.0.0
75447 info linkStuff amdefine@1.0.0
75448 silly linkStuff amdefine@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75449 verbose linkBins amdefine@1.0.0
75450 verbose linkMans amdefine@1.0.0
75451 silly build ansi-escapes@1.4.0
75452 info linkStuff ansi-escapes@1.4.0
75453 silly linkStuff ansi-escapes@1.4.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75454 verbose linkBins ansi-escapes@1.4.0
75455 verbose linkMans ansi-escapes@1.4.0
75456 silly build ansi-html@0.0.5
75457 info linkStuff ansi-html@0.0.5
75458 silly linkStuff ansi-html@0.0.5 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75459 verbose linkBins ansi-html@0.0.5
75460 verbose linkMans ansi-html@0.0.5
75461 silly build ansi-regex@2.0.0
75462 info linkStuff ansi-regex@2.0.0
75463 silly linkStuff ansi-regex@2.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75464 verbose linkBins ansi-regex@2.0.0
75465 verbose linkMans ansi-regex@2.0.0
```

npm-debug.log

```
75466 silly build ansi-styles@2.2.1
75467 info linkStuff ansi-styles@2.2.1
75468 silly linkStuff ansi-styles@2.2.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75469 verbose linkBins ansi-styles@2.2.1
75470 verbose linkMans ansi-styles@2.2.1
75471 silly build arr-flatten@1.0.1
75472 info linkStuff arr-flatten@1.0.1
75473 silly linkStuff arr-flatten@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75474 verbose linkBins arr-flatten@1.0.1
75475 verbose linkMans arr-flatten@1.0.1
75476 silly build arr-diff@2.0.0
75477 info linkStuff arr-diff@2.0.0
75478 silly linkStuff arr-diff@2.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75479 verbose linkBins arr-diff@2.0.0
75480 verbose linkMans arr-diff@2.0.0
75481 silly build array-equal@1.0.0
75482 info linkStuff array-equal@1.0.0
75483 silly linkStuff array-equal@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75484 verbose linkBins array-equal@1.0.0
75485 verbose linkMans array-equal@1.0.0
75486 silly build array-find-index@1.0.1
75487 info linkStuff array-find-index@1.0.1
75488 silly linkStuff array-find-index@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75489 verbose linkBins array-find-index@1.0.1
75490 verbose linkMans array-find-index@1.0.1
75491 silly build array-flatten@1.1.1
75492 info linkStuff array-flatten@1.1.1
75493 silly linkStuff array-flatten@1.1.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75494 verbose linkBins array-flatten@1.1.1
75495 verbose linkMans array-flatten@1.1.1
75496 silly build array-uniq@1.0.3
75497 info linkStuff array-uniq@1.0.3
75498 silly linkStuff array-uniq@1.0.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75499 verbose linkBins array-uniq@1.0.3
75500 verbose linkMans array-uniq@1.0.3
75501 silly build array-union@1.0.2
75502 info linkStuff array-union@1.0.2
75503 silly linkStuff array-union@1.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75504 verbose linkBins array-union@1.0.2
75505 verbose linkMans array-union@1.0.2
75506 silly build array-unique@0.2.1
75507 info linkStuff array-unique@0.2.1
75508 silly linkStuff array-unique@0.2.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
```

npm-debug.log

75509 verbose linkBins array-unique@0.2.1  
75510 verbose linkMans array-unique@0.2.1  
75511 silly build arrify@1.0.1  
75512 info linkStuff arrify@1.0.1  
75513 silly linkStuff arrify@1.0.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75514 verbose linkBins arrify@1.0.1  
75515 verbose linkMans arrify@1.0.1  
75516 silly build asap@2.0.4  
75517 info linkStuff asap@2.0.4  
75518 silly linkStuff asap@2.0.4 has C:\Users\run\Desktop\KOT\kad\node\_modules  
as its parent node\_modules  
75519 verbose linkBins asap@2.0.4  
75520 verbose linkMans asap@2.0.4  
75521 silly build asn1@0.2.3  
75522 info linkStuff asn1@0.2.3  
75523 silly linkStuff asn1@0.2.3 has C:\Users\run\Desktop\KOT\kad\node\_modules  
as its parent node\_modules  
75524 verbose linkBins asn1@0.2.3  
75525 verbose linkMans asn1@0.2.3  
75526 silly build assert-plus@0.2.0  
75527 info linkStuff assert-plus@0.2.0  
75528 silly linkStuff assert-plus@0.2.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75529 verbose linkBins assert-plus@0.2.0  
75530 verbose linkMans assert-plus@0.2.0  
75531 silly build assertion-error@1.0.2  
75532 info linkStuff assertion-error@1.0.2  
75533 silly linkStuff assertion-error@1.0.2 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75534 verbose linkBins assertion-error@1.0.2  
75535 verbose linkMans assertion-error@1.0.2  
75536 silly build async-each@1.0.1  
75537 info linkStuff async-each@1.0.1  
75538 silly linkStuff async-each@1.0.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75539 verbose linkBins async-each@1.0.1  
75540 verbose linkMans async-each@1.0.1  
75541 silly build aws-sign2@0.6.0  
75542 info linkStuff aws-sign2@0.6.0  
75543 silly linkStuff aws-sign2@0.6.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75544 verbose linkBins aws-sign2@0.6.0  
75545 verbose linkMans aws-sign2@0.6.0  
75546 silly build aws4@1.4.1  
75547 info linkStuff aws4@1.4.1  
75548 silly linkStuff aws4@1.4.1 has C:\Users\run\Desktop\KOT\kad\node\_modules  
as its parent node\_modules  
75549 verbose linkBins aws4@1.4.1  
75550 verbose linkMans aws4@1.4.1  
75551 silly build supports-color@2.0.0  
75552 info linkStuff supports-color@2.0.0

npm-debug.log

```
75553 silly linkStuff supports-color@2.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\babel-cli\node_modules as its parent
node_modules
75554 verbose linkBins supports-color@2.0.0
75555 verbose linkMans supports-color@2.0.0
75556 silly build js-tokens@2.0.0
75557 info linkStuff js-tokens@2.0.0
75558 silly linkStuff js-tokens@2.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\babel-code-frame\node_modules as its
parent node_modules
75559 verbose linkBins js-tokens@2.0.0
75560 verbose linkMans js-tokens@2.0.0
75561 silly build json5@0.4.0
75562 info linkStuff json5@0.4.0
75563 silly linkStuff json5@0.4.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\babel-core\node_modules as its parent
node_modules
75564 verbose linkBins json5@0.4.0
75565 verbose link bins [ { json5: 'lib/cli.js' },
75565 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\babel-core\\node_modules\\.bi
n',
75565 verbose link bins false ]
75566 verbose linkMans json5@0.4.0
75567 silly build lodash.assign@4.2.0
75568 info linkStuff lodash.assign@4.2.0
75569 silly linkStuff lodash.assign@4.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\babel-eslint\node_modules as its
parent node_modules
75570 verbose linkBins lodash.assign@4.2.0
75571 verbose linkMans lodash.assign@4.2.0
75572 silly build babel-plugin-syntax-async-functions@6.13.0
75573 info linkStuff babel-plugin-syntax-async-functions@6.13.0
75574 silly linkStuff babel-plugin-syntax-async-functions@6.13.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75575 verbose linkBins babel-plugin-syntax-async-functions@6.13.0
75576 verbose linkMans babel-plugin-syntax-async-functions@6.13.0
75577 silly build babel-plugin-syntax-class-properties@6.13.0
75578 info linkStuff babel-plugin-syntax-class-properties@6.13.0
75579 silly linkStuff babel-plugin-syntax-class-properties@6.13.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75580 verbose linkBins babel-plugin-syntax-class-properties@6.13.0
75581 verbose linkMans babel-plugin-syntax-class-properties@6.13.0
75582 silly build babel-plugin-syntax-decorators@6.13.0
75583 info linkStuff babel-plugin-syntax-decorators@6.13.0
75584 silly linkStuff babel-plugin-syntax-decorators@6.13.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75585 verbose linkBins babel-plugin-syntax-decorators@6.13.0
75586 verbose linkMans babel-plugin-syntax-decorators@6.13.0
75587 silly build babel-plugin-syntax-exponentiation-operator@6.13.0
75588 info linkStuff babel-plugin-syntax-exponentiation-operator@6.13.0
75589 silly linkStuff babel-plugin-syntax-exponentiation-operator@6.13.0 has
```



npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75590 verbose linkBins babel-plugin-syntax-exponentiation-operator@6.13.0
75591 verbose linkMans babel-plugin-syntax-exponentiation-operator@6.13.0
75592 silly build babel-plugin-syntax-flow@6.13.0
75593 info linkStuff babel-plugin-syntax-flow@6.13.0
75594 silly linkStuff babel-plugin-syntax-flow@6.13.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75595 verbose linkBins babel-plugin-syntax-flow@6.13.0
75596 verbose linkMans babel-plugin-syntax-flow@6.13.0
75597 silly build babel-plugin-syntax-jsx@6.13.0
75598 info linkStuff babel-plugin-syntax-jsx@6.13.0
75599 silly linkStuff babel-plugin-syntax-jsx@6.13.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75600 verbose linkBins babel-plugin-syntax-jsx@6.13.0
75601 verbose linkMans babel-plugin-syntax-jsx@6.13.0
75602 silly build babel-plugin-syntax-object-rest-spread@6.13.0
75603 info linkStuff babel-plugin-syntax-object-rest-spread@6.13.0
75604 silly linkStuff babel-plugin-syntax-object-rest-spread@6.13.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75605 verbose linkBins babel-plugin-syntax-object-rest-spread@6.13.0
75606 verbose linkMans babel-plugin-syntax-object-rest-spread@6.13.0
75607 silly build babel-plugin-syntax-trailing-function-commas@6.13.0
75608 info linkStuff babel-plugin-syntax-trailing-function-commas@6.13.0
75609 silly linkStuff babel-plugin-syntax-trailing-function-commas@6.13.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75610 verbose linkBins babel-plugin-syntax-trailing-function-commas@6.13.0
75611 verbose linkMans babel-plugin-syntax-trailing-function-commas@6.13.0
75612 silly build balanced-match@0.4.2
75613 info linkStuff balanced-match@0.4.2
75614 silly linkStuff balanced-match@0.4.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75615 verbose linkBins balanced-match@0.4.2
75616 verbose linkMans balanced-match@0.4.2
75617 silly build Base64@0.2.1
75618 info linkStuff Base64@0.2.1
75619 silly linkStuff Base64@0.2.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75620 verbose linkBins Base64@0.2.1
75621 verbose linkMans Base64@0.2.1
75622 silly build base64-js@1.1.2
75623 info linkStuff base64-js@1.1.2
75624 silly linkStuff base64-js@1.1.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75625 verbose linkBins base64-js@1.1.2
75626 verbose linkMans base64-js@1.1.2
75627 silly build tweetnacl@0.14.3
75628 info linkStuff tweetnacl@0.14.3
75629 silly linkStuff tweetnacl@0.14.3 has
C:\Users\run\Desktop\KOT\kad\node_modules\bcrypt-pbkdf\node_modules as its
parent node_modules
75630 verbose linkBins tweetnacl@0.14.3
75631 verbose linkMans tweetnacl@0.14.3
```

npm-debug.log

```
75632 silly build bcrypt-pbkdf@1.0.0
75633 info linkStuff bcrypt-pbkdf@1.0.0
75634 silly linkStuff bcrypt-pbkdf@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75635 verbose linkBins bcrypt-pbkdf@1.0.0
75636 verbose linkMans bcrypt-pbkdf@1.0.0
75637 silly build big.js@3.1.3
75638 info linkStuff big.js@3.1.3
75639 silly linkStuff big.js@3.1.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75640 verbose linkBins big.js@3.1.3
75641 verbose linkMans big.js@3.1.3
75642 silly build binary-extensions@1.6.0
75643 info linkStuff binary-extensions@1.6.0
75644 silly linkStuff binary-extensions@1.6.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75645 verbose linkBins binary-extensions@1.6.0
75646 verbose linkMans binary-extensions@1.6.0
75647 silly build bluebird@3.4.6
75648 info linkStuff bluebird@3.4.6
75649 silly linkStuff bluebird@3.4.6 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75650 verbose linkBins bluebird@3.4.6
75651 verbose linkMans bluebird@3.4.6
75652 silly build qs@6.2.0
75653 info linkStuff qs@6.2.0
75654 silly linkStuff qs@6.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\body-parser\node_modules as its
parent node_modules
75655 verbose linkBins qs@6.2.0
75656 verbose linkMans qs@6.2.0
75657 silly build boolbase@1.0.0
75658 info linkStuff boolbase@1.0.0
75659 silly linkStuff boolbase@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75660 verbose linkBins boolbase@1.0.0
75661 verbose linkMans boolbase@1.0.0
75662 silly build builtin-modules@1.1.1
75663 info linkStuff builtin-modules@1.1.1
75664 silly linkStuff builtin-modules@1.1.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75665 verbose linkBins builtin-modules@1.1.1
75666 verbose linkMans builtin-modules@1.1.1
75667 silly build bytes@2.4.0
75668 info linkStuff bytes@2.4.0
75669 silly linkStuff bytes@2.4.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
75670 verbose linkBins bytes@2.4.0
75671 verbose linkMans bytes@2.4.0
75672 silly build callsites@0.2.0
75673 info linkStuff callsites@0.2.0
75674 silly linkStuff callsites@0.2.0 has
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75675 verbose linkBins callsites@0.2.0
75676 verbose linkMans callsites@0.2.0
75677 silly build caller-path@0.1.0
75678 info linkStuff caller-path@0.1.0
75679 silly linkStuff caller-path@0.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75680 verbose linkBins caller-path@0.1.0
75681 verbose linkMans caller-path@0.1.0
75682 silly build camelcase@1.2.1
75683 info linkStuff camelcase@1.2.1
75684 silly linkStuff camelcase@1.2.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75685 verbose linkBins camelcase@1.2.1
75686 verbose linkMans camelcase@1.2.1
75687 silly build camelcase@2.1.1
75688 info linkStuff camelcase@2.1.1
75689 silly linkStuff camelcase@2.1.1 has
C:\Users\run\Desktop\KOT\kad\node_modules\camelcase-keys\node_modules as its
parent node_modules
75690 verbose linkBins camelcase@2.1.1
75691 verbose linkMans camelcase@2.1.1
75692 silly build caniuse-db@1.0.30000528
75693 info linkStuff caniuse-db@1.0.30000528
75694 silly linkStuff caniuse-db@1.0.30000528 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75695 verbose linkBins caniuse-db@1.0.30000528
75696 verbose linkMans caniuse-db@1.0.30000528
75697 silly build browserslist@1.3.6
75698 info linkStuff browserslist@1.3.6
75699 silly linkStuff browserslist@1.3.6 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75700 verbose linkBins browserslist@1.3.6
75701 verbose link bins [ { browserslist: './cli.js' },
75701 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
75701 verbose link bins false ]
75702 verbose linkMans browserslist@1.3.6
75703 silly build case-sensitive-paths-webpack-plugin@1.1.4
75704 info linkStuff case-sensitive-paths-webpack-plugin@1.1.4
75705 silly linkStuff case-sensitive-paths-webpack-plugin@1.1.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75706 verbose linkBins case-sensitive-paths-webpack-plugin@1.1.4
75707 verbose linkMans case-sensitive-paths-webpack-plugin@1.1.4
75708 silly build caseless@0.11.0
75709 info linkStuff caseless@0.11.0
75710 silly linkStuff caseless@0.11.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75711 verbose linkBins caseless@0.11.0
75712 verbose linkMans caseless@0.11.0
75713 silly build supports-color@2.0.0
75714 info linkStuff supports-color@2.0.0
```

npm-debug.log

```
75715 silly linkStuff supports-color@2.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\chalk\node_modules as its parent
node_modules
75716 verbose linkBins supports-color@2.0.0
75717 verbose linkMans supports-color@2.0.0
75718 silly build acorn@2.7.0
75719 info linkStuff acorn@2.7.0
75720 silly linkStuff acorn@2.7.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\cheerio\node_modules as its parent
node_modules
75721 verbose linkBins acorn@2.7.0
75722 verbose link bins [ { acorn: './bin/acorn' } ],
75722 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\cheerio\\node_modules\\.bin',
75722 verbose link bins false ]
75723 verbose linkMans acorn@2.7.0
75724 silly build circular-json@0.3.1
75725 info linkStuff circular-json@0.3.1
75726 silly linkStuff circular-json@0.3.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75727 verbose linkBins circular-json@0.3.1
75728 verbose linkMans circular-json@0.3.1
75729 silly build classnames@2.2.5
75730 info linkStuff classnames@2.2.5
75731 silly linkStuff classnames@2.2.5 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75732 verbose linkBins classnames@2.2.5
75733 verbose linkMans classnames@2.2.5
75734 silly build cli-width@2.1.0
75735 info linkStuff cli-width@2.1.0
75736 silly linkStuff cli-width@2.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75737 verbose linkBins cli-width@2.1.0
75738 verbose linkMans cli-width@2.1.0
75739 silly build wordwrap@0.0.2
75740 info linkStuff wordwrap@0.0.2
75741 silly linkStuff wordwrap@0.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules\cliui\node_modules as its parent
node_modules
75742 verbose linkBins wordwrap@0.0.2
75743 verbose linkMans wordwrap@0.0.2
75744 silly build clone@1.0.2
75745 info linkStuff clone@1.0.2
75746 silly linkStuff clone@1.0.2 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
75747 verbose linkBins clone@1.0.2
75748 verbose linkMans clone@1.0.2
75749 silly build color-convert@1.5.0
75750 info linkStuff color-convert@1.5.0
75751 silly linkStuff color-convert@1.5.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75752 verbose linkBins color-convert@1.5.0
```

npm-debug.log

75753 verbose linkMans color-convert@1.5.0  
75754 silly build color-name@1.1.1  
75755 info linkStuff color-name@1.1.1  
75756 silly linkStuff color-name@1.1.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75757 verbose linkBins color-name@1.1.1  
75758 verbose linkMans color-name@1.1.1  
75759 silly build color-string@0.3.0  
75760 info linkStuff color-string@0.3.0  
75761 silly linkStuff color-string@0.3.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75762 verbose linkBins color-string@0.3.0  
75763 verbose linkMans color-string@0.3.0  
75764 silly build color@0.11.3  
75765 info linkStuff color@0.11.3  
75766 silly linkStuff color@0.11.3 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75767 verbose linkBins color@0.11.3  
75768 verbose linkMans color@0.11.3  
75769 silly build colors@1.1.2  
75770 info linkStuff colors@1.1.2  
75771 silly linkStuff colors@1.1.2 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75772 verbose linkBins colors@1.1.2  
75773 verbose linkMans colors@1.1.2  
75774 silly build concat-map@0.0.1  
75775 info linkStuff concat-map@0.0.1  
75776 silly linkStuff concat-map@0.0.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75777 verbose linkBins concat-map@0.0.1  
75778 verbose linkMans concat-map@0.0.1  
75779 silly build brace-expansion@1.1.6  
75780 info linkStuff brace-expansion@1.1.6  
75781 silly linkStuff brace-expansion@1.1.6 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75782 verbose linkBins brace-expansion@1.1.6  
75783 verbose linkMans brace-expansion@1.1.6  
75784 silly build constants-browserify@0.0.1  
75785 info linkStuff constants-browserify@0.0.1  
75786 silly linkStuff constants-browserify@0.0.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75787 verbose linkBins constants-browserify@0.0.1  
75788 verbose linkMans constants-browserify@0.0.1  
75789 silly build content-disposition@0.5.1  
75790 info linkStuff content-disposition@0.5.1  
75791 silly linkStuff content-disposition@0.5.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75792 verbose linkBins content-disposition@0.5.1  
75793 verbose linkMans content-disposition@0.5.1  
75794 silly build content-type@1.0.2  
75795 info linkStuff content-type@1.0.2  
75796 silly linkStuff content-type@1.0.2 has

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75797 verbose linkBins content-type@1.0.2
75798 verbose linkMans content-type@1.0.2
75799 silly build convert-source-map@1.3.0
75800 info linkStuff convert-source-map@1.3.0
75801 silly linkStuff convert-source-map@1.3.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75802 verbose linkBins convert-source-map@1.3.0
75803 verbose linkMans convert-source-map@1.3.0
75804 silly build cookie@0.3.1
75805 info linkStuff cookie@0.3.1
75806 silly linkStuff cookie@0.3.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75807 verbose linkBins cookie@0.3.1
75808 verbose linkMans cookie@0.3.1
75809 silly build cookie-signature@1.0.6
75810 info linkStuff cookie-signature@1.0.6
75811 silly linkStuff cookie-signature@1.0.6 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75812 verbose linkBins cookie-signature@1.0.6
75813 verbose linkMans cookie-signature@1.0.6
75814 silly build core-js@2.4.1
75815 info linkStuff core-js@2.4.1
75816 silly linkStuff core-js@2.4.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75817 verbose linkBins core-js@2.4.1
75818 verbose linkMans core-js@2.4.1
75819 silly build core-util-is@1.0.2
75820 info linkStuff core-util-is@1.0.2
75821 silly linkStuff core-util-is@1.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75822 verbose linkBins core-util-is@1.0.2
75823 verbose linkMans core-util-is@1.0.2
75824 silly build css-color-names@0.0.4
75825 info linkStuff css-color-names@0.0.4
75826 silly linkStuff css-color-names@0.0.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75827 verbose linkBins css-color-names@0.0.4
75828 verbose linkMans css-color-names@0.0.4
75829 silly build css-what@2.1.0
75830 info linkStuff css-what@2.1.0
75831 silly linkStuff css-what@2.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75832 verbose linkBins css-what@2.1.0
75833 verbose linkMans css-what@2.1.0
75834 silly build cssesc@0.1.0
75835 info linkStuff cssesc@0.1.0
75836 silly linkStuff cssesc@0.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75837 verbose linkBins cssesc@0.1.0
75838 verbose link bins [ { cssesc: 'bin/cssesc' },
75838 verbose link bins
```

npm-debug.log

```
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
75838 verbose link bins false ]
75839 verbose linkMans cssesc@0.1.0
75840 silly build cssom@0.3.1
75841 info linkStuff cssom@0.3.1
75842 silly linkStuff cssom@0.3.1 has C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules
as its parent node_modules
75843 verbose linkBins cssom@0.3.1
75844 verbose linkMans cssom@0.3.1
75845 silly build csstyle@0.2.37
75846 info linkStuff csstyle@0.2.37
75847 silly linkStuff csstyle@0.2.37 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules as its parent node_modules
75848 verbose linkBins csstyle@0.2.37
75849 verbose linkMans csstyle@0.2.37
75850 silly build currently-unhandled@0.4.1
75851 info linkStuff currently-unhandled@0.4.1
75852 silly linkStuff currently-unhandled@0.4.1 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules as its parent node_modules
75853 verbose linkBins currently-unhandled@0.4.1
75854 verbose linkMans currently-unhandled@0.4.1
75855 silly build assert-plus@1.0.0
75856 info linkStuff assert-plus@1.0.0
75857 silly linkStuff assert-plus@1.0.0 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\dashdash\\node_modules as its parent
node_modules
75858 verbose linkBins assert-plus@1.0.0
75859 verbose linkMans assert-plus@1.0.0
75860 silly build dashdash@1.14.0
75861 info linkStuff dashdash@1.14.0
75862 silly linkStuff dashdash@1.14.0 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules as its parent node_modules
75863 verbose linkBins dashdash@1.14.0
75864 verbose linkMans dashdash@1.14.0
75865 silly build date-now@0.1.4
75866 info linkStuff date-now@0.1.4
75867 silly linkStuff date-now@0.1.4 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules as its parent node_modules
75868 verbose linkBins date-now@0.1.4
75869 verbose linkMans date-now@0.1.4
75870 silly build console-browserify@1.1.0
75871 info linkStuff console-browserify@1.1.0
75872 silly linkStuff console-browserify@1.1.0 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules as its parent node_modules
75873 verbose linkBins console-browserify@1.1.0
75874 verbose linkMans console-browserify@1.1.0
75875 silly build decamelize@1.2.0
75876 info linkStuff decamelize@1.2.0
75877 silly linkStuff decamelize@1.2.0 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules as its parent node_modules
75878 verbose linkBins decamelize@1.2.0
75879 verbose linkMans decamelize@1.2.0
```

npm-debug.log

```
75880 silly build type-detect@0.1.1
75881 info linkStuff type-detect@0.1.1
75882 silly linkStuff type-detect@0.1.1 has
C:\Users\run\Desktop\KOT\kad\node_modules\deep-eql\node_modules as its parent
node_modules
75883 verbose linkBins type-detect@0.1.1
75884 verbose linkMans type-detect@0.1.1
75885 silly build deep-eql@0.1.3
75886 info linkStuff deep-eql@0.1.3
75887 silly linkStuff deep-eql@0.1.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75888 verbose linkBins deep-eql@0.1.3
75889 verbose linkMans deep-eql@0.1.3
75890 silly build deep-equal@1.0.1
75891 info linkStuff deep-equal@1.0.1
75892 silly linkStuff deep-equal@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75893 verbose linkBins deep-equal@1.0.1
75894 verbose linkMans deep-equal@1.0.1
75895 silly build deep-is@0.1.3
75896 info linkStuff deep-is@0.1.3
75897 silly linkStuff deep-is@0.1.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75898 verbose linkBins deep-is@0.1.3
75899 verbose linkMans deep-is@0.1.3
75900 silly build defined@1.0.0
75901 info linkStuff defined@1.0.0
75902 silly linkStuff defined@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75903 verbose linkBins defined@1.0.0
75904 verbose linkMans defined@1.0.0
75905 silly build delayed-stream@1.0.0
75906 info linkStuff delayed-stream@1.0.0
75907 silly linkStuff delayed-stream@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75908 verbose linkBins delayed-stream@1.0.0
75909 verbose linkMans delayed-stream@1.0.0
75910 silly build combined-stream@1.0.5
75911 info linkStuff combined-stream@1.0.5
75912 silly linkStuff combined-stream@1.0.5 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75913 verbose linkBins combined-stream@1.0.5
75914 verbose linkMans combined-stream@1.0.5
75915 silly build depd@1.1.0
75916 info linkStuff depd@1.1.0
75917 silly linkStuff depd@1.1.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
75918 verbose linkBins depd@1.1.0
75919 verbose linkMans depd@1.1.0
75920 silly build destroy@1.0.4
75921 info linkStuff destroy@1.0.4
75922 silly linkStuff destroy@1.0.4 has
```



npm-debug.log

C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75923 verbose linkBins destroy@1.0.4  
75924 verbose linkMans destroy@1.0.4  
75925 silly build diff@1.4.0  
75926 info linkStuff diff@1.4.0  
75927 silly linkStuff diff@1.4.0 has C:\Users\run\Desktop\KOT\kad\node\_modules  
as its parent node\_modules  
75928 verbose linkBins diff@1.4.0  
75929 verbose linkMans diff@1.4.0  
75930 silly build domelementtype@1.1.3  
75931 info linkStuff domelementtype@1.1.3  
75932 silly linkStuff domelementtype@1.1.3 has  
C:\Users\run\Desktop\KOT\kad\node\_modules\dom-serializer\node\_modules as its  
parent node\_modules  
75933 verbose linkBins domelementtype@1.1.3  
75934 verbose linkMans domelementtype@1.1.3  
75935 silly build domain-browser@1.1.7  
75936 info linkStuff domain-browser@1.1.7  
75937 silly linkStuff domain-browser@1.1.7 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75938 verbose linkBins domain-browser@1.1.7  
75939 verbose linkMans domain-browser@1.1.7  
75940 silly build domelementtype@1.3.0  
75941 info linkStuff domelementtype@1.3.0  
75942 silly linkStuff domelementtype@1.3.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75943 verbose linkBins domelementtype@1.3.0  
75944 verbose linkMans domelementtype@1.3.0  
75945 silly build domhandler@2.3.0  
75946 info linkStuff domhandler@2.3.0  
75947 silly linkStuff domhandler@2.3.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75948 verbose linkBins domhandler@2.3.0  
75949 verbose linkMans domhandler@2.3.0  
75950 silly build ee-first@1.1.1  
75951 info linkStuff ee-first@1.1.1  
75952 silly linkStuff ee-first@1.1.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75953 verbose linkBins ee-first@1.1.1  
75954 verbose linkMans ee-first@1.1.1  
75955 silly build element-class@0.2.2  
75956 info linkStuff element-class@0.2.2  
75957 silly linkStuff element-class@0.2.2 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75958 verbose linkBins element-class@0.2.2  
75959 verbose linkMans element-class@0.2.2  
75960 silly build emojis-list@2.0.1  
75961 info linkStuff emojis-list@2.0.1  
75962 silly linkStuff emojis-list@2.0.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
75963 verbose linkBins emojis-list@2.0.1  
75964 verbose linkMans emojis-list@2.0.1

npm-debug.log

```
75965 silly build encodeurl@1.0.1
75966 info linkStuff encodeurl@1.0.1
75967 silly linkStuff encodeurl@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75968 verbose linkBins encodeurl@1.0.1
75969 verbose linkMans encodeurl@1.0.1
75970 silly build memory-fs@0.2.0
75971 info linkStuff memory-fs@0.2.0
75972 silly linkStuff memory-fs@0.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\enhanced-resolve\node_modules as its
parent node_modules
75973 verbose linkBins memory-fs@0.2.0
75974 verbose linkMans memory-fs@0.2.0
75975 silly build entities@1.1.1
75976 info linkStuff entities@1.1.1
75977 silly linkStuff entities@1.1.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75978 verbose linkBins entities@1.1.1
75979 verbose linkMans entities@1.1.1
75980 silly build dom-serializer@0.1.0
75981 info linkStuff dom-serializer@0.1.0
75982 silly linkStuff dom-serializer@0.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75983 verbose linkBins dom-serializer@0.1.0
75984 verbose linkMans dom-serializer@0.1.0
75985 silly build domutils@1.5.1
75986 info linkStuff domutils@1.5.1
75987 silly linkStuff domutils@1.5.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75988 verbose linkBins domutils@1.5.1
75989 verbose linkMans domutils@1.5.1
75990 silly build es5-shim@4.5.9
75991 info linkStuff es5-shim@4.5.9
75992 silly linkStuff es5-shim@4.5.9 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75993 verbose linkBins es5-shim@4.5.9
75994 verbose linkMans es5-shim@4.5.9
75995 silly build es6-shim@0.35.1
75996 info linkStuff es6-shim@0.35.1
75997 silly linkStuff es6-shim@0.35.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
75998 verbose linkBins es6-shim@0.35.1
75999 verbose linkMans es6-shim@0.35.1
76000 silly build es6-symbol@3.1.0
76001 info linkStuff es6-symbol@3.1.0
76002 silly linkStuff es6-symbol@3.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76003 verbose linkBins es6-symbol@3.1.0
76004 verbose linkMans es6-symbol@3.1.0
76005 silly build es5-ext@0.10.12
76006 info linkStuff es5-ext@0.10.12
76007 silly linkStuff es5-ext@0.10.12 has
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76008 verbose linkBins es5-ext@0.10.12
76009 verbose linkMans es5-ext@0.10.12
76010 silly build d@0.1.1
76011 info linkStuff d@0.1.1
76012 silly linkStuff d@0.1.1 has C:\Users\run\Desktop\KOT\kad\node_modules as
its parent node_modules
76013 verbose linkBins d@0.1.1
76014 verbose linkMans d@0.1.1
76015 silly build es6-iterator@2.0.0
76016 info linkStuff es6-iterator@2.0.0
76017 silly linkStuff es6-iterator@2.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76018 verbose linkBins es6-iterator@2.0.0
76019 verbose linkMans es6-iterator@2.0.0
76020 silly build es6-weak-map@2.0.1
76021 info linkStuff es6-weak-map@2.0.1
76022 silly linkStuff es6-weak-map@2.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76023 verbose linkBins es6-weak-map@2.0.1
76024 verbose linkMans es6-weak-map@2.0.1
76025 silly build escape-html@1.0.3
76026 info linkStuff escape-html@1.0.3
76027 silly linkStuff escape-html@1.0.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76028 verbose linkBins escape-html@1.0.3
76029 verbose linkMans escape-html@1.0.3
76030 silly build escape-string-regexp@1.0.5
76031 info linkStuff escape-string-regexp@1.0.5
76032 silly linkStuff escape-string-regexp@1.0.5 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76033 verbose linkBins escape-string-regexp@1.0.5
76034 verbose linkMans escape-string-regexp@1.0.5
76035 silly build source-map@0.2.0
76036 info linkStuff source-map@0.2.0
76037 silly linkStuff source-map@0.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\escodegen\node_modules as its parent
node_modules
76038 verbose linkBins source-map@0.2.0
76039 verbose linkMans source-map@0.2.0
76040 silly build estraverse@4.2.0
76041 info linkStuff estraverse@4.2.0
76042 silly linkStuff estraverse@4.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\escope\node_modules as its parent
node_modules
76043 verbose linkBins estraverse@4.2.0
76044 verbose linkMans estraverse@4.2.0
76045 silly build eslint-config-airbnb@7.0.0
76046 info linkStuff eslint-config-airbnb@7.0.0
76047 silly linkStuff eslint-config-airbnb@7.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76048 verbose linkBins eslint-config-airbnb@7.0.0
```

npm-debug.log

```
76049 verbose linkMans eslint-config-airbnb@7.0.0
76050 silly build eslint-plugin-babel@3.3.0
76051 info linkStuff eslint-plugin-babel@3.3.0
76052 silly linkStuff eslint-plugin-babel@3.3.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76053 verbose linkBins eslint-plugin-babel@3.3.0
76054 verbose linkMans eslint-plugin-babel@3.3.0
76055 silly build eslint-plugin-jsx-a11y@0.6.2
76056 info linkStuff eslint-plugin-jsx-a11y@0.6.2
76057 silly linkStuff eslint-plugin-jsx-a11y@0.6.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76058 verbose linkBins eslint-plugin-jsx-a11y@0.6.2
76059 verbose linkMans eslint-plugin-jsx-a11y@0.6.2
76060 silly build eslint-plugin-react@4.3.0
76061 info linkStuff eslint-plugin-react@4.3.0
76062 silly linkStuff eslint-plugin-react@4.3.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76063 verbose linkBins eslint-plugin-react@4.3.0
76064 verbose linkMans eslint-plugin-react@4.3.0
76065 silly build estraverse@4.2.0
76066 info linkStuff estraverse@4.2.0
76067 silly linkStuff estraverse@4.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\eslint\node_modules as its parent
node_modules
76068 verbose linkBins estraverse@4.2.0
76069 verbose linkMans estraverse@4.2.0
76070 silly build globals@9.9.0
76071 info linkStuff globals@9.9.0
76072 silly linkStuff globals@9.9.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\eslint\node_modules as its parent
node_modules
76073 verbose linkBins globals@9.9.0
76074 verbose linkMans globals@9.9.0
76075 silly build shelljs@0.6.1
76076 info linkStuff shelljs@0.6.1
76077 silly linkStuff shelljs@0.6.1 has
C:\Users\run\Desktop\KOT\kad\node_modules\eslint\node_modules as its parent
node_modules
76078 verbose linkBins shelljs@0.6.1
76079 verbose link bins [ { shjs: './bin/shjs' },
76079 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\eslint\\node_modules\\.bin',
76079 verbose link bins false ]
76080 verbose linkMans shelljs@0.6.1
76081 silly build espree@3.1.7
76082 info linkStuff espree@3.1.7
76083 silly linkStuff espree@3.1.7 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76084 verbose linkBins espree@3.1.7
76085 verbose linkMans espree@3.1.7
76086 silly build esprima@2.7.3
76087 info linkStuff esprima@2.7.3
```

npm-debug.log

```
76088 silly linkStuff esprima@2.7.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76089 verbose linkBins esprima@2.7.3
76090 verbose link bins [ { espase: './bin/espase.js',
76090 verbose link bins     esvalidate: './bin/esvalidate.js' },
76090 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
76090 verbose link bins false ]
76091 verbose linkMans esprima@2.7.3
76092 silly build estraverse@4.1.1
76093 info linkStuff estraverse@4.1.1
76094 silly linkStuff estraverse@4.1.1 has
C:\Users\run\Desktop\KOT\kad\node_modules\esrecurse\node_modules as its parent
node_modules
76095 verbose linkBins estraverse@4.1.1
76096 verbose linkMans estraverse@4.1.1
76097 silly build estraverse@1.9.3
76098 info linkStuff estraverse@1.9.3
76099 silly linkStuff estraverse@1.9.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76100 verbose linkBins estraverse@1.9.3
76101 verbose linkMans estraverse@1.9.3
76102 silly build esutils@2.0.2
76103 info linkStuff esutils@2.0.2
76104 silly linkStuff esutils@2.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76105 verbose linkBins esutils@2.0.2
76106 verbose linkMans esutils@2.0.2
76107 silly build etag@1.7.0
76108 info linkStuff etag@1.7.0
76109 silly linkStuff etag@1.7.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
76110 verbose linkBins etag@1.7.0
76111 verbose linkMans etag@1.7.0
76112 silly build event-emitter@0.3.4
76113 info linkStuff event-emitter@0.3.4
76114 silly linkStuff event-emitter@0.3.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76115 verbose linkBins event-emitter@0.3.4
76116 verbose linkMans event-emitter@0.3.4
76117 silly build es6-set@0.1.4
76118 info linkStuff es6-set@0.1.4
76119 silly linkStuff es6-set@0.1.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76120 verbose linkBins es6-set@0.1.4
76121 verbose linkMans es6-set@0.1.4
76122 silly build es6-map@0.1.4
76123 info linkStuff es6-map@0.1.4
76124 silly linkStuff es6-map@0.1.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76125 verbose linkBins es6-map@0.1.4
76126 verbose linkMans es6-map@0.1.4
```

npm-debug.log

```
76127 silly build events@1.1.1
76128 info linkStuff events@1.1.1
76129 silly linkStuff events@1.1.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76130 verbose linkBins events@1.1.1
76131 verbose linkMans events@1.1.1
76132 silly build exenv@1.2.0
76133 info linkStuff exenv@1.2.0
76134 silly linkStuff exenv@1.2.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
76135 verbose linkBins exenv@1.2.0
76136 verbose linkMans exenv@1.2.0
76137 silly build exit-hook@1.1.1
76138 info linkStuff exit-hook@1.1.1
76139 silly linkStuff exit-hook@1.1.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76140 verbose linkBins exit-hook@1.1.1
76141 verbose linkMans exit-hook@1.1.1
76142 silly build qs@6.2.0
76143 info linkStuff qs@6.2.0
76144 silly linkStuff qs@6.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\express\node_modules as its parent
node_modules
76145 verbose linkBins qs@6.2.0
76146 verbose linkMans qs@6.2.0
76147 silly build extend@3.0.0
76148 info linkStuff extend@3.0.0
76149 silly linkStuff extend@3.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76150 verbose linkBins extend@3.0.0
76151 verbose linkMans extend@3.0.0
76152 silly build extsprintf@1.0.2
76153 info linkStuff extsprintf@1.0.2
76154 silly linkStuff extsprintf@1.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76155 verbose linkBins extsprintf@1.0.2
76156 verbose linkMans extsprintf@1.0.2
76157 silly build fast-levenshtein@1.1.4
76158 info linkStuff fast-levenshtein@1.1.4
76159 silly linkStuff fast-levenshtein@1.1.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76160 verbose linkBins fast-levenshtein@1.1.4
76161 verbose linkMans fast-levenshtein@1.1.4
76162 silly build fastparse@1.1.1
76163 info linkStuff fastparse@1.1.1
76164 silly linkStuff fastparse@1.1.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76165 verbose linkBins fastparse@1.1.1
76166 verbose linkMans fastparse@1.1.1
76167 silly build core-js@1.2.7
76168 info linkStuff core-js@1.2.7
76169 silly linkStuff core-js@1.2.7 has
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\fbjs\node_modules as its parent
node_modules
76170 verbose linkBins core-js@1.2.7
76171 verbose linkMans core-js@1.2.7
76172 silly build filename-regex@2.0.0
76173 info linkStuff filename-regex@2.0.0
76174 silly linkStuff filename-regex@2.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76175 verbose linkBins filename-regex@2.0.0
76176 verbose linkMans filename-regex@2.0.0
76177 silly build flatten@1.0.2
76178 info linkStuff flatten@1.0.2
76179 silly linkStuff flatten@1.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76180 verbose linkBins flatten@1.0.2
76181 verbose linkMans flatten@1.0.2
76182 silly build for-in@0.1.5
76183 info linkStuff for-in@0.1.5
76184 silly linkStuff for-in@0.1.5 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76185 verbose linkBins for-in@0.1.5
76186 verbose linkMans for-in@0.1.5
76187 silly build for-own@0.1.4
76188 info linkStuff for-own@0.1.4
76189 silly linkStuff for-own@0.1.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76190 verbose linkBins for-own@0.1.4
76191 verbose linkMans for-own@0.1.4
76192 silly build foreach@2.0.5
76193 info linkStuff foreach@2.0.5
76194 silly linkStuff foreach@2.0.5 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76195 verbose linkBins foreach@2.0.5
76196 verbose linkMans foreach@2.0.5
76197 silly build forever-agent@0.6.1
76198 info linkStuff forever-agent@0.6.1
76199 silly linkStuff forever-agent@0.6.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76200 verbose linkBins forever-agent@0.6.1
76201 verbose linkMans forever-agent@0.6.1
76202 silly build forwarded@0.1.0
76203 info linkStuff forwarded@0.1.0
76204 silly linkStuff forwarded@0.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76205 verbose linkBins forwarded@0.1.0
76206 verbose linkMans forwarded@0.1.0
76207 silly build fresh@0.3.0
76208 info linkStuff fresh@0.3.0
76209 silly linkStuff fresh@0.3.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
76210 verbose linkBins fresh@0.3.0
76211 verbose linkMans fresh@0.3.0
```

npm-debug.log

```
76212 silly build fs-readdir-recursive@0.1.2
76213 info linkStuff fs-readdir-recursive@0.1.2
76214 silly linkStuff fs-readdir-recursive@0.1.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76215 verbose linkBins fs-readdir-recursive@0.1.2
76216 verbose linkMans fs-readdir-recursive@0.1.2
76217 silly build fs.realpath@1.0.0
76218 info linkStuff fs.realpath@1.0.0
76219 silly linkStuff fs.realpath@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76220 verbose linkBins fs.realpath@1.0.0
76221 verbose linkMans fs.realpath@1.0.0
76222 silly build function-bind@1.1.0
76223 info linkStuff function-bind@1.1.0
76224 silly linkStuff function-bind@1.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76225 verbose linkBins function-bind@1.1.0
76226 verbose linkMans function-bind@1.1.0
76227 silly build fuse.js@2.5.0
76228 info linkStuff fuse.js@2.5.0
76229 silly linkStuff fuse.js@2.5.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76230 verbose linkBins fuse.js@2.5.0
76231 verbose linkMans fuse.js@2.5.0
76232 silly build fuzzysearch@1.0.3
76233 info linkStuff fuzzysearch@1.0.3
76234 silly linkStuff fuzzysearch@1.0.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76235 verbose linkBins fuzzysearch@1.0.3
76236 verbose linkMans fuzzysearch@1.0.3
76237 silly build generate-function@2.0.0
76238 info linkStuff generate-function@2.0.0
76239 silly linkStuff generate-function@2.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76240 verbose linkBins generate-function@2.0.0
76241 verbose linkMans generate-function@2.0.0
76242 silly build get-stdin@4.0.1
76243 info linkStuff get-stdin@4.0.1
76244 silly linkStuff get-stdin@4.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76245 verbose linkBins get-stdin@4.0.1
76246 verbose linkMans get-stdin@4.0.1
76247 silly build assert-plus@1.0.0
76248 info linkStuff assert-plus@1.0.0
76249 silly linkStuff assert-plus@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\getpass\node_modules as its parent
node_modules
76250 verbose linkBins assert-plus@1.0.0
76251 verbose linkMans assert-plus@1.0.0
76252 silly build getpass@0.1.6
76253 info linkStuff getpass@0.1.6
76254 silly linkStuff getpass@0.1.6 has
```



npm-debug.log

C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76255 verbose linkBins getpass@0.1.6  
76256 verbose linkMans getpass@0.1.6  
76257 silly build globals@8.18.0  
76258 info linkStuff globals@8.18.0  
76259 silly linkStuff globals@8.18.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76260 verbose linkBins globals@8.18.0  
76261 verbose linkMans globals@8.18.0  
76262 silly build graceful-fs@4.1.6  
76263 info linkStuff graceful-fs@4.1.6  
76264 silly linkStuff graceful-fs@4.1.6 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76265 verbose linkBins graceful-fs@4.1.6  
76266 verbose linkMans graceful-fs@4.1.6  
76267 silly build graceful-readlink@1.0.1  
76268 info linkStuff graceful-readlink@1.0.1  
76269 silly linkStuff graceful-readlink@1.0.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76270 verbose linkBins graceful-readlink@1.0.1  
76271 verbose linkMans graceful-readlink@1.0.1  
76272 silly build commander@2.9.0  
76273 info linkStuff commander@2.9.0  
76274 silly linkStuff commander@2.9.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76275 verbose linkBins commander@2.9.0  
76276 verbose linkMans commander@2.9.0  
76277 silly build growl@1.9.2  
76278 info linkStuff growl@1.9.2  
76279 silly linkStuff growl@1.9.2 has C:\Users\run\Desktop\KOT\kad\node\_modules  
as its parent node\_modules  
76280 verbose linkBins growl@1.9.2  
76281 verbose linkMans growl@1.9.2  
76282 silly build has@1.0.1  
76283 info linkStuff has@1.0.1  
76284 silly linkStuff has@1.0.1 has C:\Users\run\Desktop\KOT\kad\node\_modules  
as its parent node\_modules  
76285 verbose linkBins has@1.0.1  
76286 verbose linkMans has@1.0.1  
76287 silly build colormin@1.1.2  
76288 info linkStuff colormin@1.1.2  
76289 silly linkStuff colormin@1.1.2 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76290 verbose linkBins colormin@1.1.2  
76291 verbose linkMans colormin@1.1.2  
76292 silly build has-ansi@2.0.0  
76293 info linkStuff has-ansi@2.0.0  
76294 silly linkStuff has-ansi@2.0.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76295 verbose linkBins has-ansi@2.0.0  
76296 verbose linkMans has-ansi@2.0.0  
76297 silly build has-flag@1.0.0

npm-debug.log

76298 info linkStuff has-flag@1.0.0  
76299 silly linkStuff has-flag@1.0.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76300 verbose linkBins has-flag@1.0.0  
76301 verbose linkMans has-flag@1.0.0  
76302 silly build hoek@2.16.3  
76303 info linkStuff hoek@2.16.3  
76304 silly linkStuff hoek@2.16.3 has C:\Users\run\Desktop\KOT\kad\node\_modules  
as its parent node\_modules  
76305 verbose linkBins hoek@2.16.3  
76306 verbose linkMans hoek@2.16.3  
76307 silly build boom@2.10.1  
76308 info linkStuff boom@2.10.1  
76309 silly linkStuff boom@2.10.1 has C:\Users\run\Desktop\KOT\kad\node\_modules  
as its parent node\_modules  
76310 verbose linkBins boom@2.10.1  
76311 verbose linkMans boom@2.10.1  
76312 silly build cryptiles@2.0.5  
76313 info linkStuff cryptiles@2.0.5  
76314 silly linkStuff cryptiles@2.0.5 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76315 verbose linkBins cryptiles@2.0.5  
76316 verbose linkMans cryptiles@2.0.5  
76317 silly build hoist-non-react-statics@1.2.0  
76318 info linkStuff hoist-non-react-statics@1.2.0  
76319 silly linkStuff hoist-non-react-statics@1.2.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76320 verbose linkBins hoist-non-react-statics@1.2.0  
76321 verbose linkMans hoist-non-react-statics@1.2.0  
76322 silly build hosted-git-info@2.1.5  
76323 info linkStuff hosted-git-info@2.1.5  
76324 silly linkStuff hosted-git-info@2.1.5 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76325 verbose linkBins hosted-git-info@2.1.5  
76326 verbose linkMans hosted-git-info@2.1.5  
76327 silly build html-comment-regex@1.1.1  
76328 info linkStuff html-comment-regex@1.1.1  
76329 silly linkStuff html-comment-regex@1.1.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76330 verbose linkBins html-comment-regex@1.1.1  
76331 verbose linkMans html-comment-regex@1.1.1  
76332 silly build html-entities@1.2.0  
76333 info linkStuff html-entities@1.2.0  
76334 silly linkStuff html-entities@1.2.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76335 verbose linkBins html-entities@1.2.0  
76336 verbose linkMans html-entities@1.2.0  
76337 silly build entities@1.0.0  
76338 info linkStuff entities@1.0.0  
76339 silly linkStuff entities@1.0.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules\htmlparser2\node\_modules as its  
parent node\_modules

npm-debug.log

```
76340 verbose linkBins entities@1.0.0
76341 verbose linkMans entities@1.0.0
76342 silly build isarray@0.0.1
76343 info linkStuff isarray@0.0.1
76344 silly linkStuff isarray@0.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules\htmlparser2\node_modules as its
parent node_modules
76345 verbose linkBins isarray@0.0.1
76346 verbose linkMans isarray@0.0.1
76347 silly build https-browserify@0.0.0
76348 info linkStuff https-browserify@0.0.0
76349 silly linkStuff https-browserify@0.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76350 verbose linkBins https-browserify@0.0.0
76351 verbose linkMans https-browserify@0.0.0
76352 silly build iconv-lite@0.4.13
76353 info linkStuff iconv-lite@0.4.13
76354 silly linkStuff iconv-lite@0.4.13 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76355 verbose linkBins iconv-lite@0.4.13
76356 verbose linkMans iconv-lite@0.4.13
76357 silly build encoding@0.1.12
76358 info linkStuff encoding@0.1.12
76359 silly linkStuff encoding@0.1.12 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76360 verbose linkBins encoding@0.1.12
76361 verbose linkMans encoding@0.1.12
76362 silly build icss-replace-symbols@1.0.2
76363 info linkStuff icss-replace-symbols@1.0.2
76364 silly linkStuff icss-replace-symbols@1.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76365 verbose linkBins icss-replace-symbols@1.0.2
76366 verbose linkMans icss-replace-symbols@1.0.2
76367 silly build ieee754@1.1.6
76368 info linkStuff ieee754@1.1.6
76369 silly linkStuff ieee754@1.1.6 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76370 verbose linkBins ieee754@1.1.6
76371 verbose linkMans ieee754@1.1.6
76372 silly build ignore@3.1.5
76373 info linkStuff ignore@3.1.5
76374 silly linkStuff ignore@3.1.5 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76375 verbose linkBins ignore@3.1.5
76376 verbose linkMans ignore@3.1.5
76377 silly build immutable@3.8.1
76378 info linkStuff immutable@3.8.1
76379 silly linkStuff immutable@3.8.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76380 verbose linkBins immutable@3.8.1
76381 verbose linkMans immutable@3.8.1
76382 silly build imurmurhash@0.1.4
```

npm-debug.log

```
76383 info linkStuff imurmurhash@0.1.4
76384 silly linkStuff imurmurhash@0.1.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76385 verbose linkBins imurmurhash@0.1.4
76386 verbose linkMans imurmurhash@0.1.4
76387 silly build indexes-of@1.0.1
76388 info linkStuff indexes-of@1.0.1
76389 silly linkStuff indexes-of@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76390 verbose linkBins indexes-of@1.0.1
76391 verbose linkMans indexes-of@1.0.1
76392 silly build indexof@0.0.1
76393 info linkStuff indexof@0.0.1
76394 silly linkStuff indexof@0.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76395 verbose linkBins indexof@0.0.1
76396 verbose linkMans indexof@0.0.1
76397 silly build inherits@2.0.1
76398 info linkStuff inherits@2.0.1
76399 silly linkStuff inherits@2.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76400 verbose linkBins inherits@2.0.1
76401 verbose linkMans inherits@2.0.1
76402 silly build http-browserify@1.7.0
76403 info linkStuff http-browserify@1.7.0
76404 silly linkStuff http-browserify@1.7.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76405 verbose linkBins http-browserify@1.7.0
76406 verbose linkMans http-browserify@1.7.0
76407 silly build interpret@1.0.1
76408 info linkStuff interpret@1.0.1
76409 silly linkStuff interpret@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76410 verbose linkBins interpret@1.0.1
76411 verbose linkMans interpret@1.0.1
76412 silly build ipaddr.js@1.1.1
76413 info linkStuff ipaddr.js@1.1.1
76414 silly linkStuff ipaddr.js@1.1.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76415 verbose linkBins ipaddr.js@1.1.1
76416 verbose linkMans ipaddr.js@1.1.1
76417 silly build is-absolute-url@2.0.0
76418 info linkStuff is-absolute-url@2.0.0
76419 silly linkStuff is-absolute-url@2.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76420 verbose linkBins is-absolute-url@2.0.0
76421 verbose linkMans is-absolute-url@2.0.0
76422 silly build is-arrayish@0.2.1
76423 info linkStuff is-arrayish@0.2.1
76424 silly linkStuff is-arrayish@0.2.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76425 verbose linkBins is-arrayish@0.2.1
```

npm-debug.log

76426 verbose linkMans is-arrayish@0.2.1  
76427 silly build error-ex@1.3.0  
76428 info linkStuff error-ex@1.3.0  
76429 silly linkStuff error-ex@1.3.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76430 verbose linkBins error-ex@1.3.0  
76431 verbose linkMans error-ex@1.3.0  
76432 silly build is-binary-path@1.0.1  
76433 info linkStuff is-binary-path@1.0.1  
76434 silly linkStuff is-binary-path@1.0.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76435 verbose linkBins is-binary-path@1.0.1  
76436 verbose linkMans is-binary-path@1.0.1  
76437 silly build is-buffer@1.1.4  
76438 info linkStuff is-buffer@1.1.4  
76439 silly linkStuff is-buffer@1.1.4 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76440 verbose linkBins is-buffer@1.1.4  
76441 verbose linkMans is-buffer@1.1.4  
76442 silly build is-builtin-module@1.0.0  
76443 info linkStuff is-builtin-module@1.0.0  
76444 silly linkStuff is-builtin-module@1.0.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76445 verbose linkBins is-builtin-module@1.0.0  
76446 verbose linkMans is-builtin-module@1.0.0  
76447 silly build is-callable@1.1.3  
76448 info linkStuff is-callable@1.1.3  
76449 silly linkStuff is-callable@1.1.3 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76450 verbose linkBins is-callable@1.1.3  
76451 verbose linkMans is-callable@1.1.3  
76452 silly build is-date-object@1.0.1  
76453 info linkStuff is-date-object@1.0.1  
76454 silly linkStuff is-date-object@1.0.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76455 verbose linkBins is-date-object@1.0.1  
76456 verbose linkMans is-date-object@1.0.1  
76457 silly build is-dom@1.0.5  
76458 info linkStuff is-dom@1.0.5  
76459 silly linkStuff is-dom@1.0.5 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76460 verbose linkBins is-dom@1.0.5  
76461 verbose linkMans is-dom@1.0.5  
76462 silly build is-dotfile@1.0.2  
76463 info linkStuff is-dotfile@1.0.2  
76464 silly linkStuff is-dotfile@1.0.2 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76465 verbose linkBins is-dotfile@1.0.2  
76466 verbose linkMans is-dotfile@1.0.2  
76467 silly build is-extendable@0.1.1  
76468 info linkStuff is-extendable@0.1.1  
76469 silly linkStuff is-extendable@0.1.1 has

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76470 verbose linkBins is-extendable@0.1.1
76471 verbose linkMans is-extendable@0.1.1
76472 silly build is-extglob@1.0.0
76473 info linkStuff is-extglob@1.0.0
76474 silly linkStuff is-extglob@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76475 verbose linkBins is-extglob@1.0.0
76476 verbose linkMans is-extglob@1.0.0
76477 silly build extglob@0.3.2
76478 info linkStuff extglob@0.3.2
76479 silly linkStuff extglob@0.3.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76480 verbose linkBins extglob@0.3.2
76481 verbose linkMans extglob@0.3.2
76482 silly build is-glob@2.0.1
76483 info linkStuff is-glob@2.0.1
76484 silly linkStuff is-glob@2.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76485 verbose linkBins is-glob@2.0.1
76486 verbose linkMans is-glob@2.0.1
76487 silly build glob-parent@2.0.0
76488 info linkStuff glob-parent@2.0.0
76489 silly linkStuff glob-parent@2.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76490 verbose linkBins glob-parent@2.0.0
76491 verbose linkMans glob-parent@2.0.0
76492 silly build glob-base@0.3.0
76493 info linkStuff glob-base@0.3.0
76494 silly linkStuff glob-base@0.3.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76495 verbose linkBins glob-base@0.3.0
76496 verbose linkMans glob-base@0.3.0
76497 silly build is-obj@1.0.1
76498 info linkStuff is-obj@1.0.1
76499 silly linkStuff is-obj@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76500 verbose linkBins is-obj@1.0.1
76501 verbose linkMans is-obj@1.0.1
76502 silly build dot-prop@3.0.0
76503 info linkStuff dot-prop@3.0.0
76504 silly linkStuff dot-prop@3.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76505 verbose linkBins dot-prop@3.0.0
76506 verbose linkMans dot-prop@3.0.0
76507 silly build is-path-cwd@1.0.0
76508 info linkStuff is-path-cwd@1.0.0
76509 silly linkStuff is-path-cwd@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76510 verbose linkBins is-path-cwd@1.0.0
76511 verbose linkMans is-path-cwd@1.0.0
76512 silly build is-plain-obj@1.1.0
```

npm-debug.log

```
76513 info linkStuff is-plain-obj@1.1.0
76514 silly linkStuff is-plain-obj@1.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76515 verbose linkBins is-plain-obj@1.1.0
76516 verbose linkMans is-plain-obj@1.1.0
76517 silly build is-posix-bracket@0.1.1
76518 info linkStuff is-posix-bracket@0.1.1
76519 silly linkStuff is-posix-bracket@0.1.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76520 verbose linkBins is-posix-bracket@0.1.1
76521 verbose linkMans is-posix-bracket@0.1.1
76522 silly build expand-brackets@0.1.5
76523 info linkStuff expand-brackets@0.1.5
76524 silly linkStuff expand-brackets@0.1.5 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76525 verbose linkBins expand-brackets@0.1.5
76526 verbose linkMans expand-brackets@0.1.5
76527 silly build is-primitive@2.0.0
76528 info linkStuff is-primitive@2.0.0
76529 silly linkStuff is-primitive@2.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76530 verbose linkBins is-primitive@2.0.0
76531 verbose linkMans is-primitive@2.0.0
76532 silly build is-equal-shallow@0.1.3
76533 info linkStuff is-equal-shallow@0.1.3
76534 silly linkStuff is-equal-shallow@0.1.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76535 verbose linkBins is-equal-shallow@0.1.3
76536 verbose linkMans is-equal-shallow@0.1.3
76537 silly build is-promise@2.1.0
76538 info linkStuff is-promise@2.1.0
76539 silly linkStuff is-promise@2.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76540 verbose linkBins is-promise@2.1.0
76541 verbose linkMans is-promise@2.1.0
76542 silly build is-property@1.0.2
76543 info linkStuff is-property@1.0.2
76544 silly linkStuff is-property@1.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76545 verbose linkBins is-property@1.0.2
76546 verbose linkMans is-property@1.0.2
76547 silly build generate-object-property@1.2.0
76548 info linkStuff generate-object-property@1.2.0
76549 silly linkStuff generate-object-property@1.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76550 verbose linkBins generate-object-property@1.2.0
76551 verbose linkMans generate-object-property@1.2.0
76552 silly build is-regex@1.0.3
76553 info linkStuff is-regex@1.0.3
76554 silly linkStuff is-regex@1.0.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76555 verbose linkBins is-regex@1.0.3
```

npm-debug.log

```
76556 verbose linkMans is-regex@1.0.3
76557 silly build is-stream@1.1.0
76558 info linkStuff is-stream@1.1.0
76559 silly linkStuff is-stream@1.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76560 verbose linkBins is-stream@1.1.0
76561 verbose linkMans is-stream@1.1.0
76562 silly build is-subset@0.1.1
76563 info linkStuff is-subset@0.1.1
76564 silly linkStuff is-subset@0.1.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76565 verbose linkBins is-subset@0.1.1
76566 verbose linkMans is-subset@0.1.1
76567 silly build is-svg@2.0.1
76568 info linkStuff is-svg@2.0.1
76569 silly linkStuff is-svg@2.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76570 verbose linkBins is-svg@2.0.1
76571 verbose linkMans is-svg@2.0.1
76572 silly build is-symbol@1.0.1
76573 info linkStuff is-symbol@1.0.1
76574 silly linkStuff is-symbol@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76575 verbose linkBins is-symbol@1.0.1
76576 verbose linkMans is-symbol@1.0.1
76577 silly build es-to-primitive@1.1.1
76578 info linkStuff es-to-primitive@1.1.1
76579 silly linkStuff es-to-primitive@1.1.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76580 verbose linkBins es-to-primitive@1.1.1
76581 verbose linkMans es-to-primitive@1.1.1
76582 silly build es-abstract@1.6.1
76583 info linkStuff es-abstract@1.6.1
76584 silly linkStuff es-abstract@1.6.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76585 verbose linkBins es-abstract@1.6.1
76586 verbose linkMans es-abstract@1.6.1
76587 silly build is-typedarray@1.0.0
76588 info linkStuff is-typedarray@1.0.0
76589 silly linkStuff is-typedarray@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76590 verbose linkBins is-typedarray@1.0.0
76591 verbose linkMans is-typedarray@1.0.0
76592 silly build is-utf8@0.2.1
76593 info linkStuff is-utf8@0.2.1
76594 silly linkStuff is-utf8@0.2.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76595 verbose linkBins is-utf8@0.2.1
76596 verbose linkMans is-utf8@0.2.1
76597 silly build isarray@1.0.0
76598 info linkStuff isarray@1.0.0
76599 silly linkStuff isarray@1.0.0 has
```



npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76600 verbose linkBins isarray@1.0.0
76601 verbose linkMans isarray@1.0.0
76602 silly build doctrine@1.3.0
76603 info linkStuff doctrine@1.3.0
76604 silly linkStuff doctrine@1.3.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76605 verbose linkBins doctrine@1.3.0
76606 verbose linkMans doctrine@1.3.0
76607 silly build buffer@4.9.1
76608 info linkStuff buffer@4.9.1
76609 silly linkStuff buffer@4.9.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76610 verbose linkBins buffer@4.9.1
76611 verbose linkMans buffer@4.9.1
76612 silly build isobject@2.1.0
76613 info linkStuff isobject@2.1.0
76614 silly linkStuff isobject@2.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76615 verbose linkBins isobject@2.1.0
76616 verbose linkMans isobject@2.1.0
76617 silly build isstream@0.1.2
76618 info linkStuff isstream@0.1.2
76619 silly linkStuff isstream@0.1.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76620 verbose linkBins isstream@0.1.2
76621 verbose linkMans isstream@0.1.2
76622 silly build commander@0.6.1
76623 info linkStuff commander@0.6.1
76624 silly linkStuff commander@0.6.1 has
C:\Users\run\Desktop\KOT\kad\node_modules\jade\node_modules as its parent
node_modules
76625 verbose linkBins commander@0.6.1
76626 verbose linkMans commander@0.6.1
76627 silly build mkdirp@0.3.0
76628 info linkStuff mkdirp@0.3.0
76629 silly linkStuff mkdirp@0.3.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\jade\node_modules as its parent
node_modules
76630 verbose linkBins mkdirp@0.3.0
76631 verbose linkMans mkdirp@0.3.0
76632 silly build jade@0.26.3
76633 info linkStuff jade@0.26.3
76634 silly linkStuff jade@0.26.3 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
76635 verbose linkBins jade@0.26.3
76636 verbose link bins [ { jade: './bin/jade' },
76636 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
76636 verbose link bins false ]
76637 verbose linkMans jade@0.26.3
76638 silly build jju@1.3.0
```

npm-debug.log

```
76639 info linkStuff jju@1.3.0
76640 silly linkStuff jju@1.3.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
76641 verbose linkBins jju@1.3.0
76642 verbose linkMans jju@1.3.0
76643 silly build js-base64@2.1.9
76644 info linkStuff js-base64@2.1.9
76645 silly linkStuff js-base64@2.1.9 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76646 verbose linkBins js-base64@2.1.9
76647 verbose linkMans js-base64@2.1.9
76648 silly build js-tokens@1.0.3
76649 info linkStuff js-tokens@1.0.3
76650 silly linkStuff js-tokens@1.0.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76651 verbose linkBins js-tokens@1.0.3
76652 verbose linkMans js-tokens@1.0.3
76653 silly build jsbn@0.1.0
76654 info linkStuff jsbn@0.1.0
76655 silly linkStuff jsbn@0.1.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
76656 verbose linkBins jsbn@0.1.0
76657 verbose linkMans jsbn@0.1.0
76658 silly build jodid25519@1.0.2
76659 info linkStuff jodid25519@1.0.2
76660 silly linkStuff jodid25519@1.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76661 verbose linkBins jodid25519@1.0.2
76662 verbose linkMans jodid25519@1.0.2
76663 silly build ecc-jsbn@0.1.1
76664 info linkStuff ecc-jsbn@0.1.1
76665 silly linkStuff ecc-jsbn@0.1.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76666 verbose linkBins ecc-jsbn@0.1.1
76667 verbose linkMans ecc-jsbn@0.1.1
76668 silly build acorn@2.7.0
76669 info linkStuff acorn@2.7.0
76670 silly linkStuff acorn@2.7.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\jsdom\node_modules as its parent
node_modules
76671 verbose linkBins acorn@2.7.0
76672 verbose link bins [ { acorn: './bin/acorn' } ],
76672 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\jsdom\\node_modules\\.bin',
76672 verbose link bins false ]
76673 verbose linkMans acorn@2.7.0
76674 silly build webidl-conversions@3.0.1
76675 info linkStuff webidl-conversions@3.0.1
76676 silly linkStuff webidl-conversions@3.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules\jsdom\node_modules as its parent
node_modules
76677 verbose linkBins webidl-conversions@3.0.1
```

npm-debug.log

```
76678 verbose linkMans webidl-conversions@3.0.1
76679 silly build jsesc@0.5.0
76680 info linkStuff jsesc@0.5.0
76681 silly linkStuff jsesc@0.5.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
76682 verbose linkBins jsesc@0.5.0
76683 verbose link bins [ { jsesc: 'bin/jsesc' },
76683 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
76683 verbose link bins false ]
76684 verbose linkMans jsesc@0.5.0
76685 silly build json-loader@0.5.4
76686 info linkStuff json-loader@0.5.4
76687 silly linkStuff json-loader@0.5.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76688 verbose linkBins json-loader@0.5.4
76689 verbose linkMans json-loader@0.5.4
76690 silly build json-parse-helpfulerror@1.0.3
76691 info linkStuff json-parse-helpfulerror@1.0.3
76692 silly linkStuff json-parse-helpfulerror@1.0.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76693 verbose linkBins json-parse-helpfulerror@1.0.3
76694 verbose linkMans json-parse-helpfulerror@1.0.3
76695 silly build json-schema@0.2.2
76696 info linkStuff json-schema@0.2.2
76697 silly linkStuff json-schema@0.2.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76698 verbose linkBins json-schema@0.2.2
76699 verbose linkMans json-schema@0.2.2
76700 silly build json-stringify-safe@5.0.1
76701 info linkStuff json-stringify-safe@5.0.1
76702 silly linkStuff json-stringify-safe@5.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76703 verbose linkBins json-stringify-safe@5.0.1
76704 verbose linkMans json-stringify-safe@5.0.1
76705 silly build json5@0.5.0
76706 info linkStuff json5@0.5.0
76707 silly linkStuff json5@0.5.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
76708 verbose linkBins json5@0.5.0
76709 verbose link bins [ { json5: 'lib/cli.js' },
76709 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
76709 verbose link bins false ]
76710 verbose linkMans json5@0.5.0
76711 silly build jsonify@0.0.0
76712 info linkStuff jsonify@0.0.0
76713 silly linkStuff jsonify@0.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76714 verbose linkBins jsonify@0.0.0
76715 verbose linkMans jsonify@0.0.0
76716 silly build json-stable-stringify@1.0.1
```

npm-debug.log

```
76717 info linkStuff json-stable-stringify@1.0.1
76718 silly linkStuff json-stable-stringify@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76719 verbose linkBins json-stable-stringify@1.0.1
76720 verbose linkMans json-stable-stringify@1.0.1
76721 silly build jsonpointer@2.0.0
76722 info linkStuff jsonpointer@2.0.0
76723 silly linkStuff jsonpointer@2.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76724 verbose linkBins jsonpointer@2.0.0
76725 verbose linkMans jsonpointer@2.0.0
76726 silly build keycode@2.1.4
76727 info linkStuff keycode@2.1.4
76728 silly linkStuff keycode@2.1.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76729 verbose linkBins keycode@2.1.4
76730 verbose linkMans keycode@2.1.4
76731 silly build kind-of@3.0.4
76732 info linkStuff kind-of@3.0.4
76733 silly linkStuff kind-of@3.0.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76734 verbose linkBins kind-of@3.0.4
76735 verbose linkMans kind-of@3.0.4
76736 silly build is-number@2.1.0
76737 info linkStuff is-number@2.1.0
76738 silly linkStuff is-number@2.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76739 verbose linkBins is-number@2.1.0
76740 verbose linkMans is-number@2.1.0
76741 silly build lazy-cache@1.0.4
76742 info linkStuff lazy-cache@1.0.4
76743 silly linkStuff lazy-cache@1.0.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76744 verbose linkBins lazy-cache@1.0.4
76745 verbose linkMans lazy-cache@1.0.4
76746 silly build lodash@4.15.0
76747 info linkStuff lodash@4.15.0
76748 silly linkStuff lodash@4.15.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76749 verbose linkBins lodash@4.15.0
76750 verbose linkMans lodash@4.15.0
76751 silly build async@2.0.1
76752 info linkStuff async@2.0.1
76753 silly linkStuff async@2.0.1 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
76754 verbose linkBins async@2.0.1
76755 verbose linkMans async@2.0.1
76756 silly build lodash-es@4.15.0
76757 info linkStuff lodash-es@4.15.0
76758 silly linkStuff lodash-es@4.15.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76759 verbose linkBins lodash-es@4.15.0
```

npm-debug.log

76760 verbose linkMans lodash-es@4.15.0  
76761 silly build lodash.\_basecopy@3.0.1  
76762 info linkStuff lodash.\_basecopy@3.0.1  
76763 silly linkStuff lodash.\_basecopy@3.0.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76764 verbose linkBins lodash.\_basecopy@3.0.1  
76765 verbose linkMans lodash.\_basecopy@3.0.1  
76766 silly build lodash.\_bindcallback@3.0.1  
76767 info linkStuff lodash.\_bindcallback@3.0.1  
76768 silly linkStuff lodash.\_bindcallback@3.0.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76769 verbose linkBins lodash.\_bindcallback@3.0.1  
76770 verbose linkMans lodash.\_bindcallback@3.0.1  
76771 silly build lodash.\_getnative@3.9.1  
76772 info linkStuff lodash.\_getnative@3.9.1  
76773 silly linkStuff lodash.\_getnative@3.9.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76774 verbose linkBins lodash.\_getnative@3.9.1  
76775 verbose linkMans lodash.\_getnative@3.9.1  
76776 silly build lodash.\_isiterateecall@3.0.9  
76777 info linkStuff lodash.\_isiterateecall@3.0.9  
76778 silly linkStuff lodash.\_isiterateecall@3.0.9 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76779 verbose linkBins lodash.\_isiterateecall@3.0.9  
76780 verbose linkMans lodash.\_isiterateecall@3.0.9  
76781 silly build lodash.\_root@3.0.1  
76782 info linkStuff lodash.\_root@3.0.1  
76783 silly linkStuff lodash.\_root@3.0.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76784 verbose linkBins lodash.\_root@3.0.1  
76785 verbose linkMans lodash.\_root@3.0.1  
76786 silly build lodash.deburr@3.2.0  
76787 info linkStuff lodash.deburr@3.2.0  
76788 silly linkStuff lodash.deburr@3.2.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76789 verbose linkBins lodash.deburr@3.2.0  
76790 verbose linkMans lodash.deburr@3.2.0  
76791 silly build lodash.indexof@4.0.5  
76792 info linkStuff lodash.indexof@4.0.5  
76793 silly linkStuff lodash.indexof@4.0.5 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76794 verbose linkBins lodash.indexof@4.0.5  
76795 verbose linkMans lodash.indexof@4.0.5  
76796 silly build lodash.isarguments@3.1.0  
76797 info linkStuff lodash.isarguments@3.1.0  
76798 silly linkStuff lodash.isarguments@3.1.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76799 verbose linkBins lodash.isarguments@3.1.0  
76800 verbose linkMans lodash.isarguments@3.1.0  
76801 silly build lodash.isarray@3.0.4  
76802 info linkStuff lodash.isarray@3.0.4  
76803 silly linkStuff lodash.isarray@3.0.4 has

npm-debug.log

C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76804 verbose linkBins lodash.isarray@3.0.4  
76805 verbose linkMans lodash.isarray@3.0.4  
76806 silly build lodash.keys@3.1.2  
76807 info linkStuff lodash.keys@3.1.2  
76808 silly linkStuff lodash.keys@3.1.2 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76809 verbose linkBins lodash.keys@3.1.2  
76810 verbose linkMans lodash.keys@3.1.2  
76811 silly build lodash.\_baseassign@3.2.0  
76812 info linkStuff lodash.\_baseassign@3.2.0  
76813 silly linkStuff lodash.\_baseassign@3.2.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76814 verbose linkBins lodash.\_baseassign@3.2.0  
76815 verbose linkMans lodash.\_baseassign@3.2.0  
76816 silly build lodash.pick@4.4.0  
76817 info linkStuff lodash.pick@4.4.0  
76818 silly linkStuff lodash.pick@4.4.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76819 verbose linkBins lodash.pick@4.4.0  
76820 verbose linkMans lodash.pick@4.4.0  
76821 silly build lodash.pickby@4.6.0  
76822 info linkStuff lodash.pickby@4.6.0  
76823 silly linkStuff lodash.pickby@4.6.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76824 verbose linkBins lodash.pickby@4.6.0  
76825 verbose linkMans lodash.pickby@4.6.0  
76826 silly build lodash.restparam@3.6.1  
76827 info linkStuff lodash.restparam@3.6.1  
76828 silly linkStuff lodash.restparam@3.6.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76829 verbose linkBins lodash.restparam@3.6.1  
76830 verbose linkMans lodash.restparam@3.6.1  
76831 silly build lodash.\_createassigner@3.1.1  
76832 info linkStuff lodash.\_createassigner@3.1.1  
76833 silly linkStuff lodash.\_createassigner@3.1.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76834 verbose linkBins lodash.\_createassigner@3.1.1  
76835 verbose linkMans lodash.\_createassigner@3.1.1  
76836 silly build lodash.assign@3.2.0  
76837 info linkStuff lodash.assign@3.2.0  
76838 silly linkStuff lodash.assign@3.2.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76839 verbose linkBins lodash.assign@3.2.0  
76840 verbose linkMans lodash.assign@3.2.0  
76841 silly build lodash.words@3.2.0  
76842 info linkStuff lodash.words@3.2.0  
76843 silly linkStuff lodash.words@3.2.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
76844 verbose linkBins lodash.words@3.2.0  
76845 verbose linkMans lodash.words@3.2.0  
76846 silly build lodash.\_createcompounder@3.0.0

npm-debug.log

```
76847 info linkStuff lodash._createcompounder@3.0.0
76848 silly linkStuff lodash._createcompounder@3.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76849 verbose linkBins lodash._createcompounder@3.0.0
76850 verbose linkMans lodash._createcompounder@3.0.0
76851 silly build lodash.camelcase@3.0.1
76852 info linkStuff lodash.camelcase@3.0.1
76853 silly linkStuff lodash.camelcase@3.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76854 verbose linkBins lodash.camelcase@3.0.1
76855 verbose linkMans lodash.camelcase@3.0.1
76856 silly build lolex@1.3.2
76857 info linkStuff lolex@1.3.2
76858 silly linkStuff lolex@1.3.2 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
76859 verbose linkBins lolex@1.3.2
76860 verbose linkMans lolex@1.3.2
76861 silly build longest@1.0.1
76862 info linkStuff longest@1.0.1
76863 silly linkStuff longest@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76864 verbose linkBins longest@1.0.1
76865 verbose linkMans longest@1.0.1
76866 silly build loose-envify@1.2.0
76867 info linkStuff loose-envify@1.2.0
76868 silly linkStuff loose-envify@1.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76869 verbose linkBins loose-envify@1.2.0
76870 verbose link bins [ { 'loose-envify': 'cli.js' },
76870 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
76870 verbose link bins false ]
76871 verbose linkMans loose-envify@1.2.0
76872 silly build invariant@2.2.1
76873 info linkStuff invariant@2.2.1
76874 silly linkStuff invariant@2.2.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76875 verbose linkBins invariant@2.2.1
76876 verbose linkMans invariant@2.2.1
76877 silly build lru-cache@2.7.3
76878 info linkStuff lru-cache@2.7.3
76879 silly linkStuff lru-cache@2.7.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76880 verbose linkBins lru-cache@2.7.3
76881 verbose linkMans lru-cache@2.7.3
76882 silly build macaddress@0.2.8
76883 info linkStuff macaddress@0.2.8
76884 silly linkStuff macaddress@0.2.8 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76885 verbose linkBins macaddress@0.2.8
76886 verbose linkMans macaddress@0.2.8
76887 silly build map-obj@1.0.1
```

npm-debug.log

```
76888 info linkStuff map-obj@1.0.1
76889 silly linkStuff map-obj@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76890 verbose linkBins map-obj@1.0.1
76891 verbose linkMans map-obj@1.0.1
76892 silly build camelcase-keys@2.1.0
76893 info linkStuff camelcase-keys@2.1.0
76894 silly linkStuff camelcase-keys@2.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76895 verbose linkBins camelcase-keys@2.1.0
76896 verbose linkMans camelcase-keys@2.1.0
76897 silly build math-expression-evaluator@1.2.14
76898 info linkStuff math-expression-evaluator@1.2.14
76899 silly linkStuff math-expression-evaluator@1.2.14 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76900 verbose linkBins math-expression-evaluator@1.2.14
76901 verbose linkMans math-expression-evaluator@1.2.14
76902 silly build media-typer@0.3.0
76903 info linkStuff media-typer@0.3.0
76904 silly linkStuff media-typer@0.3.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76905 verbose linkBins media-typer@0.3.0
76906 verbose linkMans media-typer@0.3.0
76907 silly build merge-descriptors@1.0.1
76908 info linkStuff merge-descriptors@1.0.1
76909 silly linkStuff merge-descriptors@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76910 verbose linkBins merge-descriptors@1.0.1
76911 verbose linkMans merge-descriptors@1.0.1
76912 silly build methods@1.1.2
76913 info linkStuff methods@1.1.2
76914 silly linkStuff methods@1.1.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76915 verbose linkBins methods@1.1.2
76916 verbose linkMans methods@1.1.2
76917 silly build mime@1.3.4
76918 info linkStuff mime@1.3.4
76919 silly linkStuff mime@1.3.4 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
76920 verbose linkBins mime@1.3.4
76921 verbose link bins [ { mime: 'cli.js' } ],
76921 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
76921 verbose link bins false ]
76922 verbose linkMans mime@1.3.4
76923 silly build mime-db@1.23.0
76924 info linkStuff mime-db@1.23.0
76925 silly linkStuff mime-db@1.23.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76926 verbose linkBins mime-db@1.23.0
76927 verbose linkMans mime-db@1.23.0
76928 silly build mime-types@2.1.11
```



npm-debug.log

```
76929 info linkStuff mime-types@2.1.11
76930 silly linkStuff mime-types@2.1.11 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76931 verbose linkBins mime-types@2.1.11
76932 verbose linkMans mime-types@2.1.11
76933 silly build form-data@1.0.1
76934 info linkStuff form-data@1.0.1
76935 silly linkStuff form-data@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76936 verbose linkBins form-data@1.0.1
76937 verbose linkMans form-data@1.0.1
76938 silly build minimatch@3.0.3
76939 info linkStuff minimatch@3.0.3
76940 silly linkStuff minimatch@3.0.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76941 verbose linkBins minimatch@3.0.3
76942 verbose linkMans minimatch@3.0.3
76943 silly build minimist@1.2.0
76944 info linkStuff minimist@1.2.0
76945 silly linkStuff minimist@1.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76946 verbose linkBins minimist@1.2.0
76947 verbose linkMans minimist@1.2.0
76948 silly build minimist@0.0.8
76949 info linkStuff minimist@0.0.8
76950 silly linkStuff minimist@0.0.8 has
C:\Users\run\Desktop\KOT\kad\node_modules\mkdirp\node_modules as its parent
node_modules
76951 verbose linkBins minimist@0.0.8
76952 verbose linkMans minimist@0.0.8
76953 silly build mkdirp@0.5.1
76954 info linkStuff mkdirp@0.5.1
76955 silly linkStuff mkdirp@0.5.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76956 verbose linkBins mkdirp@0.5.1
76957 verbose link bins [ { mkdirp: 'bin/cmd.js' },
76957 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
76957 verbose link bins false ]
76958 verbose linkMans mkdirp@0.5.1
76959 silly build mobx@2.5.1
76960 info linkStuff mobx@2.5.1
76961 silly linkStuff mobx@2.5.1 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
76962 verbose linkBins mobx@2.5.1
76963 verbose linkMans mobx@2.5.1
76964 silly build commander@2.3.0
76965 info linkStuff commander@2.3.0
76966 silly linkStuff commander@2.3.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\mocha\node_modules as its parent
node_modules
76967 verbose linkBins commander@2.3.0
```

npm-debug.log

```
76968 verbose linkMans commander@2.3.0
76969 silly build escape-string-regexp@1.0.2
76970 info linkStuff escape-string-regexp@1.0.2
76971 silly linkStuff escape-string-regexp@1.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules\mocha\node_modules as its parent
node_modules
76972 verbose linkBins escape-string-regexp@1.0.2
76973 verbose linkMans escape-string-regexp@1.0.2
76974 silly build supports-color@1.2.0
76975 info linkStuff supports-color@1.2.0
76976 silly linkStuff supports-color@1.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\mocha\node_modules as its parent
node_modules
76977 verbose linkBins supports-color@1.2.0
76978 verbose link bins [ { 'supports-color': 'cli.js' },
76978 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\mocha\\node_modules\\.bin',
76978 verbose link bins false ]
76979 verbose linkMans supports-color@1.2.0
76980 silly build ms@0.7.1
76981 info linkStuff ms@0.7.1
76982 silly linkStuff ms@0.7.1 has C:\Users\run\Desktop\KOT\kad\node_modules as
its parent node_modules
76983 verbose linkBins ms@0.7.1
76984 verbose linkMans ms@0.7.1
76985 silly build debug@2.2.0
76986 info linkStuff debug@2.2.0
76987 silly linkStuff debug@2.2.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
76988 verbose linkBins debug@2.2.0
76989 verbose linkMans debug@2.2.0
76990 silly build mute-stream@0.0.5
76991 info linkStuff mute-stream@0.0.5
76992 silly linkStuff mute-stream@0.0.5 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76993 verbose linkBins mute-stream@0.0.5
76994 verbose linkMans mute-stream@0.0.5
76995 silly build negotiator@0.6.1
76996 info linkStuff negotiator@0.6.1
76997 silly linkStuff negotiator@0.6.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
76998 verbose linkBins negotiator@0.6.1
76999 verbose linkMans negotiator@0.6.1
77000 silly build accepts@1.3.3
77001 info linkStuff accepts@1.3.3
77002 silly linkStuff accepts@1.3.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77003 verbose linkBins accepts@1.3.3
77004 verbose linkMans accepts@1.3.3
77005 silly build node-fetch@1.6.0
77006 info linkStuff node-fetch@1.6.0
77007 silly linkStuff node-fetch@1.6.0 has
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77008 verbose linkBins node-fetch@1.6.0
77009 verbose linkMans node-fetch@1.6.0
77010 silly build isarray@0.0.1
77011 info linkStuff isarray@0.0.1
77012 silly linkStuff isarray@0.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules\node-libs-browser\node_modules as its
parent node_modules
77013 verbose linkBins isarray@0.0.1
77014 verbose linkMans isarray@0.0.1
77015 silly build node-uuid@1.4.7
77016 info linkStuff node-uuid@1.4.7
77017 silly linkStuff node-uuid@1.4.7 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77018 verbose linkBins node-uuid@1.4.7
77019 verbose link bins [ { uuid: './bin/uuid' },
77019 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
77019 verbose link bins false ]
77020 verbose linkMans node-uuid@1.4.7
77021 silly build normalize-path@2.0.1
77022 info linkStuff normalize-path@2.0.1
77023 silly linkStuff normalize-path@2.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77024 verbose linkBins normalize-path@2.0.1
77025 verbose linkMans normalize-path@2.0.1
77026 silly build normalize-range@0.1.2
77027 info linkStuff normalize-range@0.1.2
77028 silly linkStuff normalize-range@0.1.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77029 verbose linkBins normalize-range@0.1.2
77030 verbose linkMans normalize-range@0.1.2
77031 silly build nth-check@1.0.1
77032 info linkStuff nth-check@1.0.1
77033 silly linkStuff nth-check@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77034 verbose linkBins nth-check@1.0.1
77035 verbose linkMans nth-check@1.0.1
77036 silly build css-select@1.2.0
77037 info linkStuff css-select@1.2.0
77038 silly linkStuff css-select@1.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77039 verbose linkBins css-select@1.2.0
77040 verbose linkMans css-select@1.2.0
77041 silly build num2fraction@1.2.2
77042 info linkStuff num2fraction@1.2.2
77043 silly linkStuff num2fraction@1.2.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77044 verbose linkBins num2fraction@1.2.2
77045 verbose linkMans num2fraction@1.2.2
77046 silly build number-is-nan@1.0.0
77047 info linkStuff number-is-nan@1.0.0
```

npm-debug.log

```
77048 silly linkStuff number-is-nan@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77049 verbose linkBins number-is-nan@1.0.0
77050 verbose linkMans number-is-nan@1.0.0
77051 silly build is-fullwidth-code-point@1.0.0
77052 info linkStuff is-fullwidth-code-point@1.0.0
77053 silly linkStuff is-fullwidth-code-point@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77054 verbose linkBins is-fullwidth-code-point@1.0.0
77055 verbose linkMans is-fullwidth-code-point@1.0.0
77056 silly build is-finite@1.0.1
77057 info linkStuff is-finite@1.0.1
77058 silly linkStuff is-finite@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77059 verbose linkBins is-finite@1.0.1
77060 verbose linkMans is-finite@1.0.1
77061 silly build repeating@2.0.1
77062 info linkStuff repeating@2.0.1
77063 silly linkStuff repeating@2.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules\indent-string\node_modules as its
parent node_modules
77064 verbose linkBins repeating@2.0.1
77065 verbose linkMans repeating@2.0.1
77066 silly build indent-string@2.1.0
77067 info linkStuff indent-string@2.1.0
77068 silly linkStuff indent-string@2.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77069 verbose linkBins indent-string@2.1.0
77070 verbose linkMans indent-string@2.1.0
77071 silly build code-point-at@1.0.0
77072 info linkStuff code-point-at@1.0.0
77073 silly linkStuff code-point-at@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77074 verbose linkBins code-point-at@1.0.0
77075 verbose linkMans code-point-at@1.0.0
77076 silly build nwmatcher@1.3.8
77077 info linkStuff nwmatcher@1.3.8
77078 silly linkStuff nwmatcher@1.3.8 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77079 verbose linkBins nwmatcher@1.3.8
77080 verbose linkMans nwmatcher@1.3.8
77081 silly build oauth-sign@0.8.2
77082 info linkStuff oauth-sign@0.8.2
77083 silly linkStuff oauth-sign@0.8.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77084 verbose linkBins oauth-sign@0.8.2
77085 verbose linkMans oauth-sign@0.8.2
77086 silly build object-assign@4.1.0
77087 info linkStuff object-assign@4.1.0
77088 silly linkStuff object-assign@4.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77089 verbose linkBins object-assign@4.1.0
```

npm-debug.log

```
77090 verbose linkMans object-assign@4.1.0
77091 silly build loader-utils@0.2.15
77092 info linkStuff loader-utils@0.2.15
77093 silly linkStuff loader-utils@0.2.15 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77094 verbose linkBins loader-utils@0.2.15
77095 verbose linkMans loader-utils@0.2.15
77096 silly build file-loader@0.9.0
77097 info linkStuff file-loader@0.9.0
77098 silly linkStuff file-loader@0.9.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77099 verbose linkBins file-loader@0.9.0
77100 verbose linkMans file-loader@0.9.0
77101 silly build figures@1.7.0
77102 info linkStuff figures@1.7.0
77103 silly linkStuff figures@1.7.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77104 verbose linkBins figures@1.7.0
77105 verbose linkMans figures@1.7.0
77106 silly build esrecurse@4.1.0
77107 info linkStuff esrecurse@4.1.0
77108 silly linkStuff esrecurse@4.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77109 verbose linkBins esrecurse@4.1.0
77110 verbose linkMans esrecurse@4.1.0
77111 silly build escope@3.6.0
77112 info linkStuff escope@3.6.0
77113 silly linkStuff escope@3.6.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77114 verbose linkBins escope@3.6.0
77115 verbose linkMans escope@3.6.0
77116 silly build babel-loader@6.2.5
77117 info linkStuff babel-loader@6.2.5
77118 silly linkStuff babel-loader@6.2.5 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77119 verbose linkBins babel-loader@6.2.5
77120 verbose linkMans babel-loader@6.2.5
77121 silly build object-is@1.0.1
77122 info linkStuff object-is@1.0.1
77123 silly linkStuff object-is@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77124 verbose linkBins object-is@1.0.1
77125 verbose linkMans object-is@1.0.1
77126 silly build object-keys@1.0.11
77127 info linkStuff object-keys@1.0.11
77128 silly linkStuff object-keys@1.0.11 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77129 verbose linkBins object-keys@1.0.11
77130 verbose linkMans object-keys@1.0.11
77131 silly build define-properties@1.1.2
77132 info linkStuff define-properties@1.1.2
77133 silly linkStuff define-properties@1.1.2 has
```

npm-debug.log

C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77134 verbose linkBins define-properties@1.1.2  
77135 verbose linkMans define-properties@1.1.2  
77136 silly build array-includes@3.0.2  
77137 info linkStuff array-includes@3.0.2  
77138 silly linkStuff array-includes@3.0.2 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77139 verbose linkBins array-includes@3.0.2  
77140 verbose linkMans array-includes@3.0.2  
77141 silly build object.assign@4.0.4  
77142 info linkStuff object.assign@4.0.4  
77143 silly linkStuff object.assign@4.0.4 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77144 verbose linkBins object.assign@4.0.4  
77145 verbose linkMans object.assign@4.0.4  
77146 silly build object.entries@1.0.3  
77147 info linkStuff object.entries@1.0.3  
77148 silly linkStuff object.entries@1.0.3 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77149 verbose linkBins object.entries@1.0.3  
77150 verbose linkMans object.entries@1.0.3  
77151 silly build object.getownpropertydescriptors@2.0.3  
77152 info linkStuff object.getownpropertydescriptors@2.0.3  
77153 silly linkStuff object.getownpropertydescriptors@2.0.3 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77154 verbose linkBins object.getownpropertydescriptors@2.0.3  
77155 verbose linkMans object.getownpropertydescriptors@2.0.3  
77156 silly build object.omit@2.0.0  
77157 info linkStuff object.omit@2.0.0  
77158 silly linkStuff object.omit@2.0.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77159 verbose linkBins object.omit@2.0.0  
77160 verbose linkMans object.omit@2.0.0  
77161 silly build object.values@1.0.3  
77162 info linkStuff object.values@1.0.3  
77163 silly linkStuff object.values@1.0.3 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77164 verbose linkBins object.values@1.0.3  
77165 verbose linkMans object.values@1.0.3  
77166 silly build on-finished@2.3.0  
77167 info linkStuff on-finished@2.3.0  
77168 silly linkStuff on-finished@2.3.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77169 verbose linkBins on-finished@2.3.0  
77170 verbose linkMans on-finished@2.3.0  
77171 silly build onetime@1.1.0  
77172 info linkStuff onetime@1.1.0  
77173 silly linkStuff onetime@1.1.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77174 verbose linkBins onetime@1.1.0  
77175 verbose linkMans onetime@1.1.0  
77176 silly build minimist@0.0.10

npm-debug.log

```
77177 info linkStuff minimist@0.0.10
77178 silly linkStuff minimist@0.0.10 has
C:\Users\run\Desktop\KOT\kad\node_modules\optimist\node_modules as its parent
node_modules
77179 verbose linkBins minimist@0.0.10
77180 verbose linkMans minimist@0.0.10
77181 silly build wordwrap@1.0.0
77182 info linkStuff wordwrap@1.0.0
77183 silly linkStuff wordwrap@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\optionator\node_modules as its parent
node_modules
77184 verbose linkBins wordwrap@1.0.0
77185 verbose linkMans wordwrap@1.0.0
77186 silly build os-browserify@0.1.2
77187 info linkStuff os-browserify@0.1.2
77188 silly linkStuff os-browserify@0.1.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77189 verbose linkBins os-browserify@0.1.2
77190 verbose linkMans os-browserify@0.1.2
77191 silly build os-homedir@1.0.1
77192 info linkStuff os-homedir@1.0.1
77193 silly linkStuff os-homedir@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77194 verbose linkBins os-homedir@1.0.1
77195 verbose linkMans os-homedir@1.0.1
77196 silly build user-home@2.0.0
77197 info linkStuff user-home@2.0.0
77198 silly linkStuff user-home@2.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\eslint\node_modules as its parent
node_modules
77199 verbose linkBins user-home@2.0.0
77200 verbose linkMans user-home@2.0.0
77201 silly build os-tmpdir@1.0.1
77202 info linkStuff os-tmpdir@1.0.1
77203 silly linkStuff os-tmpdir@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77204 verbose linkBins os-tmpdir@1.0.1
77205 verbose linkMans os-tmpdir@1.0.1
77206 silly build osenv@0.1.3
77207 info linkStuff osenv@0.1.3
77208 silly linkStuff osenv@0.1.3 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
77209 verbose linkBins osenv@0.1.3
77210 verbose linkMans osenv@0.1.3
77211 silly build output-file-sync@1.1.2
77212 info linkStuff output-file-sync@1.1.2
77213 silly linkStuff output-file-sync@1.1.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77214 verbose linkBins output-file-sync@1.1.2
77215 verbose linkMans output-file-sync@1.1.2
77216 silly build page-bus@3.0.1
77217 info linkStuff page-bus@3.0.1
```

npm-debug.log

```
77218 silly linkStuff page-bus@3.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77219 verbose linkBins page-bus@3.0.1
77220 verbose linkMans page-bus@3.0.1
77221 silly build @kadira/storybook-channel-pagebus@2.0.2
77222 info linkStuff @kadira/storybook-channel-pagebus@2.0.2
77223 silly linkStuff @kadira/storybook-channel-pagebus@2.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77224 verbose linkBins @kadira/storybook-channel-pagebus@2.0.2
77225 verbose linkMans @kadira/storybook-channel-pagebus@2.0.2
77226 silly build pako@0.2.9
77227 info linkStuff pako@0.2.9
77228 silly linkStuff pako@0.2.9 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
77229 verbose linkBins pako@0.2.9
77230 verbose linkMans pako@0.2.9
77231 silly build browserify-zlib@0.1.4
77232 info linkStuff browserify-zlib@0.1.4
77233 silly linkStuff browserify-zlib@0.1.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77234 verbose linkBins browserify-zlib@0.1.4
77235 verbose linkMans browserify-zlib@0.1.4
77236 silly build parse-glob@3.0.4
77237 info linkStuff parse-glob@3.0.4
77238 silly linkStuff parse-glob@3.0.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77239 verbose linkBins parse-glob@3.0.4
77240 verbose linkMans parse-glob@3.0.4
77241 silly build parse-json@2.2.0
77242 info linkStuff parse-json@2.2.0
77243 silly linkStuff parse-json@2.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77244 verbose linkBins parse-json@2.2.0
77245 verbose linkMans parse-json@2.2.0
77246 silly build parse5@1.5.1
77247 info linkStuff parse5@1.5.1
77248 silly linkStuff parse5@1.5.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77249 verbose linkBins parse5@1.5.1
77250 verbose linkMans parse5@1.5.1
77251 silly build parseurl@1.3.1
77252 info linkStuff parseurl@1.3.1
77253 silly linkStuff parseurl@1.3.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77254 verbose linkBins parseurl@1.3.1
77255 verbose linkMans parseurl@1.3.1
77256 silly build path-browserify@0.0.0
77257 info linkStuff path-browserify@0.0.0
77258 silly linkStuff path-browserify@0.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77259 verbose linkBins path-browserify@0.0.0
77260 verbose linkMans path-browserify@0.0.0
```



npm-debug.log

```
77261 silly build path-exists@1.0.0
77262 info linkStuff path-exists@1.0.0
77263 silly linkStuff path-exists@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77264 verbose linkBins path-exists@1.0.0
77265 verbose linkMans path-exists@1.0.0
77266 silly build path-is-absolute@1.0.0
77267 info linkStuff path-is-absolute@1.0.0
77268 silly linkStuff path-is-absolute@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77269 verbose linkBins path-is-absolute@1.0.0
77270 verbose linkMans path-is-absolute@1.0.0
77271 silly build path-is-inside@1.0.1
77272 info linkStuff path-is-inside@1.0.1
77273 silly linkStuff path-is-inside@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77274 verbose linkBins path-is-inside@1.0.1
77275 verbose linkMans path-is-inside@1.0.1
77276 silly build is-path-inside@1.0.0
77277 info linkStuff is-path-inside@1.0.0
77278 silly linkStuff is-path-inside@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77279 verbose linkBins is-path-inside@1.0.0
77280 verbose linkMans is-path-inside@1.0.0
77281 silly build is-path-in-cwd@1.0.0
77282 info linkStuff is-path-in-cwd@1.0.0
77283 silly linkStuff is-path-in-cwd@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77284 verbose linkBins is-path-in-cwd@1.0.0
77285 verbose linkMans is-path-in-cwd@1.0.0
77286 silly build path-to-regexp@0.1.7
77287 info linkStuff path-to-regexp@0.1.7
77288 silly linkStuff path-to-regexp@0.1.7 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77289 verbose linkBins path-to-regexp@0.1.7
77290 verbose linkMans path-to-regexp@0.1.7
77291 silly build pbkdf2-compat@2.0.1
77292 info linkStuff pbkdf2-compat@2.0.1
77293 silly linkStuff pbkdf2-compat@2.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77294 verbose linkBins pbkdf2-compat@2.0.1
77295 verbose linkMans pbkdf2-compat@2.0.1
77296 silly build pify@2.3.0
77297 info linkStuff pify@2.3.0
77298 silly linkStuff pify@2.3.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
77299 verbose linkBins pify@2.3.0
77300 verbose linkMans pify@2.3.0
77301 silly build pinkie@2.0.4
77302 info linkStuff pinkie@2.0.4
77303 silly linkStuff pinkie@2.0.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
```

npm-debug.log

```
77304 verbose linkBins pinkie@2.0.4
77305 verbose linkMans pinkie@2.0.4
77306 silly build pinkie-promise@2.0.1
77307 info linkStuff pinkie-promise@2.0.1
77308 silly linkStuff pinkie-promise@2.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77309 verbose linkBins pinkie-promise@2.0.1
77310 verbose linkMans pinkie-promise@2.0.1
77311 silly build path-type@1.1.0
77312 info linkStuff path-type@1.1.0
77313 silly linkStuff path-type@1.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77314 verbose linkBins path-type@1.1.0
77315 verbose linkMans path-type@1.1.0
77316 silly build path-exists@2.1.0
77317 info linkStuff path-exists@2.1.0
77318 silly linkStuff path-exists@2.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\find-up\node_modules as its parent
node_modules
77319 verbose linkBins path-exists@2.1.0
77320 verbose linkMans path-exists@2.1.0
77321 silly build find-up@1.1.2
77322 info linkStuff find-up@1.1.2
77323 silly linkStuff find-up@1.1.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77324 verbose linkBins find-up@1.1.2
77325 verbose linkMans find-up@1.1.2
77326 silly build pluralize@1.2.1
77327 info linkStuff pluralize@1.2.1
77328 silly linkStuff pluralize@1.2.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77329 verbose linkBins pluralize@1.2.1
77330 verbose linkMans pluralize@1.2.1
77331 silly build postcss-message-helpers@2.0.0
77332 info linkStuff postcss-message-helpers@2.0.0
77333 silly linkStuff postcss-message-helpers@2.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77334 verbose linkBins postcss-message-helpers@2.0.0
77335 verbose linkMans postcss-message-helpers@2.0.0
77336 silly build postcss-value-parser@3.3.0
77337 info linkStuff postcss-value-parser@3.3.0
77338 silly linkStuff postcss-value-parser@3.3.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77339 verbose linkBins postcss-value-parser@3.3.0
77340 verbose linkMans postcss-value-parser@3.3.0
77341 silly build prelude-ls@1.1.2
77342 info linkStuff prelude-ls@1.1.2
77343 silly linkStuff prelude-ls@1.1.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77344 verbose linkBins prelude-ls@1.1.2
77345 verbose linkMans prelude-ls@1.1.2
77346 silly build prepend-http@1.0.4
```

npm-debug.log

77347 info linkStuff prepend-http@1.0.4  
77348 silly linkStuff prepend-http@1.0.4 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77349 verbose linkBins prepend-http@1.0.4  
77350 verbose linkMans prepend-http@1.0.4  
77351 silly build preserve@0.2.0  
77352 info linkStuff preserve@0.2.0  
77353 silly linkStuff preserve@0.2.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77354 verbose linkBins preserve@0.2.0  
77355 verbose linkMans preserve@0.2.0  
77356 silly build private@0.1.6  
77357 info linkStuff private@0.1.6  
77358 silly linkStuff private@0.1.6 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77359 verbose linkBins private@0.1.6  
77360 verbose linkMans private@0.1.6  
77361 silly build process@0.11.9  
77362 info linkStuff process@0.11.9  
77363 silly linkStuff process@0.11.9 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77364 verbose linkBins process@0.11.9  
77365 verbose linkMans process@0.11.9  
77366 silly build process-nextick-args@1.0.7  
77367 info linkStuff process-nextick-args@1.0.7  
77368 silly linkStuff process-nextick-args@1.0.7 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77369 verbose linkBins process-nextick-args@1.0.7  
77370 verbose linkMans process-nextick-args@1.0.7  
77371 silly build progress@1.1.8  
77372 info linkStuff progress@1.1.8  
77373 silly linkStuff progress@1.1.8 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77374 verbose linkBins progress@1.1.8  
77375 verbose linkMans progress@1.1.8  
77376 silly build promise@7.1.1  
77377 info linkStuff promise@7.1.1  
77378 silly linkStuff promise@7.1.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77379 verbose linkBins promise@7.1.1  
77380 verbose linkMans promise@7.1.1  
77381 silly build protocols@1.4.1  
77382 info linkStuff protocols@1.4.1  
77383 silly linkStuff protocols@1.4.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77384 verbose linkBins protocols@1.4.1  
77385 verbose linkMans protocols@1.4.1  
77386 silly build is-ssh@1.3.0  
77387 info linkStuff is-ssh@1.3.0  
77388 silly linkStuff is-ssh@1.3.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77389 verbose linkBins is-ssh@1.3.0

npm-debug.log

```
77390 verbose linkMans is-ssh@1.3.0
77391 silly build parse-url@1.3.3
77392 info linkStuff parse-url@1.3.3
77393 silly linkStuff parse-url@1.3.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77394 verbose linkBins parse-url@1.3.3
77395 verbose linkMans parse-url@1.3.3
77396 silly build git-up@2.0.2
77397 info linkStuff git-up@2.0.2
77398 silly linkStuff git-up@2.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77399 verbose linkBins git-up@2.0.2
77400 verbose linkMans git-up@2.0.2
77401 silly build git-url-parse@6.0.5
77402 info linkStuff git-url-parse@6.0.5
77403 silly linkStuff git-url-parse@6.0.5 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77404 verbose linkBins git-url-parse@6.0.5
77405 verbose linkMans git-url-parse@6.0.5
77406 silly build proxy-addr@1.1.2
77407 info linkStuff proxy-addr@1.1.2
77408 silly linkStuff proxy-addr@1.1.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77409 verbose linkBins proxy-addr@1.1.2
77410 verbose linkMans proxy-addr@1.1.2
77411 silly build prr@0.0.0
77412 info linkStuff prr@0.0.0
77413 silly linkStuff prr@0.0.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
77414 verbose linkBins prr@0.0.0
77415 verbose linkMans prr@0.0.0
77416 silly build errno@0.1.4
77417 info linkStuff errno@0.1.4
77418 silly linkStuff errno@0.1.4 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
77419 verbose linkBins errno@0.1.4
77420 verbose link bins [ { errno: './cli.js' },
77420 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
77420 verbose link bins false ]
77421 verbose linkMans errno@0.1.4
77422 silly build punycode@1.4.1
77423 info linkStuff punycode@1.4.1
77424 silly linkStuff punycode@1.4.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77425 verbose linkBins punycode@1.4.1
77426 verbose linkMans punycode@1.4.1
77427 silly build q@1.4.1
77428 info linkStuff q@1.4.1
77429 silly linkStuff q@1.4.1 has C:\Users\run\Desktop\KOT\kad\node_modules as
its parent node_modules
77430 verbose linkBins q@1.4.1
```

npm-debug.log

77431 verbose linkMans q@1.4.1  
77432 silly build coa@1.0.1  
77433 info linkStuff coa@1.0.1  
77434 silly linkStuff coa@1.0.1 has C:\Users\run\Desktop\KOT\kad\node\_modules  
as its parent node\_modules  
77435 verbose linkBins coa@1.0.1  
77436 verbose linkMans coa@1.0.1  
77437 silly build qs@6.2.1  
77438 info linkStuff qs@6.2.1  
77439 silly linkStuff qs@6.2.1 has C:\Users\run\Desktop\KOT\kad\node\_modules as  
its parent node\_modules  
77440 verbose linkBins qs@6.2.1  
77441 verbose linkMans qs@6.2.1  
77442 silly build querystring@0.2.0  
77443 info linkStuff querystring@0.2.0  
77444 silly linkStuff querystring@0.2.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77445 verbose linkBins querystring@0.2.0  
77446 verbose linkMans querystring@0.2.0  
77447 silly build querystring-es3@0.2.1  
77448 info linkStuff querystring-es3@0.2.1  
77449 silly linkStuff querystring-es3@0.2.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77450 verbose linkBins querystring-es3@0.2.1  
77451 verbose linkMans querystring-es3@0.2.1  
77452 silly build randomatic@1.1.5  
77453 info linkStuff randomatic@1.1.5  
77454 silly linkStuff randomatic@1.1.5 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77455 verbose linkBins randomatic@1.1.5  
77456 verbose linkMans randomatic@1.1.5  
77457 silly build range-parser@1.2.0  
77458 info linkStuff range-parser@1.2.0  
77459 silly linkStuff range-parser@1.2.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77460 verbose linkBins range-parser@1.2.0  
77461 verbose linkMans range-parser@1.2.0  
77462 silly build react-addons-test-utils@15.3.1  
77463 info linkStuff react-addons-test-utils@15.3.1  
77464 silly linkStuff react-addons-test-utils@15.3.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77465 verbose linkBins react-addons-test-utils@15.3.1  
77466 verbose linkMans react-addons-test-utils@15.3.1  
77467 silly build react-dom@15.3.1  
77468 info linkStuff react-dom@15.3.1  
77469 silly linkStuff react-dom@15.3.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77470 verbose linkBins react-dom@15.3.1  
77471 verbose linkMans react-dom@15.3.1  
77472 silly build react-inspector@1.1.0  
77473 info linkStuff react-inspector@1.1.0  
77474 silly linkStuff react-inspector@1.1.0 has

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77475 verbose linkBins react-inspector@1.1.0
77476 verbose linkMans react-inspector@1.1.0
77477 silly build @kadira/storybook-addon-actions@1.0.4
77478 info linkStuff @kadira/storybook-addon-actions@1.0.4
77479 silly linkStuff @kadira/storybook-addon-actions@1.0.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77480 verbose linkBins @kadira/storybook-addon-actions@1.0.4
77481 verbose linkMans @kadira/storybook-addon-actions@1.0.4
77482 silly build react-modal@1.4.0
77483 info linkStuff react-modal@1.4.0
77484 silly linkStuff react-modal@1.4.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77485 verbose linkBins react-modal@1.4.0
77486 verbose linkMans react-modal@1.4.0
77487 silly build readline2@1.0.1
77488 info linkStuff readline2@1.0.1
77489 silly linkStuff readline2@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77490 verbose linkBins readline2@1.0.1
77491 verbose linkMans readline2@1.0.1
77492 silly build balanced-match@0.1.0
77493 info linkStuff balanced-match@0.1.0
77494 silly linkStuff balanced-match@0.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\reduce-function-call\node_modules as
its parent node_modules
77495 verbose linkBins balanced-match@0.1.0
77496 verbose linkMans balanced-match@0.1.0
77497 silly build reduce-function-call@1.0.1
77498 info linkStuff reduce-function-call@1.0.1
77499 silly linkStuff reduce-function-call@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77500 verbose linkBins reduce-function-call@1.0.1
77501 verbose linkMans reduce-function-call@1.0.1
77502 silly build reduce-css-calc@1.3.0
77503 info linkStuff reduce-css-calc@1.3.0
77504 silly linkStuff reduce-css-calc@1.3.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77505 verbose linkBins reduce-css-calc@1.3.0
77506 verbose linkMans reduce-css-calc@1.3.0
77507 silly build regenerate@1.3.1
77508 info linkStuff regenerate@1.3.1
77509 silly linkStuff regenerate@1.3.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77510 verbose linkBins regenerate@1.3.1
77511 verbose linkMans regenerate@1.3.1
77512 silly build regenerator-runtime@0.9.5
77513 info linkStuff regenerator-runtime@0.9.5
77514 silly linkStuff regenerator-runtime@0.9.5 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77515 verbose linkBins regenerator-runtime@0.9.5
77516 verbose linkMans regenerator-runtime@0.9.5
```

npm-debug.log

```
77517 silly build babel-runtime@6.11.6
77518 info linkStuff babel-runtime@6.11.6
77519 silly linkStuff babel-runtime@6.11.6 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77520 verbose linkBins babel-runtime@6.11.6
77521 verbose linkMans babel-runtime@6.11.6
77522 silly build react-simple-di@1.2.0
77523 info linkStuff react-simple-di@1.2.0
77524 silly linkStuff react-simple-di@1.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77525 verbose linkBins react-simple-di@1.2.0
77526 verbose linkMans react-simple-di@1.2.0
77527 silly build react-fuzzy@0.3.3
77528 info linkStuff react-fuzzy@0.3.3
77529 silly linkStuff react-fuzzy@0.3.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77530 verbose linkBins react-fuzzy@0.3.3
77531 verbose linkMans react-fuzzy@0.3.3
77532 silly build babel@6.9.1
77533 info linkStuff babel@6.9.1
77534 silly linkStuff babel@6.9.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77535 verbose linkBins babel@6.9.1
77536 verbose link bins [ { babel: './bin/babel.js' },
77536 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
77536 verbose link bins false ]
77537 verbose linkMans babel@6.9.1
77538 silly build babel-plugin-transform-runtime@6.15.0
77539 info linkStuff babel-plugin-transform-runtime@6.15.0
77540 silly linkStuff babel-plugin-transform-runtime@6.15.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77541 verbose linkBins babel-plugin-transform-runtime@6.15.0
77542 verbose linkMans babel-plugin-transform-runtime@6.15.0
77543 silly build babel-plugin-transform-react-jsx-source@6.9.0
77544 info linkStuff babel-plugin-transform-react-jsx-source@6.9.0
77545 silly linkStuff babel-plugin-transform-react-jsx-source@6.9.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77546 verbose linkBins babel-plugin-transform-react-jsx-source@6.9.0
77547 verbose linkMans babel-plugin-transform-react-jsx-source@6.9.0
77548 silly build babel-plugin-transform-react-jsx-self@6.11.0
77549 info linkStuff babel-plugin-transform-react-jsx-self@6.11.0
77550 silly linkStuff babel-plugin-transform-react-jsx-self@6.11.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77551 verbose linkBins babel-plugin-transform-react-jsx-self@6.11.0
77552 verbose linkMans babel-plugin-transform-react-jsx-self@6.11.0
77553 silly build babel-plugin-transform-react-display-name@6.8.0
77554 info linkStuff babel-plugin-transform-react-display-name@6.8.0
77555 silly linkStuff babel-plugin-transform-react-display-name@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77556 verbose linkBins babel-plugin-transform-react-display-name@6.8.0
77557 verbose linkMans babel-plugin-transform-react-display-name@6.8.0
```

npm-debug.log

```
77558 silly build babel-plugin-transform-react-constant-elements@6.9.1
77559 info linkStuff babel-plugin-transform-react-constant-elements@6.9.1
77560 silly linkStuff babel-plugin-transform-react-constant-elements@6.9.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77561 verbose linkBins babel-plugin-transform-react-constant-elements@6.9.1
77562 verbose linkMans babel-plugin-transform-react-constant-elements@6.9.1
77563 silly build babel-plugin-transform-object-rest-spread@6.8.0
77564 info linkStuff babel-plugin-transform-object-rest-spread@6.8.0
77565 silly linkStuff babel-plugin-transform-object-rest-spread@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77566 verbose linkBins babel-plugin-transform-object-rest-spread@6.8.0
77567 verbose linkMans babel-plugin-transform-object-rest-spread@6.8.0
77568 silly build babel-plugin-transform-flow-strip-types@6.14.0
77569 info linkStuff babel-plugin-transform-flow-strip-types@6.14.0
77570 silly linkStuff babel-plugin-transform-flow-strip-types@6.14.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77571 verbose linkBins babel-plugin-transform-flow-strip-types@6.14.0
77572 verbose linkMans babel-plugin-transform-flow-strip-types@6.14.0
77573 silly build babel-plugin-transform-es2015-typeof-symbol@6.8.0
77574 info linkStuff babel-plugin-transform-es2015-typeof-symbol@6.8.0
77575 silly linkStuff babel-plugin-transform-es2015-typeof-symbol@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77576 verbose linkBins babel-plugin-transform-es2015-typeof-symbol@6.8.0
77577 verbose linkMans babel-plugin-transform-es2015-typeof-symbol@6.8.0
77578 silly build babel-plugin-transform-es2015-template-literals@6.8.0
77579 info linkStuff babel-plugin-transform-es2015-template-literals@6.8.0
77580 silly linkStuff babel-plugin-transform-es2015-template-literals@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77581 verbose linkBins babel-plugin-transform-es2015-template-literals@6.8.0
77582 verbose linkMans babel-plugin-transform-es2015-template-literals@6.8.0
77583 silly build babel-plugin-transform-es2015-spread@6.8.0
77584 info linkStuff babel-plugin-transform-es2015-spread@6.8.0
77585 silly linkStuff babel-plugin-transform-es2015-spread@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77586 verbose linkBins babel-plugin-transform-es2015-spread@6.8.0
77587 verbose linkMans babel-plugin-transform-es2015-spread@6.8.0
77588 silly build babel-plugin-transform-es2015-literals@6.8.0
77589 info linkStuff babel-plugin-transform-es2015-literals@6.8.0
77590 silly linkStuff babel-plugin-transform-es2015-literals@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77591 verbose linkBins babel-plugin-transform-es2015-literals@6.8.0
77592 verbose linkMans babel-plugin-transform-es2015-literals@6.8.0
77593 silly build babel-plugin-transform-es2015-for-of@6.8.0
77594 info linkStuff babel-plugin-transform-es2015-for-of@6.8.0
77595 silly linkStuff babel-plugin-transform-es2015-for-of@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77596 verbose linkBins babel-plugin-transform-es2015-for-of@6.8.0
77597 verbose linkMans babel-plugin-transform-es2015-for-of@6.8.0
77598 silly build babel-plugin-transform-es2015-destructuring@6.9.0
77599 info linkStuff babel-plugin-transform-es2015-destructuring@6.9.0
77600 silly linkStuff babel-plugin-transform-es2015-destructuring@6.9.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
```



npm-debug.log

```
77601 verbose linkBins babel-plugin-transform-es2015-destructuring@6.9.0
77602 verbose linkMans babel-plugin-transform-es2015-destructuring@6.9.0
77603 silly build babel-plugin-transform-es2015-block-scoped-functions@6.8.0
77604 info linkStuff babel-plugin-transform-es2015-block-scoped-functions@6.8.0
77605 silly linkStuff
babel-plugin-transform-es2015-block-scoped-functions@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77606 verbose linkBins
babel-plugin-transform-es2015-block-scoped-functions@6.8.0
77607 verbose linkMans
babel-plugin-transform-es2015-block-scoped-functions@6.8.0
77608 silly build babel-plugin-transform-es2015-arrow-functions@6.8.0
77609 info linkStuff babel-plugin-transform-es2015-arrow-functions@6.8.0
77610 silly linkStuff babel-plugin-transform-es2015-arrow-functions@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77611 verbose linkBins babel-plugin-transform-es2015-arrow-functions@6.8.0
77612 verbose linkMans babel-plugin-transform-es2015-arrow-functions@6.8.0
77613 silly build babel-plugin-check-es2015-constants@6.8.0
77614 info linkStuff babel-plugin-check-es2015-constants@6.8.0
77615 silly linkStuff babel-plugin-check-es2015-constants@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77616 verbose linkBins babel-plugin-check-es2015-constants@6.8.0
77617 verbose linkMans babel-plugin-check-es2015-constants@6.8.0
77618 silly build babel-messages@6.8.0
77619 info linkStuff babel-messages@6.8.0
77620 silly linkStuff babel-messages@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77621 verbose linkBins babel-messages@6.8.0
77622 verbose linkMans babel-messages@6.8.0
77623 silly build babel-polyfill@6.13.0
77624 info linkStuff babel-polyfill@6.13.0
77625 silly linkStuff babel-polyfill@6.13.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77626 verbose linkBins babel-polyfill@6.13.0
77627 verbose linkMans babel-polyfill@6.13.0
77628 silly build regex-cache@0.4.3
77629 info linkStuff regex-cache@0.4.3
77630 silly linkStuff regex-cache@0.4.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77631 verbose linkBins regex-cache@0.4.3
77632 verbose linkMans regex-cache@0.4.3
77633 silly build regjsugen@0.2.0
77634 info linkStuff regjsugen@0.2.0
77635 silly linkStuff regjsugen@0.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77636 verbose linkBins regjsugen@0.2.0
77637 verbose linkMans regjsugen@0.2.0
77638 silly build regjsparser@0.1.5
77639 info linkStuff regjsparser@0.1.5
77640 silly linkStuff regjsparser@0.1.5 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77641 verbose linkBins regjsparser@0.1.5
```

npm-debug.log

```
77642 verbose link bins [ { regjsparser: 'bin/parser' },
77642 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
77642 verbose link bins false ]
77643 verbose linkMans regjsparser@0.1.5
77644 silly build regexpu-core@2.0.0
77645 info linkStuff regexpu-core@2.0.0
77646 silly linkStuff regexpu-core@2.0.0 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules as its parent node_modules
77647 verbose linkBins regexpu-core@2.0.0
77648 verbose linkMans regexpu-core@2.0.0
77649 silly build regexpu-core@1.0.0
77650 info linkStuff regexpu-core@1.0.0
77651 silly linkStuff regexpu-core@1.0.0 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\css-selector-tokenizer\\node_modules
as its parent node_modules
77652 verbose linkBins regexpu-core@1.0.0
77653 verbose linkMans regexpu-core@1.0.0
77654 silly build css-selector-tokenizer@0.6.0
77655 info linkStuff css-selector-tokenizer@0.6.0
77656 silly linkStuff css-selector-tokenizer@0.6.0 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules as its parent node_modules
77657 verbose linkBins css-selector-tokenizer@0.6.0
77658 verbose linkMans css-selector-tokenizer@0.6.0
77659 silly build repeat-element@1.1.2
77660 info linkStuff repeat-element@1.1.2
77661 silly linkStuff repeat-element@1.1.2 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules as its parent node_modules
77662 verbose linkBins repeat-element@1.1.2
77663 verbose linkMans repeat-element@1.1.2
77664 silly build repeat-string@1.5.4
77665 info linkStuff repeat-string@1.5.4
77666 silly linkStuff repeat-string@1.5.4 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules as its parent node_modules
77667 verbose linkBins repeat-string@1.5.4
77668 verbose linkMans repeat-string@1.5.4
77669 silly build fill-range@2.2.3
77670 info linkStuff fill-range@2.2.3
77671 silly linkStuff fill-range@2.2.3 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules as its parent node_modules
77672 verbose linkBins fill-range@2.2.3
77673 verbose linkMans fill-range@2.2.3
77674 silly build expand-range@1.8.2
77675 info linkStuff expand-range@1.8.2
77676 silly linkStuff expand-range@1.8.2 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules as its parent node_modules
77677 verbose linkBins expand-range@1.8.2
77678 verbose linkMans expand-range@1.8.2
77679 silly build braces@1.8.5
77680 info linkStuff braces@1.8.5
77681 silly linkStuff braces@1.8.5 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules as its parent node_modules
```

npm-debug.log

```
77682 verbose linkBins braces@1.8.5
77683 verbose linkMans braces@1.8.5
77684 silly build micromatch@2.3.11
77685 info linkStuff micromatch@2.3.11
77686 silly linkStuff micromatch@2.3.11 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77687 verbose linkBins micromatch@2.3.11
77688 verbose linkMans micromatch@2.3.11
77689 silly build anymatch@1.3.0
77690 info linkStuff anymatch@1.3.0
77691 silly linkStuff anymatch@1.3.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77692 verbose linkBins anymatch@1.3.0
77693 verbose linkMans anymatch@1.3.0
77694 silly build align-text@0.1.4
77695 info linkStuff align-text@0.1.4
77696 silly linkStuff align-text@0.1.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77697 verbose linkBins align-text@0.1.4
77698 verbose linkMans align-text@0.1.4
77699 silly build center-align@0.1.3
77700 info linkStuff center-align@0.1.3
77701 silly linkStuff center-align@0.1.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77702 verbose linkBins center-align@0.1.3
77703 verbose linkMans center-align@0.1.3
77704 silly build repeating@1.1.3
77705 info linkStuff repeating@1.1.3
77706 silly linkStuff repeating@1.1.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77707 verbose linkBins repeating@1.1.3
77708 verbose link bins [ { repeating: 'cli.js' },
77708 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
77708 verbose link bins false ]
77709 verbose linkMans repeating@1.1.3
77710 silly build detect-indent@3.0.1
77711 info linkStuff detect-indent@3.0.1
77712 silly linkStuff detect-indent@3.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77713 verbose linkBins detect-indent@3.0.1
77714 verbose link bins [ { 'detect-indent': 'cli.js' },
77714 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
77714 verbose link bins false ]
77715 verbose linkMans detect-indent@3.0.1
77716 silly build resolve@1.1.7
77717 info linkStuff resolve@1.1.7
77718 silly linkStuff resolve@1.1.7 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77719 verbose linkBins resolve@1.1.7
77720 verbose linkMans resolve@1.1.7
```

npm-debug.log

```
77721 silly build rechoir@0.6.2
77722 info linkStuff rechoir@0.6.2
77723 silly linkStuff rechoir@0.6.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77724 verbose linkBins rechoir@0.6.2
77725 verbose linkMans rechoir@0.6.2
77726 silly build resolve-from@1.0.1
77727 info linkStuff resolve-from@1.0.1
77728 silly linkStuff resolve-from@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77729 verbose linkBins resolve-from@1.0.1
77730 verbose linkMans resolve-from@1.0.1
77731 silly build require-uncached@1.0.2
77732 info linkStuff require-uncached@1.0.2
77733 silly linkStuff require-uncached@1.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77734 verbose linkBins require-uncached@1.0.2
77735 verbose linkMans require-uncached@1.0.2
77736 silly build restore-cursor@1.0.1
77737 info linkStuff restore-cursor@1.0.1
77738 silly linkStuff restore-cursor@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77739 verbose linkBins restore-cursor@1.0.1
77740 verbose linkMans restore-cursor@1.0.1
77741 silly build cli-cursor@1.0.2
77742 info linkStuff cli-cursor@1.0.2
77743 silly linkStuff cli-cursor@1.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77744 verbose linkBins cli-cursor@1.0.2
77745 verbose linkMans cli-cursor@1.0.2
77746 silly build right-align@0.1.3
77747 info linkStuff right-align@0.1.3
77748 silly linkStuff right-align@0.1.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77749 verbose linkBins right-align@0.1.3
77750 verbose linkMans right-align@0.1.3
77751 silly build cliui@2.1.0
77752 info linkStuff cliui@2.1.0
77753 silly linkStuff cliui@2.1.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
77754 verbose linkBins cliui@2.1.0
77755 verbose linkMans cliui@2.1.0
77756 silly build ripemd160@0.2.0
77757 info linkStuff ripemd160@0.2.0
77758 silly linkStuff ripemd160@0.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77759 verbose linkBins ripemd160@0.2.0
77760 verbose linkMans ripemd160@0.2.0
77761 silly build rx-lite@3.1.2
77762 info linkStuff rx-lite@3.1.2
77763 silly linkStuff rx-lite@3.1.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
```

npm-debug.log

```
77764 verbose linkBins rx-lite@3.1.2
77765 verbose linkMans rx-lite@3.1.2
77766 silly build samsam@1.1.2
77767 info linkStuff samsam@1.1.2
77768 silly linkStuff samsam@1.1.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77769 verbose linkBins samsam@1.1.2
77770 verbose linkMans samsam@1.1.2
77771 silly build formatio@1.1.1
77772 info linkStuff formatio@1.1.1
77773 silly linkStuff formatio@1.1.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77774 verbose linkBins formatio@1.1.1
77775 verbose linkMans formatio@1.1.1
77776 silly build sax@1.2.1
77777 info linkStuff sax@1.2.1
77778 silly linkStuff sax@1.2.1 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
77779 verbose linkBins sax@1.2.1
77780 verbose linkMans sax@1.2.1
77781 silly build semver@4.3.6
77782 info linkStuff semver@4.3.6
77783 silly linkStuff semver@4.3.6 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77784 verbose linkBins semver@4.3.6
77785 verbose link bins [ { semver: './bin/semver' } ],
77785 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
77785 verbose link bins false ]
77786 verbose linkMans semver@4.3.6
77787 silly build semver-regex@1.0.0
77788 info linkStuff semver-regex@1.0.0
77789 silly linkStuff semver-regex@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77790 verbose linkBins semver-regex@1.0.0
77791 verbose linkMans semver-regex@1.0.0
77792 silly build semver@5.3.0
77793 info linkStuff semver@5.3.0
77794 silly linkStuff semver@5.3.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\semver-truncate\node_modules as its
parent node_modules
77795 verbose linkBins semver@5.3.0
77796 verbose link bins [ { semver: './bin/semver' } ],
77796 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\semver-truncate\\node_modules
\\.bin',
77796 verbose link bins false ]
77797 verbose linkMans semver@5.3.0
77798 silly build semver-truncate@1.1.2
77799 info linkStuff semver-truncate@1.1.2
77800 silly linkStuff semver-truncate@1.1.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
```

npm-debug.log

```
77801 verbose linkBins semver-truncate@1.1.2
77802 verbose linkMans semver-truncate@1.1.2
77803 silly build set-immediate-shim@1.0.1
77804 info linkStuff set-immediate-shim@1.0.1
77805 silly linkStuff set-immediate-shim@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77806 verbose linkBins set-immediate-shim@1.0.1
77807 verbose linkMans set-immediate-shim@1.0.1
77808 silly build setprototypeof@1.0.1
77809 info linkStuff setprototypeof@1.0.1
77810 silly linkStuff setprototypeof@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77811 verbose linkBins setprototypeof@1.0.1
77812 verbose linkMans setprototypeof@1.0.1
77813 silly build sha.js@2.2.6
77814 info linkStuff sha.js@2.2.6
77815 silly linkStuff sha.js@2.2.6 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77816 verbose linkBins sha.js@2.2.6
77817 verbose link bins [ { 'sha.js': './bin.js' },
77817 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
77817 verbose link bins false ]
77818 verbose linkMans sha.js@2.2.6
77819 silly build crypto-browserify@3.2.8
77820 info linkStuff crypto-browserify@3.2.8
77821 silly linkStuff crypto-browserify@3.2.8 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77822 verbose linkBins crypto-browserify@3.2.8
77823 verbose linkMans crypto-browserify@3.2.8
77824 silly build shallowequal@0.2.2
77825 info linkStuff shallowequal@0.2.2
77826 silly linkStuff shallowequal@0.2.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77827 verbose linkBins shallowequal@0.2.2
77828 verbose linkMans shallowequal@0.2.2
77829 silly build react-komposer@1.13.1
77830 info linkStuff react-komposer@1.13.1
77831 silly linkStuff react-komposer@1.13.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77832 verbose linkBins react-komposer@1.13.1
77833 verbose linkMans react-komposer@1.13.1
77834 silly build mantra-core@1.7.0
77835 info linkStuff mantra-core@1.7.0
77836 silly linkStuff mantra-core@1.7.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77837 verbose linkBins mantra-core@1.7.0
77838 verbose linkMans mantra-core@1.7.0
77839 silly build shebang-regex@1.0.0
77840 info linkStuff shebang-regex@1.0.0
77841 silly linkStuff shebang-regex@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
```

npm-debug.log

```
77842 verbose linkBins shebang-regex@1.0.0
77843 verbose linkMans shebang-regex@1.0.0
77844 silly build sigmund@1.0.1
77845 info linkStuff sigmund@1.0.1
77846 silly linkStuff sigmund@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77847 verbose linkBins sigmund@1.0.1
77848 verbose linkMans sigmund@1.0.1
77849 silly build minimatch@0.3.0
77850 info linkStuff minimatch@0.3.0
77851 silly linkStuff minimatch@0.3.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\mocha\node_modules as its parent
node_modules
77852 verbose linkBins minimatch@0.3.0
77853 verbose linkMans minimatch@0.3.0
77854 silly build glob@3.2.11
77855 info linkStuff glob@3.2.11
77856 silly linkStuff glob@3.2.11 has
C:\Users\run\Desktop\KOT\kad\node_modules\mocha\node_modules as its parent
node_modules
77857 verbose linkBins glob@3.2.11
77858 verbose linkMans glob@3.2.11
77859 silly build signal-exit@3.0.0
77860 info linkStuff signal-exit@3.0.0
77861 silly linkStuff signal-exit@3.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77862 verbose linkBins signal-exit@3.0.0
77863 verbose linkMans signal-exit@3.0.0
77864 silly build loud-rejection@1.6.0
77865 info linkStuff loud-rejection@1.6.0
77866 silly linkStuff loud-rejection@1.6.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77867 verbose linkBins loud-rejection@1.6.0
77868 verbose linkMans loud-rejection@1.6.0
77869 silly build slash@1.0.0
77870 info linkStuff slash@1.0.0
77871 silly linkStuff slash@1.0.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
77872 verbose linkBins slash@1.0.0
77873 verbose linkMans slash@1.0.0
77874 silly build slice-ansi@0.0.4
77875 info linkStuff slice-ansi@0.0.4
77876 silly linkStuff slice-ansi@0.0.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77877 verbose linkBins slice-ansi@0.0.4
77878 verbose linkMans slice-ansi@0.0.4
77879 silly build slide@1.1.6
77880 info linkStuff slide@1.1.6
77881 silly linkStuff slide@1.1.6 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
77882 verbose linkBins slide@1.1.6
77883 verbose linkMans slide@1.1.6
```

npm-debug.log

```
77884 silly build sntp@1.0.9
77885 info linkStuff sntp@1.0.9
77886 silly linkStuff sntp@1.0.9 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
77887 verbose linkBins sntp@1.0.9
77888 verbose linkMans sntp@1.0.9
77889 silly build hawk@3.1.3
77890 info linkStuff hawk@3.1.3
77891 silly linkStuff hawk@3.1.3 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
77892 verbose linkBins hawk@3.1.3
77893 verbose linkMans hawk@3.1.3
77894 silly build sort-keys@1.1.2
77895 info linkStuff sort-keys@1.1.2
77896 silly linkStuff sort-keys@1.1.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77897 verbose linkBins sort-keys@1.1.2
77898 verbose linkMans sort-keys@1.1.2
77899 silly build source-list-map@0.1.6
77900 info linkStuff source-list-map@0.1.6
77901 silly linkStuff source-list-map@0.1.6 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77902 verbose linkBins source-list-map@0.1.6
77903 verbose linkMans source-list-map@0.1.6
77904 silly build source-map@0.5.6
77905 info linkStuff source-map@0.5.6
77906 silly linkStuff source-map@0.5.6 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77907 verbose linkBins source-map@0.5.6
77908 verbose linkMans source-map@0.5.6
77909 silly build source-map@0.1.32
77910 info linkStuff source-map@0.1.32
77911 silly linkStuff source-map@0.1.32 has
C:\Users\run\Desktop\KOT\kad\node_modules\source-map-support\node_modules as
its parent node_modules
77912 verbose linkBins source-map@0.1.32
77913 verbose linkMans source-map@0.1.32
77914 silly build source-map-support@0.2.10
77915 info linkStuff source-map-support@0.2.10
77916 silly linkStuff source-map-support@0.2.10 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77917 verbose linkBins source-map-support@0.2.10
77918 verbose linkMans source-map-support@0.2.10
77919 silly build spdx-expression-parse@1.0.3
77920 info linkStuff spdx-expression-parse@1.0.3
77921 silly linkStuff spdx-expression-parse@1.0.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77922 verbose linkBins spdx-expression-parse@1.0.3
77923 verbose linkMans spdx-expression-parse@1.0.3
77924 silly build spdx-license-ids@1.2.2
77925 info linkStuff spdx-license-ids@1.2.2
77926 silly linkStuff spdx-license-ids@1.2.2 has
```



npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77927 verbose linkBins spdx-license-ids@1.2.2
77928 verbose linkMans spdx-license-ids@1.2.2
77929 silly build spdx-correct@1.0.2
77930 info linkStuff spdx-correct@1.0.2
77931 silly linkStuff spdx-correct@1.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77932 verbose linkBins spdx-correct@1.0.2
77933 verbose linkMans spdx-correct@1.0.2
77934 silly build sprintf-js@1.0.3
77935 info linkStuff sprintf-js@1.0.3
77936 silly linkStuff sprintf-js@1.0.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77937 verbose linkBins sprintf-js@1.0.3
77938 verbose linkMans sprintf-js@1.0.3
77939 silly build argparse@1.0.7
77940 info linkStuff argparse@1.0.7
77941 silly linkStuff argparse@1.0.7 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77942 verbose linkBins argparse@1.0.7
77943 verbose linkMans argparse@1.0.7
77944 silly build js-yaml@3.6.1
77945 info linkStuff js-yaml@3.6.1
77946 silly linkStuff js-yaml@3.6.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77947 verbose linkBins js-yaml@3.6.1
77948 verbose link bins [ { 'js-yaml': 'bin/js-yaml.js' },
77948 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
77948 verbose link bins false ]
77949 verbose linkMans js-yaml@3.6.1
77950 silly build assert-plus@1.0.0
77951 info linkStuff assert-plus@1.0.0
77952 silly linkStuff assert-plus@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules\sshpk\node_modules as its parent
node_modules
77953 verbose linkBins assert-plus@1.0.0
77954 verbose linkMans assert-plus@1.0.0
77955 silly build stack-source-map@1.0.5
77956 info linkStuff stack-source-map@1.0.5
77957 silly linkStuff stack-source-map@1.0.5 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77958 verbose linkBins stack-source-map@1.0.5
77959 verbose linkMans stack-source-map@1.0.5
77960 silly build stackframe@0.3.1
77961 info linkStuff stackframe@0.3.1
77962 silly linkStuff stackframe@0.3.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
77963 verbose linkBins stackframe@0.3.1
77964 verbose linkMans stackframe@0.3.1
77965 silly build error-stack-parser@1.3.6
77966 info linkStuff error-stack-parser@1.3.6
```

npm-debug.log

77967 silly linkStuff error-stack-parser@1.3.6 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77968 verbose linkBins error-stack-parser@1.3.6  
77969 verbose linkMans error-stack-parser@1.3.6  
77970 silly build redbox-react@1.3.0  
77971 info linkStuff redbox-react@1.3.0  
77972 silly linkStuff redbox-react@1.3.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77973 verbose linkBins redbox-react@1.3.0  
77974 verbose linkMans redbox-react@1.3.0  
77975 silly build statuses@1.3.0  
77976 info linkStuff statuses@1.3.0  
77977 silly linkStuff statuses@1.3.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77978 verbose linkBins statuses@1.3.0  
77979 verbose linkMans statuses@1.3.0  
77980 silly build http-errors@1.5.0  
77981 info linkStuff http-errors@1.5.0  
77982 silly linkStuff http-errors@1.5.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77983 verbose linkBins http-errors@1.5.0  
77984 verbose linkMans http-errors@1.5.0  
77985 silly build send@0.14.1  
77986 info linkStuff send@0.14.1  
77987 silly linkStuff send@0.14.1 has C:\Users\run\Desktop\KOT\kad\node\_modules  
as its parent node\_modules  
77988 verbose linkBins send@0.14.1  
77989 verbose linkMans send@0.14.1  
77990 silly build serve-static@1.11.1  
77991 info linkStuff serve-static@1.11.1  
77992 silly linkStuff serve-static@1.11.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
77993 verbose linkBins serve-static@1.11.1  
77994 verbose linkMans serve-static@1.11.1  
77995 silly build steno@0.4.4  
77996 info linkStuff steno@0.4.4  
77997 silly linkStuff steno@0.4.4 has C:\Users\run\Desktop\KOT\kad\node\_modules  
as its parent node\_modules  
77998 verbose linkBins steno@0.4.4  
77999 verbose linkMans steno@0.4.4  
78000 silly build lowdb@0.13.1  
78001 info linkStuff lowdb@0.13.1  
78002 silly linkStuff lowdb@0.13.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78003 verbose linkBins lowdb@0.13.1  
78004 verbose linkMans lowdb@0.13.1  
78005 silly build isarray@0.0.1  
78006 info linkStuff isarray@0.0.1  
78007 silly linkStuff isarray@0.0.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules\stream-browserify\node\_modules as its  
parent node\_modules  
78008 verbose linkBins isarray@0.0.1

npm-debug.log

```
78009 verbose linkMans isarray@0.0.1
78010 silly build strict-uri-encode@1.1.0
78011 info linkStuff strict-uri-encode@1.1.0
78012 silly linkStuff strict-uri-encode@1.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78013 verbose linkBins strict-uri-encode@1.1.0
78014 verbose linkMans strict-uri-encode@1.1.0
78015 silly build query-string@4.2.3
78016 info linkStuff query-string@4.2.3
78017 silly linkStuff query-string@4.2.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78018 verbose linkBins query-string@4.2.3
78019 verbose linkMans query-string@4.2.3
78020 silly build normalize-url@1.6.1
78021 info linkStuff normalize-url@1.6.1
78022 silly linkStuff normalize-url@1.6.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78023 verbose linkBins normalize-url@1.6.1
78024 verbose linkMans normalize-url@1.6.1
78025 silly build string_decoder@0.10.31
78026 info linkStuff string_decoder@0.10.31
78027 silly linkStuff string_decoder@0.10.31 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78028 verbose linkBins string_decoder@0.10.31
78029 verbose linkMans string_decoder@0.10.31
78030 silly build readable-stream@1.1.14
78031 info linkStuff readable-stream@1.1.14
78032 silly linkStuff readable-stream@1.1.14 has
C:\Users\run\Desktop\KOT\kad\node_modules\stream-browserify\node_modules as its
parent node_modules
78033 verbose linkBins readable-stream@1.1.14
78034 verbose linkMans readable-stream@1.1.14
78035 silly build stream-browserify@1.0.0
78036 info linkStuff stream-browserify@1.0.0
78037 silly linkStuff stream-browserify@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78038 verbose linkBins stream-browserify@1.0.0
78039 verbose linkMans stream-browserify@1.0.0
78040 silly build readable-stream@1.1.14
78041 info linkStuff readable-stream@1.1.14
78042 silly linkStuff readable-stream@1.1.14 has
C:\Users\run\Desktop\KOT\kad\node_modules\node-libs-browser\node_modules as its
parent node_modules
78043 verbose linkBins readable-stream@1.1.14
78044 verbose linkMans readable-stream@1.1.14
78045 silly build readable-stream@1.1.14
78046 info linkStuff readable-stream@1.1.14
78047 silly linkStuff readable-stream@1.1.14 has
C:\Users\run\Desktop\KOT\kad\node_modules\htmlparser2\node_modules as its
parent node_modules
78048 verbose linkBins readable-stream@1.1.14
78049 verbose linkMans readable-stream@1.1.14
```

npm-debug.log

```
78050 silly build htmlparser2@3.8.3
78051 info linkStuff htmlparser2@3.8.3
78052 silly linkStuff htmlparser2@3.8.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78053 verbose linkBins htmlparser2@3.8.3
78054 verbose linkMans htmlparser2@3.8.3
78055 silly build string.prototype.padend@3.0.0
78056 info linkStuff string.prototype.padend@3.0.0
78057 silly linkStuff string.prototype.padend@3.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78058 verbose linkBins string.prototype.padend@3.0.0
78059 verbose linkMans string.prototype.padend@3.0.0
78060 silly build string.prototype.padstart@3.0.0
78061 info linkStuff string.prototype.padstart@3.0.0
78062 silly linkStuff string.prototype.padstart@3.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78063 verbose linkBins string.prototype.padstart@3.0.0
78064 verbose linkMans string.prototype.padstart@3.0.0
78065 silly build airbnb-js-shims@1.0.1
78066 info linkStuff airbnb-js-shims@1.0.1
78067 silly linkStuff airbnb-js-shims@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78068 verbose linkBins airbnb-js-shims@1.0.1
78069 verbose linkMans airbnb-js-shims@1.0.1
78070 silly build stringstream@0.0.5
78071 info linkStuff stringstream@0.0.5
78072 silly linkStuff stringstream@0.0.5 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78073 verbose linkBins stringstream@0.0.5
78074 verbose linkMans stringstream@0.0.5
78075 silly build strip-ansi@3.0.1
78076 info linkStuff strip-ansi@3.0.1
78077 silly linkStuff strip-ansi@3.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78078 verbose linkBins strip-ansi@3.0.1
78079 verbose linkMans strip-ansi@3.0.1
78080 silly build string-width@1.0.2
78081 info linkStuff string-width@1.0.2
78082 silly linkStuff string-width@1.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78083 verbose linkBins string-width@1.0.2
78084 verbose linkMans string-width@1.0.2
78085 silly build chalk@1.1.3
78086 info linkStuff chalk@1.1.3
78087 silly linkStuff chalk@1.1.3 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
78088 verbose linkBins chalk@1.1.3
78089 verbose linkMans chalk@1.1.3
78090 silly build log-symbols@1.0.2
78091 info linkStuff log-symbols@1.0.2
78092 silly linkStuff log-symbols@1.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
```

npm-debug.log

```
78093 verbose linkBins log-symbols@1.0.2
78094 verbose linkMans log-symbols@1.0.2
78095 silly build clap@1.1.1
78096 info linkStuff clap@1.1.1
78097 silly linkStuff clap@1.1.1 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
78098 verbose linkBins clap@1.1.1
78099 verbose linkMans clap@1.1.1
78100 silly build csso@2.0.0
78101 info linkStuff csso@2.0.0
78102 silly linkStuff csso@2.0.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
78103 verbose linkBins csso@2.0.0
78104 verbose link bins [ { csso: './bin/csso' },
78104 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
78104 verbose link bins false ]
78105 verbose linkMans csso@2.0.0
78106 silly build babel-code-frame@6.11.0
78107 info linkStuff babel-code-frame@6.11.0
78108 silly linkStuff babel-code-frame@6.11.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78109 verbose linkBins babel-code-frame@6.11.0
78110 verbose linkMans babel-code-frame@6.11.0
78111 silly build chalk@1.1.1
78112 info linkStuff chalk@1.1.1
78113 silly linkStuff chalk@1.1.1 has
C:\Users\run\Desktop\KOT\kad\node_modules\babel-cli\node_modules as its parent
node_modules
78114 verbose linkBins chalk@1.1.1
78115 verbose linkMans chalk@1.1.1
78116 silly build strip-bom@2.0.0
78117 info linkStuff strip-bom@2.0.0
78118 silly linkStuff strip-bom@2.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78119 verbose linkBins strip-bom@2.0.0
78120 verbose linkMans strip-bom@2.0.0
78121 silly build load-json-file@1.1.0
78122 info linkStuff load-json-file@1.1.0
78123 silly linkStuff load-json-file@1.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78124 verbose linkBins load-json-file@1.1.0
78125 verbose linkMans load-json-file@1.1.0
78126 silly build strip-indent@1.0.1
78127 info linkStuff strip-indent@1.0.1
78128 silly linkStuff strip-indent@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78129 verbose linkBins strip-indent@1.0.1
78130 verbose link bins [ { 'strip-indent': 'cli.js' },
78130 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
78130 verbose link bins false ]
```

npm-debug.log

```
78131 verbose linkMans strip-indent@1.0.1
78132 silly build redent@1.0.0
78133 info linkStuff redent@1.0.0
78134 silly linkStuff redent@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78135 verbose linkBins redent@1.0.0
78136 verbose linkMans redent@1.0.0
78137 silly build strip-json-comments@1.0.4
78138 info linkStuff strip-json-comments@1.0.4
78139 silly linkStuff strip-json-comments@1.0.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78140 verbose linkBins strip-json-comments@1.0.4
78141 verbose link bins [ { 'strip-json-comments': 'cli.js' },
78141 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
78141 verbose link bins  false ]
78142 verbose linkMans strip-json-comments@1.0.4
78143 silly build style-loader@0.13.1
78144 info linkStuff style-loader@0.13.1
78145 silly linkStuff style-loader@0.13.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78146 verbose linkBins style-loader@0.13.1
78147 verbose linkMans style-loader@0.13.1
78148 silly build supports-color@3.1.2
78149 info linkStuff supports-color@3.1.2
78150 silly linkStuff supports-color@3.1.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78151 verbose linkBins supports-color@3.1.2
78152 verbose linkMans supports-color@3.1.2
78153 silly build postcss@5.2.0
78154 info linkStuff postcss@5.2.0
78155 silly linkStuff postcss@5.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78156 verbose linkBins postcss@5.2.0
78157 verbose linkMans postcss@5.2.0
78158 silly build postcss-reduce-transforms@1.0.3
78159 info linkStuff postcss-reduce-transforms@1.0.3
78160 silly linkStuff postcss-reduce-transforms@1.0.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78161 verbose linkBins postcss-reduce-transforms@1.0.3
78162 verbose linkMans postcss-reduce-transforms@1.0.3
78163 silly build postcss-reduce-initial@1.0.0
78164 info linkStuff postcss-reduce-initial@1.0.0
78165 silly linkStuff postcss-reduce-initial@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78166 verbose linkBins postcss-reduce-initial@1.0.0
78167 verbose linkMans postcss-reduce-initial@1.0.0
78168 silly build postcss-reduce-idents@2.3.0
78169 info linkStuff postcss-reduce-idents@2.3.0
78170 silly linkStuff postcss-reduce-idents@2.3.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78171 verbose linkBins postcss-reduce-idents@2.3.0
```

npm-debug.log

78172 verbose linkMans postcss-reduce-idents@2.3.0  
78173 silly build postcss-ordered-values@2.2.1  
78174 info linkStuff postcss-ordered-values@2.2.1  
78175 silly linkStuff postcss-ordered-values@2.2.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78176 verbose linkBins postcss-ordered-values@2.2.1  
78177 verbose linkMans postcss-ordered-values@2.2.1  
78178 silly build postcss-normalize-url@3.0.7  
78179 info linkStuff postcss-normalize-url@3.0.7  
78180 silly linkStuff postcss-normalize-url@3.0.7 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78181 verbose linkBins postcss-normalize-url@3.0.7  
78182 verbose linkMans postcss-normalize-url@3.0.7  
78183 silly build postcss-normalize-charset@1.1.0  
78184 info linkStuff postcss-normalize-charset@1.1.0  
78185 silly linkStuff postcss-normalize-charset@1.1.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78186 verbose linkBins postcss-normalize-charset@1.1.0  
78187 verbose linkMans postcss-normalize-charset@1.1.0  
78188 silly build postcss-modules-values@1.2.2  
78189 info linkStuff postcss-modules-values@1.2.2  
78190 silly linkStuff postcss-modules-values@1.2.2 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78191 verbose linkBins postcss-modules-values@1.2.2  
78192 verbose linkMans postcss-modules-values@1.2.2  
78193 silly build postcss-modules-scope@1.0.2  
78194 info linkStuff postcss-modules-scope@1.0.2  
78195 silly linkStuff postcss-modules-scope@1.0.2 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78196 verbose linkBins postcss-modules-scope@1.0.2  
78197 verbose linkMans postcss-modules-scope@1.0.2  
78198 silly build postcss-modules-local-by-default@1.1.1  
78199 info linkStuff postcss-modules-local-by-default@1.1.1  
78200 silly linkStuff postcss-modules-local-by-default@1.1.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78201 verbose linkBins postcss-modules-local-by-default@1.1.1  
78202 verbose linkMans postcss-modules-local-by-default@1.1.1  
78203 silly build postcss-modules-extract-imports@1.0.1  
78204 info linkStuff postcss-modules-extract-imports@1.0.1  
78205 silly linkStuff postcss-modules-extract-imports@1.0.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78206 verbose linkBins postcss-modules-extract-imports@1.0.1  
78207 verbose linkMans postcss-modules-extract-imports@1.0.1  
78208 silly build postcss-minify-gradients@1.0.3  
78209 info linkStuff postcss-minify-gradients@1.0.3  
78210 silly linkStuff postcss-minify-gradients@1.0.3 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78211 verbose linkBins postcss-minify-gradients@1.0.3  
78212 verbose linkMans postcss-minify-gradients@1.0.3  
78213 silly build postcss-minify-font-values@1.0.5  
78214 info linkStuff postcss-minify-font-values@1.0.5  
78215 silly linkStuff postcss-minify-font-values@1.0.5 has

npm-debug.log

C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78216 verbose linkBins postcss-minify-font-values@1.0.5  
78217 verbose linkMans postcss-minify-font-values@1.0.5  
78218 silly build postcss-merge-longhand@2.0.1  
78219 info linkStuff postcss-merge-longhand@2.0.1  
78220 silly linkStuff postcss-merge-longhand@2.0.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78221 verbose linkBins postcss-merge-longhand@2.0.1  
78222 verbose linkMans postcss-merge-longhand@2.0.1  
78223 silly build postcss-merge-idents@2.1.7  
78224 info linkStuff postcss-merge-idents@2.1.7  
78225 silly linkStuff postcss-merge-idents@2.1.7 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78226 verbose linkBins postcss-merge-idents@2.1.7  
78227 verbose linkMans postcss-merge-idents@2.1.7  
78228 silly build postcss-loader@0.11.1  
78229 info linkStuff postcss-loader@0.11.1  
78230 silly linkStuff postcss-loader@0.11.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78231 verbose linkBins postcss-loader@0.11.1  
78232 verbose linkMans postcss-loader@0.11.1  
78233 silly build postcss-discard-overridden@0.1.1  
78234 info linkStuff postcss-discard-overridden@0.1.1  
78235 silly linkStuff postcss-discard-overridden@0.1.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78236 verbose linkBins postcss-discard-overridden@0.1.1  
78237 verbose linkMans postcss-discard-overridden@0.1.1  
78238 silly build postcss-discard-empty@2.1.0  
78239 info linkStuff postcss-discard-empty@2.1.0  
78240 silly linkStuff postcss-discard-empty@2.1.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78241 verbose linkBins postcss-discard-empty@2.1.0  
78242 verbose linkMans postcss-discard-empty@2.1.0  
78243 silly build postcss-discard-duplicates@2.0.1  
78244 info linkStuff postcss-discard-duplicates@2.0.1  
78245 silly linkStuff postcss-discard-duplicates@2.0.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78246 verbose linkBins postcss-discard-duplicates@2.0.1  
78247 verbose linkMans postcss-discard-duplicates@2.0.1  
78248 silly build postcss-discard-comments@2.0.4  
78249 info linkStuff postcss-discard-comments@2.0.4  
78250 silly linkStuff postcss-discard-comments@2.0.4 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78251 verbose linkBins postcss-discard-comments@2.0.4  
78252 verbose linkMans postcss-discard-comments@2.0.4  
78253 silly build postcss-convert-values@2.4.0  
78254 info linkStuff postcss-convert-values@2.4.0  
78255 silly linkStuff postcss-convert-values@2.4.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78256 verbose linkBins postcss-convert-values@2.4.0  
78257 verbose linkMans postcss-convert-values@2.4.0  
78258 silly build postcss-colormin@2.2.0



npm-debug.log

```
78259 info linkStuff postcss-colormin@2.2.0
78260 silly linkStuff postcss-colormin@2.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78261 verbose linkBins postcss-colormin@2.2.0
78262 verbose linkMans postcss-colormin@2.2.0
78263 silly build postcss-calc@5.3.1
78264 info linkStuff postcss-calc@5.3.1
78265 silly linkStuff postcss-calc@5.3.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78266 verbose linkBins postcss-calc@5.3.1
78267 verbose linkMans postcss-calc@5.3.1
78268 silly build autoprefixer@6.4.1
78269 info linkStuff autoprefixer@6.4.1
78270 silly linkStuff autoprefixer@6.4.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78271 verbose linkBins autoprefixer@6.4.1
78272 verbose linkMans autoprefixer@6.4.1
78273 silly build symbol-observable@1.0.2
78274 info linkStuff symbol-observable@1.0.2
78275 silly linkStuff symbol-observable@1.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78276 verbose linkBins symbol-observable@1.0.2
78277 verbose linkMans symbol-observable@1.0.2
78278 silly build redux@3.6.0
78279 info linkStuff redux@3.6.0
78280 silly linkStuff redux@3.6.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
78281 verbose linkBins redux@3.6.0
78282 verbose linkMans redux@3.6.0
78283 silly build @kadira/storybook-ui@3.4.1
78284 info linkStuff @kadira/storybook-ui@3.4.1
78285 silly linkStuff @kadira/storybook-ui@3.4.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78286 verbose linkBins @kadira/storybook-ui@3.4.1
78287 verbose linkMans @kadira/storybook-ui@3.4.1
78288 silly build symbol-tree@3.1.4
78289 info linkStuff symbol-tree@3.1.4
78290 silly linkStuff symbol-tree@3.1.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78291 verbose linkBins symbol-tree@3.1.4
78292 verbose linkMans symbol-tree@3.1.4
78293 silly build tapable@0.1.10
78294 info linkStuff tapable@0.1.10
78295 silly linkStuff tapable@0.1.10 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78296 verbose linkBins tapable@0.1.10
78297 verbose linkMans tapable@0.1.10
78298 silly build enhanced-resolve@0.9.1
78299 info linkStuff enhanced-resolve@0.9.1
78300 silly linkStuff enhanced-resolve@0.9.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78301 verbose linkBins enhanced-resolve@0.9.1
```

npm-debug.log

```
78302 verbose linkMans enhanced-resolve@0.9.1
78303 silly build text-table@0.2.0
78304 info linkStuff text-table@0.2.0
78305 silly linkStuff text-table@0.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78306 verbose linkBins text-table@0.2.0
78307 verbose linkMans text-table@0.2.0
78308 silly build through@2.3.8
78309 info linkStuff through@2.3.8
78310 silly linkStuff through@2.3.8 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78311 verbose linkBins through@2.3.8
78312 verbose linkMans through@2.3.8
78313 silly build timers-browserify@1.4.2
78314 info linkStuff timers-browserify@1.4.2
78315 silly linkStuff timers-browserify@1.4.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78316 verbose linkBins timers-browserify@1.4.2
78317 verbose linkMans timers-browserify@1.4.2
78318 silly build to-fast-properties@1.0.2
78319 info linkStuff to-fast-properties@1.0.2
78320 silly linkStuff to-fast-properties@1.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78321 verbose linkBins to-fast-properties@1.0.2
78322 verbose linkMans to-fast-properties@1.0.2
78323 silly build babel-types@6.15.0
78324 info linkStuff babel-types@6.15.0
78325 silly linkStuff babel-types@6.15.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78326 verbose linkBins babel-types@6.15.0
78327 verbose linkMans babel-types@6.15.0
78328 silly build babel-traverse@6.15.0
78329 info linkStuff babel-traverse@6.15.0
78330 silly linkStuff babel-traverse@6.15.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78331 verbose linkBins babel-traverse@6.15.0
78332 verbose linkMans babel-traverse@6.15.0
78333 silly build babel-template@6.15.0
78334 info linkStuff babel-template@6.15.0
78335 silly linkStuff babel-template@6.15.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78336 verbose linkBins babel-template@6.15.0
78337 verbose linkMans babel-template@6.15.0
78338 silly build babel-helpers@6.8.0
78339 info linkStuff babel-helpers@6.8.0
78340 silly linkStuff babel-helpers@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78341 verbose linkBins babel-helpers@6.8.0
78342 verbose linkMans babel-helpers@6.8.0
78343 silly build babel-plugin-transform-strict-mode@6.11.3
78344 info linkStuff babel-plugin-transform-strict-mode@6.11.3
78345 silly linkStuff babel-plugin-transform-strict-mode@6.11.3 has
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78346 verbose linkBins babel-plugin-transform-strict-mode@6.11.3
78347 verbose linkMans babel-plugin-transform-strict-mode@6.11.3
78348 silly build babel-plugin-transform-es2015-shorthand-properties@6.8.0
78349 info linkStuff babel-plugin-transform-es2015-shorthand-properties@6.8.0
78350 silly linkStuff babel-plugin-transform-es2015-shorthand-properties@6.8.0
has C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78351 verbose linkBins babel-plugin-transform-es2015-shorthand-properties@6.8.0
78352 verbose linkMans babel-plugin-transform-es2015-shorthand-properties@6.8.0
78353 silly build babel-plugin-transform-es2015-modules-commonjs@6.14.0
78354 info linkStuff babel-plugin-transform-es2015-modules-commonjs@6.14.0
78355 silly linkStuff babel-plugin-transform-es2015-modules-commonjs@6.14.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78356 verbose linkBins babel-plugin-transform-es2015-modules-commonjs@6.14.0
78357 verbose linkMans babel-plugin-transform-es2015-modules-commonjs@6.14.0
78358 silly build babel-plugin-transform-es2015-modules-amd@6.8.0
78359 info linkStuff babel-plugin-transform-es2015-modules-amd@6.8.0
78360 silly linkStuff babel-plugin-transform-es2015-modules-amd@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78361 verbose linkBins babel-plugin-transform-es2015-modules-amd@6.8.0
78362 verbose linkMans babel-plugin-transform-es2015-modules-amd@6.8.0
78363 silly build babel-plugin-transform-es2015-modules-umd@6.12.0
78364 info linkStuff babel-plugin-transform-es2015-modules-umd@6.12.0
78365 silly linkStuff babel-plugin-transform-es2015-modules-umd@6.12.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78366 verbose linkBins babel-plugin-transform-es2015-modules-umd@6.12.0
78367 verbose linkMans babel-plugin-transform-es2015-modules-umd@6.12.0
78368 silly build babel-plugin-transform-es2015-duplicate-keys@6.8.0
78369 info linkStuff babel-plugin-transform-es2015-duplicate-keys@6.8.0
78370 silly linkStuff babel-plugin-transform-es2015-duplicate-keys@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78371 verbose linkBins babel-plugin-transform-es2015-duplicate-keys@6.8.0
78372 verbose linkMans babel-plugin-transform-es2015-duplicate-keys@6.8.0
78373 silly build babel-plugin-transform-es2015-block-scoping@6.15.0
78374 info linkStuff babel-plugin-transform-es2015-block-scoping@6.15.0
78375 silly linkStuff babel-plugin-transform-es2015-block-scoping@6.15.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78376 verbose linkBins babel-plugin-transform-es2015-block-scoping@6.15.0
78377 verbose linkMans babel-plugin-transform-es2015-block-scoping@6.15.0
78378 silly build babel-helper-regex@6.9.0
78379 info linkStuff babel-helper-regex@6.9.0
78380 silly linkStuff babel-helper-regex@6.9.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78381 verbose linkBins babel-helper-regex@6.9.0
78382 verbose linkMans babel-helper-regex@6.9.0
78383 silly build babel-plugin-transform-es2015-unicode-regex@6.11.0
78384 info linkStuff babel-plugin-transform-es2015-unicode-regex@6.11.0
78385 silly linkStuff babel-plugin-transform-es2015-unicode-regex@6.11.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78386 verbose linkBins babel-plugin-transform-es2015-unicode-regex@6.11.0
78387 verbose linkMans babel-plugin-transform-es2015-unicode-regex@6.11.0
78388 silly build babel-plugin-transform-es2015-sticky-regex@6.8.0
```

npm-debug.log

```
78389 info linkStuff babel-plugin-transform-es2015-sticky-regex@6.8.0
78390 silly linkStuff babel-plugin-transform-es2015-sticky-regex@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78391 verbose linkBins babel-plugin-transform-es2015-sticky-regex@6.8.0
78392 verbose linkMans babel-plugin-transform-es2015-sticky-regex@6.8.0
78393 silly build babel-helper-optimise-call-expression@6.8.0
78394 info linkStuff babel-helper-optimise-call-expression@6.8.0
78395 silly linkStuff babel-helper-optimise-call-expression@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78396 verbose linkBins babel-helper-optimise-call-expression@6.8.0
78397 verbose linkMans babel-helper-optimise-call-expression@6.8.0
78398 silly build babel-helper-replace-supers@6.14.0
78399 info linkStuff babel-helper-replace-supers@6.14.0
78400 silly linkStuff babel-helper-replace-supers@6.14.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78401 verbose linkBins babel-helper-replace-supers@6.14.0
78402 verbose linkMans babel-helper-replace-supers@6.14.0
78403 silly build babel-plugin-transform-es2015-object-super@6.8.0
78404 info linkStuff babel-plugin-transform-es2015-object-super@6.8.0
78405 silly linkStuff babel-plugin-transform-es2015-object-super@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78406 verbose linkBins babel-plugin-transform-es2015-object-super@6.8.0
78407 verbose linkMans babel-plugin-transform-es2015-object-super@6.8.0
78408 silly build babel-helper-hoist-variables@6.8.0
78409 info linkStuff babel-helper-hoist-variables@6.8.0
78410 silly linkStuff babel-helper-hoist-variables@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78411 verbose linkBins babel-helper-hoist-variables@6.8.0
78412 verbose linkMans babel-helper-hoist-variables@6.8.0
78413 silly build babel-plugin-transform-es2015-modules-systemjs@6.14.0
78414 info linkStuff babel-plugin-transform-es2015-modules-systemjs@6.14.0
78415 silly linkStuff babel-plugin-transform-es2015-modules-systemjs@6.14.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78416 verbose linkBins babel-plugin-transform-es2015-modules-systemjs@6.14.0
78417 verbose linkMans babel-plugin-transform-es2015-modules-systemjs@6.14.0
78418 silly build babel-helper-get-function-arity@6.8.0
78419 info linkStuff babel-helper-get-function-arity@6.8.0
78420 silly linkStuff babel-helper-get-function-arity@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78421 verbose linkBins babel-helper-get-function-arity@6.8.0
78422 verbose linkMans babel-helper-get-function-arity@6.8.0
78423 silly build babel-helper-function-name@6.8.0
78424 info linkStuff babel-helper-function-name@6.8.0
78425 silly linkStuff babel-helper-function-name@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78426 verbose linkBins babel-helper-function-name@6.8.0
78427 verbose linkMans babel-helper-function-name@6.8.0
78428 silly build babel-plugin-transform-es2015-function-name@6.9.0
78429 info linkStuff babel-plugin-transform-es2015-function-name@6.9.0
78430 silly linkStuff babel-plugin-transform-es2015-function-name@6.9.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78431 verbose linkBins babel-plugin-transform-es2015-function-name@6.9.0
```

npm-debug.log

78432 verbose linkMans babel-plugin-transform-es2015-function-name@6.9.0  
78433 silly build babel-plugin-transform-class-properties@6.11.5  
78434 info linkStuff babel-plugin-transform-class-properties@6.11.5  
78435 silly linkStuff babel-plugin-transform-class-properties@6.11.5 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78436 verbose linkBins babel-plugin-transform-class-properties@6.11.5  
78437 verbose linkMans babel-plugin-transform-class-properties@6.11.5  
78438 silly build babel-helper-remap-async-to-generator@6.11.2  
78439 info linkStuff babel-helper-remap-async-to-generator@6.11.2  
78440 silly linkStuff babel-helper-remap-async-to-generator@6.11.2 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78441 verbose linkBins babel-helper-remap-async-to-generator@6.11.2  
78442 verbose linkMans babel-helper-remap-async-to-generator@6.11.2  
78443 silly build babel-plugin-transform-async-to-generator@6.8.0  
78444 info linkStuff babel-plugin-transform-async-to-generator@6.8.0  
78445 silly linkStuff babel-plugin-transform-async-to-generator@6.8.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78446 verbose linkBins babel-plugin-transform-async-to-generator@6.8.0  
78447 verbose linkMans babel-plugin-transform-async-to-generator@6.8.0  
78448 silly build babel-helper-explode-assignable-expression@6.8.0  
78449 info linkStuff babel-helper-explode-assignable-expression@6.8.0  
78450 silly linkStuff babel-helper-explode-assignable-expression@6.8.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78451 verbose linkBins babel-helper-explode-assignable-expression@6.8.0  
78452 verbose linkMans babel-helper-explode-assignable-expression@6.8.0  
78453 silly build babel-helper-define-map@6.9.0  
78454 info linkStuff babel-helper-define-map@6.9.0  
78455 silly linkStuff babel-helper-define-map@6.9.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78456 verbose linkBins babel-helper-define-map@6.9.0  
78457 verbose linkMans babel-helper-define-map@6.9.0  
78458 silly build babel-plugin-transform-es2015-computed-properties@6.8.0  
78459 info linkStuff babel-plugin-transform-es2015-computed-properties@6.8.0  
78460 silly linkStuff babel-plugin-transform-es2015-computed-properties@6.8.0  
has C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78461 verbose linkBins babel-plugin-transform-es2015-computed-properties@6.8.0  
78462 verbose linkMans babel-plugin-transform-es2015-computed-properties@6.8.0  
78463 silly build babel-plugin-transform-es2015-classes@6.14.0  
78464 info linkStuff babel-plugin-transform-es2015-classes@6.14.0  
78465 silly linkStuff babel-plugin-transform-es2015-classes@6.14.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78466 verbose linkBins babel-plugin-transform-es2015-classes@6.14.0  
78467 verbose linkMans babel-plugin-transform-es2015-classes@6.14.0  
78468 silly build babel-helper-call-delegate@6.8.0  
78469 info linkStuff babel-helper-call-delegate@6.8.0  
78470 silly linkStuff babel-helper-call-delegate@6.8.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78471 verbose linkBins babel-helper-call-delegate@6.8.0  
78472 verbose linkMans babel-helper-call-delegate@6.8.0  
78473 silly build babel-plugin-transform-es2015-parameters@6.11.4  
78474 info linkStuff babel-plugin-transform-es2015-parameters@6.11.4  
78475 silly linkStuff babel-plugin-transform-es2015-parameters@6.11.4 has

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78476 verbose linkBins babel-plugin-transform-es2015-parameters@6.11.4
78477 verbose linkMans babel-plugin-transform-es2015-parameters@6.11.4
78478 silly build babel-helper-builder-react-jsx@6.9.0
78479 info linkStuff babel-helper-builder-react-jsx@6.9.0
78480 silly linkStuff babel-helper-builder-react-jsx@6.9.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78481 verbose linkBins babel-helper-builder-react-jsx@6.9.0
78482 verbose linkMans babel-helper-builder-react-jsx@6.9.0
78483 silly build babel-plugin-transform-react-jsx@6.8.0
78484 info linkStuff babel-plugin-transform-react-jsx@6.8.0
78485 silly linkStuff babel-plugin-transform-react-jsx@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78486 verbose linkBins babel-plugin-transform-react-jsx@6.8.0
78487 verbose linkMans babel-plugin-transform-react-jsx@6.8.0
78488 silly build babel-preset-react@6.11.1
78489 info linkStuff babel-preset-react@6.11.1
78490 silly linkStuff babel-preset-react@6.11.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78491 verbose linkBins babel-preset-react@6.11.1
78492 verbose linkMans babel-preset-react@6.11.1
78493 silly build
babel-helper-builder-binary-assignment-operator-visitor@6.15.0
78494 info linkStuff
babel-helper-builder-binary-assignment-operator-visitor@6.15.0
78495 silly linkStuff
babel-helper-builder-binary-assignment-operator-visitor@6.15.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78496 verbose linkBins
babel-helper-builder-binary-assignment-operator-visitor@6.15.0
78497 verbose linkMans
babel-helper-builder-binary-assignment-operator-visitor@6.15.0
78498 silly build babel-plugin-transform-exponentiation-operator@6.8.0
78499 info linkStuff babel-plugin-transform-exponentiation-operator@6.8.0
78500 silly linkStuff babel-plugin-transform-exponentiation-operator@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78501 verbose linkBins babel-plugin-transform-exponentiation-operator@6.8.0
78502 verbose linkMans babel-plugin-transform-exponentiation-operator@6.8.0
78503 silly build babel-preset-stage-3@6.11.0
78504 info linkStuff babel-preset-stage-3@6.11.0
78505 silly linkStuff babel-preset-stage-3@6.11.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78506 verbose linkBins babel-preset-stage-3@6.11.0
78507 verbose linkMans babel-preset-stage-3@6.11.0
78508 silly build babel-preset-es2016@6.11.3
78509 info linkStuff babel-preset-es2016@6.11.3
78510 silly linkStuff babel-preset-es2016@6.11.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78511 verbose linkBins babel-preset-es2016@6.11.3
78512 verbose linkMans babel-preset-es2016@6.11.3
78513 silly build babel-helper-bindify-decorators@6.8.0
78514 info linkStuff babel-helper-bindify-decorators@6.8.0
```

npm-debug.log

```
78515 silly linkStuff babel-helper-bindify-decorators@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78516 verbose linkBins babel-helper-bindify-decorators@6.8.0
78517 verbose linkMans babel-helper-bindify-decorators@6.8.0
78518 silly build babel-helper-explode-class@6.8.0
78519 info linkStuff babel-helper-explode-class@6.8.0
78520 silly linkStuff babel-helper-explode-class@6.8.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78521 verbose linkBins babel-helper-explode-class@6.8.0
78522 verbose linkMans babel-helper-explode-class@6.8.0
78523 silly build babel-plugin-transform-decorators@6.13.0
78524 info linkStuff babel-plugin-transform-decorators@6.13.0
78525 silly linkStuff babel-plugin-transform-decorators@6.13.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78526 verbose linkBins babel-plugin-transform-decorators@6.13.0
78527 verbose linkMans babel-plugin-transform-decorators@6.13.0
78528 silly build babel-preset-stage-2@6.13.0
78529 info linkStuff babel-preset-stage-2@6.13.0
78530 silly linkStuff babel-preset-stage-2@6.13.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78531 verbose linkBins babel-preset-stage-2@6.13.0
78532 verbose linkMans babel-preset-stage-2@6.13.0
78533 silly build babel-generator@6.14.0
78534 info linkStuff babel-generator@6.14.0
78535 silly linkStuff babel-generator@6.14.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78536 verbose linkBins babel-generator@6.14.0
78537 verbose linkMans babel-generator@6.14.0
78538 silly build babel-eslint@6.1.2
78539 info linkStuff babel-eslint@6.1.2
78540 silly linkStuff babel-eslint@6.1.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78541 verbose linkBins babel-eslint@6.1.2
78542 verbose linkMans babel-eslint@6.1.2
78543 silly build to-iso-string@0.0.2
78544 info linkStuff to-iso-string@0.0.2
78545 silly linkStuff to-iso-string@0.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78546 verbose linkBins to-iso-string@0.0.2
78547 verbose linkMans to-iso-string@0.0.2
78548 silly build mocha@2.5.3
78549 info linkStuff mocha@2.5.3
78550 silly linkStuff mocha@2.5.3 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
78551 verbose linkBins mocha@2.5.3
78552 verbose link bins [ { mocha: './bin/mocha', _mocha: './bin/_mocha' },
78552 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
78552 verbose link bins false ]
78553 verbose linkMans mocha@2.5.3
78554 silly build tough-cookie@2.3.1
78555 info linkStuff tough-cookie@2.3.1
```

npm-debug.log

78556 silly linkStuff tough-cookie@2.3.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78557 verbose linkBins tough-cookie@2.3.1  
78558 verbose linkMans tough-cookie@2.3.1  
78559 silly build tr46@0.0.3  
78560 info linkStuff tr46@0.0.3  
78561 silly linkStuff tr46@0.0.3 has C:\Users\run\Desktop\KOT\kad\node\_modules  
as its parent node\_modules  
78562 verbose linkBins tr46@0.0.3  
78563 verbose linkMans tr46@0.0.3  
78564 silly build trim-newlines@1.0.0  
78565 info linkStuff trim-newlines@1.0.0  
78566 silly linkStuff trim-newlines@1.0.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78567 verbose linkBins trim-newlines@1.0.0  
78568 verbose linkMans trim-newlines@1.0.0  
78569 silly build tryit@1.0.2  
78570 info linkStuff tryit@1.0.2  
78571 silly linkStuff tryit@1.0.2 has C:\Users\run\Desktop\KOT\kad\node\_modules  
as its parent node\_modules  
78572 verbose linkBins tryit@1.0.2  
78573 verbose linkMans tryit@1.0.2  
78574 silly build is-resolvable@1.0.0  
78575 info linkStuff is-resolvable@1.0.0  
78576 silly linkStuff is-resolvable@1.0.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78577 verbose linkBins is-resolvable@1.0.0  
78578 verbose linkMans is-resolvable@1.0.0  
78579 silly build tty-browserify@0.0.0  
78580 info linkStuff tty-browserify@0.0.0  
78581 silly linkStuff tty-browserify@0.0.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78582 verbose linkBins tty-browserify@0.0.0  
78583 verbose linkMans tty-browserify@0.0.0  
78584 silly build tunnel-agent@0.4.3  
78585 info linkStuff tunnel-agent@0.4.3  
78586 silly linkStuff tunnel-agent@0.4.3 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78587 verbose linkBins tunnel-agent@0.4.3  
78588 verbose linkMans tunnel-agent@0.4.3  
78589 silly build tv4@1.2.7  
78590 info linkStuff tv4@1.2.7  
78591 silly linkStuff tv4@1.2.7 has C:\Users\run\Desktop\KOT\kad\node\_modules  
as its parent node\_modules  
78592 verbose linkBins tv4@1.2.7  
78593 verbose linkMans tv4@1.2.7  
78594 silly build tweetnacl@0.13.3  
78595 info linkStuff tweetnacl@0.13.3  
78596 silly linkStuff tweetnacl@0.13.3 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78597 verbose linkBins tweetnacl@0.13.3  
78598 verbose linkMans tweetnacl@0.13.3



npm-debug.log

```
78599 silly build sshpk@1.10.0
78600 info linkStuff sshpk@1.10.0
78601 silly linkStuff sshpk@1.10.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78602 verbose linkBins sshpk@1.10.0
78603 verbose link bins [ { 'sshpk-conv': 'bin/sshpk-conv',
78603 verbose link bins   'sshpk-sign': 'bin/sshpk-sign',
78603 verbose link bins   'sshpk-verify': 'bin/sshpk-verify' },
78603 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
78603 verbose link bins  false ]
78604 verbose linkMans sshpk@1.10.0
78605 silly build type-check@0.3.2
78606 info linkStuff type-check@0.3.2
78607 silly linkStuff type-check@0.3.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78608 verbose linkBins type-check@0.3.2
78609 verbose linkMans type-check@0.3.2
78610 silly build levn@0.3.0
78611 info linkStuff levn@0.3.0
78612 silly linkStuff levn@0.3.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
78613 verbose linkBins levn@0.3.0
78614 verbose linkMans levn@0.3.0
78615 silly build optionator@0.8.1
78616 info linkStuff optionator@0.8.1
78617 silly linkStuff optionator@0.8.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78618 verbose linkBins optionator@0.8.1
78619 verbose linkMans optionator@0.8.1
78620 silly build escodegen@1.8.1
78621 info linkStuff escodegen@1.8.1
78622 silly linkStuff escodegen@1.8.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78623 verbose linkBins escodegen@1.8.1
78624 verbose link bins [ { esgenerate: './bin/esgenerate.js',
78624 verbose link bins   escodegen: './bin/escodegen.js' },
78624 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
78624 verbose link bins  false ]
78625 verbose linkMans escodegen@1.8.1
78626 silly build type-detect@1.0.0
78627 info linkStuff type-detect@1.0.0
78628 silly linkStuff type-detect@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78629 verbose linkBins type-detect@1.0.0
78630 verbose linkMans type-detect@1.0.0
78631 silly build chai@3.5.0
78632 info linkStuff chai@3.5.0
78633 silly linkStuff chai@3.5.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
78634 verbose linkBins chai@3.5.0
```

npm-debug.log

78635 verbose linkMans chai@3.5.0  
78636 silly build type-is@1.6.13  
78637 info linkStuff type-is@1.6.13  
78638 silly linkStuff type-is@1.6.13 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78639 verbose linkBins type-is@1.6.13  
78640 verbose linkMans type-is@1.6.13  
78641 silly build typedarray@0.0.6  
78642 info linkStuff typedarray@0.0.6  
78643 silly linkStuff typedarray@0.0.6 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78644 verbose linkBins typedarray@0.0.6  
78645 verbose linkMans typedarray@0.0.6  
78646 silly build ua-parser-js@0.7.10  
78647 info linkStuff ua-parser-js@0.7.10  
78648 silly linkStuff ua-parser-js@0.7.10 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78649 verbose linkBins ua-parser-js@0.7.10  
78650 verbose linkMans ua-parser-js@0.7.10  
78651 silly build async@0.2.10  
78652 info linkStuff async@0.2.10  
78653 silly linkStuff async@0.2.10 has  
C:\Users\run\Desktop\KOT\kad\node\_modules\uglify-js\node\_modules as its parent  
node\_modules  
78654 verbose linkBins async@0.2.10  
78655 verbose linkMans async@0.2.10  
78656 silly build uglify-to-browserify@1.0.2  
78657 info linkStuff uglify-to-browserify@1.0.2  
78658 silly linkStuff uglify-to-browserify@1.0.2 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78659 verbose linkBins uglify-to-browserify@1.0.2  
78660 verbose linkMans uglify-to-browserify@1.0.2  
78661 silly build uniq@1.0.1  
78662 info linkStuff uniq@1.0.1  
78663 silly linkStuff uniq@1.0.1 has C:\Users\run\Desktop\KOT\kad\node\_modules  
as its parent node\_modules  
78664 verbose linkBins uniq@1.0.1  
78665 verbose linkMans uniq@1.0.1  
78666 silly build postcss-selector-parser@2.2.1  
78667 info linkStuff postcss-selector-parser@2.2.1  
78668 silly linkStuff postcss-selector-parser@2.2.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78669 verbose linkBins postcss-selector-parser@2.2.1  
78670 verbose linkMans postcss-selector-parser@2.2.1  
78671 silly build postcss-minify-selectors@2.0.5  
78672 info linkStuff postcss-minify-selectors@2.0.5  
78673 silly linkStuff postcss-minify-selectors@2.0.5 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78674 verbose linkBins postcss-minify-selectors@2.0.5  
78675 verbose linkMans postcss-minify-selectors@2.0.5  
78676 silly build unqiid@3.1.0  
78677 info linkStuff unqiid@3.1.0

npm-debug.log

```
78678 silly linkStuff unqiud@3.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78679 verbose linkBins unqiud@3.1.0
78680 verbose linkMans unqiud@3.1.0
78681 silly build postcss-filter-plugins@2.0.1
78682 info linkStuff postcss-filter-plugins@2.0.1
78683 silly linkStuff postcss-filter-plugins@2.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78684 verbose linkBins postcss-filter-plugins@2.0.1
78685 verbose linkMans postcss-filter-plugins@2.0.1
78686 silly build uniqs@2.0.0
78687 info linkStuff uniqs@2.0.0
78688 silly linkStuff uniqs@2.0.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
78689 verbose linkBins uniqs@2.0.0
78690 verbose linkMans uniqs@2.0.0
78691 silly build postcss-zindex@2.1.1
78692 info linkStuff postcss-zindex@2.1.1
78693 silly linkStuff postcss-zindex@2.1.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78694 verbose linkBins postcss-zindex@2.1.1
78695 verbose linkMans postcss-zindex@2.1.1
78696 silly build postcss-unique-selectors@2.0.2
78697 info linkStuff postcss-unique-selectors@2.0.2
78698 silly linkStuff postcss-unique-selectors@2.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78699 verbose linkBins postcss-unique-selectors@2.0.2
78700 verbose linkMans postcss-unique-selectors@2.0.2
78701 silly build postcss-minify-params@1.0.5
78702 info linkStuff postcss-minify-params@1.0.5
78703 silly linkStuff postcss-minify-params@1.0.5 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78704 verbose linkBins postcss-minify-params@1.0.5
78705 verbose linkMans postcss-minify-params@1.0.5
78706 silly build postcss-discard-unused@2.2.1
78707 info linkStuff postcss-discard-unused@2.2.1
78708 silly linkStuff postcss-discard-unused@2.2.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78709 verbose linkBins postcss-discard-unused@2.2.1
78710 verbose linkMans postcss-discard-unused@2.2.1
78711 silly build unpipe@1.0.0
78712 info linkStuff unpipe@1.0.0
78713 silly linkStuff unpipe@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78714 verbose linkBins unpipe@1.0.0
78715 verbose linkMans unpipe@1.0.0
78716 silly build raw-body@2.1.7
78717 info linkStuff raw-body@2.1.7
78718 silly linkStuff raw-body@2.1.7 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78719 verbose linkBins raw-body@2.1.7
78720 verbose linkMans raw-body@2.1.7
```

npm-debug.log

```
78721 silly build body-parser@1.15.2
78722 info linkStuff body-parser@1.15.2
78723 silly linkStuff body-parser@1.15.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78724 verbose linkBins body-parser@1.15.2
78725 verbose linkMans body-parser@1.15.2
78726 silly build finalhandler@0.5.0
78727 info linkStuff finalhandler@0.5.0
78728 silly linkStuff finalhandler@0.5.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78729 verbose linkBins finalhandler@0.5.0
78730 verbose linkMans finalhandler@0.5.0
78731 silly build mime@1.2.11
78732 info linkStuff mime@1.2.11
78733 silly linkStuff mime@1.2.11 has
C:\Users\run\Desktop\KOT\kad\node_modules\url-loader\node_modules as its parent
node_modules
78734 verbose linkBins mime@1.2.11
78735 verbose linkMans mime@1.2.11
78736 silly build url-loader@0.5.7
78737 info linkStuff url-loader@0.5.7
78738 silly linkStuff url-loader@0.5.7 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78739 verbose linkBins url-loader@0.5.7
78740 verbose linkMans url-loader@0.5.7
78741 silly build punycode@1.3.2
78742 info linkStuff punycode@1.3.2
78743 silly linkStuff punycode@1.3.2 has
C:\Users\run\Desktop\KOT\kad\node_modules\url\node_modules as its parent
node_modules
78744 verbose linkBins punycode@1.3.2
78745 verbose linkMans punycode@1.3.2
78746 silly build url@0.10.3
78747 info linkStuff url@0.10.3
78748 silly linkStuff url@0.10.3 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
78749 verbose linkBins url@0.10.3
78750 verbose linkMans url@0.10.3
78751 silly build user-home@1.1.1
78752 info linkStuff user-home@1.1.1
78753 silly linkStuff user-home@1.1.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78754 verbose linkBins user-home@1.1.1
78755 verbose link bins [ { 'user-home': 'cli.js' },
78755 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
78755 verbose link bins false ]
78756 verbose linkMans user-home@1.1.1
78757 silly build home-or-tmp@1.0.0
78758 info linkStuff home-or-tmp@1.0.0
78759 silly linkStuff home-or-tmp@1.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
```

npm-debug.log

```
78760 verbose linkBins home-or-tmp@1.0.0
78761 verbose linkMans home-or-tmp@1.0.0
78762 silly build babel-register@6.14.0
78763 info linkStuff babel-register@6.14.0
78764 silly linkStuff babel-register@6.14.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78765 verbose linkBins babel-register@6.14.0
78766 verbose linkMans babel-register@6.14.0
78767 silly build babel-core@6.14.0
78768 info linkStuff babel-core@6.14.0
78769 silly linkStuff babel-core@6.14.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78770 verbose linkBins babel-core@6.14.0
78771 verbose linkMans babel-core@6.14.0
78772 silly build babel-plugin-transform-regenerator@6.14.0
78773 info linkStuff babel-plugin-transform-regenerator@6.14.0
78774 silly linkStuff babel-plugin-transform-regenerator@6.14.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78775 verbose linkBins babel-plugin-transform-regenerator@6.14.0
78776 verbose linkMans babel-plugin-transform-regenerator@6.14.0
78777 silly build babel-preset-es2015@6.14.0
78778 info linkStuff babel-preset-es2015@6.14.0
78779 silly linkStuff babel-preset-es2015@6.14.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78780 verbose linkBins babel-preset-es2015@6.14.0
78781 verbose linkMans babel-preset-es2015@6.14.0
78782 silly build util@0.10.3
78783 info linkStuff util@0.10.3
78784 silly linkStuff util@0.10.3 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
78785 verbose linkBins util@0.10.3
78786 verbose linkMans util@0.10.3
78787 silly build sinon@1.17.5
78788 info linkStuff sinon@1.17.5
78789 silly linkStuff sinon@1.17.5 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78790 verbose linkBins sinon@1.17.5
78791 verbose linkMans sinon@1.17.5
78792 silly build assert@1.4.1
78793 info linkStuff assert@1.4.1
78794 silly linkStuff assert@1.4.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78795 verbose linkBins assert@1.4.1
78796 verbose linkMans assert@1.4.1
78797 silly build util-deprecate@1.0.2
78798 info linkStuff util-deprecate@1.0.2
78799 silly linkStuff util-deprecate@1.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78800 verbose linkBins util-deprecate@1.0.2
78801 verbose linkMans util-deprecate@1.0.2
78802 silly build readable-stream@2.0.6
78803 info linkStuff readable-stream@2.0.6
```

npm-debug.log

78804 silly linkStuff readable-stream@2.0.6 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78805 verbose linkBins readable-stream@2.0.6  
78806 verbose linkMans readable-stream@2.0.6  
78807 silly build readdirp@2.1.0  
78808 info linkStuff readdirp@2.1.0  
78809 silly linkStuff readdirp@2.1.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78810 verbose linkBins readdirp@2.1.0  
78811 verbose linkMans readdirp@2.1.0  
78812 silly build chokidar@1.6.0  
78813 info linkStuff chokidar@1.6.0  
78814 silly linkStuff chokidar@1.6.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78815 verbose linkBins chokidar@1.6.0  
78816 verbose linkMans chokidar@1.6.0  
78817 silly build memory-fs@0.3.0  
78818 info linkStuff memory-fs@0.3.0  
78819 silly linkStuff memory-fs@0.3.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78820 verbose linkBins memory-fs@0.3.0  
78821 verbose linkMans memory-fs@0.3.0  
78822 silly build concat-stream@1.5.2  
78823 info linkStuff concat-stream@1.5.2  
78824 silly linkStuff concat-stream@1.5.2 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78825 verbose linkBins concat-stream@1.5.2  
78826 verbose linkMans concat-stream@1.5.2  
78827 silly build bl@1.1.2  
78828 info linkStuff bl@1.1.2  
78829 silly linkStuff bl@1.1.2 has C:\Users\run\Desktop\KOT\kad\node\_modules as  
its parent node\_modules  
78830 verbose linkBins bl@1.1.2  
78831 verbose linkMans bl@1.1.2  
78832 silly build utils-merge@1.0.0  
78833 info linkStuff utils-merge@1.0.0  
78834 silly linkStuff utils-merge@1.0.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78835 verbose linkBins utils-merge@1.0.0  
78836 verbose linkMans utils-merge@1.0.0  
78837 silly build uuid@2.0.2  
78838 info linkStuff uuid@2.0.2  
78839 silly linkStuff uuid@2.0.2 has C:\Users\run\Desktop\KOT\kad\node\_modules  
as its parent node\_modules  
78840 verbose linkBins uuid@2.0.2  
78841 verbose linkMans uuid@2.0.2  
78842 silly build @kadira/storybook-database@2.1.0  
78843 info linkStuff @kadira/storybook-database@2.1.0  
78844 silly linkStuff @kadira/storybook-database@2.1.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78845 verbose linkBins @kadira/storybook-database@2.1.0  
78846 verbose linkMans @kadira/storybook-database@2.1.0

npm-debug.log

```
78847 silly build @kadira/storybook-database-local@1.2.0
78848 info linkStuff @kadira/storybook-database-local@1.2.0
78849 silly linkStuff @kadira/storybook-database-local@1.2.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78850 verbose linkBins @kadira/storybook-database-local@1.2.0
78851 verbose linkMans @kadira/storybook-database-local@1.2.0
78852 silly build v8flags@2.0.11
78853 info linkStuff v8flags@2.0.11
78854 silly linkStuff v8flags@2.0.11 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78855 verbose linkBins v8flags@2.0.11
78856 verbose linkMans v8flags@2.0.11
78857 silly build validate-npm-package-license@3.0.1
78858 info linkStuff validate-npm-package-license@3.0.1
78859 silly linkStuff validate-npm-package-license@3.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78860 verbose linkBins validate-npm-package-license@3.0.1
78861 verbose linkMans validate-npm-package-license@3.0.1
78862 silly build normalize-package-data@2.3.5
78863 info linkStuff normalize-package-data@2.3.5
78864 silly linkStuff normalize-package-data@2.3.5 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78865 verbose linkBins normalize-package-data@2.3.5
78866 verbose linkMans normalize-package-data@2.3.5
78867 silly build read-pkg@1.1.0
78868 info linkStuff read-pkg@1.1.0
78869 silly linkStuff read-pkg@1.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78870 verbose linkBins read-pkg@1.1.0
78871 verbose linkMans read-pkg@1.1.0
78872 silly build read-pkg-up@1.0.1
78873 info linkStuff read-pkg-up@1.0.1
78874 silly linkStuff read-pkg-up@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78875 verbose linkBins read-pkg-up@1.0.1
78876 verbose linkMans read-pkg-up@1.0.1
78877 silly build meow@3.7.0
78878 info linkStuff meow@3.7.0
78879 silly linkStuff meow@3.7.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
78880 verbose linkBins meow@3.7.0
78881 verbose linkMans meow@3.7.0
78882 silly build find-versions@1.2.1
78883 info linkStuff find-versions@1.2.1
78884 silly linkStuff find-versions@1.2.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78885 verbose linkBins find-versions@1.2.1
78886 verbose link bins [ { 'find-versions': 'cli.js' },
78886 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
78886 verbose link bins false ]
78887 verbose linkMans find-versions@1.2.1
```

npm-debug.log

```
78888 silly build bin-version@1.0.4
78889 info linkStuff bin-version@1.0.4
78890 silly linkStuff bin-version@1.0.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78891 verbose linkBins bin-version@1.0.4
78892 verbose linkMans bin-version@1.0.4
78893 silly build bin-version-check@2.1.0
78894 info linkStuff bin-version-check@2.1.0
78895 silly linkStuff bin-version-check@2.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78896 verbose linkBins bin-version-check@2.1.0
78897 verbose link bins [ { 'bin-version-check': 'cli.js' },
78897 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
78897 verbose link bins false ]
78898 verbose linkMans bin-version-check@2.1.0
78899 silly build vary@1.1.0
78900 info linkStuff vary@1.1.0
78901 silly linkStuff vary@1.1.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
78902 verbose linkBins vary@1.1.0
78903 verbose linkMans vary@1.1.0
78904 silly build express@4.14.0
78905 info linkStuff express@4.14.0
78906 silly linkStuff express@4.14.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78907 verbose linkBins express@4.14.0
78908 verbose linkMans express@4.14.0
78909 silly build vendors@1.0.1
78910 info linkStuff vendors@1.0.1
78911 silly linkStuff vendors@1.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78912 verbose linkBins vendors@1.0.1
78913 verbose linkMans vendors@1.0.1
78914 silly build postcss-merge-rules@2.0.10
78915 info linkStuff postcss-merge-rules@2.0.10
78916 silly linkStuff postcss-merge-rules@2.0.10 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78917 verbose linkBins postcss-merge-rules@2.0.10
78918 verbose linkMans postcss-merge-rules@2.0.10
78919 silly build verror@1.3.6
78920 info linkStuff verror@1.3.6
78921 silly linkStuff verror@1.3.6 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78922 verbose linkBins verror@1.3.6
78923 verbose linkMans verror@1.3.6
78924 silly build jsprim@1.3.0
78925 info linkStuff jsprim@1.3.0
78926 silly linkStuff jsprim@1.3.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78927 verbose linkBins jsprim@1.3.0
78928 verbose linkMans jsprim@1.3.0
```



npm-debug.log

```
78929 silly build http-signature@1.1.1
78930 info linkStuff http-signature@1.1.1
78931 silly linkStuff http-signature@1.1.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78932 verbose linkBins http-signature@1.1.1
78933 verbose linkMans http-signature@1.1.1
78934 silly build vm-browserify@0.0.4
78935 info linkStuff vm-browserify@0.0.4
78936 silly linkStuff vm-browserify@0.0.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78937 verbose linkBins vm-browserify@0.0.4
78938 verbose linkMans vm-browserify@0.0.4
78939 silly build node-libs-browser@0.6.0
78940 info linkStuff node-libs-browser@0.6.0
78941 silly linkStuff node-libs-browser@0.6.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78942 verbose linkBins node-libs-browser@0.6.0
78943 verbose linkMans node-libs-browser@0.6.0
78944 silly build async@0.9.2
78945 info linkStuff async@0.9.2
78946 silly linkStuff async@0.9.2 has
C:\Users\run\Desktop\KOT\kad\node_modules\watchpack\node_modules as its parent
node_modules
78947 verbose linkBins async@0.9.2
78948 verbose linkMans async@0.9.2
78949 silly build watchpack@0.2.9
78950 info linkStuff watchpack@0.2.9
78951 silly linkStuff watchpack@0.2.9 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78952 verbose linkBins watchpack@0.2.9
78953 verbose linkMans watchpack@0.2.9
78954 silly build webidl-conversions@2.0.1
78955 info linkStuff webidl-conversions@2.0.1
78956 silly linkStuff webidl-conversions@2.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78957 verbose linkBins webidl-conversions@2.0.1
78958 verbose linkMans webidl-conversions@2.0.1
78959 silly build source-map@0.4.4
78960 info linkStuff source-map@0.4.4
78961 silly linkStuff source-map@0.4.4 has
C:\Users\run\Desktop\KOT\kad\node_modules\webpack-core\node_modules as its
parent node_modules
78962 verbose linkBins source-map@0.4.4
78963 verbose linkMans source-map@0.4.4
78964 silly build webpack-core@0.6.8
78965 info linkStuff webpack-core@0.6.8
78966 silly linkStuff webpack-core@0.6.8 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
78967 verbose linkBins webpack-core@0.6.8
78968 verbose linkMans webpack-core@0.6.8
78969 silly build webpack-dev-middleware@1.6.1
78970 info linkStuff webpack-dev-middleware@1.6.1
```

npm-debug.log

78971 silly linkStuff webpack-dev-middleware@1.6.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78972 verbose linkBins webpack-dev-middleware@1.6.1  
78973 verbose linkMans webpack-dev-middleware@1.6.1  
78974 silly build webpack-hot-middleware@2.12.2  
78975 info linkStuff webpack-hot-middleware@2.12.2  
78976 silly linkStuff webpack-hot-middleware@2.12.2 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78977 verbose linkBins webpack-hot-middleware@2.12.2  
78978 verbose linkMans webpack-hot-middleware@2.12.2  
78979 silly build async@1.5.2  
78980 info linkStuff async@1.5.2  
78981 silly linkStuff async@1.5.2 has  
C:\Users\run\Desktop\KOT\kad\node\_modules\webpack\node\_modules as its parent  
node\_modules  
78982 verbose linkBins async@1.5.2  
78983 verbose linkMans async@1.5.2  
78984 silly build interpret@0.6.6  
78985 info linkStuff interpret@0.6.6  
78986 silly linkStuff interpret@0.6.6 has  
C:\Users\run\Desktop\KOT\kad\node\_modules\webpack\node\_modules as its parent  
node\_modules  
78987 verbose linkBins interpret@0.6.6  
78988 verbose linkMans interpret@0.6.6  
78989 silly build whatwg-fetch@1.0.0  
78990 info linkStuff whatwg-fetch@1.0.0  
78991 silly linkStuff whatwg-fetch@1.0.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78992 verbose linkBins whatwg-fetch@1.0.0  
78993 verbose linkMans whatwg-fetch@1.0.0  
78994 silly build isomorphic-fetch@2.2.1  
78995 info linkStuff isomorphic-fetch@2.2.1  
78996 silly linkStuff isomorphic-fetch@2.2.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
78997 verbose linkBins isomorphic-fetch@2.2.1  
78998 verbose linkMans isomorphic-fetch@2.2.1  
78999 silly build fbjs@0.8.4  
79000 info linkStuff fbjs@0.8.4  
79001 silly linkStuff fbjs@0.8.4 has C:\Users\run\Desktop\KOT\kad\node\_modules  
as its parent node\_modules  
79002 verbose linkBins fbjs@0.8.4  
79003 verbose linkMans fbjs@0.8.4  
79004 silly build react@15.3.1  
79005 info linkStuff react@15.3.1  
79006 silly linkStuff react@15.3.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
79007 verbose linkBins react@15.3.1  
79008 verbose linkMans react@15.3.1  
79009 silly build whatwg-url-compat@0.6.5  
79010 info linkStuff whatwg-url-compat@0.6.5  
79011 silly linkStuff whatwg-url-compat@0.6.5 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules

```
npm-debug.log
79012 verbose linkBins whatwg-url-compat@0.6.5
79013 verbose linkMans whatwg-url-compat@0.6.5
79014 silly build webidl-conversions@3.0.1
79015 info linkStuff webidl-conversions@3.0.1
79016 silly linkStuff webidl-conversions@3.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules\whatwg-url\node_modules as its parent
node_modules
79017 verbose linkBins webidl-conversions@3.0.1
79018 verbose linkMans webidl-conversions@3.0.1
79019 silly build whatwg-url@2.0.1
79020 info linkStuff whatwg-url@2.0.1
79021 silly linkStuff whatwg-url@2.0.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79022 verbose linkBins whatwg-url@2.0.1
79023 verbose linkMans whatwg-url@2.0.1
79024 silly build whet.extend@0.9.9
79025 info linkStuff whet.extend@0.9.9
79026 silly linkStuff whet.extend@0.9.9 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79027 verbose linkBins whet.extend@0.9.9
79028 verbose linkMans whet.extend@0.9.9
79029 silly build svgo@0.6.6
79030 info linkStuff svgo@0.6.6
79031 silly linkStuff svgo@0.6.6 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
79032 verbose linkBins svgo@0.6.6
79033 verbose link bins [ { svgo: './bin/svgo' },
79033 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
79033 verbose link bins false ]
79034 verbose linkMans svgo@0.6.6
79035 silly build postcss-svgo@2.1.4
79036 info linkStuff postcss-svgo@2.1.4
79037 silly linkStuff postcss-svgo@2.1.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79038 verbose linkBins postcss-svgo@2.1.4
79039 verbose linkMans postcss-svgo@2.1.4
79040 silly build cssnano@3.7.4
79041 info linkStuff cssnano@3.7.4
79042 silly linkStuff cssnano@3.7.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79043 verbose linkBins cssnano@3.7.4
79044 verbose linkMans cssnano@3.7.4
79045 silly build css-loader@0.24.0
79046 info linkStuff css-loader@0.24.0
79047 silly linkStuff css-loader@0.24.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79048 verbose linkBins css-loader@0.24.0
79049 verbose linkMans css-loader@0.24.0
79050 silly build window-size@0.1.0
79051 info linkStuff window-size@0.1.0
79052 silly linkStuff window-size@0.1.0 has
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79053 verbose linkBins window-size@0.1.0
79054 verbose linkMans window-size@0.1.0
79055 silly build wordwrap@0.0.3
79056 info linkStuff wordwrap@0.0.3
79057 silly linkStuff wordwrap@0.0.3 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79058 verbose linkBins wordwrap@0.0.3
79059 verbose linkMans wordwrap@0.0.3
79060 silly build optimist@0.6.1
79061 info linkStuff optimist@0.6.1
79062 silly linkStuff optimist@0.6.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79063 verbose linkBins optimist@0.6.1
79064 verbose linkMans optimist@0.6.1
79065 silly build wrappy@1.0.2
79066 info linkStuff wrappy@1.0.2
79067 silly linkStuff wrappy@1.0.2 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79068 verbose linkBins wrappy@1.0.2
79069 verbose linkMans wrappy@1.0.2
79070 silly build once@1.4.0
79071 info linkStuff once@1.4.0
79072 silly linkStuff once@1.4.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
79073 verbose linkBins once@1.4.0
79074 verbose linkMans once@1.4.0
79075 silly build run-async@0.1.0
79076 info linkStuff run-async@0.1.0
79077 silly linkStuff run-async@0.1.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79078 verbose linkBins run-async@0.1.0
79079 verbose linkMans run-async@0.1.0
79080 silly build inquirer@0.12.0
79081 info linkStuff inquirer@0.12.0
79082 silly linkStuff inquirer@0.12.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79083 verbose linkBins inquirer@0.12.0
79084 verbose linkMans inquirer@0.12.0
79085 silly build inflight@1.0.5
79086 info linkStuff inflight@1.0.5
79087 silly linkStuff inflight@1.0.5 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79088 verbose linkBins inflight@1.0.5
79089 verbose linkMans inflight@1.0.5
79090 silly build glob@7.0.6
79091 info linkStuff glob@7.0.6
79092 silly linkStuff glob@7.0.6 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
79093 verbose linkBins glob@7.0.6
79094 verbose linkMans glob@7.0.6
79095 silly build shelljs@0.7.4
```

npm-debug.log

```
79096 info linkStuff shelljs@0.7.4
79097 silly linkStuff shelljs@0.7.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79098 verbose linkBins shelljs@0.7.4
79099 verbose link bins [ { shjs: './bin/shjs' },
79099 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
79099 verbose link bins false ]
79100 verbose linkMans shelljs@0.7.4
79101 silly build rimraf@2.5.4
79102 info linkStuff rimraf@2.5.4
79103 silly linkStuff rimraf@2.5.4 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79104 verbose linkBins rimraf@2.5.4
79105 verbose link bins [ { rimraf: './bin.js' },
79105 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
79105 verbose link bins false ]
79106 verbose linkMans rimraf@2.5.4
79107 silly build globby@5.0.0
79108 info linkStuff globby@5.0.0
79109 silly linkStuff globby@5.0.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79110 verbose linkBins globby@5.0.0
79111 verbose linkMans globby@5.0.0
79112 silly build del@2.2.2
79113 info linkStuff del@2.2.2
79114 silly linkStuff del@2.2.2 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
79115 verbose linkBins del@2.2.2
79116 verbose linkMans del@2.2.2
79117 silly build glob@5.0.15
79118 info linkStuff glob@5.0.15
79119 silly linkStuff glob@5.0.15 has
C:\Users\run\Desktop\KOT\kad\node_modules\babel-cli\node_modules as its parent
node_modules
79120 verbose linkBins glob@5.0.15
79121 verbose linkMans glob@5.0.15
79122 silly build write@0.2.1
79123 info linkStuff write@0.2.1
79124 silly linkStuff write@0.2.1 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
79125 verbose linkBins write@0.2.1
79126 verbose linkMans write@0.2.1
79127 silly build flat-cache@1.2.1
79128 info linkStuff flat-cache@1.2.1
79129 silly linkStuff flat-cache@1.2.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79130 verbose linkBins flat-cache@1.2.1
79131 verbose linkMans flat-cache@1.2.1
79132 silly build file-entry-cache@1.3.1
79133 info linkStuff file-entry-cache@1.3.1
```

npm-debug.log

79134 silly linkStuff file-entry-cache@1.3.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
79135 verbose linkBins file-entry-cache@1.3.1  
79136 verbose linkMans file-entry-cache@1.3.1  
79137 silly build write-file-atomic@1.2.0  
79138 info linkStuff write-file-atomic@1.2.0  
79139 silly linkStuff write-file-atomic@1.2.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
79140 verbose linkBins write-file-atomic@1.2.0  
79141 verbose linkMans write-file-atomic@1.2.0  
79142 silly build xdg-basedir@2.0.0  
79143 info linkStuff xdg-basedir@2.0.0  
79144 silly linkStuff xdg-basedir@2.0.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
79145 verbose linkBins xdg-basedir@2.0.0  
79146 verbose linkMans xdg-basedir@2.0.0  
79147 silly build configstore@2.1.0  
79148 info linkStuff configstore@2.1.0  
79149 silly linkStuff configstore@2.1.0 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
79150 verbose linkBins configstore@2.1.0  
79151 verbose linkMans configstore@2.1.0  
79152 silly build xml-name-validator@2.0.1  
79153 info linkStuff xml-name-validator@2.0.1  
79154 silly linkStuff xml-name-validator@2.0.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
79155 verbose linkBins xml-name-validator@2.0.1  
79156 verbose linkMans xml-name-validator@2.0.1  
79157 silly build xregexp@3.1.1  
79158 info linkStuff xregexp@3.1.1  
79159 silly linkStuff xregexp@3.1.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
79160 verbose linkBins xregexp@3.1.1  
79161 verbose linkMans xregexp@3.1.1  
79162 silly build table@3.7.8  
79163 info linkStuff table@3.7.8  
79164 silly linkStuff table@3.7.8 has C:\Users\run\Desktop\KOT\kad\node\_modules  
as its parent node\_modules  
79165 verbose linkBins table@3.7.8  
79166 verbose linkMans table@3.7.8  
79167 silly build xtend@4.0.1  
79168 info linkStuff xtend@4.0.1  
79169 silly linkStuff xtend@4.0.1 has C:\Users\run\Desktop\KOT\kad\node\_modules  
as its parent node\_modules  
79170 verbose linkBins xtend@4.0.1  
79171 verbose linkMans xtend@4.0.1  
79172 silly build is-my-json-valid@2.13.1  
79173 info linkStuff is-my-json-valid@2.13.1  
79174 silly linkStuff is-my-json-valid@2.13.1 has  
C:\Users\run\Desktop\KOT\kad\node\_modules as its parent node\_modules  
79175 verbose linkBins is-my-json-valid@2.13.1  
79176 verbose linkMans is-my-json-valid@2.13.1

npm-debug.log

```
79177 silly build har-validator@2.0.6
79178 info linkStuff har-validator@2.0.6
79179 silly linkStuff har-validator@2.0.6 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79180 verbose linkBins har-validator@2.0.6
79181 verbose link bins [ { 'har-validator': 'bin/har-validator' },
79181 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
79181 verbose link bins false ]
79182 verbose linkMans har-validator@2.0.6
79183 silly build request@2.74.0
79184 info linkStuff request@2.74.0
79185 silly linkStuff request@2.74.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79186 verbose linkBins request@2.74.0
79187 verbose linkMans request@2.74.0
79188 silly build jsdom@8.5.0
79189 info linkStuff jsdom@8.5.0
79190 silly linkStuff jsdom@8.5.0 has C:\Users\run\Desktop\KOT\kad\node_modules
as its parent node_modules
79191 verbose linkBins jsdom@8.5.0
79192 verbose linkMans jsdom@8.5.0
79193 silly build jsdom@7.2.2
79194 info linkStuff jsdom@7.2.2
79195 silly linkStuff jsdom@7.2.2 has
C:\Users\run\Desktop\KOT\kad\node_modules\cheerio\node_modules as its parent
node_modules
79196 verbose linkBins jsdom@7.2.2
79197 verbose linkMans jsdom@7.2.2
79198 silly build cheerio@0.20.0
79199 info linkStuff cheerio@0.20.0
79200 silly linkStuff cheerio@0.20.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79201 verbose linkBins cheerio@0.20.0
79202 verbose linkMans cheerio@0.20.0
79203 silly build enzyme@2.4.1
79204 info linkStuff enzyme@2.4.1
79205 silly linkStuff enzyme@2.4.1 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79206 verbose linkBins enzyme@2.4.1
79207 verbose linkMans enzyme@2.4.1
79208 silly build babel-cli@6.14.0
79209 info linkStuff babel-cli@6.14.0
79210 silly linkStuff babel-cli@6.14.0 has
C:\Users\run\Desktop\KOT\kad\node_modules as its parent node_modules
79211 verbose linkBins babel-cli@6.14.0
79212 verbose link bins [ { 'babel-doctor': './bin/babel-doctor.js',
79212 verbose link bins babel: './bin/babel.js',
79212 verbose link bins 'babel-node': './bin/babel-node.js',
79212 verbose link bins 'babel-external-helpers':
'./bin/babel-external-helpers.js' },
79212 verbose link bins
```

npm-debug.log

```
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
79212 verbose link bins false ]
79213 verbose linkMans babel-cli@6.14.0
79214 silly build eslint@2.13.1
79215 info linkStuff eslint@2.13.1
79216 silly linkStuff eslint@2.13.1 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules as its parent node_modules
79217 verbose linkBins eslint@2.13.1
79218 verbose link bins [ { eslint: './bin/eslint.js' },
79218 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
79218 verbose link bins false ]
79219 verbose linkMans eslint@2.13.1
79220 silly build yargs@3.10.0
79221 info linkStuff yargs@3.10.0
79222 silly linkStuff yargs@3.10.0 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules as its parent node_modules
79223 verbose linkBins yargs@3.10.0
79224 verbose linkMans yargs@3.10.0
79225 silly build uglify-js@2.6.4
79226 info linkStuff uglify-js@2.6.4
79227 silly linkStuff uglify-js@2.6.4 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules as its parent node_modules
79228 verbose linkBins uglify-js@2.6.4
79229 verbose link bins [ { uglifyjs: 'bin/uglifyjs' },
79229 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
79229 verbose link bins false ]
79230 verbose linkMans uglify-js@2.6.4
79231 silly build webpack@1.13.2
79232 info linkStuff webpack@1.13.2
79233 silly linkStuff webpack@1.13.2 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules as its parent node_modules
79234 verbose linkBins webpack@1.13.2
79235 verbose link bins [ { webpack: './bin/webpack.js' },
79235 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
79235 verbose link bins false ]
79236 verbose linkMans webpack@1.13.2
79237 silly build @kadira/storybook@2.11.0
79238 info linkStuff @kadira/storybook@2.11.0
79239 silly linkStuff @kadira/storybook@2.11.0 has
C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules as its parent node_modules
79240 verbose linkBins @kadira/storybook@2.11.0
79241 verbose link bins [ { 'start-storybook': './dist/server/index.js',
79241 verbose link bins 'build-storybook': './dist/server/build.js',
79241 verbose link bins 'storybook-server': './dist/server/index.js' },
79241 verbose link bins
'C:\\Users\\run\\Desktop\\KOT\\kad\\node_modules\\.bin',
79241 verbose link bins false ]
79242 verbose linkMans @kadira/storybook@2.11.0
79243 silly doSerial global-link 0
```



npm-debug.log

```
79244 silly doParallel update-linked 0
79245 silly doSerial install 761
79246 silly install @kadira/react-split-pane@1.4.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\@kadira\react-split-pane-3c458ce3
79247 info lifecycle @kadira/react-split-pane@1.4.7~install:
@kadira/react-split-pane@1.4.7
79248 silly lifecycle @kadira/react-split-pane@1.4.7~install: no script for
install, continuing
79249 silly install @kadira/storybook-addon-links@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\@kadira\storybook-addon-link
s-750bf382
79250 info lifecycle @kadira/storybook-addon-links@1.0.1~install:
@kadira/storybook-addon-links@1.0.1
79251 silly lifecycle @kadira/storybook-addon-links@1.0.1~install: no script
for install, continuing
79252 silly install @kadira/storybook-addons@1.5.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\@kadira\storybook-addons-45f79af2
79253 info lifecycle @kadira/storybook-addons@1.5.0~install:
@kadira/storybook-addons@1.5.0
79254 silly lifecycle @kadira/storybook-addons@1.5.0~install: no script for
install, continuing
79255 silly install @kadira/storybook-channel@1.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\@kadira\storybook-channel-641a187e
79256 info lifecycle @kadira/storybook-channel@1.1.0~install:
@kadira/storybook-channel@1.1.0
79257 silly lifecycle @kadira/storybook-channel@1.1.0~install: no script for
install, continuing
79258 silly install abab@1.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\abab-35752491
79259 info lifecycle abab@1.0.3~install: abab@1.0.3
79260 silly lifecycle abab@1.0.3~install: no script for install, continuing
79261 silly install acorn@3.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\acorn-dc979db9
79262 info lifecycle acorn@3.3.0~install: acorn@3.3.0
79263 silly lifecycle acorn@3.3.0~install: no script for install, continuing
79264 silly install acorn@2.7.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\acorn-6d2119c0
79265 info lifecycle acorn@2.7.0~install: acorn@2.7.0
79266 silly lifecycle acorn@2.7.0~install: no script for install, continuing
79267 silly install acorn-globals@1.0.9
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\acorn-globals-afcd9d9f
79268 info lifecycle acorn-globals@1.0.9~install: acorn-globals@1.0.9
79269 silly lifecycle acorn-globals@1.0.9~install: no script for install,
continuing
79270 silly install acorn-jsx@3.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\acorn-jsx-996d6c4c
79271 info lifecycle acorn-jsx@3.0.1~install: acorn-jsx@3.0.1
79272 silly lifecycle acorn-jsx@3.0.1~install: no script for install,
continuing
```

npm-debug.log

```
79273 silly install alphanum-sort@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\alphanum-sort-c612505f
79274 info lifecycle alphanum-sort@1.0.2~install: alphanum-sort@1.0.2
79275 silly lifecycle alphanum-sort@1.0.2~install: no script for install,
continuing
79276 silly install amdefine@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\amdefine-5fb72388
79277 info lifecycle amdefine@1.0.0~install: amdefine@1.0.0
79278 silly lifecycle amdefine@1.0.0~install: no script for install, continuing
79279 silly install ansi-escapes@1.4.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ansi-escapes-3b2f665b
79280 info lifecycle ansi-escapes@1.4.0~install: ansi-escapes@1.4.0
79281 silly lifecycle ansi-escapes@1.4.0~install: no script for install,
continuing
79282 silly install ansi-html@0.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ansi-html-c74c7b66
79283 info lifecycle ansi-html@0.0.5~install: ansi-html@0.0.5
79284 silly lifecycle ansi-html@0.0.5~install: no script for install,
continuing
79285 silly install ansi-regex@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ansi-regex-56fbd314
79286 info lifecycle ansi-regex@2.0.0~install: ansi-regex@2.0.0
79287 silly lifecycle ansi-regex@2.0.0~install: no script for install,
continuing
79288 silly install ansi-styles@2.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ansi-styles-99e02d57
79289 info lifecycle ansi-styles@2.2.1~install: ansi-styles@2.2.1
79290 silly lifecycle ansi-styles@2.2.1~install: no script for install,
continuing
79291 silly install arr-flatten@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\arr-flatten-50378c55
79292 info lifecycle arr-flatten@1.0.1~install: arr-flatten@1.0.1
79293 silly lifecycle arr-flatten@1.0.1~install: no script for install,
continuing
79294 silly install arr-diff@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\arr-diff-2eb4dcef
79295 info lifecycle arr-diff@2.0.0~install: arr-diff@2.0.0
79296 silly lifecycle arr-diff@2.0.0~install: no script for install, continuing
79297 silly install array-equal@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\array-equal-deae0038
79298 info lifecycle array-equal@1.0.0~install: array-equal@1.0.0
79299 silly lifecycle array-equal@1.0.0~install: no script for install,
continuing
79300 silly install array-find-index@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\array-find-index-94ff5658
79301 info lifecycle array-find-index@1.0.1~install: array-find-index@1.0.1
79302 silly lifecycle array-find-index@1.0.1~install: no script for install,
continuing
79303 silly install array-flatten@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\array-flatten-7af95ca7
79304 info lifecycle array-flatten@1.1.1~install: array-flatten@1.1.1
79305 silly lifecycle array-flatten@1.1.1~install: no script for install,
```

npm-debug.log

```
continuing
79306 silly install array-uniq@1.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\array-uniq-ee215f50
79307 info lifecycle array-uniq@1.0.3~install: array-uniq@1.0.3
79308 silly lifecycle array-uniq@1.0.3~install: no script for install,
continuing
79309 silly install array-union@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\array-union-75cd31fb
79310 info lifecycle array-union@1.0.2~install: array-union@1.0.2
79311 silly lifecycle array-union@1.0.2~install: no script for install,
continuing
79312 silly install array-unique@0.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\array-unique-e81b6172
79313 info lifecycle array-unique@0.2.1~install: array-unique@0.2.1
79314 silly lifecycle array-unique@0.2.1~install: no script for install,
continuing
79315 silly install arrify@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\arrify-95e503ad
79316 info lifecycle arrify@1.0.1~install: arrify@1.0.1
79317 silly lifecycle arrify@1.0.1~install: no script for install, continuing
79318 silly install asap@2.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\asap-5d3f108c
79319 info lifecycle asap@2.0.4~install: asap@2.0.4
79320 silly lifecycle asap@2.0.4~install: no script for install, continuing
79321 silly install asn1@0.2.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\asn1-5b4366ea
79322 info lifecycle asn1@0.2.3~install: asn1@0.2.3
79323 silly lifecycle asn1@0.2.3~install: no script for install, continuing
79324 silly install assert-plus@0.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\assert-plus-e5aa9c35
79325 info lifecycle assert-plus@0.2.0~install: assert-plus@0.2.0
79326 silly lifecycle assert-plus@0.2.0~install: no script for install,
continuing
79327 silly install assertion-error@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\assertion-error-450e77c0
79328 info lifecycle assertion-error@1.0.2~install: assertion-error@1.0.2
79329 silly lifecycle assertion-error@1.0.2~install: no script for install,
continuing
79330 silly install async-each@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\async-each-20f720de
79331 info lifecycle async-each@1.0.1~install: async-each@1.0.1
79332 silly lifecycle async-each@1.0.1~install: no script for install,
continuing
79333 silly install aws-sign2@0.6.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\aws-sign2-9936d889
79334 info lifecycle aws-sign2@0.6.0~install: aws-sign2@0.6.0
79335 silly lifecycle aws-sign2@0.6.0~install: no script for install,
continuing
79336 silly install aws4@1.4.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\aws4-296321da
79337 info lifecycle aws4@1.4.1~install: aws4@1.4.1
79338 silly lifecycle aws4@1.4.1~install: no script for install, continuing
```

npm-debug.log

```
79339 silly install supports-color@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\supports-color-afba76b1
79340 info lifecycle supports-color@2.0.0~install: supports-color@2.0.0
79341 silly lifecycle supports-color@2.0.0~install: no script for install,
continuing
79342 silly install js-tokens@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\js-tokens-64d09219
79343 info lifecycle js-tokens@2.0.0~install: js-tokens@2.0.0
79344 silly lifecycle js-tokens@2.0.0~install: no script for install,
continuing
79345 silly install json5@0.4.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\json5-24c67dfd
79346 info lifecycle json5@0.4.0~install: json5@0.4.0
79347 silly lifecycle json5@0.4.0~install: no script for install, continuing
79348 silly install lodash.assign@4.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.assign-c1976114
79349 info lifecycle lodash.assign@4.2.0~install: lodash.assign@4.2.0
79350 silly lifecycle lodash.assign@4.2.0~install: no script for install,
continuing
79351 silly install babel-plugin-syntax-async-functions@6.13.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-syntax-async-fu
nctions-59ed4933
79352 info lifecycle babel-plugin-syntax-async-functions@6.13.0~install:
babel-plugin-syntax-async-functions@6.13.0
79353 silly lifecycle babel-plugin-syntax-async-functions@6.13.0~install: no
script for install, continuing
79354 silly install babel-plugin-syntax-class-properties@6.13.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-syntax-class-pr
operties-3be05a70
79355 info lifecycle babel-plugin-syntax-class-properties@6.13.0~install:
babel-plugin-syntax-class-properties@6.13.0
79356 silly lifecycle babel-plugin-syntax-class-properties@6.13.0~install: no
script for install, continuing
79357 silly install babel-plugin-syntax-decorators@6.13.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-syntax-decorato
rs-18a91686
79358 info lifecycle babel-plugin-syntax-decorators@6.13.0~install:
babel-plugin-syntax-decorators@6.13.0
79359 silly lifecycle babel-plugin-syntax-decorators@6.13.0~install: no script
for install, continuing
79360 silly install babel-plugin-syntax-exponentiation-operator@6.13.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-syntax-exponent
iation-operator-09a97a7a
79361 info lifecycle
babel-plugin-syntax-exponentiation-operator@6.13.0~install:
babel-plugin-syntax-exponentiation-operator@6.13.0
79362 silly lifecycle
babel-plugin-syntax-exponentiation-operator@6.13.0~install: no script for
install, continuing
79363 silly install babel-plugin-syntax-flow@6.13.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-syntax-flow-e63
77cd6
```

npm-debug.log

```
79364 info lifecycle babel-plugin-syntax-flow@6.13.0~install:
babel-plugin-syntax-flow@6.13.0
79365 silly lifecycle babel-plugin-syntax-flow@6.13.0~install: no script for
install, continuing
79366 silly install babel-plugin-syntax-jsx@6.13.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-syntax-jsx-4ede
9c54
79367 info lifecycle babel-plugin-syntax-jsx@6.13.0~install:
babel-plugin-syntax-jsx@6.13.0
79368 silly lifecycle babel-plugin-syntax-jsx@6.13.0~install: no script for
install, continuing
79369 silly install babel-plugin-syntax-object-rest-spread@6.13.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-syntax-object-r
est-spread-ec138ea6
79370 info lifecycle babel-plugin-syntax-object-rest-spread@6.13.0~install:
babel-plugin-syntax-object-rest-spread@6.13.0
79371 silly lifecycle babel-plugin-syntax-object-rest-spread@6.13.0~install: no
script for install, continuing
79372 silly install babel-plugin-syntax-trailing-function-commas@6.13.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-syntax-trailing
-function-commas-8a8dfb11
79373 info lifecycle
babel-plugin-syntax-trailing-function-commas@6.13.0~install:
babel-plugin-syntax-trailing-function-commas@6.13.0
79374 silly lifecycle
babel-plugin-syntax-trailing-function-commas@6.13.0~install: no script for
install, continuing
79375 silly install balanced-match@0.4.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\balanced-match-9892ea71
79376 info lifecycle balanced-match@0.4.2~install: balanced-match@0.4.2
79377 silly lifecycle balanced-match@0.4.2~install: no script for install,
continuing
79378 silly install Base64@0.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\Base64-96bfc899
79379 info lifecycle Base64@0.2.1~install: Base64@0.2.1
79380 silly lifecycle Base64@0.2.1~install: no script for install, continuing
79381 silly install base64-js@1.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\base64-js-aa4463ef
79382 info lifecycle base64-js@1.1.2~install: base64-js@1.1.2
79383 silly lifecycle base64-js@1.1.2~install: no script for install,
continuing
79384 silly install tweetnacl@0.14.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\tweetnacl-fdf2a70e
79385 info lifecycle tweetnacl@0.14.3~install: tweetnacl@0.14.3
79386 silly lifecycle tweetnacl@0.14.3~install: no script for install,
continuing
79387 silly install bcrypt-pbkdf@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\bcrypt-pbkdf-4bd298a0
79388 info lifecycle bcrypt-pbkdf@1.0.0~install: bcrypt-pbkdf@1.0.0
79389 silly lifecycle bcrypt-pbkdf@1.0.0~install: no script for install,
continuing
79390 silly install big.js@3.1.3
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\big.js-56a0d196
79391 info lifecycle big.js@3.1.3~install: big.js@3.1.3
79392 silly lifecycle big.js@3.1.3~install: no script for install, continuing
79393 silly install binary-extensions@1.6.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\binary-extensions-ff3afad5
79394 info lifecycle binary-extensions@1.6.0~install: binary-extensions@1.6.0
79395 silly lifecycle binary-extensions@1.6.0~install: no script for install,
continuing
79396 silly install bluebird@3.4.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\bluebird-277a6c7f
79397 info lifecycle bluebird@3.4.6~install: bluebird@3.4.6
79398 silly lifecycle bluebird@3.4.6~install: no script for install, continuing
79399 silly install qs@6.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\qs-5e0d7934
79400 info lifecycle qs@6.2.0~install: qs@6.2.0
79401 silly lifecycle qs@6.2.0~install: no script for install, continuing
79402 silly install boolbase@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\boolbase-d03d60c9
79403 info lifecycle boolbase@1.0.0~install: boolbase@1.0.0
79404 silly lifecycle boolbase@1.0.0~install: no script for install, continuing
79405 silly install builtin-modules@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\builtin-modules-e642b8f9
79406 info lifecycle builtin-modules@1.1.1~install: builtin-modules@1.1.1
79407 silly lifecycle builtin-modules@1.1.1~install: no script for install,
continuing
79408 silly install bytes@2.4.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\bytes-7f3af545
79409 info lifecycle bytes@2.4.0~install: bytes@2.4.0
79410 silly lifecycle bytes@2.4.0~install: no script for install, continuing
79411 silly install callsites@0.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\callsites-85734b32
79412 info lifecycle callsites@0.2.0~install: callsites@0.2.0
79413 silly lifecycle callsites@0.2.0~install: no script for install,
continuing
79414 silly install caller-path@0.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\caller-path-116a00eb
79415 info lifecycle caller-path@0.1.0~install: caller-path@0.1.0
79416 silly lifecycle caller-path@0.1.0~install: no script for install,
continuing
79417 silly install camelcase@1.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\camelcase-2600c37e
79418 info lifecycle camelcase@1.2.1~install: camelcase@1.2.1
79419 silly lifecycle camelcase@1.2.1~install: no script for install,
continuing
79420 silly install camelcase@2.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\camelcase-a419b48a
79421 info lifecycle camelcase@2.1.1~install: camelcase@2.1.1
79422 silly lifecycle camelcase@2.1.1~install: no script for install,
continuing
79423 silly install caniuse-db@1.0.30000528
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\caniuse-db-341fa03f
79424 info lifecycle caniuse-db@1.0.30000528~install: caniuse-db@1.0.30000528
```

npm-debug.log

79425 silly lifecycle caniuse-db@1.0.30000528~install: no script for install, continuing  
79426 silly install browserslist@1.3.6  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\browserslist-114400d3  
79427 info lifecycle browserslist@1.3.6~install: browserslist@1.3.6  
79428 silly lifecycle browserslist@1.3.6~install: no script for install, continuing  
79429 silly install case-sensitive-paths-webpack-plugin@1.1.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\case-sensitive-paths-webpack-plugin-17b6be9c  
79430 info lifecycle case-sensitive-paths-webpack-plugin@1.1.4~install: case-sensitive-paths-webpack-plugin@1.1.4  
79431 silly lifecycle case-sensitive-paths-webpack-plugin@1.1.4~install: no script for install, continuing  
79432 silly install caseless@0.11.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\caseless-4e880ff9  
79433 info lifecycle caseless@0.11.0~install: caseless@0.11.0  
79434 silly lifecycle caseless@0.11.0~install: no script for install, continuing  
79435 silly install supports-color@2.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\supports-color-d9ccfa0f  
79436 info lifecycle supports-color@2.0.0~install: supports-color@2.0.0  
79437 silly lifecycle supports-color@2.0.0~install: no script for install, continuing  
79438 silly install acorn@2.7.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\acorn-dfcb524a  
79439 info lifecycle acorn@2.7.0~install: acorn@2.7.0  
79440 silly lifecycle acorn@2.7.0~install: no script for install, continuing  
79441 silly install circular-json@0.3.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\circular-json-126d1a49  
79442 info lifecycle circular-json@0.3.1~install: circular-json@0.3.1  
79443 silly lifecycle circular-json@0.3.1~install: no script for install, continuing  
79444 silly install classnames@2.2.5  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\classnames-9547a0d1  
79445 info lifecycle classnames@2.2.5~install: classnames@2.2.5  
79446 silly lifecycle classnames@2.2.5~install: no script for install, continuing  
79447 silly install cli-width@2.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\cli-width-a367009d  
79448 info lifecycle cli-width@2.1.0~install: cli-width@2.1.0  
79449 silly lifecycle cli-width@2.1.0~install: no script for install, continuing  
79450 silly install wordwrap@0.0.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\wordwrap-b5061f7b  
79451 info lifecycle wordwrap@0.0.2~install: wordwrap@0.0.2  
79452 silly lifecycle wordwrap@0.0.2~install: no script for install, continuing  
79453 silly install clone@1.0.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\clone-3347805d  
79454 info lifecycle clone@1.0.2~install: clone@1.0.2  
79455 silly lifecycle clone@1.0.2~install: no script for install, continuing  
79456 silly install color-convert@1.5.0

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\color-convert-59a19533
79457 info lifecycle color-convert@1.5.0~install: color-convert@1.5.0
79458 silly lifecycle color-convert@1.5.0~install: no script for install,
continuing
79459 silly install color-name@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\color-name-10c2a6a5
79460 info lifecycle color-name@1.1.1~install: color-name@1.1.1
79461 silly lifecycle color-name@1.1.1~install: no script for install,
continuing
79462 silly install color-string@0.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\color-string-d69b065e
79463 info lifecycle color-string@0.3.0~install: color-string@0.3.0
79464 silly lifecycle color-string@0.3.0~install: no script for install,
continuing
79465 silly install color@0.11.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\color-23a9a1a0
79466 info lifecycle color@0.11.3~install: color@0.11.3
79467 silly lifecycle color@0.11.3~install: no script for install, continuing
79468 silly install colors@1.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\colors-6c99c00b
79469 info lifecycle colors@1.1.2~install: colors@1.1.2
79470 silly lifecycle colors@1.1.2~install: no script for install, continuing
79471 silly install concat-map@0.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\concat-map-a40ba0f6
79472 info lifecycle concat-map@0.0.1~install: concat-map@0.0.1
79473 silly lifecycle concat-map@0.0.1~install: no script for install,
continuing
79474 silly install brace-expansion@1.1.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\brace-expansion-db41b438
79475 info lifecycle brace-expansion@1.1.6~install: brace-expansion@1.1.6
79476 silly lifecycle brace-expansion@1.1.6~install: no script for install,
continuing
79477 silly install constants-browserify@0.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\constants-browserify-3c41716
1
79478 info lifecycle constants-browserify@0.0.1~install:
constants-browserify@0.0.1
79479 silly lifecycle constants-browserify@0.0.1~install: no script for
install, continuing
79480 silly install content-disposition@0.5.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\content-disposition-8986a3ae
79481 info lifecycle content-disposition@0.5.1~install:
content-disposition@0.5.1
79482 silly lifecycle content-disposition@0.5.1~install: no script for install,
continuing
79483 silly install content-type@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\content-type-4d9eb510
79484 info lifecycle content-type@1.0.2~install: content-type@1.0.2
79485 silly lifecycle content-type@1.0.2~install: no script for install,
continuing
79486 silly install convert-source-map@1.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\convert-source-map-79010bc5
```



npm-debug.log

```
79487 info lifecycle convert-source-map@1.3.0~install: convert-source-map@1.3.0
79488 silly lifecycle convert-source-map@1.3.0~install: no script for install,
continuing
79489 silly install cookie@0.3.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\cookie-adbdbda
79490 info lifecycle cookie@0.3.1~install: cookie@0.3.1
79491 silly lifecycle cookie@0.3.1~install: no script for install, continuing
79492 silly install cookie-signature@1.0.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\cookie-signature-f6ec9a90
79493 info lifecycle cookie-signature@1.0.6~install: cookie-signature@1.0.6
79494 silly lifecycle cookie-signature@1.0.6~install: no script for install,
continuing
79495 silly install core-js@2.4.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\core-js-6c7e7a0a
79496 info lifecycle core-js@2.4.1~install: core-js@2.4.1
79497 silly lifecycle core-js@2.4.1~install: no script for install, continuing
79498 silly install core-util-is@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\core-util-is-2595d07a
79499 info lifecycle core-util-is@1.0.2~install: core-util-is@1.0.2
79500 silly lifecycle core-util-is@1.0.2~install: no script for install,
continuing
79501 silly install css-color-names@0.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\css-color-names-149c86c0
79502 info lifecycle css-color-names@0.0.4~install: css-color-names@0.0.4
79503 silly lifecycle css-color-names@0.0.4~install: no script for install,
continuing
79504 silly install css-what@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\css-what-7559a4a7
79505 info lifecycle css-what@2.1.0~install: css-what@2.1.0
79506 silly lifecycle css-what@2.1.0~install: no script for install, continuing
79507 silly install cssesc@0.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\cssesc-9d91a0d4
79508 info lifecycle cssesc@0.1.0~install: cssesc@0.1.0
79509 silly lifecycle cssesc@0.1.0~install: no script for install, continuing
79510 silly install cssom@0.3.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\cssom-d7e101cb
79511 info lifecycle cssom@0.3.1~install: cssom@0.3.1
79512 silly lifecycle cssom@0.3.1~install: no script for install, continuing
79513 silly install cssstyle@0.2.37
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\cssstyle-3d9cd6c2
79514 info lifecycle cssstyle@0.2.37~install: cssstyle@0.2.37
79515 silly lifecycle cssstyle@0.2.37~install: no script for install,
continuing
79516 silly install currently-unhandled@0.4.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\currently-unhandled-35e90ae0
79517 info lifecycle currently-unhandled@0.4.1~install:
currently-unhandled@0.4.1
79518 silly lifecycle currently-unhandled@0.4.1~install: no script for install,
continuing
79519 silly install assert-plus@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\assert-plus-c03295a8
79520 info lifecycle assert-plus@1.0.0~install: assert-plus@1.0.0
```

npm-debug.log

79521 silly lifecycle assert-plus@1.0.0~install: no script for install, continuing  
79522 silly install dashdash@1.14.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\dashdash-905aa960  
79523 info lifecycle dashdash@1.14.0~install: dashdash@1.14.0  
79524 silly lifecycle dashdash@1.14.0~install: no script for install, continuing  
79525 silly install date-now@0.1.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\date-now-7fa38bf9  
79526 info lifecycle date-now@0.1.4~install: date-now@0.1.4  
79527 silly lifecycle date-now@0.1.4~install: no script for install, continuing  
79528 silly install console-browserify@1.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\console-browserify-bea9bb4c  
79529 info lifecycle console-browserify@1.1.0~install: console-browserify@1.1.0  
79530 silly lifecycle console-browserify@1.1.0~install: no script for install, continuing  
79531 silly install decamelize@1.2.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\decamelize-b7d9d528  
79532 info lifecycle decamelize@1.2.0~install: decamelize@1.2.0  
79533 silly lifecycle decamelize@1.2.0~install: no script for install, continuing  
79534 silly install type-detect@0.1.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\type-detect-c71e8924  
79535 info lifecycle type-detect@0.1.1~install: type-detect@0.1.1  
79536 silly lifecycle type-detect@0.1.1~install: no script for install, continuing  
79537 silly install deep-eql@0.1.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\deep-eql-26c1bf9c  
79538 info lifecycle deep-eql@0.1.3~install: deep-eql@0.1.3  
79539 silly lifecycle deep-eql@0.1.3~install: no script for install, continuing  
79540 silly install deep-equal@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\deep-equal-062be045  
79541 info lifecycle deep-equal@1.0.1~install: deep-equal@1.0.1  
79542 silly lifecycle deep-equal@1.0.1~install: no script for install, continuing  
79543 silly install deep-is@0.1.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\deep-is-8e7ff353  
79544 info lifecycle deep-is@0.1.3~install: deep-is@0.1.3  
79545 silly lifecycle deep-is@0.1.3~install: no script for install, continuing  
79546 silly install defined@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\defined-cbad2397  
79547 info lifecycle defined@1.0.0~install: defined@1.0.0  
79548 silly lifecycle defined@1.0.0~install: no script for install, continuing  
79549 silly install delayed-stream@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\delayed-stream-5e948ac0  
79550 info lifecycle delayed-stream@1.0.0~install: delayed-stream@1.0.0  
79551 silly lifecycle delayed-stream@1.0.0~install: no script for install, continuing  
79552 silly install combined-stream@1.0.5  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\combined-stream-80798cc9  
79553 info lifecycle combined-stream@1.0.5~install: combined-stream@1.0.5  
79554 silly lifecycle combined-stream@1.0.5~install: no script for install,

npm-debug.log

```
continuing
79555 silly install depd@1.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\depd-7835325b
79556 info lifecycle depd@1.1.0~install: depd@1.1.0
79557 silly lifecycle depd@1.1.0~install: no script for install, continuing
79558 silly install destroy@1.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\destroy-d090e478
79559 info lifecycle destroy@1.0.4~install: destroy@1.0.4
79560 silly lifecycle destroy@1.0.4~install: no script for install, continuing
79561 silly install diff@1.4.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\diff-a289dd7c
79562 info lifecycle diff@1.4.0~install: diff@1.4.0
79563 silly lifecycle diff@1.4.0~install: no script for install, continuing
79564 silly install domelementtype@1.1.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\domelementtype-a832e460
79565 info lifecycle domelementtype@1.1.3~install: domelementtype@1.1.3
79566 silly lifecycle domelementtype@1.1.3~install: no script for install,
continuing
79567 silly install domain-browser@1.1.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\domain-browser-c66d9af6
79568 info lifecycle domain-browser@1.1.7~install: domain-browser@1.1.7
79569 silly lifecycle domain-browser@1.1.7~install: no script for install,
continuing
79570 silly install domelementtype@1.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\domelementtype-b4e2ee34
79571 info lifecycle domelementtype@1.3.0~install: domelementtype@1.3.0
79572 silly lifecycle domelementtype@1.3.0~install: no script for install,
continuing
79573 silly install domhandler@2.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\domhandler-99e950d8
79574 info lifecycle domhandler@2.3.0~install: domhandler@2.3.0
79575 silly lifecycle domhandler@2.3.0~install: no script for install,
continuing
79576 silly install ee-first@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ee-first-794f671d
79577 info lifecycle ee-first@1.1.1~install: ee-first@1.1.1
79578 silly lifecycle ee-first@1.1.1~install: no script for install, continuing
79579 silly install element-class@0.2.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\element-class-af076349
79580 info lifecycle element-class@0.2.2~install: element-class@0.2.2
79581 silly lifecycle element-class@0.2.2~install: no script for install,
continuing
79582 silly install emojis-list@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\emojis-list-fcc5c764
79583 info lifecycle emojis-list@2.0.1~install: emojis-list@2.0.1
79584 silly lifecycle emojis-list@2.0.1~install: no script for install,
continuing
79585 silly install encodeurl@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\encodeurl-70f72939
79586 info lifecycle encodeurl@1.0.1~install: encodeurl@1.0.1
79587 silly lifecycle encodeurl@1.0.1~install: no script for install,
continuing
```

npm-debug.log

```
79588 silly install memory-fs@0.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\memory-fs-10518c6a
79589 info lifecycle memory-fs@0.2.0~install: memory-fs@0.2.0
79590 silly lifecycle memory-fs@0.2.0~install: no script for install,
continuing
79591 silly install entities@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\entities-1c158bb7
79592 info lifecycle entities@1.1.1~install: entities@1.1.1
79593 silly lifecycle entities@1.1.1~install: no script for install, continuing
79594 silly install dom-serializer@0.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\dom-serializer-bb9bb69b
79595 info lifecycle dom-serializer@0.1.0~install: dom-serializer@0.1.0
79596 silly lifecycle dom-serializer@0.1.0~install: no script for install,
continuing
79597 silly install domutils@1.5.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\domutils-fe7b01b3
79598 info lifecycle domutils@1.5.1~install: domutils@1.5.1
79599 silly lifecycle domutils@1.5.1~install: no script for install, continuing
79600 silly install es5-shim@4.5.9
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\es5-shim-7bef6019
79601 info lifecycle es5-shim@4.5.9~install: es5-shim@4.5.9
79602 silly lifecycle es5-shim@4.5.9~install: no script for install, continuing
79603 silly install es6-shim@0.35.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\es6-shim-fa6022c8
79604 info lifecycle es6-shim@0.35.1~install: es6-shim@0.35.1
79605 silly lifecycle es6-shim@0.35.1~install: no script for install,
continuing
79606 silly install es6-symbol@3.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\es6-symbol-244d469f
79607 info lifecycle es6-symbol@3.1.0~install: es6-symbol@3.1.0
79608 silly lifecycle es6-symbol@3.1.0~install: no script for install,
continuing
79609 silly install es5-ext@0.10.12
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\es5-ext-7c66ed49
79610 info lifecycle es5-ext@0.10.12~install: es5-ext@0.10.12
79611 silly lifecycle es5-ext@0.10.12~install: no script for install,
continuing
79612 silly install d@0.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\d-6eee61cd
79613 info lifecycle d@0.1.1~install: d@0.1.1
79614 silly lifecycle d@0.1.1~install: no script for install, continuing
79615 silly install es6-iterator@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\es6-iterator-ce6a09a1
79616 info lifecycle es6-iterator@2.0.0~install: es6-iterator@2.0.0
79617 silly lifecycle es6-iterator@2.0.0~install: no script for install,
continuing
79618 silly install es6-weak-map@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\es6-weak-map-c5f34702
79619 info lifecycle es6-weak-map@2.0.1~install: es6-weak-map@2.0.1
79620 silly lifecycle es6-weak-map@2.0.1~install: no script for install,
continuing
79621 silly install escape-html@1.0.3
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\escape-html-383a42d1
79622 info lifecycle escape-html@1.0.3~install: escape-html@1.0.3
79623 silly lifecycle escape-html@1.0.3~install: no script for install,
continuing
79624 silly install escape-string-regexp@1.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\escape-string-regexp-564c2b3
5
79625 info lifecycle escape-string-regexp@1.0.5~install:
escape-string-regexp@1.0.5
79626 silly lifecycle escape-string-regexp@1.0.5~install: no script for
install, continuing
79627 silly install source-map@0.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\source-map-1bc5f7bf
79628 info lifecycle source-map@0.2.0~install: source-map@0.2.0
79629 silly lifecycle source-map@0.2.0~install: no script for install,
continuing
79630 silly install estraverse@4.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\estraverse-c52efc01
79631 info lifecycle estraverse@4.2.0~install: estraverse@4.2.0
79632 silly lifecycle estraverse@4.2.0~install: no script for install,
continuing
79633 silly install eslint-config-airbnb@7.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\eslint-config-airbnb-3acf591
4
79634 info lifecycle eslint-config-airbnb@7.0.0~install:
eslint-config-airbnb@7.0.0
79635 silly lifecycle eslint-config-airbnb@7.0.0~install: no script for
install, continuing
79636 silly install eslint-plugin-babel@3.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\eslint-plugin-babel-1d53dae2
79637 info lifecycle eslint-plugin-babel@3.3.0~install:
eslint-plugin-babel@3.3.0
79638 silly lifecycle eslint-plugin-babel@3.3.0~install: no script for install,
continuing
79639 silly install eslint-plugin-jsx-a11y@0.6.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\eslint-plugin-jsx-a11y-d1e14
df1
79640 info lifecycle eslint-plugin-jsx-a11y@0.6.2~install:
eslint-plugin-jsx-a11y@0.6.2
79641 silly lifecycle eslint-plugin-jsx-a11y@0.6.2~install: no script for
install, continuing
79642 silly install eslint-plugin-react@4.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\eslint-plugin-react-e4f64185
79643 info lifecycle eslint-plugin-react@4.3.0~install:
eslint-plugin-react@4.3.0
79644 silly lifecycle eslint-plugin-react@4.3.0~install: no script for install,
continuing
79645 silly install estraverse@4.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\estraverse-4b17120e
79646 info lifecycle estraverse@4.2.0~install: estraverse@4.2.0
79647 silly lifecycle estraverse@4.2.0~install: no script for install,
continuing
```

npm-debug.log

```
79648 silly install globals@9.9.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\globals-1583001b
79649 info lifecycle globals@9.9.0~install: globals@9.9.0
79650 silly lifecycle globals@9.9.0~install: no script for install, continuing
79651 silly install shelljs@0.6.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\shelljs-9150f17e
79652 info lifecycle shelljs@0.6.1~install: shelljs@0.6.1
79653 silly lifecycle shelljs@0.6.1~install: no script for install, continuing
79654 silly install espree@3.1.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\espree-4c2a7e62
79655 info lifecycle espree@3.1.7~install: espree@3.1.7
79656 silly lifecycle espree@3.1.7~install: no script for install, continuing
79657 silly install esprima@2.7.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\esprima-83ab43f6
79658 info lifecycle esprima@2.7.3~install: esprima@2.7.3
79659 silly lifecycle esprima@2.7.3~install: no script for install, continuing
79660 silly install estraverse@4.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\estraverse-0cfafdb6
79661 info lifecycle estraverse@4.1.1~install: estraverse@4.1.1
79662 silly lifecycle estraverse@4.1.1~install: no script for install,
continuing
79663 silly install estraverse@1.9.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\estraverse-042b4ebb
79664 info lifecycle estraverse@1.9.3~install: estraverse@1.9.3
79665 silly lifecycle estraverse@1.9.3~install: no script for install,
continuing
79666 silly install esutils@2.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\esutils-8544be4d
79667 info lifecycle esutils@2.0.2~install: esutils@2.0.2
79668 silly lifecycle esutils@2.0.2~install: no script for install, continuing
79669 silly install etag@1.7.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\etag-dad2d60b
79670 info lifecycle etag@1.7.0~install: etag@1.7.0
79671 silly lifecycle etag@1.7.0~install: no script for install, continuing
79672 silly install event-emitter@0.3.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\event-emitter-6266090e
79673 info lifecycle event-emitter@0.3.4~install: event-emitter@0.3.4
79674 silly lifecycle event-emitter@0.3.4~install: no script for install,
continuing
79675 silly install es6-set@0.1.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\es6-set-aff32e4d
79676 info lifecycle es6-set@0.1.4~install: es6-set@0.1.4
79677 silly lifecycle es6-set@0.1.4~install: no script for install, continuing
79678 silly install es6-map@0.1.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\es6-map-cdfbf9a4
79679 info lifecycle es6-map@0.1.4~install: es6-map@0.1.4
79680 silly lifecycle es6-map@0.1.4~install: no script for install, continuing
79681 silly install events@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\events-308b94ae
79682 info lifecycle events@1.1.1~install: events@1.1.1
79683 silly lifecycle events@1.1.1~install: no script for install, continuing
79684 silly install exenv@1.2.0
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\exenv-368fc209
79685 info lifecycle exenv@1.2.0~install: exenv@1.2.0
79686 silly lifecycle exenv@1.2.0~install: no script for install, continuing
79687 silly install exit-hook@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\exit-hook-7295cce7
79688 info lifecycle exit-hook@1.1.1~install: exit-hook@1.1.1
79689 silly lifecycle exit-hook@1.1.1~install: no script for install,
continuing
79690 silly install qs@6.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\qs-bd8f2c38
79691 info lifecycle qs@6.2.0~install: qs@6.2.0
79692 silly lifecycle qs@6.2.0~install: no script for install, continuing
79693 silly install extend@3.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\extend-73283b3a
79694 info lifecycle extend@3.0.0~install: extend@3.0.0
79695 silly lifecycle extend@3.0.0~install: no script for install, continuing
79696 silly install extsprintf@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\extsprintf-44db48f7
79697 info lifecycle extsprintf@1.0.2~install: extsprintf@1.0.2
79698 silly lifecycle extsprintf@1.0.2~install: no script for install,
continuing
79699 silly install fast-levenshtein@1.1.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\fast-levenshtein-d210dbea
79700 info lifecycle fast-levenshtein@1.1.4~install: fast-levenshtein@1.1.4
79701 silly lifecycle fast-levenshtein@1.1.4~install: no script for install,
continuing
79702 silly install fastparse@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\fastparse-5537154b
79703 info lifecycle fastparse@1.1.1~install: fastparse@1.1.1
79704 silly lifecycle fastparse@1.1.1~install: no script for install,
continuing
79705 silly install core-js@1.2.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\core-js-d442c8fe
79706 info lifecycle core-js@1.2.7~install: core-js@1.2.7
79707 silly lifecycle core-js@1.2.7~install: no script for install, continuing
79708 silly install filename-regexp@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\filename-regexp-a3a8fa13
79709 info lifecycle filename-regexp@2.0.0~install: filename-regexp@2.0.0
79710 silly lifecycle filename-regexp@2.0.0~install: no script for install,
continuing
79711 silly install flatten@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\flatten-8d3ee796
79712 info lifecycle flatten@1.0.2~install: flatten@1.0.2
79713 silly lifecycle flatten@1.0.2~install: no script for install, continuing
79714 silly install for-in@0.1.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\for-in-f82facf3
79715 info lifecycle for-in@0.1.5~install: for-in@0.1.5
79716 silly lifecycle for-in@0.1.5~install: no script for install, continuing
79717 silly install for-own@0.1.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\for-own-16857a0e
79718 info lifecycle for-own@0.1.4~install: for-own@0.1.4
79719 silly lifecycle for-own@0.1.4~install: no script for install, continuing
```

npm-debug.log

```
79720 silly install foreach@2.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\foreach-2f12313a
79721 info lifecycle foreach@2.0.5~install: foreach@2.0.5
79722 silly lifecycle foreach@2.0.5~install: no script for install, continuing
79723 silly install forever-agent@0.6.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\forever-agent-e9b824d0
79724 info lifecycle forever-agent@0.6.1~install: forever-agent@0.6.1
79725 silly lifecycle forever-agent@0.6.1~install: no script for install,
continuing
79726 silly install forwarded@0.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\forwarded-c8acdd74
79727 info lifecycle forwarded@0.1.0~install: forwarded@0.1.0
79728 silly lifecycle forwarded@0.1.0~install: no script for install,
continuing
79729 silly install fresh@0.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\fresh-566a3610
79730 info lifecycle fresh@0.3.0~install: fresh@0.3.0
79731 silly lifecycle fresh@0.3.0~install: no script for install, continuing
79732 silly install fs-readdir-recursive@0.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\fs-readdir-recursive-86aa500
e
79733 info lifecycle fs-readdir-recursive@0.1.2~install:
fs-readdir-recursive@0.1.2
79734 silly lifecycle fs-readdir-recursive@0.1.2~install: no script for
install, continuing
79735 silly install fs.realpath@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\fs.realpath-9de28f19
79736 info lifecycle fs.realpath@1.0.0~install: fs.realpath@1.0.0
79737 silly lifecycle fs.realpath@1.0.0~install: no script for install,
continuing
79738 silly install function-bind@1.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\function-bind-c05a8b86
79739 info lifecycle function-bind@1.1.0~install: function-bind@1.1.0
79740 silly lifecycle function-bind@1.1.0~install: no script for install,
continuing
79741 silly install fuse.js@2.5.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\fuse.js-669dd915
79742 info lifecycle fuse.js@2.5.0~install: fuse.js@2.5.0
79743 silly lifecycle fuse.js@2.5.0~install: no script for install, continuing
79744 silly install fuzzysearch@1.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\fuzzysearch-9404c800
79745 info lifecycle fuzzysearch@1.0.3~install: fuzzysearch@1.0.3
79746 silly lifecycle fuzzysearch@1.0.3~install: no script for install,
continuing
79747 silly install generate-function@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\generate-function-9ad356db
79748 info lifecycle generate-function@2.0.0~install: generate-function@2.0.0
79749 silly lifecycle generate-function@2.0.0~install: no script for install,
continuing
79750 silly install get-stdin@4.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\get-stdin-56dfa090
79751 info lifecycle get-stdin@4.0.1~install: get-stdin@4.0.1
```



npm-debug.log

79752 silly lifecycle get-stdin@4.0.1~install: no script for install, continuing  
79753 silly install assert-plus@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\assert-plus-e09bc158  
79754 info lifecycle assert-plus@1.0.0~install: assert-plus@1.0.0  
79755 silly lifecycle assert-plus@1.0.0~install: no script for install, continuing  
79756 silly install getpass@0.1.6  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\getpass-6a04fe82  
79757 info lifecycle getpass@0.1.6~install: getpass@0.1.6  
79758 silly lifecycle getpass@0.1.6~install: no script for install, continuing  
79759 silly install globals@8.18.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\globals-98ac6219  
79760 info lifecycle globals@8.18.0~install: globals@8.18.0  
79761 silly lifecycle globals@8.18.0~install: no script for install, continuing  
79762 silly install graceful-fs@4.1.6  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\graceful-fs-0e2d8a8f  
79763 info lifecycle graceful-fs@4.1.6~install: graceful-fs@4.1.6  
79764 silly lifecycle graceful-fs@4.1.6~install: no script for install, continuing  
79765 silly install graceful-readlink@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\graceful-readlink-0bce9a4a  
79766 info lifecycle graceful-readlink@1.0.1~install: graceful-readlink@1.0.1  
79767 silly lifecycle graceful-readlink@1.0.1~install: no script for install, continuing  
79768 silly install commander@2.9.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\commander-242164e2  
79769 info lifecycle commander@2.9.0~install: commander@2.9.0  
79770 silly lifecycle commander@2.9.0~install: no script for install, continuing  
79771 silly install growl@1.9.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\growl-c1eb1876  
79772 info lifecycle growl@1.9.2~install: growl@1.9.2  
79773 silly lifecycle growl@1.9.2~install: no script for install, continuing  
79774 silly install has@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\has-b9fc402f  
79775 info lifecycle has@1.0.1~install: has@1.0.1  
79776 silly lifecycle has@1.0.1~install: no script for install, continuing  
79777 silly install colormin@1.1.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\colormin-028bd878  
79778 info lifecycle colormin@1.1.2~install: colormin@1.1.2  
79779 silly lifecycle colormin@1.1.2~install: no script for install, continuing  
79780 silly install has-ansi@2.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\has-ansi-eeb5ea48  
79781 info lifecycle has-ansi@2.0.0~install: has-ansi@2.0.0  
79782 silly lifecycle has-ansi@2.0.0~install: no script for install, continuing  
79783 silly install has-flag@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\has-flag-aa6b8d73  
79784 info lifecycle has-flag@1.0.0~install: has-flag@1.0.0  
79785 silly lifecycle has-flag@1.0.0~install: no script for install, continuing  
79786 silly install hoek@2.16.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\hoek-a2a1f475

npm-debug.log

```
79787 info lifecycle hoek@2.16.3~install: hoek@2.16.3
79788 silly lifecycle hoek@2.16.3~install: no script for install, continuing
79789 silly install boom@2.10.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\boom-71258067
79790 info lifecycle boom@2.10.1~install: boom@2.10.1
79791 silly lifecycle boom@2.10.1~install: no script for install, continuing
79792 silly install cryptiles@2.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\cryptiles-f89e1330
79793 info lifecycle cryptiles@2.0.5~install: cryptiles@2.0.5
79794 silly lifecycle cryptiles@2.0.5~install: no script for install,
continuing
79795 silly install hoist-non-react-statics@1.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\hoist-non-react-statics-082b
25ca
79796 info lifecycle hoist-non-react-statics@1.2.0~install:
hoist-non-react-statics@1.2.0
79797 silly lifecycle hoist-non-react-statics@1.2.0~install: no script for
install, continuing
79798 silly install hosted-git-info@2.1.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\hosted-git-info-09b86342
79799 info lifecycle hosted-git-info@2.1.5~install: hosted-git-info@2.1.5
79800 silly lifecycle hosted-git-info@2.1.5~install: no script for install,
continuing
79801 silly install html-comment-regex@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\html-comment-regex-1a3aec4b
79802 info lifecycle html-comment-regex@1.1.1~install: html-comment-regex@1.1.1
79803 silly lifecycle html-comment-regex@1.1.1~install: no script for install,
continuing
79804 silly install html-entities@1.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\html-entities-68550b8b
79805 info lifecycle html-entities@1.2.0~install: html-entities@1.2.0
79806 silly lifecycle html-entities@1.2.0~install: no script for install,
continuing
79807 silly install entities@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\entities-5c0e068b
79808 info lifecycle entities@1.0.0~install: entities@1.0.0
79809 silly lifecycle entities@1.0.0~install: no script for install, continuing
79810 silly install isarray@0.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\isarray-8ea1fe99
79811 info lifecycle isarray@0.0.1~install: isarray@0.0.1
79812 silly lifecycle isarray@0.0.1~install: no script for install, continuing
79813 silly install https-browserify@0.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\https-browserify-c2564a38
79814 info lifecycle https-browserify@0.0.0~install: https-browserify@0.0.0
79815 silly lifecycle https-browserify@0.0.0~install: no script for install,
continuing
79816 silly install iconv-lite@0.4.13
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\iconv-lite-e20716ff
79817 info lifecycle iconv-lite@0.4.13~install: iconv-lite@0.4.13
79818 silly lifecycle iconv-lite@0.4.13~install: no script for install,
continuing
79819 silly install encoding@0.1.12
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\encoding-8f1f0a95
79820 info lifecycle encoding@0.1.12~install: encoding@0.1.12
79821 silly lifecycle encoding@0.1.12~install: no script for install,
continuing
79822 silly install icss-replace-symbols@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\icss-replace-symbols-607d111
9
79823 info lifecycle icss-replace-symbols@1.0.2~install:
icss-replace-symbols@1.0.2
79824 silly lifecycle icss-replace-symbols@1.0.2~install: no script for
install, continuing
79825 silly install iieee754@1.1.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ieee754-abf9e5ad
79826 info lifecycle iieee754@1.1.6~install: iieee754@1.1.6
79827 silly lifecycle iieee754@1.1.6~install: no script for install, continuing
79828 silly install ignore@3.1.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ignore-79ece642
79829 info lifecycle ignore@3.1.5~install: ignore@3.1.5
79830 silly lifecycle ignore@3.1.5~install: no script for install, continuing
79831 silly install immutable@3.8.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\immutable-dbd4b872
79832 info lifecycle immutable@3.8.1~install: immutable@3.8.1
79833 silly lifecycle immutable@3.8.1~install: no script for install,
continuing
79834 silly install imurmurhash@0.1.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\imurmurhash-cf00b4b9
79835 info lifecycle imurmurhash@0.1.4~install: imurmurhash@0.1.4
79836 silly lifecycle imurmurhash@0.1.4~install: no script for install,
continuing
79837 silly install indexes-of@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\indexes-of-611c7dcd
79838 info lifecycle indexes-of@1.0.1~install: indexes-of@1.0.1
79839 silly lifecycle indexes-of@1.0.1~install: no script for install,
continuing
79840 silly install indexof@0.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\indexof-94b40c42
79841 info lifecycle indexof@0.0.1~install: indexof@0.0.1
79842 silly lifecycle indexof@0.0.1~install: no script for install, continuing
79843 silly install inherits@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\inherits-4fb75b51
79844 info lifecycle inherits@2.0.1~install: inherits@2.0.1
79845 silly lifecycle inherits@2.0.1~install: no script for install, continuing
79846 silly install http-browserify@1.7.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\http-browserify-4fb3230f
79847 info lifecycle http-browserify@1.7.0~install: http-browserify@1.7.0
79848 silly lifecycle http-browserify@1.7.0~install: no script for install,
continuing
79849 silly install interpret@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\interpret-fadef268
79850 info lifecycle interpret@1.0.1~install: interpret@1.0.1
79851 silly lifecycle interpret@1.0.1~install: no script for install,
continuing
```

npm-debug.log

```
79852 silly install ipaddr.js@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ipaddr.js-19ce1c7b
79853 info lifecycle ipaddr.js@1.1.1~install: ipaddr.js@1.1.1
79854 silly lifecycle ipaddr.js@1.1.1~install: no script for install,
continuing
79855 silly install is-absolute-url@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-absolute-url-b6c3bcd0
79856 info lifecycle is-absolute-url@2.0.0~install: is-absolute-url@2.0.0
79857 silly lifecycle is-absolute-url@2.0.0~install: no script for install,
continuing
79858 silly install is-arrayish@0.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-arrayish-c59228de
79859 info lifecycle is-arrayish@0.2.1~install: is-arrayish@0.2.1
79860 silly lifecycle is-arrayish@0.2.1~install: no script for install,
continuing
79861 silly install error-ex@1.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\error-ex-9a19356b
79862 info lifecycle error-ex@1.3.0~install: error-ex@1.3.0
79863 silly lifecycle error-ex@1.3.0~install: no script for install, continuing
79864 silly install is-binary-path@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-binary-path-30df90ae
79865 info lifecycle is-binary-path@1.0.1~install: is-binary-path@1.0.1
79866 silly lifecycle is-binary-path@1.0.1~install: no script for install,
continuing
79867 silly install is-buffer@1.1.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-buffer-0abfb183
79868 info lifecycle is-buffer@1.1.4~install: is-buffer@1.1.4
79869 silly lifecycle is-buffer@1.1.4~install: no script for install,
continuing
79870 silly install is-builtin-module@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-builtin-module-b24a5ef3
79871 info lifecycle is-builtin-module@1.0.0~install: is-builtin-module@1.0.0
79872 silly lifecycle is-builtin-module@1.0.0~install: no script for install,
continuing
79873 silly install is-callable@1.1.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-callable-2d639e10
79874 info lifecycle is-callable@1.1.3~install: is-callable@1.1.3
79875 silly lifecycle is-callable@1.1.3~install: no script for install,
continuing
79876 silly install is-date-object@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-date-object-5aa9a64d
79877 info lifecycle is-date-object@1.0.1~install: is-date-object@1.0.1
79878 silly lifecycle is-date-object@1.0.1~install: no script for install,
continuing
79879 silly install is-dom@1.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-dom-46f581cb
79880 info lifecycle is-dom@1.0.5~install: is-dom@1.0.5
79881 silly lifecycle is-dom@1.0.5~install: no script for install, continuing
79882 silly install is-dotfile@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-dotfile-288a699d
79883 info lifecycle is-dotfile@1.0.2~install: is-dotfile@1.0.2
79884 silly lifecycle is-dotfile@1.0.2~install: no script for install,
```

npm-debug.log

```
continuing
79885 silly install is-extendable@0.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-extendable-484de4a0
79886 info lifecycle is-extendable@0.1.1~install: is-extendable@0.1.1
79887 silly lifecycle is-extendable@0.1.1~install: no script for install,
continuing
79888 silly install is-extglob@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-extglob-d04000b0
79889 info lifecycle is-extglob@1.0.0~install: is-extglob@1.0.0
79890 silly lifecycle is-extglob@1.0.0~install: no script for install,
continuing
79891 silly install extglob@0.3.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\extglob-d6b3cc0e
79892 info lifecycle extglob@0.3.2~install: extglob@0.3.2
79893 silly lifecycle extglob@0.3.2~install: no script for install, continuing
79894 silly install is-glob@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-glob-3ed8fb5e
79895 info lifecycle is-glob@2.0.1~install: is-glob@2.0.1
79896 silly lifecycle is-glob@2.0.1~install: no script for install, continuing
79897 silly install glob-parent@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\glob-parent-82623ed2
79898 info lifecycle glob-parent@2.0.0~install: glob-parent@2.0.0
79899 silly lifecycle glob-parent@2.0.0~install: no script for install,
continuing
79900 silly install glob-base@0.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\glob-base-a476bb2c
79901 info lifecycle glob-base@0.3.0~install: glob-base@0.3.0
79902 silly lifecycle glob-base@0.3.0~install: no script for install,
continuing
79903 silly install is-obj@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-obj-3ddd9313
79904 info lifecycle is-obj@1.0.1~install: is-obj@1.0.1
79905 silly lifecycle is-obj@1.0.1~install: no script for install, continuing
79906 silly install dot-prop@3.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\dot-prop-e9aef9c5
79907 info lifecycle dot-prop@3.0.0~install: dot-prop@3.0.0
79908 silly lifecycle dot-prop@3.0.0~install: no script for install, continuing
79909 silly install is-path-cwd@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-path-cwd-f3e891c0
79910 info lifecycle is-path-cwd@1.0.0~install: is-path-cwd@1.0.0
79911 silly lifecycle is-path-cwd@1.0.0~install: no script for install,
continuing
79912 silly install is-plain-obj@1.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-plain-obj-4e2cb571
79913 info lifecycle is-plain-obj@1.1.0~install: is-plain-obj@1.1.0
79914 silly lifecycle is-plain-obj@1.1.0~install: no script for install,
continuing
79915 silly install is-posix-bracket@0.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-posix-bracket-d8bb7dfe
79916 info lifecycle is-posix-bracket@0.1.1~install: is-posix-bracket@0.1.1
79917 silly lifecycle is-posix-bracket@0.1.1~install: no script for install,
continuing
```

npm-debug.log

```
79918 silly install expand-brackets@0.1.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\expand-brackets-a55b70d7
79919 info lifecycle expand-brackets@0.1.5~install: expand-brackets@0.1.5
79920 silly lifecycle expand-brackets@0.1.5~install: no script for install,
continuing
79921 silly install is-primitive@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-primitive-d6dd424c
79922 info lifecycle is-primitive@2.0.0~install: is-primitive@2.0.0
79923 silly lifecycle is-primitive@2.0.0~install: no script for install,
continuing
79924 silly install is-equal-shallow@0.1.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-equal-shallow-6ce8bf02
79925 info lifecycle is-equal-shallow@0.1.3~install: is-equal-shallow@0.1.3
79926 silly lifecycle is-equal-shallow@0.1.3~install: no script for install,
continuing
79927 silly install is-promise@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-promise-c858d756
79928 info lifecycle is-promise@2.1.0~install: is-promise@2.1.0
79929 silly lifecycle is-promise@2.1.0~install: no script for install,
continuing
79930 silly install is-property@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-property-0823ef52
79931 info lifecycle is-property@1.0.2~install: is-property@1.0.2
79932 silly lifecycle is-property@1.0.2~install: no script for install,
continuing
79933 silly install generate-object-property@1.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\generate-object-property-966
f3b48
79934 info lifecycle generate-object-property@1.2.0~install:
generate-object-property@1.2.0
79935 silly lifecycle generate-object-property@1.2.0~install: no script for
install, continuing
79936 silly install is-regex@1.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-regex-86c770a2
79937 info lifecycle is-regex@1.0.3~install: is-regex@1.0.3
79938 silly lifecycle is-regex@1.0.3~install: no script for install, continuing
79939 silly install is-stream@1.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-stream-32aaea63
79940 info lifecycle is-stream@1.1.0~install: is-stream@1.1.0
79941 silly lifecycle is-stream@1.1.0~install: no script for install,
continuing
79942 silly install is-subset@0.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-subset-7a2c7560
79943 info lifecycle is-subset@0.1.1~install: is-subset@0.1.1
79944 silly lifecycle is-subset@0.1.1~install: no script for install,
continuing
79945 silly install is-svg@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-svg-ab88f6a8
79946 info lifecycle is-svg@2.0.1~install: is-svg@2.0.1
79947 silly lifecycle is-svg@2.0.1~install: no script for install, continuing
79948 silly install is-symbol@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-symbol-761cb17a
```

npm-debug.log

```
79949 info lifecycle is-symbol@1.0.1~install: is-symbol@1.0.1
79950 silly lifecycle is-symbol@1.0.1~install: no script for install,
continuing
79951 silly install es-to-primitive@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\es-to-primitive-a2728205
79952 info lifecycle es-to-primitive@1.1.1~install: es-to-primitive@1.1.1
79953 silly lifecycle es-to-primitive@1.1.1~install: no script for install,
continuing
79954 silly install es-abstract@1.6.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\es-abstract-71b28af1
79955 info lifecycle es-abstract@1.6.1~install: es-abstract@1.6.1
79956 silly lifecycle es-abstract@1.6.1~install: no script for install,
continuing
79957 silly install is-typedarray@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-typedarray-7fd9435b
79958 info lifecycle is-typedarray@1.0.0~install: is-typedarray@1.0.0
79959 silly lifecycle is-typedarray@1.0.0~install: no script for install,
continuing
79960 silly install is-utf8@0.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-utf8-80173336
79961 info lifecycle is-utf8@0.2.1~install: is-utf8@0.2.1
79962 silly lifecycle is-utf8@0.2.1~install: no script for install, continuing
79963 silly install isarray@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\isarray-f5582326
79964 info lifecycle isarray@1.0.0~install: isarray@1.0.0
79965 silly lifecycle isarray@1.0.0~install: no script for install, continuing
79966 silly install doctrine@1.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\doctrine-ac83c5d4
79967 info lifecycle doctrine@1.3.0~install: doctrine@1.3.0
79968 silly lifecycle doctrine@1.3.0~install: no script for install, continuing
79969 silly install buffer@4.9.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\buffer-a27d1c5d
79970 info lifecycle buffer@4.9.1~install: buffer@4.9.1
79971 silly lifecycle buffer@4.9.1~install: no script for install, continuing
79972 silly install isobject@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\isobject-c12a5f3d
79973 info lifecycle isobject@2.1.0~install: isobject@2.1.0
79974 silly lifecycle isobject@2.1.0~install: no script for install, continuing
79975 silly install isstream@0.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\isstream-3abd6491
79976 info lifecycle isstream@0.1.2~install: isstream@0.1.2
79977 silly lifecycle isstream@0.1.2~install: no script for install, continuing
79978 silly install commander@0.6.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\commander-f2aa1e83
79979 info lifecycle commander@0.6.1~install: commander@0.6.1
79980 silly lifecycle commander@0.6.1~install: no script for install,
continuing
79981 silly install mkdirp@0.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\mkdirp-4160e5b6
79982 info lifecycle mkdirp@0.3.0~install: mkdirp@0.3.0
79983 silly lifecycle mkdirp@0.3.0~install: no script for install, continuing
79984 silly install jade@0.26.3
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\jade-cf1d79ba
79985 info lifecycle jade@0.26.3~install: jade@0.26.3
79986 silly lifecycle jade@0.26.3~install: no script for install, continuing
79987 silly install jju@1.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\jju-e6fef3c1
79988 info lifecycle jju@1.3.0~install: jju@1.3.0
79989 silly lifecycle jju@1.3.0~install: no script for install, continuing
79990 silly install js-base64@2.1.9
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\js-base64-dfae5020
79991 info lifecycle js-base64@2.1.9~install: js-base64@2.1.9
79992 silly lifecycle js-base64@2.1.9~install: no script for install,
continuing
79993 silly install js-tokens@1.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\js-tokens-0c67fc94
79994 info lifecycle js-tokens@1.0.3~install: js-tokens@1.0.3
79995 silly lifecycle js-tokens@1.0.3~install: no script for install,
continuing
79996 silly install jsbn@0.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\jsbn-a63acb28
79997 info lifecycle jsbn@0.1.0~install: jsbn@0.1.0
79998 silly lifecycle jsbn@0.1.0~install: no script for install, continuing
79999 silly install jodid25519@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\jodid25519-0464b71a
80000 info lifecycle jodid25519@1.0.2~install: jodid25519@1.0.2
80001 silly lifecycle jodid25519@1.0.2~install: no script for install,
continuing
80002 silly install ecc-jsbn@0.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ecc-jsbn-42eeaeec
80003 info lifecycle ecc-jsbn@0.1.1~install: ecc-jsbn@0.1.1
80004 silly lifecycle ecc-jsbn@0.1.1~install: no script for install, continuing
80005 silly install acorn@2.7.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\acorn-c66db936
80006 info lifecycle acorn@2.7.0~install: acorn@2.7.0
80007 silly lifecycle acorn@2.7.0~install: no script for install, continuing
80008 silly install webidl-conversions@3.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\webidl-conversions-d18132b2
80009 info lifecycle webidl-conversions@3.0.1~install: webidl-conversions@3.0.1
80010 silly lifecycle webidl-conversions@3.0.1~install: no script for install,
continuing
80011 silly install jsesc@0.5.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\jsesc-0e3df90e
80012 info lifecycle jsesc@0.5.0~install: jsesc@0.5.0
80013 silly lifecycle jsesc@0.5.0~install: no script for install, continuing
80014 silly install json-loader@0.5.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\json-loader-4cba796b
80015 info lifecycle json-loader@0.5.4~install: json-loader@0.5.4
80016 silly lifecycle json-loader@0.5.4~install: no script for install,
continuing
80017 silly install json-parse-helpfulerror@1.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\json-parse-helpfulerror-217d
367e
80018 info lifecycle json-parse-helpfulerror@1.0.3~install:
```



npm-debug.log

```
json-parse-helpfulerror@1.0.3
80019 silly lifecycle json-parse-helpfulerror@1.0.3~install: no script for
install, continuing
80020 silly install json-schema@0.2.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\json-schema-9575c554
80021 info lifecycle json-schema@0.2.2~install: json-schema@0.2.2
80022 silly lifecycle json-schema@0.2.2~install: no script for install,
continuing
80023 silly install json-stringify-safe@5.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\json-stringify-safe-035aed7c
80024 info lifecycle json-stringify-safe@5.0.1~install:
json-stringify-safe@5.0.1
80025 silly lifecycle json-stringify-safe@5.0.1~install: no script for install,
continuing
80026 silly install json5@0.5.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\json5-35050e00
80027 info lifecycle json5@0.5.0~install: json5@0.5.0
80028 silly lifecycle json5@0.5.0~install: no script for install, continuing
80029 silly install jsonify@0.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\jsonify-199199ef
80030 info lifecycle jsonify@0.0.0~install: jsonify@0.0.0
80031 silly lifecycle jsonify@0.0.0~install: no script for install, continuing
80032 silly install json-stable-stringify@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\json-stable-stringify-d3c791
8d
80033 info lifecycle json-stable-stringify@1.0.1~install:
json-stable-stringify@1.0.1
80034 silly lifecycle json-stable-stringify@1.0.1~install: no script for
install, continuing
80035 silly install jsonpointer@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\jsonpointer-9b84e8e8
80036 info lifecycle jsonpointer@2.0.0~install: jsonpointer@2.0.0
80037 silly lifecycle jsonpointer@2.0.0~install: no script for install,
continuing
80038 silly install keycode@2.1.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\keycode-4d77b854
80039 info lifecycle keycode@2.1.4~install: keycode@2.1.4
80040 silly lifecycle keycode@2.1.4~install: no script for install, continuing
80041 silly install kind-of@3.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\kind-of-959f73be
80042 info lifecycle kind-of@3.0.4~install: kind-of@3.0.4
80043 silly lifecycle kind-of@3.0.4~install: no script for install, continuing
80044 silly install is-number@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-number-9640d720
80045 info lifecycle is-number@2.1.0~install: is-number@2.1.0
80046 silly lifecycle is-number@2.1.0~install: no script for install,
continuing
80047 silly install lazy-cache@1.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lazy-cache-d127abbf
80048 info lifecycle lazy-cache@1.0.4~install: lazy-cache@1.0.4
80049 silly lifecycle lazy-cache@1.0.4~install: no script for install,
continuing
```

npm-debug.log

```
80050 silly install lodash@4.15.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash-64bb1250
80051 info lifecycle lodash@4.15.0~install: lodash@4.15.0
80052 silly lifecycle lodash@4.15.0~install: no script for install, continuing
80053 silly install async@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\async-c4b520c6
80054 info lifecycle async@2.0.1~install: async@2.0.1
80055 silly lifecycle async@2.0.1~install: no script for install, continuing
80056 silly install lodash-es@4.15.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash-es-b38b79b2
80057 info lifecycle lodash-es@4.15.0~install: lodash-es@4.15.0
80058 silly lifecycle lodash-es@4.15.0~install: no script for install,
continuing
80059 silly install lodash._basecopy@3.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash._basecopy-541bf43d
80060 info lifecycle lodash._basecopy@3.0.1~install: lodash._basecopy@3.0.1
80061 silly lifecycle lodash._basecopy@3.0.1~install: no script for install,
continuing
80062 silly install lodash._bindcallback@3.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash._bindcallback-004c43c
4
80063 info lifecycle lodash._bindcallback@3.0.1~install:
lodash._bindcallback@3.0.1
80064 silly lifecycle lodash._bindcallback@3.0.1~install: no script for
install, continuing
80065 silly install lodash._getnative@3.9.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash._getnative-c51a0102
80066 info lifecycle lodash._getnative@3.9.1~install: lodash._getnative@3.9.1
80067 silly lifecycle lodash._getnative@3.9.1~install: no script for install,
continuing
80068 silly install lodash._isiterateecall@3.0.9
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash._isiterateecall-36b10
21f
80069 info lifecycle lodash._isiterateecall@3.0.9~install:
lodash._isiterateecall@3.0.9
80070 silly lifecycle lodash._isiterateecall@3.0.9~install: no script for
install, continuing
80071 silly install lodash._root@3.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash._root-98099e61
80072 info lifecycle lodash._root@3.0.1~install: lodash._root@3.0.1
80073 silly lifecycle lodash._root@3.0.1~install: no script for install,
continuing
80074 silly install lodash.deburr@3.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.deburr-a3ee9e21
80075 info lifecycle lodash.deburr@3.2.0~install: lodash.deburr@3.2.0
80076 silly lifecycle lodash.deburr@3.2.0~install: no script for install,
continuing
80077 silly install lodash.indexof@4.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.indexof-fb2607a4
80078 info lifecycle lodash.indexof@4.0.5~install: lodash.indexof@4.0.5
80079 silly lifecycle lodash.indexof@4.0.5~install: no script for install,
continuing
```

npm-debug.log

```
80080 silly install lodash.isarguments@3.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.isarguments-60f99f8d
80081 info lifecycle lodash.isarguments@3.1.0~install: lodash.isarguments@3.1.0
80082 silly lifecycle lodash.isarguments@3.1.0~install: no script for install,
continuing
80083 silly install lodash.isarray@3.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.isarray-fc271b0d
80084 info lifecycle lodash.isarray@3.0.4~install: lodash.isarray@3.0.4
80085 silly lifecycle lodash.isarray@3.0.4~install: no script for install,
continuing
80086 silly install lodash.keys@3.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.keys-df34d792
80087 info lifecycle lodash.keys@3.1.2~install: lodash.keys@3.1.2
80088 silly lifecycle lodash.keys@3.1.2~install: no script for install,
continuing
80089 silly install lodash._baseassign@3.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash._baseassign-03dda820
80090 info lifecycle lodash._baseassign@3.2.0~install: lodash._baseassign@3.2.0
80091 silly lifecycle lodash._baseassign@3.2.0~install: no script for install,
continuing
80092 silly install lodash.pick@4.4.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.pick-71584c47
80093 info lifecycle lodash.pick@4.4.0~install: lodash.pick@4.4.0
80094 silly lifecycle lodash.pick@4.4.0~install: no script for install,
continuing
80095 silly install lodash.pickby@4.6.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.pickby-a73acf2a
80096 info lifecycle lodash.pickby@4.6.0~install: lodash.pickby@4.6.0
80097 silly lifecycle lodash.pickby@4.6.0~install: no script for install,
continuing
80098 silly install lodash.restparam@3.6.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.restparam-bf355471
80099 info lifecycle lodash.restparam@3.6.1~install: lodash.restparam@3.6.1
80100 silly lifecycle lodash.restparam@3.6.1~install: no script for install,
continuing
80101 silly install lodash._createassigner@3.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash._createassigner-72954
318
80102 info lifecycle lodash._createassigner@3.1.1~install:
lodash._createassigner@3.1.1
80103 silly lifecycle lodash._createassigner@3.1.1~install: no script for
install, continuing
80104 silly install lodash.assign@3.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.assign-fb6b209e
80105 info lifecycle lodash.assign@3.2.0~install: lodash.assign@3.2.0
80106 silly lifecycle lodash.assign@3.2.0~install: no script for install,
continuing
80107 silly install lodash.words@3.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.words-50ee575b
80108 info lifecycle lodash.words@3.2.0~install: lodash.words@3.2.0
80109 silly lifecycle lodash.words@3.2.0~install: no script for install,
continuing
```

npm-debug.log

```
80110 silly install lodash._createcompounder@3.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash._createcompounder-30d
34e4e
80111 info lifecycle lodash._createcompounder@3.0.0~install:
lodash._createcompounder@3.0.0
80112 silly lifecycle lodash._createcompounder@3.0.0~install: no script for
install, continuing
80113 silly install lodash.camelcase@3.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.camelcase-12ca86d9
80114 info lifecycle lodash.camelcase@3.0.1~install: lodash.camelcase@3.0.1
80115 silly lifecycle lodash.camelcase@3.0.1~install: no script for install,
continuing
80116 silly install lolex@1.3.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lolex-f89a8789
80117 info lifecycle lolex@1.3.2~install: lolex@1.3.2
80118 silly lifecycle lolex@1.3.2~install: no script for install, continuing
80119 silly install longest@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\longest-d5fcfd22
80120 info lifecycle longest@1.0.1~install: longest@1.0.1
80121 silly lifecycle longest@1.0.1~install: no script for install, continuing
80122 silly install loose-envify@1.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\loose-envify-5e400d97
80123 info lifecycle loose-envify@1.2.0~install: loose-envify@1.2.0
80124 silly lifecycle loose-envify@1.2.0~install: no script for install,
continuing
80125 silly install invariant@2.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\invariant-f2422ac3
80126 info lifecycle invariant@2.2.1~install: invariant@2.2.1
80127 silly lifecycle invariant@2.2.1~install: no script for install,
continuing
80128 silly install lru-cache@2.7.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lru-cache-d42180a9
80129 info lifecycle lru-cache@2.7.3~install: lru-cache@2.7.3
80130 silly lifecycle lru-cache@2.7.3~install: no script for install,
continuing
80131 silly install macaddress@0.2.8
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\macaddress-25b4a174
80132 info lifecycle macaddress@0.2.8~install: macaddress@0.2.8
80133 silly lifecycle macaddress@0.2.8~install: no script for install,
continuing
80134 silly install map-obj@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\map-obj-fb22bc61
80135 info lifecycle map-obj@1.0.1~install: map-obj@1.0.1
80136 silly lifecycle map-obj@1.0.1~install: no script for install, continuing
80137 silly install camelcase-keys@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\camelcase-keys-6b155472
80138 info lifecycle camelcase-keys@2.1.0~install: camelcase-keys@2.1.0
80139 silly lifecycle camelcase-keys@2.1.0~install: no script for install,
continuing
80140 silly install math-expression-evaluator@1.2.14
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\math-expression-evaluator-73
39b283
```

npm-debug.log

```
80141 info lifecycle math-expression-evaluator@1.2.14~install:
math-expression-evaluator@1.2.14
80142 silly lifecycle math-expression-evaluator@1.2.14~install: no script for
install, continuing
80143 silly install media-typer@0.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\media-typer-2d1a62fa
80144 info lifecycle media-typer@0.3.0~install: media-typer@0.3.0
80145 silly lifecycle media-typer@0.3.0~install: no script for install,
continuing
80146 silly install merge-descriptors@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\merge-descriptors-014c3ae8
80147 info lifecycle merge-descriptors@1.0.1~install: merge-descriptors@1.0.1
80148 silly lifecycle merge-descriptors@1.0.1~install: no script for install,
continuing
80149 silly install methods@1.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\methods-b156f529
80150 info lifecycle methods@1.1.2~install: methods@1.1.2
80151 silly lifecycle methods@1.1.2~install: no script for install, continuing
80152 silly install mime@1.3.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\mime-b5d0c3d3
80153 info lifecycle mime@1.3.4~install: mime@1.3.4
80154 silly lifecycle mime@1.3.4~install: no script for install, continuing
80155 silly install mime-db@1.23.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\mime-db-a42b0b15
80156 info lifecycle mime-db@1.23.0~install: mime-db@1.23.0
80157 silly lifecycle mime-db@1.23.0~install: no script for install, continuing
80158 silly install mime-types@2.1.11
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\mime-types-45fc7254
80159 info lifecycle mime-types@2.1.11~install: mime-types@2.1.11
80160 silly lifecycle mime-types@2.1.11~install: no script for install,
continuing
80161 silly install form-data@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\form-data-079d7df5
80162 info lifecycle form-data@1.0.1~install: form-data@1.0.1
80163 silly lifecycle form-data@1.0.1~install: no script for install,
continuing
80164 silly install minimatch@3.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\minimatch-54c90eb0
80165 info lifecycle minimatch@3.0.3~install: minimatch@3.0.3
80166 silly lifecycle minimatch@3.0.3~install: no script for install,
continuing
80167 silly install minimist@1.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\minimist-23297d89
80168 info lifecycle minimist@1.2.0~install: minimist@1.2.0
80169 silly lifecycle minimist@1.2.0~install: no script for install, continuing
80170 silly install minimist@0.0.8
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\minimist-98505e4f
80171 info lifecycle minimist@0.0.8~install: minimist@0.0.8
80172 silly lifecycle minimist@0.0.8~install: no script for install, continuing
80173 silly install mkdirp@0.5.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\mkdirp-4675ff74
80174 info lifecycle mkdirp@0.5.1~install: mkdirp@0.5.1
```

npm-debug.log

```
80175 silly lifecycle mkdirp@0.5.1~install: no script for install, continuing
80176 silly install mobx@2.5.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\mobx-c52dc167
80177 info lifecycle mobx@2.5.1~install: mobx@2.5.1
80178 silly lifecycle mobx@2.5.1~install: no script for install, continuing
80179 silly install commander@2.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\commander-cdd79592
80180 info lifecycle commander@2.3.0~install: commander@2.3.0
80181 silly lifecycle commander@2.3.0~install: no script for install,
continuing
80182 silly install escape-string-regexp@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\escape-string-regexp-d654ec7
6
80183 info lifecycle escape-string-regexp@1.0.2~install:
escape-string-regexp@1.0.2
80184 silly lifecycle escape-string-regexp@1.0.2~install: no script for
install, continuing
80185 silly install supports-color@1.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\supports-color-8253e3cd
80186 info lifecycle supports-color@1.2.0~install: supports-color@1.2.0
80187 silly lifecycle supports-color@1.2.0~install: no script for install,
continuing
80188 silly install ms@0.7.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ms-54ecdda8
80189 info lifecycle ms@0.7.1~install: ms@0.7.1
80190 silly lifecycle ms@0.7.1~install: no script for install, continuing
80191 silly install debug@2.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\debug-58222b76
80192 info lifecycle debug@2.2.0~install: debug@2.2.0
80193 silly lifecycle debug@2.2.0~install: no script for install, continuing
80194 silly install mute-stream@0.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\mute-stream-fc16b265
80195 info lifecycle mute-stream@0.0.5~install: mute-stream@0.0.5
80196 silly lifecycle mute-stream@0.0.5~install: no script for install,
continuing
80197 silly install negotiator@0.6.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\negotiator-e80ab4ee
80198 info lifecycle negotiator@0.6.1~install: negotiator@0.6.1
80199 silly lifecycle negotiator@0.6.1~install: no script for install,
continuing
80200 silly install accepts@1.3.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\accepts-0e5446fe
80201 info lifecycle accepts@1.3.3~install: accepts@1.3.3
80202 silly lifecycle accepts@1.3.3~install: no script for install, continuing
80203 silly install node-fetch@1.6.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\node-fetch-bbd4726b
80204 info lifecycle node-fetch@1.6.0~install: node-fetch@1.6.0
80205 silly lifecycle node-fetch@1.6.0~install: no script for install,
continuing
80206 silly install isarray@0.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\isarray-b5d595f5
80207 info lifecycle isarray@0.0.1~install: isarray@0.0.1
```

npm-debug.log

```
80208 silly lifecycle isarray@0.0.1~install: no script for install, continuing
80209 silly install node-uuid@1.4.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\node-uuid-f014aa35
80210 info lifecycle node-uuid@1.4.7~install: node-uuid@1.4.7
80211 silly lifecycle node-uuid@1.4.7~install: no script for install,
continuing
80212 silly install normalize-path@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\normalize-path-d0198e05
80213 info lifecycle normalize-path@2.0.1~install: normalize-path@2.0.1
80214 silly lifecycle normalize-path@2.0.1~install: no script for install,
continuing
80215 silly install normalize-range@0.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\normalize-range-a154f9f5
80216 info lifecycle normalize-range@0.1.2~install: normalize-range@0.1.2
80217 silly lifecycle normalize-range@0.1.2~install: no script for install,
continuing
80218 silly install nth-check@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\nth-check-92e8a72d
80219 info lifecycle nth-check@1.0.1~install: nth-check@1.0.1
80220 silly lifecycle nth-check@1.0.1~install: no script for install,
continuing
80221 silly install css-select@1.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\css-select-7a00ad51
80222 info lifecycle css-select@1.2.0~install: css-select@1.2.0
80223 silly lifecycle css-select@1.2.0~install: no script for install,
continuing
80224 silly install num2fraction@1.2.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\num2fraction-cfc72b0d
80225 info lifecycle num2fraction@1.2.2~install: num2fraction@1.2.2
80226 silly lifecycle num2fraction@1.2.2~install: no script for install,
continuing
80227 silly install number-is-nan@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\number-is-nan-42904e7e
80228 info lifecycle number-is-nan@1.0.0~install: number-is-nan@1.0.0
80229 silly lifecycle number-is-nan@1.0.0~install: no script for install,
continuing
80230 silly install is-fullwidth-code-point@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-fullwidth-code-point-3e94
30c2
80231 info lifecycle is-fullwidth-code-point@1.0.0~install:
is-fullwidth-code-point@1.0.0
80232 silly lifecycle is-fullwidth-code-point@1.0.0~install: no script for
install, continuing
80233 silly install is-finite@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-finite-e71536e9
80234 info lifecycle is-finite@1.0.1~install: is-finite@1.0.1
80235 silly lifecycle is-finite@1.0.1~install: no script for install,
continuing
80236 silly install repeating@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\repeating-fb73dae7
80237 info lifecycle repeating@2.0.1~install: repeating@2.0.1
80238 silly lifecycle repeating@2.0.1~install: no script for install,
```

npm-debug.log

```
continuing
80239 silly install indent-string@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\indent-string-4004df63
80240 info lifecycle indent-string@2.1.0~install: indent-string@2.1.0
80241 silly lifecycle indent-string@2.1.0~install: no script for install,
continuing
80242 silly install code-point-at@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\code-point-at-7d670683
80243 info lifecycle code-point-at@1.0.0~install: code-point-at@1.0.0
80244 silly lifecycle code-point-at@1.0.0~install: no script for install,
continuing
80245 silly install nwmatcher@1.3.8
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\nwmatcher-6cf6d411
80246 info lifecycle nwmatcher@1.3.8~install: nwmatcher@1.3.8
80247 silly lifecycle nwmatcher@1.3.8~install: no script for install,
continuing
80248 silly install oauth-sign@0.8.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\oauth-sign-cd0c6daa
80249 info lifecycle oauth-sign@0.8.2~install: oauth-sign@0.8.2
80250 silly lifecycle oauth-sign@0.8.2~install: no script for install,
continuing
80251 silly install object-assign@4.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\object-assign-6d6e0a3e
80252 info lifecycle object-assign@4.1.0~install: object-assign@4.1.0
80253 silly lifecycle object-assign@4.1.0~install: no script for install,
continuing
80254 silly install loader-utils@0.2.15
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\loader-utils-77059a11
80255 info lifecycle loader-utils@0.2.15~install: loader-utils@0.2.15
80256 silly lifecycle loader-utils@0.2.15~install: no script for install,
continuing
80257 silly install file-loader@0.9.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\file-loader-58ae71e6
80258 info lifecycle file-loader@0.9.0~install: file-loader@0.9.0
80259 silly lifecycle file-loader@0.9.0~install: no script for install,
continuing
80260 silly install figures@1.7.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\figures-1edac55e
80261 info lifecycle figures@1.7.0~install: figures@1.7.0
80262 silly lifecycle figures@1.7.0~install: no script for install, continuing
80263 silly install esrecurse@4.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\esrecurse-c701e899
80264 info lifecycle esrecurse@4.1.0~install: esrecurse@4.1.0
80265 silly lifecycle esrecurse@4.1.0~install: no script for install,
continuing
80266 silly install escope@3.6.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\escope-913a2b65
80267 info lifecycle escope@3.6.0~install: escope@3.6.0
80268 silly lifecycle escope@3.6.0~install: no script for install, continuing
80269 silly install babel-loader@6.2.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-loader-afdab3f8
80270 info lifecycle babel-loader@6.2.5~install: babel-loader@6.2.5
```



npm-debug.log

80271 silly lifecycle babel-loader@6.2.5~install: no script for install, continuing  
80272 silly install object-is@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\object-is-e0757ace  
80273 info lifecycle object-is@1.0.1~install: object-is@1.0.1  
80274 silly lifecycle object-is@1.0.1~install: no script for install, continuing  
80275 silly install object-keys@1.0.11  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\object-keys-20dda30e  
80276 info lifecycle object-keys@1.0.11~install: object-keys@1.0.11  
80277 silly lifecycle object-keys@1.0.11~install: no script for install, continuing  
80278 silly install define-properties@1.1.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\define-properties-21a00f4a  
80279 info lifecycle define-properties@1.1.2~install: define-properties@1.1.2  
80280 silly lifecycle define-properties@1.1.2~install: no script for install, continuing  
80281 silly install array-includes@3.0.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\array-includes-6527c4b1  
80282 info lifecycle array-includes@3.0.2~install: array-includes@3.0.2  
80283 silly lifecycle array-includes@3.0.2~install: no script for install, continuing  
80284 silly install object.assign@4.0.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\object.assign-e6d3a479  
80285 info lifecycle object.assign@4.0.4~install: object.assign@4.0.4  
80286 silly lifecycle object.assign@4.0.4~install: no script for install, continuing  
80287 silly install object.entries@1.0.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\object.entries-0e81ab4b  
80288 info lifecycle object.entries@1.0.3~install: object.entries@1.0.3  
80289 silly lifecycle object.entries@1.0.3~install: no script for install, continuing  
80290 silly install object.getownpropertydescriptors@2.0.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\object.getownpropertydescriptors-dbb3a37c  
80291 info lifecycle object.getownpropertydescriptors@2.0.3~install: object.getownpropertydescriptors@2.0.3  
80292 silly lifecycle object.getownpropertydescriptors@2.0.3~install: no script for install, continuing  
80293 silly install object.omit@2.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\object.omit-6b524bd5  
80294 info lifecycle object.omit@2.0.0~install: object.omit@2.0.0  
80295 silly lifecycle object.omit@2.0.0~install: no script for install, continuing  
80296 silly install object.values@1.0.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\object.values-a7c9465c  
80297 info lifecycle object.values@1.0.3~install: object.values@1.0.3  
80298 silly lifecycle object.values@1.0.3~install: no script for install, continuing  
80299 silly install on-finished@2.3.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\on-finished-550c2f89  
80300 info lifecycle on-finished@2.3.0~install: on-finished@2.3.0

npm-debug.log

80301 silly lifecycle on-finished@2.3.0~install: no script for install, continuing  
80302 silly install onetime@1.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\onetime-08279436  
80303 info lifecycle onetime@1.1.0~install: onetime@1.1.0  
80304 silly lifecycle onetime@1.1.0~install: no script for install, continuing  
80305 silly install minimist@0.0.10  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\minimist-b7341e43  
80306 info lifecycle minimist@0.0.10~install: minimist@0.0.10  
80307 silly lifecycle minimist@0.0.10~install: no script for install, continuing  
80308 silly install wordwrap@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\wordwrap-eb37de7a  
80309 info lifecycle wordwrap@1.0.0~install: wordwrap@1.0.0  
80310 silly lifecycle wordwrap@1.0.0~install: no script for install, continuing  
80311 silly install os-browserify@0.1.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\os-browserify-ca904097  
80312 info lifecycle os-browserify@0.1.2~install: os-browserify@0.1.2  
80313 silly lifecycle os-browserify@0.1.2~install: no script for install, continuing  
80314 silly install os-homedir@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\os-homedir-1e04650d  
80315 info lifecycle os-homedir@1.0.1~install: os-homedir@1.0.1  
80316 silly lifecycle os-homedir@1.0.1~install: no script for install, continuing  
80317 silly install user-home@2.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\user-home-4011642b  
80318 info lifecycle user-home@2.0.0~install: user-home@2.0.0  
80319 silly lifecycle user-home@2.0.0~install: no script for install, continuing  
80320 silly install os-tmpdir@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\os-tmpdir-b02891c5  
80321 info lifecycle os-tmpdir@1.0.1~install: os-tmpdir@1.0.1  
80322 silly lifecycle os-tmpdir@1.0.1~install: no script for install, continuing  
80323 silly install osenv@0.1.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\osenv-c121368e  
80324 info lifecycle osenv@0.1.3~install: osenv@0.1.3  
80325 silly lifecycle osenv@0.1.3~install: no script for install, continuing  
80326 silly install output-file-sync@1.1.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\output-file-sync-270c92cc  
80327 info lifecycle output-file-sync@1.1.2~install: output-file-sync@1.1.2  
80328 silly lifecycle output-file-sync@1.1.2~install: no script for install, continuing  
80329 silly install page-bus@3.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\page-bus-c954658f  
80330 info lifecycle page-bus@3.0.1~install: page-bus@3.0.1  
80331 silly lifecycle page-bus@3.0.1~install: no script for install, continuing  
80332 silly install @kadira/storybook-channel-pagebus@2.0.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\@kadira\storybook-channel-pagebus-62a59971  
80333 info lifecycle @kadira/storybook-channel-pagebus@2.0.2~install:

npm-debug.log

```
@kadira/storybook-channel-pagebus@2.0.2
80334 silly lifecycle @kadira/storybook-channel-pagebus@2.0.2~install: no
script for install, continuing
80335 silly install pako@0.2.9
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\pako-40fb1739
80336 info lifecycle pako@0.2.9~install: pako@0.2.9
80337 silly lifecycle pako@0.2.9~install: no script for install, continuing
80338 silly install browserify-zlib@0.1.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\browserify-zlib-577062a2
80339 info lifecycle browserify-zlib@0.1.4~install: browserify-zlib@0.1.4
80340 silly lifecycle browserify-zlib@0.1.4~install: no script for install,
continuing
80341 silly install parse-glob@3.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\parse-glob-dc699b9c
80342 info lifecycle parse-glob@3.0.4~install: parse-glob@3.0.4
80343 silly lifecycle parse-glob@3.0.4~install: no script for install,
continuing
80344 silly install parse-json@2.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\parse-json-1bd98721
80345 info lifecycle parse-json@2.2.0~install: parse-json@2.2.0
80346 silly lifecycle parse-json@2.2.0~install: no script for install,
continuing
80347 silly install parse5@1.5.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\parse5-a5169457
80348 info lifecycle parse5@1.5.1~install: parse5@1.5.1
80349 silly lifecycle parse5@1.5.1~install: no script for install, continuing
80350 silly install parseurl@1.3.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\parseurl-de7e1b5a
80351 info lifecycle parseurl@1.3.1~install: parseurl@1.3.1
80352 silly lifecycle parseurl@1.3.1~install: no script for install, continuing
80353 silly install path-browserify@0.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\path-browserify-7ae7b857
80354 info lifecycle path-browserify@0.0.0~install: path-browserify@0.0.0
80355 silly lifecycle path-browserify@0.0.0~install: no script for install,
continuing
80356 silly install path-exists@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\path-exists-56e19174
80357 info lifecycle path-exists@1.0.0~install: path-exists@1.0.0
80358 silly lifecycle path-exists@1.0.0~install: no script for install,
continuing
80359 silly install path-is-absolute@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\path-is-absolute-2245a2b2
80360 info lifecycle path-is-absolute@1.0.0~install: path-is-absolute@1.0.0
80361 silly lifecycle path-is-absolute@1.0.0~install: no script for install,
continuing
80362 silly install path-is-inside@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\path-is-inside-a7a3f5aa
80363 info lifecycle path-is-inside@1.0.1~install: path-is-inside@1.0.1
80364 silly lifecycle path-is-inside@1.0.1~install: no script for install,
continuing
80365 silly install is-path-inside@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-path-inside-417e68a1
```

npm-debug.log

```
80366 info lifecycle is-path-inside@1.0.0~install: is-path-inside@1.0.0
80367 silly lifecycle is-path-inside@1.0.0~install: no script for install,
continuing
80368 silly install is-path-in-cwd@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-path-in-cwd-5e924b48
80369 info lifecycle is-path-in-cwd@1.0.0~install: is-path-in-cwd@1.0.0
80370 silly lifecycle is-path-in-cwd@1.0.0~install: no script for install,
continuing
80371 silly install path-to-regexp@0.1.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\path-to-regexp-9664313c
80372 info lifecycle path-to-regexp@0.1.7~install: path-to-regexp@0.1.7
80373 silly lifecycle path-to-regexp@0.1.7~install: no script for install,
continuing
80374 silly install pbkdf2-compat@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\pbkdf2-compat-9733372b
80375 info lifecycle pbkdf2-compat@2.0.1~install: pbkdf2-compat@2.0.1
80376 silly lifecycle pbkdf2-compat@2.0.1~install: no script for install,
continuing
80377 silly install pify@2.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\pify-567f9556
80378 info lifecycle pify@2.3.0~install: pify@2.3.0
80379 silly lifecycle pify@2.3.0~install: no script for install, continuing
80380 silly install pinkie@2.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\pinkie-b4bd7f16
80381 info lifecycle pinkie@2.0.4~install: pinkie@2.0.4
80382 silly lifecycle pinkie@2.0.4~install: no script for install, continuing
80383 silly install pinkie-promise@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\pinkie-promise-8d65711e
80384 info lifecycle pinkie-promise@2.0.1~install: pinkie-promise@2.0.1
80385 silly lifecycle pinkie-promise@2.0.1~install: no script for install,
continuing
80386 silly install path-type@1.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\path-type-3a57758b
80387 info lifecycle path-type@1.1.0~install: path-type@1.1.0
80388 silly lifecycle path-type@1.1.0~install: no script for install,
continuing
80389 silly install path-exists@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\path-exists-30bc809d
80390 info lifecycle path-exists@2.1.0~install: path-exists@2.1.0
80391 silly lifecycle path-exists@2.1.0~install: no script for install,
continuing
80392 silly install find-up@1.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\find-up-6f736653
80393 info lifecycle find-up@1.1.2~install: find-up@1.1.2
80394 silly lifecycle find-up@1.1.2~install: no script for install, continuing
80395 silly install pluralize@1.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\pluralize-9e56b6c2
80396 info lifecycle pluralize@1.2.1~install: pluralize@1.2.1
80397 silly lifecycle pluralize@1.2.1~install: no script for install,
continuing
80398 silly install postcss-message-helpers@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-message-helpers-7c63
```

npm-debug.log

a8fc

```
80399 info lifecycle postcss-message-helpers@2.0.0~install:
postcss-message-helpers@2.0.0
80400 silly lifecycle postcss-message-helpers@2.0.0~install: no script for
install, continuing
80401 silly install postcss-value-parser@3.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-value-parser-2ae627a
8
80402 info lifecycle postcss-value-parser@3.3.0~install:
postcss-value-parser@3.3.0
80403 silly lifecycle postcss-value-parser@3.3.0~install: no script for
install, continuing
80404 silly install prelude-ls@1.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\prelude-ls-bb7867a7
80405 info lifecycle prelude-ls@1.1.2~install: prelude-ls@1.1.2
80406 silly lifecycle prelude-ls@1.1.2~install: no script for install,
continuing
80407 silly install prepend-http@1.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\prepend-http-1da538cc
80408 info lifecycle prepend-http@1.0.4~install: prepend-http@1.0.4
80409 silly lifecycle prepend-http@1.0.4~install: no script for install,
continuing
80410 silly install preserve@0.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\preserve-6d253fbc
80411 info lifecycle preserve@0.2.0~install: preserve@0.2.0
80412 silly lifecycle preserve@0.2.0~install: no script for install, continuing
80413 silly install private@0.1.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\private-2ce0a9ab
80414 info lifecycle private@0.1.6~install: private@0.1.6
80415 silly lifecycle private@0.1.6~install: no script for install, continuing
80416 silly install process@0.11.9
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\process-13ede2a9
80417 info lifecycle process@0.11.9~install: process@0.11.9
80418 silly lifecycle process@0.11.9~install: no script for install, continuing
80419 silly install process-nextick-args@1.0.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\process-nextick-args-ca4e278
1
80420 info lifecycle process-nextick-args@1.0.7~install:
process-nextick-args@1.0.7
80421 silly lifecycle process-nextick-args@1.0.7~install: no script for
install, continuing
80422 silly install progress@1.1.8
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\progress-47df0015
80423 info lifecycle progress@1.1.8~install: progress@1.1.8
80424 silly lifecycle progress@1.1.8~install: no script for install, continuing
80425 silly install promise@7.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\promise-83cfcdec
80426 info lifecycle promise@7.1.1~install: promise@7.1.1
80427 silly lifecycle promise@7.1.1~install: no script for install, continuing
80428 silly install protocols@1.4.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\protocols-537a9cd7
80429 info lifecycle protocols@1.4.1~install: protocols@1.4.1
```

npm-debug.log

```
80430 silly lifecycle protocols@1.4.1~install: no script for install,
continuing
80431 silly install is-ssh@1.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-ssh-06566c93
80432 info lifecycle is-ssh@1.3.0~install: is-ssh@1.3.0
80433 silly lifecycle is-ssh@1.3.0~install: no script for install, continuing
80434 silly install parse-url@1.3.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\parse-url-398cd9b9
80435 info lifecycle parse-url@1.3.3~install: parse-url@1.3.3
80436 silly lifecycle parse-url@1.3.3~install: no script for install,
continuing
80437 silly install git-up@2.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\git-up-babf6c17
80438 info lifecycle git-up@2.0.2~install: git-up@2.0.2
80439 silly lifecycle git-up@2.0.2~install: no script for install, continuing
80440 silly install git-url-parse@6.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\git-url-parse-2c7e0f33
80441 info lifecycle git-url-parse@6.0.5~install: git-url-parse@6.0.5
80442 silly lifecycle git-url-parse@6.0.5~install: no script for install,
continuing
80443 silly install proxy-addr@1.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\proxy-addr-baa5e4eb
80444 info lifecycle proxy-addr@1.1.2~install: proxy-addr@1.1.2
80445 silly lifecycle proxy-addr@1.1.2~install: no script for install,
continuing
80446 silly install prr@0.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\pr-64f4e8e9
80447 info lifecycle prr@0.0.0~install: prr@0.0.0
80448 silly lifecycle prr@0.0.0~install: no script for install, continuing
80449 silly install errno@0.1.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\errno-f0e540a6
80450 info lifecycle errno@0.1.4~install: errno@0.1.4
80451 silly lifecycle errno@0.1.4~install: no script for install, continuing
80452 silly install punycode@1.4.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\punycode-6798663a
80453 info lifecycle punycode@1.4.1~install: punycode@1.4.1
80454 silly lifecycle punycode@1.4.1~install: no script for install, continuing
80455 silly install q@1.4.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\q-b406f0af
80456 info lifecycle q@1.4.1~install: q@1.4.1
80457 silly lifecycle q@1.4.1~install: no script for install, continuing
80458 silly install coa@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\coa-b45e5d14
80459 info lifecycle coa@1.0.1~install: coa@1.0.1
80460 silly lifecycle coa@1.0.1~install: no script for install, continuing
80461 silly install qs@6.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\qs-9acecc42
80462 info lifecycle qs@6.2.1~install: qs@6.2.1
80463 silly lifecycle qs@6.2.1~install: no script for install, continuing
80464 silly install querystring@0.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\querystring-332529b5
80465 info lifecycle querystring@0.2.0~install: querystring@0.2.0
```

npm-debug.log

80466 silly lifecycle querystring@0.2.0~install: no script for install, continuing  
80467 silly install querystring-es3@0.2.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\querystring-es3-d6d8aa49  
80468 info lifecycle querystring-es3@0.2.1~install: querystring-es3@0.2.1  
80469 silly lifecycle querystring-es3@0.2.1~install: no script for install, continuing  
80470 silly install randomatic@1.1.5  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\randomatic-93c5f87b  
80471 info lifecycle randomatic@1.1.5~install: randomatic@1.1.5  
80472 silly lifecycle randomatic@1.1.5~install: no script for install, continuing  
80473 silly install range-parser@1.2.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\range-parser-1d7f4a03  
80474 info lifecycle range-parser@1.2.0~install: range-parser@1.2.0  
80475 silly lifecycle range-parser@1.2.0~install: no script for install, continuing  
80476 silly install react-addons-test-utils@15.3.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\react-addons-test-utils-8a0a6818  
80477 info lifecycle react-addons-test-utils@15.3.1~install: react-addons-test-utils@15.3.1  
80478 silly lifecycle react-addons-test-utils@15.3.1~install: no script for install, continuing  
80479 silly install react-dom@15.3.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\react-dom-7c9115e2  
80480 info lifecycle react-dom@15.3.1~install: react-dom@15.3.1  
80481 silly lifecycle react-dom@15.3.1~install: no script for install, continuing  
80482 silly install react-inspector@1.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\react-inspector-070bc4fe  
80483 info lifecycle react-inspector@1.1.0~install: react-inspector@1.1.0  
80484 silly lifecycle react-inspector@1.1.0~install: no script for install, continuing  
80485 silly install @kadira/storybook-addon-actions@1.0.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\@kadira\storybook-addon-actions-3dc9006b  
80486 info lifecycle @kadira/storybook-addon-actions@1.0.4~install: @kadira/storybook-addon-actions@1.0.4  
80487 silly lifecycle @kadira/storybook-addon-actions@1.0.4~install: no script for install, continuing  
80488 silly install react-modal@1.4.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\react-modal-704b6ab5  
80489 info lifecycle react-modal@1.4.0~install: react-modal@1.4.0  
80490 silly lifecycle react-modal@1.4.0~install: no script for install, continuing  
80491 silly install readline2@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\readline2-56e1e3bf  
80492 info lifecycle readline2@1.0.1~install: readline2@1.0.1  
80493 silly lifecycle readline2@1.0.1~install: no script for install, continuing  
80494 silly install balanced-match@0.1.0

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\balanced-match-d643dc99
80495 info lifecycle balanced-match@0.1.0~install: balanced-match@0.1.0
80496 silly lifecycle balanced-match@0.1.0~install: no script for install,
continuing
80497 silly install reduce-function-call@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\reduce-function-call-56a8f26
8
80498 info lifecycle reduce-function-call@1.0.1~install:
reduce-function-call@1.0.1
80499 silly lifecycle reduce-function-call@1.0.1~install: no script for
install, continuing
80500 silly install reduce-css-calc@1.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\reduce-css-calc-229106db
80501 info lifecycle reduce-css-calc@1.3.0~install: reduce-css-calc@1.3.0
80502 silly lifecycle reduce-css-calc@1.3.0~install: no script for install,
continuing
80503 silly install regenerate@1.3.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\regenerate-d0bfc69
80504 info lifecycle regenerate@1.3.1~install: regenerate@1.3.1
80505 silly lifecycle regenerate@1.3.1~install: no script for install,
continuing
80506 silly install regenerator-runtime@0.9.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\regenerator-runtime-df21379e
80507 info lifecycle regenerator-runtime@0.9.5~install:
regenerator-runtime@0.9.5
80508 silly lifecycle regenerator-runtime@0.9.5~install: no script for install,
continuing
80509 silly install babel-runtime@6.11.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-runtime-f39e4d94
80510 info lifecycle babel-runtime@6.11.6~install: babel-runtime@6.11.6
80511 silly lifecycle babel-runtime@6.11.6~install: no script for install,
continuing
80512 silly install react-simple-di@1.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\react-simple-di-b351cc7a
80513 info lifecycle react-simple-di@1.2.0~install: react-simple-di@1.2.0
80514 silly lifecycle react-simple-di@1.2.0~install: no script for install,
continuing
80515 silly install react-fuzzy@0.3.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\react-fuzzy-3eb8f682
80516 info lifecycle react-fuzzy@0.3.3~install: react-fuzzy@0.3.3
80517 silly lifecycle react-fuzzy@0.3.3~install: no script for install,
continuing
80518 silly install babylon@6.9.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babylon-fac1d380
80519 info lifecycle babylon@6.9.1~install: babylon@6.9.1
80520 silly lifecycle babylon@6.9.1~install: no script for install, continuing
80521 silly install babel-plugin-transform-runtime@6.15.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-runti
me-bd33dba3
80522 info lifecycle babel-plugin-transform-runtime@6.15.0~install:
babel-plugin-transform-runtime@6.15.0
80523 silly lifecycle babel-plugin-transform-runtime@6.15.0~install: no script
```



npm-debug.log

for install, continuing

80524 silly install babel-plugin-transform-react-jsx-source@6.9.0

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-plugin-transform-react-jsx-source-3e0fe78b

80525 info lifecycle babel-plugin-transform-react-jsx-source@6.9.0~install: babel-plugin-transform-react-jsx-source@6.9.0

80526 silly lifecycle babel-plugin-transform-react-jsx-source@6.9.0~install: no script for install, continuing

80527 silly install babel-plugin-transform-react-jsx-self@6.11.0

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-plugin-transform-react-jsx-self-1a1ec7f6

80528 info lifecycle babel-plugin-transform-react-jsx-self@6.11.0~install: babel-plugin-transform-react-jsx-self@6.11.0

80529 silly lifecycle babel-plugin-transform-react-jsx-self@6.11.0~install: no script for install, continuing

80530 silly install babel-plugin-transform-react-display-name@6.8.0

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-plugin-transform-react-display-name-81bbd389

80531 info lifecycle babel-plugin-transform-react-display-name@6.8.0~install: babel-plugin-transform-react-display-name@6.8.0

80532 silly lifecycle babel-plugin-transform-react-display-name@6.8.0~install: no script for install, continuing

80533 silly install babel-plugin-transform-react-constant-elements@6.9.1

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-plugin-transform-react-constant-elements-5c3c4e01

80534 info lifecycle

babel-plugin-transform-react-constant-elements@6.9.1~install:

babel-plugin-transform-react-constant-elements@6.9.1

80535 silly lifecycle

babel-plugin-transform-react-constant-elements@6.9.1~install: no script for install, continuing

80536 silly install babel-plugin-transform-object-rest-spread@6.8.0

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-plugin-transform-object-rest-spread-6d968cb3

80537 info lifecycle babel-plugin-transform-object-rest-spread@6.8.0~install: babel-plugin-transform-object-rest-spread@6.8.0

80538 silly lifecycle babel-plugin-transform-object-rest-spread@6.8.0~install: no script for install, continuing

80539 silly install babel-plugin-transform-flow-strip-types@6.14.0

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-plugin-transform-flow-strip-types-0c259221

80540 info lifecycle babel-plugin-transform-flow-strip-types@6.14.0~install: babel-plugin-transform-flow-strip-types@6.14.0

80541 silly lifecycle babel-plugin-transform-flow-strip-types@6.14.0~install: no script for install, continuing

80542 silly install babel-plugin-transform-es2015-typeof-symbol@6.8.0

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-plugin-transform-es2015-typeof-symbol-2910c62e

80543 info lifecycle babel-plugin-transform-es2015-typeof-symbol@6.8.0~install: babel-plugin-transform-es2015-typeof-symbol@6.8.0

80544 silly lifecycle

babel-plugin-transform-es2015-typeof-symbol@6.8.0~install: no script for

npm-debug.log

```
install, continuing
80545 silly install babel-plugin-transform-es2015-template-literals@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-template-literals-47fef4c3
80546 info lifecycle
babel-plugin-transform-es2015-template-literals@6.8.0~install:
babel-plugin-transform-es2015-template-literals@6.8.0
80547 silly lifecycle
babel-plugin-transform-es2015-template-literals@6.8.0~install: no script for
install, continuing
80548 silly install babel-plugin-transform-es2015-spread@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-spread-3c745e80
80549 info lifecycle babel-plugin-transform-es2015-spread@6.8.0~install:
babel-plugin-transform-es2015-spread@6.8.0
80550 silly lifecycle babel-plugin-transform-es2015-spread@6.8.0~install: no
script for install, continuing
80551 silly install babel-plugin-transform-es2015-literals@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-literals-6f989d24
80552 info lifecycle babel-plugin-transform-es2015-literals@6.8.0~install:
babel-plugin-transform-es2015-literals@6.8.0
80553 silly lifecycle babel-plugin-transform-es2015-literals@6.8.0~install: no
script for install, continuing
80554 silly install babel-plugin-transform-es2015-for-of@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-for-of-2235b574
80555 info lifecycle babel-plugin-transform-es2015-for-of@6.8.0~install:
babel-plugin-transform-es2015-for-of@6.8.0
80556 silly lifecycle babel-plugin-transform-es2015-for-of@6.8.0~install: no
script for install, continuing
80557 silly install babel-plugin-transform-es2015-destructuring@6.9.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-destructuring-b64d1c15
80558 info lifecycle babel-plugin-transform-es2015-destructuring@6.9.0~install:
babel-plugin-transform-es2015-destructuring@6.9.0
80559 silly lifecycle
babel-plugin-transform-es2015-destructuring@6.9.0~install: no script for
install, continuing
80560 silly install babel-plugin-transform-es2015-block-scoped-functions@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-block-scoped-functions-6f6b03b3
80561 info lifecycle
babel-plugin-transform-es2015-block-scoped-functions@6.8.0~install:
babel-plugin-transform-es2015-block-scoped-functions@6.8.0
80562 silly lifecycle
babel-plugin-transform-es2015-block-scoped-functions@6.8.0~install: no script
for install, continuing
80563 silly install babel-plugin-transform-es2015-arrow-functions@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-arrow-functions-ee82dd83
80564 info lifecycle
```

npm-debug.log

```
babel-plugin-transform-es2015-arrow-functions@6.8.0~install:
babel-plugin-transform-es2015-arrow-functions@6.8.0
80565 silly lifecycle
babel-plugin-transform-es2015-arrow-functions@6.8.0~install: no script for
install, continuing
80566 silly install babel-plugin-check-es2015-constants@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-check-es2015-co
nstants-921b42c1
80567 info lifecycle babel-plugin-check-es2015-constants@6.8.0~install:
babel-plugin-check-es2015-constants@6.8.0
80568 silly lifecycle babel-plugin-check-es2015-constants@6.8.0~install: no
script for install, continuing
80569 silly install babel-messages@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-messages-c21250d2
80570 info lifecycle babel-messages@6.8.0~install: babel-messages@6.8.0
80571 silly lifecycle babel-messages@6.8.0~install: no script for install,
continuing
80572 silly install babel-polyfill@6.13.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-polyfill-fff4cb7b
80573 info lifecycle babel-polyfill@6.13.0~install: babel-polyfill@6.13.0
80574 silly lifecycle babel-polyfill@6.13.0~install: no script for install,
continuing
80575 silly install regex-cache@0.4.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\regex-cache-24220e42
80576 info lifecycle regex-cache@0.4.3~install: regex-cache@0.4.3
80577 silly lifecycle regex-cache@0.4.3~install: no script for install,
continuing
80578 silly install regjsgen@0.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\regjsgen-b1b14964
80579 info lifecycle regjsgen@0.2.0~install: regjsgen@0.2.0
80580 silly lifecycle regjsgen@0.2.0~install: no script for install, continuing
80581 silly install regjsparser@0.1.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\regjsparser-e712d18a
80582 info lifecycle regjsparser@0.1.5~install: regjsparser@0.1.5
80583 silly lifecycle regjsparser@0.1.5~install: no script for install,
continuing
80584 silly install regexpu-core@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\regexpu-core-8c932d8e
80585 info lifecycle regexpu-core@2.0.0~install: regexpu-core@2.0.0
80586 silly lifecycle regexpu-core@2.0.0~install: no script for install,
continuing
80587 silly install regexpu-core@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\regexpu-core-2e4d3014
80588 info lifecycle regexpu-core@1.0.0~install: regexpu-core@1.0.0
80589 silly lifecycle regexpu-core@1.0.0~install: no script for install,
continuing
80590 silly install css-selector-tokenizer@0.6.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\css-selector-tokenizer-a6526
ec2
80591 info lifecycle css-selector-tokenizer@0.6.0~install:
css-selector-tokenizer@0.6.0
80592 silly lifecycle css-selector-tokenizer@0.6.0~install: no script for
```

npm-debug.log

```
install, continuing
80593 silly install repeat-element@1.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\repeat-element-da85a615
80594 info lifecycle repeat-element@1.1.2~install: repeat-element@1.1.2
80595 silly lifecycle repeat-element@1.1.2~install: no script for install,
continuing
80596 silly install repeat-string@1.5.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\repeat-string-44be144f
80597 info lifecycle repeat-string@1.5.4~install: repeat-string@1.5.4
80598 silly lifecycle repeat-string@1.5.4~install: no script for install,
continuing
80599 silly install fill-range@2.2.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\fill-range-a5175bf0
80600 info lifecycle fill-range@2.2.3~install: fill-range@2.2.3
80601 silly lifecycle fill-range@2.2.3~install: no script for install,
continuing
80602 silly install expand-range@1.8.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\expand-range-00ee1dd2
80603 info lifecycle expand-range@1.8.2~install: expand-range@1.8.2
80604 silly lifecycle expand-range@1.8.2~install: no script for install,
continuing
80605 silly install braces@1.8.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\braces-647ec649
80606 info lifecycle braces@1.8.5~install: braces@1.8.5
80607 silly lifecycle braces@1.8.5~install: no script for install, continuing
80608 silly install micromatch@2.3.11
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\micromatch-15c0dbb1
80609 info lifecycle micromatch@2.3.11~install: micromatch@2.3.11
80610 silly lifecycle micromatch@2.3.11~install: no script for install,
continuing
80611 silly install anymatch@1.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\anymatch-0c2f84a4
80612 info lifecycle anymatch@1.3.0~install: anymatch@1.3.0
80613 silly lifecycle anymatch@1.3.0~install: no script for install, continuing
80614 silly install align-text@0.1.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\align-text-713a23db
80615 info lifecycle align-text@0.1.4~install: align-text@0.1.4
80616 silly lifecycle align-text@0.1.4~install: no script for install,
continuing
80617 silly install center-align@0.1.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\center-align-696fb22c
80618 info lifecycle center-align@0.1.3~install: center-align@0.1.3
80619 silly lifecycle center-align@0.1.3~install: no script for install,
continuing
80620 silly install repeating@1.1.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\repeating-7ab448a4
80621 info lifecycle repeating@1.1.3~install: repeating@1.1.3
80622 silly lifecycle repeating@1.1.3~install: no script for install,
continuing
80623 silly install detect-indent@3.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\detect-indent-9a333cd1
80624 info lifecycle detect-indent@3.0.1~install: detect-indent@3.0.1
```

npm-debug.log

```
80625 silly lifecycle detect-indent@3.0.1~install: no script for install,
continuing
80626 silly install resolve@1.1.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\resolve-4764683a
80627 info lifecycle resolve@1.1.7~install: resolve@1.1.7
80628 silly lifecycle resolve@1.1.7~install: no script for install, continuing
80629 silly install rechoir@0.6.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\rechoir-bf164818
80630 info lifecycle rechoir@0.6.2~install: rechoir@0.6.2
80631 silly lifecycle rechoir@0.6.2~install: no script for install, continuing
80632 silly install resolve-from@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\resolve-from-abc65560
80633 info lifecycle resolve-from@1.0.1~install: resolve-from@1.0.1
80634 silly lifecycle resolve-from@1.0.1~install: no script for install,
continuing
80635 silly install require-uncached@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\require-uncached-5ccb7de4
80636 info lifecycle require-uncached@1.0.2~install: require-uncached@1.0.2
80637 silly lifecycle require-uncached@1.0.2~install: no script for install,
continuing
80638 silly install restore-cursor@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\restore-cursor-3aa93d95
80639 info lifecycle restore-cursor@1.0.1~install: restore-cursor@1.0.1
80640 silly lifecycle restore-cursor@1.0.1~install: no script for install,
continuing
80641 silly install cli-cursor@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\cli-cursor-50ad9c52
80642 info lifecycle cli-cursor@1.0.2~install: cli-cursor@1.0.2
80643 silly lifecycle cli-cursor@1.0.2~install: no script for install,
continuing
80644 silly install right-align@0.1.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\right-align-1d799d19
80645 info lifecycle right-align@0.1.3~install: right-align@0.1.3
80646 silly lifecycle right-align@0.1.3~install: no script for install,
continuing
80647 silly install cliui@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\cliui-3b511935
80648 info lifecycle cliui@2.1.0~install: cliui@2.1.0
80649 silly lifecycle cliui@2.1.0~install: no script for install, continuing
80650 silly install ripemd160@0.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ripemd160-30356072
80651 info lifecycle ripemd160@0.2.0~install: ripemd160@0.2.0
80652 silly lifecycle ripemd160@0.2.0~install: no script for install,
continuing
80653 silly install rx-lite@3.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\rx-lite-6eec3ca8
80654 info lifecycle rx-lite@3.1.2~install: rx-lite@3.1.2
80655 silly lifecycle rx-lite@3.1.2~install: no script for install, continuing
80656 silly install samsam@1.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\samsam-72747a1a
80657 info lifecycle samsam@1.1.2~install: samsam@1.1.2
80658 silly lifecycle samsam@1.1.2~install: no script for install, continuing
```

npm-debug.log

```
80659 silly install formatio@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\formatio-1bbe1f85
80660 info lifecycle formatio@1.1.1~install: formatio@1.1.1
80661 silly lifecycle formatio@1.1.1~install: no script for install, continuing
80662 silly install sax@1.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\sax-958ac02c
80663 info lifecycle sax@1.2.1~install: sax@1.2.1
80664 silly lifecycle sax@1.2.1~install: no script for install, continuing
80665 silly install semver@4.3.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\semver-f9fa6c15
80666 info lifecycle semver@4.3.6~install: semver@4.3.6
80667 silly lifecycle semver@4.3.6~install: no script for install, continuing
80668 silly install semver-regex@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\semver-regex-3fc6869c
80669 info lifecycle semver-regex@1.0.0~install: semver-regex@1.0.0
80670 silly lifecycle semver-regex@1.0.0~install: no script for install,
continuing
80671 silly install semver@5.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\semver-876f1fec
80672 info lifecycle semver@5.3.0~install: semver@5.3.0
80673 silly lifecycle semver@5.3.0~install: no script for install, continuing
80674 silly install semver-truncate@1.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\semver-truncate-04c46dcd
80675 info lifecycle semver-truncate@1.1.2~install: semver-truncate@1.1.2
80676 silly lifecycle semver-truncate@1.1.2~install: no script for install,
continuing
80677 silly install set-immediate-shim@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\set-immediate-shim-5b1b77b3
80678 info lifecycle set-immediate-shim@1.0.1~install: set-immediate-shim@1.0.1
80679 silly lifecycle set-immediate-shim@1.0.1~install: no script for install,
continuing
80680 silly install setprototypeof@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\setprototypeof-4e641643
80681 info lifecycle setprototypeof@1.0.1~install: setprototypeof@1.0.1
80682 silly lifecycle setprototypeof@1.0.1~install: no script for install,
continuing
80683 silly install sha.js@2.2.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\sha.js-4b8e4e59
80684 info lifecycle sha.js@2.2.6~install: sha.js@2.2.6
80685 silly lifecycle sha.js@2.2.6~install: no script for install, continuing
80686 silly install crypto-browserify@3.2.8
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\crypto-browserify-347fea99
80687 info lifecycle crypto-browserify@3.2.8~install: crypto-browserify@3.2.8
80688 silly lifecycle crypto-browserify@3.2.8~install: no script for install,
continuing
80689 silly install shallowequal@0.2.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\shallowequal-4a8462ef
80690 info lifecycle shallowequal@0.2.2~install: shallowequal@0.2.2
80691 silly lifecycle shallowequal@0.2.2~install: no script for install,
continuing
80692 silly install react-komposer@1.13.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\react-komposer-deaa5c62
```

npm-debug.log

```
80693 info lifecycle react-komposer@1.13.1~install: react-komposer@1.13.1
80694 silly lifecycle react-komposer@1.13.1~install: no script for install,
continuing
80695 silly install mantra-core@1.7.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\mantra-core-133e4d10
80696 info lifecycle mantra-core@1.7.0~install: mantra-core@1.7.0
80697 silly lifecycle mantra-core@1.7.0~install: no script for install,
continuing
80698 silly install shebang-regex@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\shebang-regex-d8250bc9
80699 info lifecycle shebang-regex@1.0.0~install: shebang-regex@1.0.0
80700 silly lifecycle shebang-regex@1.0.0~install: no script for install,
continuing
80701 silly install sigmund@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\sigmund-9b42c0d5
80702 info lifecycle sigmund@1.0.1~install: sigmund@1.0.1
80703 silly lifecycle sigmund@1.0.1~install: no script for install, continuing
80704 silly install minimatch@0.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\minimatch-aa8a9c80
80705 info lifecycle minimatch@0.3.0~install: minimatch@0.3.0
80706 silly lifecycle minimatch@0.3.0~install: no script for install,
continuing
80707 silly install glob@3.2.11
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\glob-e4efaa2b
80708 info lifecycle glob@3.2.11~install: glob@3.2.11
80709 silly lifecycle glob@3.2.11~install: no script for install, continuing
80710 silly install signal-exit@3.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\signal-exit-db5c53b5
80711 info lifecycle signal-exit@3.0.0~install: signal-exit@3.0.0
80712 silly lifecycle signal-exit@3.0.0~install: no script for install,
continuing
80713 silly install loud-rejection@1.6.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\loud-rejection-eee71dec
80714 info lifecycle loud-rejection@1.6.0~install: loud-rejection@1.6.0
80715 silly lifecycle loud-rejection@1.6.0~install: no script for install,
continuing
80716 silly install slash@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\slash-b9c2a7b4
80717 info lifecycle slash@1.0.0~install: slash@1.0.0
80718 silly lifecycle slash@1.0.0~install: no script for install, continuing
80719 silly install slice-ansi@0.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\slice-ansi-550d2c23
80720 info lifecycle slice-ansi@0.0.4~install: slice-ansi@0.0.4
80721 silly lifecycle slice-ansi@0.0.4~install: no script for install,
continuing
80722 silly install slide@1.1.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\slide-34454bd0
80723 info lifecycle slide@1.1.6~install: slide@1.1.6
80724 silly lifecycle slide@1.1.6~install: no script for install, continuing
80725 silly install sntp@1.0.9
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\sntp-fed9f6cc
80726 info lifecycle sntp@1.0.9~install: sntp@1.0.9
```

npm-debug.log

```
80727 silly lifecycle sntp@1.0.9~install: no script for install, continuing
80728 silly install hawk@3.1.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\hawk-4f4d3cfa
80729 info lifecycle hawk@3.1.3~install: hawk@3.1.3
80730 silly lifecycle hawk@3.1.3~install: no script for install, continuing
80731 silly install sort-keys@1.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\sort-keys-41cb7983
80732 info lifecycle sort-keys@1.1.2~install: sort-keys@1.1.2
80733 silly lifecycle sort-keys@1.1.2~install: no script for install,
continuing
80734 silly install source-list-map@0.1.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\source-list-map-ad4de97e
80735 info lifecycle source-list-map@0.1.6~install: source-list-map@0.1.6
80736 silly lifecycle source-list-map@0.1.6~install: no script for install,
continuing
80737 silly install source-map@0.5.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\source-map-3f57d7de
80738 info lifecycle source-map@0.5.6~install: source-map@0.5.6
80739 silly lifecycle source-map@0.5.6~install: no script for install,
continuing
80740 silly install source-map@0.1.32
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\source-map-5ee43f76
80741 info lifecycle source-map@0.1.32~install: source-map@0.1.32
80742 silly lifecycle source-map@0.1.32~install: no script for install,
continuing
80743 silly install source-map-support@0.2.10
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\source-map-support-e82f100c
80744 info lifecycle source-map-support@0.2.10~install:
source-map-support@0.2.10
80745 silly lifecycle source-map-support@0.2.10~install: no script for install,
continuing
80746 silly install spdx-expression-parse@1.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\spdx-expression-parse-f908c0
a4
80747 info lifecycle spdx-expression-parse@1.0.3~install:
spdx-expression-parse@1.0.3
80748 silly lifecycle spdx-expression-parse@1.0.3~install: no script for
install, continuing
80749 silly install spdx-license-ids@1.2.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\spdx-license-ids-224e81dd
80750 info lifecycle spdx-license-ids@1.2.2~install: spdx-license-ids@1.2.2
80751 silly lifecycle spdx-license-ids@1.2.2~install: no script for install,
continuing
80752 silly install spdx-correct@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\spdx-correct-bda7a3b8
80753 info lifecycle spdx-correct@1.0.2~install: spdx-correct@1.0.2
80754 silly lifecycle spdx-correct@1.0.2~install: no script for install,
continuing
80755 silly install sprintf-js@1.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\sprintf-js-1196607f
80756 info lifecycle sprintf-js@1.0.3~install: sprintf-js@1.0.3
80757 silly lifecycle sprintf-js@1.0.3~install: no script for install,
```



npm-debug.log

```
continuing
80758 silly install argparse@1.0.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\argparse-b0fd702e
80759 info lifecycle argparse@1.0.7~install: argparse@1.0.7
80760 silly lifecycle argparse@1.0.7~install: no script for install, continuing
80761 silly install js-yaml@3.6.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\js-yaml-d70fa94d
80762 info lifecycle js-yaml@3.6.1~install: js-yaml@3.6.1
80763 silly lifecycle js-yaml@3.6.1~install: no script for install, continuing
80764 silly install assert-plus@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\assert-plus-fa03406a
80765 info lifecycle assert-plus@1.0.0~install: assert-plus@1.0.0
80766 silly lifecycle assert-plus@1.0.0~install: no script for install,
continuing
80767 silly install stack-source-map@1.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\stack-source-map-359406f5
80768 info lifecycle stack-source-map@1.0.5~install: stack-source-map@1.0.5
80769 silly lifecycle stack-source-map@1.0.5~install: no script for install,
continuing
80770 silly install stackframe@0.3.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\stackframe-ea5922fd
80771 info lifecycle stackframe@0.3.1~install: stackframe@0.3.1
80772 silly lifecycle stackframe@0.3.1~install: no script for install,
continuing
80773 silly install error-stack-parser@1.3.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\error-stack-parser-0eb83f86
80774 info lifecycle error-stack-parser@1.3.6~install: error-stack-parser@1.3.6
80775 silly lifecycle error-stack-parser@1.3.6~install: no script for install,
continuing
80776 silly install redbox-react@1.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\redbox-react-7a342589
80777 info lifecycle redbox-react@1.3.0~install: redbox-react@1.3.0
80778 silly lifecycle redbox-react@1.3.0~install: no script for install,
continuing
80779 silly install statuses@1.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\statuses-94ebc62e
80780 info lifecycle statuses@1.3.0~install: statuses@1.3.0
80781 silly lifecycle statuses@1.3.0~install: no script for install, continuing
80782 silly install http-errors@1.5.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\http-errors-41ad3705
80783 info lifecycle http-errors@1.5.0~install: http-errors@1.5.0
80784 silly lifecycle http-errors@1.5.0~install: no script for install,
continuing
80785 silly install send@0.14.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\send-87545c75
80786 info lifecycle send@0.14.1~install: send@0.14.1
80787 silly lifecycle send@0.14.1~install: no script for install, continuing
80788 silly install serve-static@1.11.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\serve-static-2bc8fdda
80789 info lifecycle serve-static@1.11.1~install: serve-static@1.11.1
80790 silly lifecycle serve-static@1.11.1~install: no script for install,
continuing
```

npm-debug.log

```
80791 silly install steno@0.4.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\steno-53ca505a
80792 info lifecycle steno@0.4.4~install: steno@0.4.4
80793 silly lifecycle steno@0.4.4~install: no script for install, continuing
80794 silly install lowdb@0.13.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lowdb-6efba7b6
80795 info lifecycle lowdb@0.13.1~install: lowdb@0.13.1
80796 silly lifecycle lowdb@0.13.1~install: no script for install, continuing
80797 silly install isarray@0.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\isarray-80685694
80798 info lifecycle isarray@0.0.1~install: isarray@0.0.1
80799 silly lifecycle isarray@0.0.1~install: no script for install, continuing
80800 silly install strict-uri-encode@1.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\strict-uri-encode-b715e5b9
80801 info lifecycle strict-uri-encode@1.1.0~install: strict-uri-encode@1.1.0
80802 silly lifecycle strict-uri-encode@1.1.0~install: no script for install,
continuing
80803 silly install query-string@4.2.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\query-string-a1abac03
80804 info lifecycle query-string@4.2.3~install: query-string@4.2.3
80805 silly lifecycle query-string@4.2.3~install: no script for install,
continuing
80806 silly install normalize-url@1.6.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\normalize-url-65feda26
80807 info lifecycle normalize-url@1.6.1~install: normalize-url@1.6.1
80808 silly lifecycle normalize-url@1.6.1~install: no script for install,
continuing
80809 silly install string_decoder@0.10.31
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\string_decoder-294fef51
80810 info lifecycle string_decoder@0.10.31~install: string_decoder@0.10.31
80811 silly lifecycle string_decoder@0.10.31~install: no script for install,
continuing
80812 silly install readable-stream@1.1.14
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\readable-stream-addb63cf
80813 info lifecycle readable-stream@1.1.14~install: readable-stream@1.1.14
80814 silly lifecycle readable-stream@1.1.14~install: no script for install,
continuing
80815 silly install stream-browserify@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\stream-browserify-40a11eb6
80816 info lifecycle stream-browserify@1.0.0~install: stream-browserify@1.0.0
80817 silly lifecycle stream-browserify@1.0.0~install: no script for install,
continuing
80818 silly install readable-stream@1.1.14
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\readable-stream-1844ec7a
80819 info lifecycle readable-stream@1.1.14~install: readable-stream@1.1.14
80820 silly lifecycle readable-stream@1.1.14~install: no script for install,
continuing
80821 silly install readable-stream@1.1.14
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\readable-stream-84acd0ce
80822 info lifecycle readable-stream@1.1.14~install: readable-stream@1.1.14
80823 silly lifecycle readable-stream@1.1.14~install: no script for install,
continuing
```

npm-debug.log

```
80824 silly install htmlparser2@3.8.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\htmlparser2-fe11d562
80825 info lifecycle htmlparser2@3.8.3~install: htmlparser2@3.8.3
80826 silly lifecycle htmlparser2@3.8.3~install: no script for install,
continuing
80827 silly install string.prototype.padend@3.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\string.prototype.padend-f5ba
7059
80828 info lifecycle string.prototype.padend@3.0.0~install:
string.prototype.padend@3.0.0
80829 silly lifecycle string.prototype.padend@3.0.0~install: no script for
install, continuing
80830 silly install string.prototype.padstart@3.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\string.prototype.padstart-95
6285dc
80831 info lifecycle string.prototype.padstart@3.0.0~install:
string.prototype.padstart@3.0.0
80832 silly lifecycle string.prototype.padstart@3.0.0~install: no script for
install, continuing
80833 silly install airbnb-js-shims@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\airbnb-js-shims-913710f9
80834 info lifecycle airbnb-js-shims@1.0.1~install: airbnb-js-shims@1.0.1
80835 silly lifecycle airbnb-js-shims@1.0.1~install: no script for install,
continuing
80836 silly install stringstream@0.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\stringstream-a2688fcb
80837 info lifecycle stringstream@0.0.5~install: stringstream@0.0.5
80838 silly lifecycle stringstream@0.0.5~install: no script for install,
continuing
80839 silly install strip-ansi@3.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\strip-ansi-e68da056
80840 info lifecycle strip-ansi@3.0.1~install: strip-ansi@3.0.1
80841 silly lifecycle strip-ansi@3.0.1~install: no script for install,
continuing
80842 silly install string-width@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\string-width-42744dc7
80843 info lifecycle string-width@1.0.2~install: string-width@1.0.2
80844 silly lifecycle string-width@1.0.2~install: no script for install,
continuing
80845 silly install chalk@1.1.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\chalk-e53e7ac9
80846 info lifecycle chalk@1.1.3~install: chalk@1.1.3
80847 silly lifecycle chalk@1.1.3~install: no script for install, continuing
80848 silly install log-symbols@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\log-symbols-0c0278e1
80849 info lifecycle log-symbols@1.0.2~install: log-symbols@1.0.2
80850 silly lifecycle log-symbols@1.0.2~install: no script for install,
continuing
80851 silly install clap@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\clap-60051f50
80852 info lifecycle clap@1.1.1~install: clap@1.1.1
80853 silly lifecycle clap@1.1.1~install: no script for install, continuing
```

npm-debug.log

```
80854 silly install csso@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\csso-2caace55
80855 info lifecycle csso@2.0.0~install: csso@2.0.0
80856 silly lifecycle csso@2.0.0~install: no script for install, continuing
80857 silly install babel-code-frame@6.11.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-code-frame-ffffa81da
80858 info lifecycle babel-code-frame@6.11.0~install: babel-code-frame@6.11.0
80859 silly lifecycle babel-code-frame@6.11.0~install: no script for install,
continuing
80860 silly install chalk@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\chalk-aab8ea5d
80861 info lifecycle chalk@1.1.1~install: chalk@1.1.1
80862 silly lifecycle chalk@1.1.1~install: no script for install, continuing
80863 silly install strip-bom@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\strip-bom-8d0ea682
80864 info lifecycle strip-bom@2.0.0~install: strip-bom@2.0.0
80865 silly lifecycle strip-bom@2.0.0~install: no script for install,
continuing
80866 silly install load-json-file@1.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\load-json-file-8870329f
80867 info lifecycle load-json-file@1.1.0~install: load-json-file@1.1.0
80868 silly lifecycle load-json-file@1.1.0~install: no script for install,
continuing
80869 silly install strip-indent@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\strip-indent-1c50792c
80870 info lifecycle strip-indent@1.0.1~install: strip-indent@1.0.1
80871 silly lifecycle strip-indent@1.0.1~install: no script for install,
continuing
80872 silly install redent@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\redent-2acd880d
80873 info lifecycle redent@1.0.0~install: redent@1.0.0
80874 silly lifecycle redent@1.0.0~install: no script for install, continuing
80875 silly install strip-json-comments@1.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\strip-json-comments-bd1af9ed
80876 info lifecycle strip-json-comments@1.0.4~install:
strip-json-comments@1.0.4
80877 silly lifecycle strip-json-comments@1.0.4~install: no script for install,
continuing
80878 silly install style-loader@0.13.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\style-loader-b98af189
80879 info lifecycle style-loader@0.13.1~install: style-loader@0.13.1
80880 silly lifecycle style-loader@0.13.1~install: no script for install,
continuing
80881 silly install supports-color@3.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\supports-color-502975c9
80882 info lifecycle supports-color@3.1.2~install: supports-color@3.1.2
80883 silly lifecycle supports-color@3.1.2~install: no script for install,
continuing
80884 silly install postcss@5.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-d62f7204
80885 info lifecycle postcss@5.2.0~install: postcss@5.2.0
80886 silly lifecycle postcss@5.2.0~install: no script for install, continuing
```

npm-debug.log

```
80887 silly install postcss-reduce-transforms@1.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-reduce-transforms-36
98fb6d
80888 info lifecycle postcss-reduce-transforms@1.0.3~install:
postcss-reduce-transforms@1.0.3
80889 silly lifecycle postcss-reduce-transforms@1.0.3~install: no script for
install, continuing
80890 silly install postcss-reduce-initial@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-reduce-initial-4f349
adb
80891 info lifecycle postcss-reduce-initial@1.0.0~install:
postcss-reduce-initial@1.0.0
80892 silly lifecycle postcss-reduce-initial@1.0.0~install: no script for
install, continuing
80893 silly install postcss-reduce-idents@2.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-reduce-idents-c9df43
66
80894 info lifecycle postcss-reduce-idents@2.3.0~install:
postcss-reduce-idents@2.3.0
80895 silly lifecycle postcss-reduce-idents@2.3.0~install: no script for
install, continuing
80896 silly install postcss-ordered-values@2.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-ordered-values-5bb3f
431
80897 info lifecycle postcss-ordered-values@2.2.1~install:
postcss-ordered-values@2.2.1
80898 silly lifecycle postcss-ordered-values@2.2.1~install: no script for
install, continuing
80899 silly install postcss-normalize-url@3.0.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-normalize-url-08003a
32
80900 info lifecycle postcss-normalize-url@3.0.7~install:
postcss-normalize-url@3.0.7
80901 silly lifecycle postcss-normalize-url@3.0.7~install: no script for
install, continuing
80902 silly install postcss-normalize-charset@1.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-normalize-charset-ce
9532a7
80903 info lifecycle postcss-normalize-charset@1.1.0~install:
postcss-normalize-charset@1.1.0
80904 silly lifecycle postcss-normalize-charset@1.1.0~install: no script for
install, continuing
80905 silly install postcss-modules-values@1.2.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-modules-values-4be33
244
80906 info lifecycle postcss-modules-values@1.2.2~install:
postcss-modules-values@1.2.2
80907 silly lifecycle postcss-modules-values@1.2.2~install: no script for
install, continuing
80908 silly install postcss-modules-scope@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-modules-scope-574d75
f9
```

npm-debug.log

```
80909 info lifecycle postcss-modules-scope@1.0.2~install:
postcss-modules-scope@1.0.2
80910 silly lifecycle postcss-modules-scope@1.0.2~install: no script for
install, continuing
80911 silly install postcss-modules-local-by-default@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-modules-local-by-def
ault-2a21bbb7
80912 info lifecycle postcss-modules-local-by-default@1.1.1~install:
postcss-modules-local-by-default@1.1.1
80913 silly lifecycle postcss-modules-local-by-default@1.1.1~install: no script
for install, continuing
80914 silly install postcss-modules-extract-imports@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-modules-extract-impor
ts-a08d27f1
80915 info lifecycle postcss-modules-extract-imports@1.0.1~install:
postcss-modules-extract-imports@1.0.1
80916 silly lifecycle postcss-modules-extract-imports@1.0.1~install: no script
for install, continuing
80917 silly install postcss-minify-gradients@1.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-minify-gradients-a2d
ad9b2
80918 info lifecycle postcss-minify-gradients@1.0.3~install:
postcss-minify-gradients@1.0.3
80919 silly lifecycle postcss-minify-gradients@1.0.3~install: no script for
install, continuing
80920 silly install postcss-minify-font-values@1.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-minify-font-values-d
3de91c5
80921 info lifecycle postcss-minify-font-values@1.0.5~install:
postcss-minify-font-values@1.0.5
80922 silly lifecycle postcss-minify-font-values@1.0.5~install: no script for
install, continuing
80923 silly install postcss-merge-longhand@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-merge-longhand-49579
79a
80924 info lifecycle postcss-merge-longhand@2.0.1~install:
postcss-merge-longhand@2.0.1
80925 silly lifecycle postcss-merge-longhand@2.0.1~install: no script for
install, continuing
80926 silly install postcss-merge-idents@2.1.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-merge-idents-43f2d8d
3
80927 info lifecycle postcss-merge-idents@2.1.7~install:
postcss-merge-idents@2.1.7
80928 silly lifecycle postcss-merge-idents@2.1.7~install: no script for
install, continuing
80929 silly install postcss-loader@0.11.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-loader-00db421d
80930 info lifecycle postcss-loader@0.11.1~install: postcss-loader@0.11.1
80931 silly lifecycle postcss-loader@0.11.1~install: no script for install,
continuing
80932 silly install postcss-discard-overridden@0.1.1
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-discard-overridden-450f6015
80933 info lifecycle postcss-discard-overridden@0.1.1~install:
postcss-discard-overridden@0.1.1
80934 silly lifecycle postcss-discard-overridden@0.1.1~install: no script for
install, continuing
80935 silly install postcss-discard-empty@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-discard-empty-09eb5929
80936 info lifecycle postcss-discard-empty@2.1.0~install:
postcss-discard-empty@2.1.0
80937 silly lifecycle postcss-discard-empty@2.1.0~install: no script for
install, continuing
80938 silly install postcss-discard-duplicates@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-discard-duplicates-919891fb
80939 info lifecycle postcss-discard-duplicates@2.0.1~install:
postcss-discard-duplicates@2.0.1
80940 silly lifecycle postcss-discard-duplicates@2.0.1~install: no script for
install, continuing
80941 silly install postcss-discard-comments@2.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-discard-comments-91ed03c9
80942 info lifecycle postcss-discard-comments@2.0.4~install:
postcss-discard-comments@2.0.4
80943 silly lifecycle postcss-discard-comments@2.0.4~install: no script for
install, continuing
80944 silly install postcss-convert-values@2.4.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-convert-values-2415fd00
80945 info lifecycle postcss-convert-values@2.4.0~install:
postcss-convert-values@2.4.0
80946 silly lifecycle postcss-convert-values@2.4.0~install: no script for
install, continuing
80947 silly install postcss-colormin@2.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-colormin-9eb0e49d
80948 info lifecycle postcss-colormin@2.2.0~install: postcss-colormin@2.2.0
80949 silly lifecycle postcss-colormin@2.2.0~install: no script for install,
continuing
80950 silly install postcss-calc@5.3.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-calc-239231ea
80951 info lifecycle postcss-calc@5.3.1~install: postcss-calc@5.3.1
80952 silly lifecycle postcss-calc@5.3.1~install: no script for install,
continuing
80953 silly install autoprefixer@6.4.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\autoprefixer-26aa29ba
80954 info lifecycle autoprefixer@6.4.1~install: autoprefixer@6.4.1
80955 silly lifecycle autoprefixer@6.4.1~install: no script for install,
continuing
80956 silly install symbol-observable@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\symbol-observable-1427fd0e
80957 info lifecycle symbol-observable@1.0.2~install: symbol-observable@1.0.2
```

npm-debug.log

80958 silly lifecycle symbol-observable@1.0.2~install: no script for install, continuing  
80959 silly install redux@3.6.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\redux-35e7d8ba  
80960 info lifecycle redux@3.6.0~install: redux@3.6.0  
80961 silly lifecycle redux@3.6.0~install: no script for install, continuing  
80962 silly install @kadira/storybook-ui@3.4.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\@kadira\storybook-ui-4c86642f  
80963 info lifecycle @kadira/storybook-ui@3.4.1~install:  
@kadira/storybook-ui@3.4.1  
80964 silly lifecycle @kadira/storybook-ui@3.4.1~install: no script for install, continuing  
80965 silly install symbol-tree@3.1.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\symbol-tree-ffa3bc53  
80966 info lifecycle symbol-tree@3.1.4~install: symbol-tree@3.1.4  
80967 silly lifecycle symbol-tree@3.1.4~install: no script for install, continuing  
80968 silly install tapable@0.1.10  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\tapable-63de8129  
80969 info lifecycle tapable@0.1.10~install: tapable@0.1.10  
80970 silly lifecycle tapable@0.1.10~install: no script for install, continuing  
80971 silly install enhanced-resolve@0.9.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\enhanced-resolve-7761cc5a  
80972 info lifecycle enhanced-resolve@0.9.1~install: enhanced-resolve@0.9.1  
80973 silly lifecycle enhanced-resolve@0.9.1~install: no script for install, continuing  
80974 silly install text-table@0.2.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\text-table-8f315a68  
80975 info lifecycle text-table@0.2.0~install: text-table@0.2.0  
80976 silly lifecycle text-table@0.2.0~install: no script for install, continuing  
80977 silly install through@2.3.8  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\through-2d33819c  
80978 info lifecycle through@2.3.8~install: through@2.3.8  
80979 silly lifecycle through@2.3.8~install: no script for install, continuing  
80980 silly install timers-browserify@1.4.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\timers-browserify-2d6dacdb  
80981 info lifecycle timers-browserify@1.4.2~install: timers-browserify@1.4.2  
80982 silly lifecycle timers-browserify@1.4.2~install: no script for install, continuing  
80983 silly install to-fast-properties@1.0.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\to-fast-properties-60b7a1bc  
80984 info lifecycle to-fast-properties@1.0.2~install: to-fast-properties@1.0.2  
80985 silly lifecycle to-fast-properties@1.0.2~install: no script for install, continuing  
80986 silly install babel-types@6.15.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-types-2bc2bbeb  
80987 info lifecycle babel-types@6.15.0~install: babel-types@6.15.0  
80988 silly lifecycle babel-types@6.15.0~install: no script for install, continuing  
80989 silly install babel-traverse@6.15.0



npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-traverse-33a3343f
80990 info lifecycle babel-traverse@6.15.0~install: babel-traverse@6.15.0
80991 silly lifecycle babel-traverse@6.15.0~install: no script for install,
continuing
80992 silly install babel-template@6.15.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-template-e00b68ed
80993 info lifecycle babel-template@6.15.0~install: babel-template@6.15.0
80994 silly lifecycle babel-template@6.15.0~install: no script for install,
continuing
80995 silly install babel-helpers@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helpers-ed5690fb
80996 info lifecycle babel-helpers@6.8.0~install: babel-helpers@6.8.0
80997 silly lifecycle babel-helpers@6.8.0~install: no script for install,
continuing
80998 silly install babel-plugin-transform-strict-mode@6.11.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-strict-mode-02c2fd5f
80999 info lifecycle babel-plugin-transform-strict-mode@6.11.3~install:
babel-plugin-transform-strict-mode@6.11.3
81000 silly lifecycle babel-plugin-transform-strict-mode@6.11.3~install: no
script for install, continuing
81001 silly install babel-plugin-transform-es2015-shorthand-properties@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-shorthand-properties-8d0e669c
81002 info lifecycle
babel-plugin-transform-es2015-shorthand-properties@6.8.0~install:
babel-plugin-transform-es2015-shorthand-properties@6.8.0
81003 silly lifecycle
babel-plugin-transform-es2015-shorthand-properties@6.8.0~install: no script for
install, continuing
81004 silly install babel-plugin-transform-es2015-modules-commonjs@6.14.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-modules-commonjs-f8c1389e
81005 info lifecycle
babel-plugin-transform-es2015-modules-commonjs@6.14.0~install:
babel-plugin-transform-es2015-modules-commonjs@6.14.0
81006 silly lifecycle
babel-plugin-transform-es2015-modules-commonjs@6.14.0~install: no script for
install, continuing
81007 silly install babel-plugin-transform-es2015-modules-amd@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-modules-amd-45ba77de
81008 info lifecycle babel-plugin-transform-es2015-modules-amd@6.8.0~install:
babel-plugin-transform-es2015-modules-amd@6.8.0
81009 silly lifecycle babel-plugin-transform-es2015-modules-amd@6.8.0~install:
no script for install, continuing
81010 silly install babel-plugin-transform-es2015-modules-umd@6.12.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-modules-umd-5faa4ca9
81011 info lifecycle babel-plugin-transform-es2015-modules-umd@6.12.0~install:
babel-plugin-transform-es2015-modules-umd@6.12.0
81012 silly lifecycle babel-plugin-transform-es2015-modules-umd@6.12.0~install:
```

npm-debug.log

```
no script for install, continuing
81013 silly install babel-plugin-transform-es2015-duplicate-keys@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-duplicate-keys-f85309bb
81014 info lifecycle
babel-plugin-transform-es2015-duplicate-keys@6.8.0~install:
babel-plugin-transform-es2015-duplicate-keys@6.8.0
81015 silly lifecycle
babel-plugin-transform-es2015-duplicate-keys@6.8.0~install: no script for
install, continuing
81016 silly install babel-plugin-transform-es2015-block-scoping@6.15.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-block-scoping-c8a1f882
81017 info lifecycle
babel-plugin-transform-es2015-block-scoping@6.15.0~install:
babel-plugin-transform-es2015-block-scoping@6.15.0
81018 silly lifecycle
babel-plugin-transform-es2015-block-scoping@6.15.0~install: no script for
install, continuing
81019 silly install babel-helper-regex@6.9.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-regex-1955fb8c
81020 info lifecycle babel-helper-regex@6.9.0~install: babel-helper-regex@6.9.0
81021 silly lifecycle babel-helper-regex@6.9.0~install: no script for install,
continuing
81022 silly install babel-plugin-transform-es2015-unicode-regex@6.11.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-unicode-regex-acd4a4b4
81023 info lifecycle
babel-plugin-transform-es2015-unicode-regex@6.11.0~install:
babel-plugin-transform-es2015-unicode-regex@6.11.0
81024 silly lifecycle
babel-plugin-transform-es2015-unicode-regex@6.11.0~install: no script for
install, continuing
81025 silly install babel-plugin-transform-es2015-sticky-regex@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-sticky-regex-d7fd6440
81026 info lifecycle babel-plugin-transform-es2015-sticky-regex@6.8.0~install:
babel-plugin-transform-es2015-sticky-regex@6.8.0
81027 silly lifecycle babel-plugin-transform-es2015-sticky-regex@6.8.0~install:
no script for install, continuing
81028 silly install babel-helper-optimise-call-expression@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-optimise-call-expression-bce62eb8
81029 info lifecycle babel-helper-optimise-call-expression@6.8.0~install:
babel-helper-optimise-call-expression@6.8.0
81030 silly lifecycle babel-helper-optimise-call-expression@6.8.0~install: no
script for install, continuing
81031 silly install babel-helper-replace-supers@6.14.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-replace-supers-7186fafc
81032 info lifecycle babel-helper-replace-supers@6.14.0~install:
babel-helper-replace-supers@6.14.0
```

npm-debug.log

```
81033 silly lifecycle babel-helper-replace-supers@6.14.0~install: no script for
install, continuing
81034 silly install babel-plugin-transform-es2015-object-super@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es201
5-object-super-3760153f
81035 info lifecycle babel-plugin-transform-es2015-object-super@6.8.0~install:
babel-plugin-transform-es2015-object-super@6.8.0
81036 silly lifecycle babel-plugin-transform-es2015-object-super@6.8.0~install:
no script for install, continuing
81037 silly install babel-helper-hoist-variables@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-hoist-variables
-d392367c
81038 info lifecycle babel-helper-hoist-variables@6.8.0~install:
babel-helper-hoist-variables@6.8.0
81039 silly lifecycle babel-helper-hoist-variables@6.8.0~install: no script for
install, continuing
81040 silly install babel-plugin-transform-es2015-modules-systemjs@6.14.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es201
5-modules-systemjs-aa5f97f9
81041 info lifecycle
babel-plugin-transform-es2015-modules-systemjs@6.14.0~install:
babel-plugin-transform-es2015-modules-systemjs@6.14.0
81042 silly lifecycle
babel-plugin-transform-es2015-modules-systemjs@6.14.0~install: no script for
install, continuing
81043 silly install babel-helper-get-function-arity@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-get-function-ar
ity-7476b596
81044 info lifecycle babel-helper-get-function-arity@6.8.0~install:
babel-helper-get-function-arity@6.8.0
81045 silly lifecycle babel-helper-get-function-arity@6.8.0~install: no script
for install, continuing
81046 silly install babel-helper-function-name@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-function-name-d
39e4be4
81047 info lifecycle babel-helper-function-name@6.8.0~install:
babel-helper-function-name@6.8.0
81048 silly lifecycle babel-helper-function-name@6.8.0~install: no script for
install, continuing
81049 silly install babel-plugin-transform-es2015-function-name@6.9.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es201
5-function-name-8e57a90e
81050 info lifecycle babel-plugin-transform-es2015-function-name@6.9.0~install:
babel-plugin-transform-es2015-function-name@6.9.0
81051 silly lifecycle
babel-plugin-transform-es2015-function-name@6.9.0~install: no script for
install, continuing
81052 silly install babel-plugin-transform-class-properties@6.11.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-class
-properties-a3dc4c23
81053 info lifecycle babel-plugin-transform-class-properties@6.11.5~install:
babel-plugin-transform-class-properties@6.11.5
```

npm-debug.log

81054 silly lifecycle babel-plugin-transform-class-properties@6.11.5~install:  
no script for install, continuing  
81055 silly install babel-helper-remap-async-to-generator@6.11.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-helper-remap-async-to-  
generator-d9b93b62  
81056 info lifecycle babel-helper-remap-async-to-generator@6.11.2~install:  
babel-helper-remap-async-to-generator@6.11.2  
81057 silly lifecycle babel-helper-remap-async-to-generator@6.11.2~install: no  
script for install, continuing  
81058 silly install babel-plugin-transform-async-to-generator@6.8.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-plugin-transform-async  
-to-generator-76140513  
81059 info lifecycle babel-plugin-transform-async-to-generator@6.8.0~install:  
babel-plugin-transform-async-to-generator@6.8.0  
81060 silly lifecycle babel-plugin-transform-async-to-generator@6.8.0~install:  
no script for install, continuing  
81061 silly install babel-helper-explode-assignable-expression@6.8.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-helper-explode-assigna  
ble-expression-8e956979  
81062 info lifecycle babel-helper-explode-assignable-expression@6.8.0~install:  
babel-helper-explode-assignable-expression@6.8.0  
81063 silly lifecycle babel-helper-explode-assignable-expression@6.8.0~install:  
no script for install, continuing  
81064 silly install babel-helper-define-map@6.9.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-helper-define-map-6e70  
5baa  
81065 info lifecycle babel-helper-define-map@6.9.0~install:  
babel-helper-define-map@6.9.0  
81066 silly lifecycle babel-helper-define-map@6.9.0~install: no script for  
install, continuing  
81067 silly install babel-plugin-transform-es2015-computed-properties@6.8.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-plugin-transform-es201  
5-computed-properties-80bf1890  
81068 info lifecycle  
babel-plugin-transform-es2015-computed-properties@6.8.0~install:  
babel-plugin-transform-es2015-computed-properties@6.8.0  
81069 silly lifecycle  
babel-plugin-transform-es2015-computed-properties@6.8.0~install: no script for  
install, continuing  
81070 silly install babel-plugin-transform-es2015-classes@6.14.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-plugin-transform-es201  
5-classes-da350a41  
81071 info lifecycle babel-plugin-transform-es2015-classes@6.14.0~install:  
babel-plugin-transform-es2015-classes@6.14.0  
81072 silly lifecycle babel-plugin-transform-es2015-classes@6.14.0~install: no  
script for install, continuing  
81073 silly install babel-helper-call-delegate@6.8.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-helper-call-delegate-5  
8c4407b  
81074 info lifecycle babel-helper-call-delegate@6.8.0~install:  
babel-helper-call-delegate@6.8.0  
81075 silly lifecycle babel-helper-call-delegate@6.8.0~install: no script for

npm-debug.log

```
install, continuing
81076 silly install babel-plugin-transform-es2015-parameters@6.11.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-parameters-20748683
81077 info lifecycle babel-plugin-transform-es2015-parameters@6.11.4~install:
babel-plugin-transform-es2015-parameters@6.11.4
81078 silly lifecycle babel-plugin-transform-es2015-parameters@6.11.4~install:
no script for install, continuing
81079 silly install babel-helper-builder-react-jsx@6.9.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-builder-react-jsx-079d7974
81080 info lifecycle babel-helper-builder-react-jsx@6.9.0~install:
babel-helper-builder-react-jsx@6.9.0
81081 silly lifecycle babel-helper-builder-react-jsx@6.9.0~install: no script
for install, continuing
81082 silly install babel-plugin-transform-react-jsx@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-react-jsx-1f75111a
81083 info lifecycle babel-plugin-transform-react-jsx@6.8.0~install:
babel-plugin-transform-react-jsx@6.8.0
81084 silly lifecycle babel-plugin-transform-react-jsx@6.8.0~install: no script
for install, continuing
81085 silly install babel-preset-react@6.11.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-preset-react-eee34c8d
81086 info lifecycle babel-preset-react@6.11.1~install:
babel-preset-react@6.11.1
81087 silly lifecycle babel-preset-react@6.11.1~install: no script for install,
continuing
81088 silly install
babel-helper-builder-binary-assignment-operator-visitor@6.15.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-builder-binary-assignment-operator-visitor-f92337bc
81089 info lifecycle
babel-helper-builder-binary-assignment-operator-visitor@6.15.0~install:
babel-helper-builder-binary-assignment-operator-visitor@6.15.0
81090 silly lifecycle
babel-helper-builder-binary-assignment-operator-visitor@6.15.0~install: no
script for install, continuing
81091 silly install babel-plugin-transform-exponentiation-operator@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-exponentiation-operator-f3171535
81092 info lifecycle
babel-plugin-transform-exponentiation-operator@6.8.0~install:
babel-plugin-transform-exponentiation-operator@6.8.0
81093 silly lifecycle
babel-plugin-transform-exponentiation-operator@6.8.0~install: no script for
install, continuing
81094 silly install babel-preset-stage-3@6.11.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-preset-stage-3-c3e0d18b
81095 info lifecycle babel-preset-stage-3@6.11.0~install:
babel-preset-stage-3@6.11.0
```

npm-debug.log

81096 silly lifecycle babel-preset-stage-3@6.11.0~install: no script for install, continuing  
81097 silly install babel-preset-es2016@6.11.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-preset-es2016-7b7609d7  
81098 info lifecycle babel-preset-es2016@6.11.3~install:  
babel-preset-es2016@6.11.3  
81099 silly lifecycle babel-preset-es2016@6.11.3~install: no script for install, continuing  
81100 silly install babel-helper-bindify-decorators@6.8.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-helper-bindify-decorators-d202bb51  
81101 info lifecycle babel-helper-bindify-decorators@6.8.0~install:  
babel-helper-bindify-decorators@6.8.0  
81102 silly lifecycle babel-helper-bindify-decorators@6.8.0~install: no script for install, continuing  
81103 silly install babel-helper-explode-class@6.8.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-helper-explode-class-2a31bf83  
81104 info lifecycle babel-helper-explode-class@6.8.0~install:  
babel-helper-explode-class@6.8.0  
81105 silly lifecycle babel-helper-explode-class@6.8.0~install: no script for install, continuing  
81106 silly install babel-plugin-transform-decorators@6.13.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-plugin-transform-decorators-01dfcc7a  
81107 info lifecycle babel-plugin-transform-decorators@6.13.0~install:  
babel-plugin-transform-decorators@6.13.0  
81108 silly lifecycle babel-plugin-transform-decorators@6.13.0~install: no script for install, continuing  
81109 silly install babel-preset-stage-2@6.13.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-preset-stage-2-0f18e4c2  
81110 info lifecycle babel-preset-stage-2@6.13.0~install:  
babel-preset-stage-2@6.13.0  
81111 silly lifecycle babel-preset-stage-2@6.13.0~install: no script for install, continuing  
81112 silly install babel-generator@6.14.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-generator-529c306a  
81113 info lifecycle babel-generator@6.14.0~install: babel-generator@6.14.0  
81114 silly lifecycle babel-generator@6.14.0~install: no script for install, continuing  
81115 silly install babel-eslint@6.1.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-eslint-cbbe3bf9  
81116 info lifecycle babel-eslint@6.1.2~install: babel-eslint@6.1.2  
81117 silly lifecycle babel-eslint@6.1.2~install: no script for install, continuing  
81118 silly install to-iso-string@0.0.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\to-iso-string-8212fe66  
81119 info lifecycle to-iso-string@0.0.2~install: to-iso-string@0.0.2  
81120 silly lifecycle to-iso-string@0.0.2~install: no script for install, continuing  
81121 silly install mocha@2.5.3

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\mocha-f72eb4f8
81122 info lifecycle mocha@2.5.3~install: mocha@2.5.3
81123 silly lifecycle mocha@2.5.3~install: no script for install, continuing
81124 silly install tough-cookie@2.3.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\tough-cookie-ea3c7401
81125 info lifecycle tough-cookie@2.3.1~install: tough-cookie@2.3.1
81126 silly lifecycle tough-cookie@2.3.1~install: no script for install,
continuing
81127 silly install tr46@0.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\tr46-806202ae
81128 info lifecycle tr46@0.0.3~install: tr46@0.0.3
81129 silly lifecycle tr46@0.0.3~install: no script for install, continuing
81130 silly install trim-newlines@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\trim-newlines-c7833160
81131 info lifecycle trim-newlines@1.0.0~install: trim-newlines@1.0.0
81132 silly lifecycle trim-newlines@1.0.0~install: no script for install,
continuing
81133 silly install tryit@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\tryit-d4530dbe
81134 info lifecycle tryit@1.0.2~install: tryit@1.0.2
81135 silly lifecycle tryit@1.0.2~install: no script for install, continuing
81136 silly install is-resolvable@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-resolvable-dfdb6d08
81137 info lifecycle is-resolvable@1.0.0~install: is-resolvable@1.0.0
81138 silly lifecycle is-resolvable@1.0.0~install: no script for install,
continuing
81139 silly install tty-browserify@0.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\tty-browserify-78a393e4
81140 info lifecycle tty-browserify@0.0.0~install: tty-browserify@0.0.0
81141 silly lifecycle tty-browserify@0.0.0~install: no script for install,
continuing
81142 silly install tunnel-agent@0.4.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\tunnel-agent-2fbcffd3
81143 info lifecycle tunnel-agent@0.4.3~install: tunnel-agent@0.4.3
81144 silly lifecycle tunnel-agent@0.4.3~install: no script for install,
continuing
81145 silly install tv4@1.2.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\tv4-be046e70
81146 info lifecycle tv4@1.2.7~install: tv4@1.2.7
81147 silly lifecycle tv4@1.2.7~install: no script for install, continuing
81148 silly install tweetnacl@0.13.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\tweetnacl-08e46808
81149 info lifecycle tweetnacl@0.13.3~install: tweetnacl@0.13.3
81150 silly lifecycle tweetnacl@0.13.3~install: no script for install,
continuing
81151 silly install sshpk@1.10.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\sshpk-73956f65
81152 info lifecycle sshpk@1.10.0~install: sshpk@1.10.0
81153 silly lifecycle sshpk@1.10.0~install: no script for install, continuing
81154 silly install type-check@0.3.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\type-check-a0785c86
81155 info lifecycle type-check@0.3.2~install: type-check@0.3.2
```

npm-debug.log

81156 silly lifecycle type-check@0.3.2~install: no script for install, continuing  
81157 silly install levn@0.3.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\levn-4773e5a7  
81158 info lifecycle levn@0.3.0~install: levn@0.3.0  
81159 silly lifecycle levn@0.3.0~install: no script for install, continuing  
81160 silly install optionator@0.8.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\optionator-af47b694  
81161 info lifecycle optionator@0.8.1~install: optionator@0.8.1  
81162 silly lifecycle optionator@0.8.1~install: no script for install, continuing  
81163 silly install escodegen@1.8.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\escodegen-7999b9d6  
81164 info lifecycle escodegen@1.8.1~install: escodegen@1.8.1  
81165 silly lifecycle escodegen@1.8.1~install: no script for install, continuing  
81166 silly install type-detect@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\type-detect-1b9744f9  
81167 info lifecycle type-detect@1.0.0~install: type-detect@1.0.0  
81168 silly lifecycle type-detect@1.0.0~install: no script for install, continuing  
81169 silly install chai@3.5.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\chai-a054d7a2  
81170 info lifecycle chai@3.5.0~install: chai@3.5.0  
81171 silly lifecycle chai@3.5.0~install: no script for install, continuing  
81172 silly install type-is@1.6.13  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\type-is-cf4bd055  
81173 info lifecycle type-is@1.6.13~install: type-is@1.6.13  
81174 silly lifecycle type-is@1.6.13~install: no script for install, continuing  
81175 silly install typedarray@0.0.6  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\typedarray-1c9be939  
81176 info lifecycle typedarray@0.0.6~install: typedarray@0.0.6  
81177 silly lifecycle typedarray@0.0.6~install: no script for install, continuing  
81178 silly install ua-parser-js@0.7.10  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\ua-parser-js-d8fe3f16  
81179 info lifecycle ua-parser-js@0.7.10~install: ua-parser-js@0.7.10  
81180 silly lifecycle ua-parser-js@0.7.10~install: no script for install, continuing  
81181 silly install async@0.2.10  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\async-9fe43715  
81182 info lifecycle async@0.2.10~install: async@0.2.10  
81183 silly lifecycle async@0.2.10~install: no script for install, continuing  
81184 silly install uglify-to-browserify@1.0.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\uglify-to-browserify-adc594f3  
81185 info lifecycle uglify-to-browserify@1.0.2~install: uglify-to-browserify@1.0.2  
81186 silly lifecycle uglify-to-browserify@1.0.2~install: no script for install, continuing  
81187 silly install uniq@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\uniq-756b4be5



npm-debug.log

```
81188 info lifecycle uniq@1.0.1~install: uniq@1.0.1
81189 silly lifecycle uniq@1.0.1~install: no script for install, continuing
81190 silly install postcss-selector-parser@2.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-selector-parser-825a7184
81191 info lifecycle postcss-selector-parser@2.2.1~install:
postcss-selector-parser@2.2.1
81192 silly lifecycle postcss-selector-parser@2.2.1~install: no script for
install, continuing
81193 silly install postcss-minify-selectors@2.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-minify-selectors-202ce7d0
81194 info lifecycle postcss-minify-selectors@2.0.5~install:
postcss-minify-selectors@2.0.5
81195 silly lifecycle postcss-minify-selectors@2.0.5~install: no script for
install, continuing
81196 silly install unqiid@3.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\unqiid-645be45c
81197 info lifecycle unqiid@3.1.0~install: unqiid@3.1.0
81198 silly lifecycle unqiid@3.1.0~install: no script for install, continuing
81199 silly install postcss-filter-plugins@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-filter-plugins-ad1e8441
81200 info lifecycle postcss-filter-plugins@2.0.1~install:
postcss-filter-plugins@2.0.1
81201 silly lifecycle postcss-filter-plugins@2.0.1~install: no script for
install, continuing
81202 silly install uniqs@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\uniqs-913b6e0a
81203 info lifecycle uniqs@2.0.0~install: uniqs@2.0.0
81204 silly lifecycle uniqs@2.0.0~install: no script for install, continuing
81205 silly install postcss-zindex@2.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-zindex-1f751242
81206 info lifecycle postcss-zindex@2.1.1~install: postcss-zindex@2.1.1
81207 silly lifecycle postcss-zindex@2.1.1~install: no script for install,
continuing
81208 silly install postcss-unique-selectors@2.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-unique-selectors-032091f7
81209 info lifecycle postcss-unique-selectors@2.0.2~install:
postcss-unique-selectors@2.0.2
81210 silly lifecycle postcss-unique-selectors@2.0.2~install: no script for
install, continuing
81211 silly install postcss-minify-params@1.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-minify-params-7806d1a0
81212 info lifecycle postcss-minify-params@1.0.5~install:
postcss-minify-params@1.0.5
81213 silly lifecycle postcss-minify-params@1.0.5~install: no script for
install, continuing
81214 silly install postcss-discard-unused@2.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-discard-unused-d908f
```

npm-debug.log

a25

```
81215 info lifecycle postcss-discard-unused@2.2.1~install:
postcss-discard-unused@2.2.1
81216 silly lifecycle postcss-discard-unused@2.2.1~install: no script for
install, continuing
81217 silly install unpipe@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\unpipe-12b65580
81218 info lifecycle unpipe@1.0.0~install: unpipe@1.0.0
81219 silly lifecycle unpipe@1.0.0~install: no script for install, continuing
81220 silly install raw-body@2.1.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\raw-body-6f4ab038
81221 info lifecycle raw-body@2.1.7~install: raw-body@2.1.7
81222 silly lifecycle raw-body@2.1.7~install: no script for install, continuing
81223 silly install body-parser@1.15.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\body-parser-094a1ab4
81224 info lifecycle body-parser@1.15.2~install: body-parser@1.15.2
81225 silly lifecycle body-parser@1.15.2~install: no script for install,
continuing
81226 silly install finalhandler@0.5.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\finalhandler-0f964f42
81227 info lifecycle finalhandler@0.5.0~install: finalhandler@0.5.0
81228 silly lifecycle finalhandler@0.5.0~install: no script for install,
continuing
81229 silly install mime@1.2.11
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\mime-31f2a102
81230 info lifecycle mime@1.2.11~install: mime@1.2.11
81231 silly lifecycle mime@1.2.11~install: no script for install, continuing
81232 silly install url-loader@0.5.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\url-loader-7e96c39c
81233 info lifecycle url-loader@0.5.7~install: url-loader@0.5.7
81234 silly lifecycle url-loader@0.5.7~install: no script for install,
continuing
81235 silly install punycode@1.3.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\punycode-ddc8f535
81236 info lifecycle punycode@1.3.2~install: punycode@1.3.2
81237 silly lifecycle punycode@1.3.2~install: no script for install, continuing
81238 silly install url@0.10.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\url-6c6e80f3
81239 info lifecycle url@0.10.3~install: url@0.10.3
81240 silly lifecycle url@0.10.3~install: no script for install, continuing
81241 silly install user-home@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\user-home-8d944ad5
81242 info lifecycle user-home@1.1.1~install: user-home@1.1.1
81243 silly lifecycle user-home@1.1.1~install: no script for install,
continuing
81244 silly install home-or-tmp@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\home-or-tmp-2774d2d5
81245 info lifecycle home-or-tmp@1.0.0~install: home-or-tmp@1.0.0
81246 silly lifecycle home-or-tmp@1.0.0~install: no script for install,
continuing
81247 silly install babel-register@6.14.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-register-b26732c5
```

npm-debug.log

```
81248 info lifecycle babel-register@6.14.0~install: babel-register@6.14.0
81249 silly lifecycle babel-register@6.14.0~install: no script for install,
continuing
81250 silly install babel-core@6.14.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-core-d15c3c8f
81251 info lifecycle babel-core@6.14.0~install: babel-core@6.14.0
81252 silly lifecycle babel-core@6.14.0~install: no script for install,
continuing
81253 silly install babel-plugin-transform-regenerator@6.14.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-regen
erator-5780f65e
81254 info lifecycle babel-plugin-transform-regenerator@6.14.0~install:
babel-plugin-transform-regenerator@6.14.0
81255 silly lifecycle babel-plugin-transform-regenerator@6.14.0~install: no
script for install, continuing
81256 silly install babel-preset-es2015@6.14.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-preset-es2015-7ddf75df
81257 info lifecycle babel-preset-es2015@6.14.0~install:
babel-preset-es2015@6.14.0
81258 silly lifecycle babel-preset-es2015@6.14.0~install: no script for
install, continuing
81259 silly install util@0.10.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\util-fd7b2006
81260 info lifecycle util@0.10.3~install: util@0.10.3
81261 silly lifecycle util@0.10.3~install: no script for install, continuing
81262 silly install sinon@1.17.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\sinon-dc7ac4b9
81263 info lifecycle sinon@1.17.5~install: sinon@1.17.5
81264 silly lifecycle sinon@1.17.5~install: no script for install, continuing
81265 silly install assert@1.4.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\assert-9bfa8459
81266 info lifecycle assert@1.4.1~install: assert@1.4.1
81267 silly lifecycle assert@1.4.1~install: no script for install, continuing
81268 silly install util-deprecate@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\util-deprecate-dfc93200
81269 info lifecycle util-deprecate@1.0.2~install: util-deprecate@1.0.2
81270 silly lifecycle util-deprecate@1.0.2~install: no script for install,
continuing
81271 silly install readable-stream@2.0.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\readable-stream-55fa69fb
81272 info lifecycle readable-stream@2.0.6~install: readable-stream@2.0.6
81273 silly lifecycle readable-stream@2.0.6~install: no script for install,
continuing
81274 silly install readdirp@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\readdirp-02932e54
81275 info lifecycle readdirp@2.1.0~install: readdirp@2.1.0
81276 silly lifecycle readdirp@2.1.0~install: no script for install, continuing
81277 silly install chokidar@1.6.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\chokidar-894f8ff6
81278 info lifecycle chokidar@1.6.0~install: chokidar@1.6.0
81279 silly lifecycle chokidar@1.6.0~install: no script for install, continuing
81280 silly install memory-fs@0.3.0
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\memory-fs-e4b77bf5
81281 info lifecycle memory-fs@0.3.0~install: memory-fs@0.3.0
81282 silly lifecycle memory-fs@0.3.0~install: no script for install,
continuing
81283 silly install concat-stream@1.5.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\concat-stream-8e3b9096
81284 info lifecycle concat-stream@1.5.2~install: concat-stream@1.5.2
81285 silly lifecycle concat-stream@1.5.2~install: no script for install,
continuing
81286 silly install bl@1.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\bl-0c35cd36
81287 info lifecycle bl@1.1.2~install: bl@1.1.2
81288 silly lifecycle bl@1.1.2~install: no script for install, continuing
81289 silly install utils-merge@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\utils-merge-db7f2f9a
81290 info lifecycle utils-merge@1.0.0~install: utils-merge@1.0.0
81291 silly lifecycle utils-merge@1.0.0~install: no script for install,
continuing
81292 silly install uuid@2.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\uuid-3be85b30
81293 info lifecycle uuid@2.0.2~install: uuid@2.0.2
81294 silly lifecycle uuid@2.0.2~install: no script for install, continuing
81295 silly install @kadira/storybook-database@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\@kadira\storybook-database-0
59539fb
81296 info lifecycle @kadira/storybook-database@2.1.0~install:
@kadira/storybook-database@2.1.0
81297 silly lifecycle @kadira/storybook-database@2.1.0~install: no script for
install, continuing
81298 silly install @kadira/storybook-database-local@1.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\@kadira\storybook-database-l
ocal-8f015474
81299 info lifecycle @kadira/storybook-database-local@1.2.0~install:
@kadira/storybook-database-local@1.2.0
81300 silly lifecycle @kadira/storybook-database-local@1.2.0~install: no script
for install, continuing
81301 silly install v8flags@2.0.11
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\v8flags-0e3547cb
81302 info lifecycle v8flags@2.0.11~install: v8flags@2.0.11
81303 silly lifecycle v8flags@2.0.11~install: no script for install, continuing
81304 silly install validate-npm-package-license@3.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\validate-npm-package-license
-0767741e
81305 info lifecycle validate-npm-package-license@3.0.1~install:
validate-npm-package-license@3.0.1
81306 silly lifecycle validate-npm-package-license@3.0.1~install: no script for
install, continuing
81307 silly install normalize-package-data@2.3.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\normalize-package-data-5207a
25a
81308 info lifecycle normalize-package-data@2.3.5~install:
normalize-package-data@2.3.5
```

npm-debug.log

81309 silly lifecycle normalize-package-data@2.3.5~install: no script for install, continuing  
81310 silly install read-pkg@1.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\read-pkg-82e91d03  
81311 info lifecycle read-pkg@1.1.0~install: read-pkg@1.1.0  
81312 silly lifecycle read-pkg@1.1.0~install: no script for install, continuing  
81313 silly install read-pkg-up@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\read-pkg-up-0588c28e  
81314 info lifecycle read-pkg-up@1.0.1~install: read-pkg-up@1.0.1  
81315 silly lifecycle read-pkg-up@1.0.1~install: no script for install, continuing  
81316 silly install meow@3.7.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\meow-d7918d5b  
81317 info lifecycle meow@3.7.0~install: meow@3.7.0  
81318 silly lifecycle meow@3.7.0~install: no script for install, continuing  
81319 silly install find-versions@1.2.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\find-versions-d4cef21c  
81320 info lifecycle find-versions@1.2.1~install: find-versions@1.2.1  
81321 silly lifecycle find-versions@1.2.1~install: no script for install, continuing  
81322 silly install bin-version@1.0.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\bin-version-300138f2  
81323 info lifecycle bin-version@1.0.4~install: bin-version@1.0.4  
81324 silly lifecycle bin-version@1.0.4~install: no script for install, continuing  
81325 silly install bin-version-check@2.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\bin-version-check-2c37b73f  
81326 info lifecycle bin-version-check@2.1.0~install: bin-version-check@2.1.0  
81327 silly lifecycle bin-version-check@2.1.0~install: no script for install, continuing  
81328 silly install vary@1.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\vary-6017af1a  
81329 info lifecycle vary@1.1.0~install: vary@1.1.0  
81330 silly lifecycle vary@1.1.0~install: no script for install, continuing  
81331 silly install express@4.14.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\express-dd0405ca  
81332 info lifecycle express@4.14.0~install: express@4.14.0  
81333 silly lifecycle express@4.14.0~install: no script for install, continuing  
81334 silly install vendors@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\vendors-3c701064  
81335 info lifecycle vendors@1.0.1~install: vendors@1.0.1  
81336 silly lifecycle vendors@1.0.1~install: no script for install, continuing  
81337 silly install postcss-merge-rules@2.0.10  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\postcss-merge-rules-cffa1b5d  
81338 info lifecycle postcss-merge-rules@2.0.10~install:  
postcss-merge-rules@2.0.10  
81339 silly lifecycle postcss-merge-rules@2.0.10~install: no script for install, continuing  
81340 silly install verror@1.3.6  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\verror-cebcfb6d  
81341 info lifecycle verror@1.3.6~install: verror@1.3.6  
81342 silly lifecycle verror@1.3.6~install: no script for install, continuing

npm-debug.log

```
81343 silly install jsprim@1.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\jsprim-b37b0175
81344 info lifecycle jsprim@1.3.0~install: jsprim@1.3.0
81345 silly lifecycle jsprim@1.3.0~install: no script for install, continuing
81346 silly install http-signature@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\http-signature-e0a7f7c6
81347 info lifecycle http-signature@1.1.1~install: http-signature@1.1.1
81348 silly lifecycle http-signature@1.1.1~install: no script for install,
continuing
81349 silly install vm-browserify@0.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\vm-browserify-1faf2275
81350 info lifecycle vm-browserify@0.0.4~install: vm-browserify@0.0.4
81351 silly lifecycle vm-browserify@0.0.4~install: no script for install,
continuing
81352 silly install node-libs-browser@0.6.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\node-libs-browser-bdbef59a
81353 info lifecycle node-libs-browser@0.6.0~install: node-libs-browser@0.6.0
81354 silly lifecycle node-libs-browser@0.6.0~install: no script for install,
continuing
81355 silly install async@0.9.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\async-bacf83a2
81356 info lifecycle async@0.9.2~install: async@0.9.2
81357 silly lifecycle async@0.9.2~install: no script for install, continuing
81358 silly install watchpack@0.2.9
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\watchpack-99d19321
81359 info lifecycle watchpack@0.2.9~install: watchpack@0.2.9
81360 silly lifecycle watchpack@0.2.9~install: no script for install,
continuing
81361 silly install webidl-conversions@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\webidl-conversions-c0300868
81362 info lifecycle webidl-conversions@2.0.1~install: webidl-conversions@2.0.1
81363 silly lifecycle webidl-conversions@2.0.1~install: no script for install,
continuing
81364 silly install source-map@0.4.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\source-map-b8a12384
81365 info lifecycle source-map@0.4.4~install: source-map@0.4.4
81366 silly lifecycle source-map@0.4.4~install: no script for install,
continuing
81367 silly install webpack-core@0.6.8
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\webpack-core-e6307c6f
81368 info lifecycle webpack-core@0.6.8~install: webpack-core@0.6.8
81369 silly lifecycle webpack-core@0.6.8~install: no script for install,
continuing
81370 silly install webpack-dev-middleware@1.6.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\webpack-dev-middleware-959df
abc
81371 info lifecycle webpack-dev-middleware@1.6.1~install:
webpack-dev-middleware@1.6.1
81372 silly lifecycle webpack-dev-middleware@1.6.1~install: no script for
install, continuing
81373 silly install webpack-hot-middleware@2.12.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\webpack-hot-middleware-2c34a
```

npm-debug.log

b85

```
81374 info lifecycle webpack-hot-middleware@2.12.2~install:
webpack-hot-middleware@2.12.2
81375 silly lifecycle webpack-hot-middleware@2.12.2~install: no script for
install, continuing
81376 silly install async@1.5.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\async-c55bc7f0
81377 info lifecycle async@1.5.2~install: async@1.5.2
81378 silly lifecycle async@1.5.2~install: no script for install, continuing
81379 silly install interpret@0.6.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\interpret-aa342d47
81380 info lifecycle interpret@0.6.6~install: interpret@0.6.6
81381 silly lifecycle interpret@0.6.6~install: no script for install,
continuing
81382 silly install whatwg-fetch@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\whatwg-fetch-003fda44
81383 info lifecycle whatwg-fetch@1.0.0~install: whatwg-fetch@1.0.0
81384 silly lifecycle whatwg-fetch@1.0.0~install: no script for install,
continuing
81385 silly install isomorphic-fetch@2.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\isomorphic-fetch-9e71200f
81386 info lifecycle isomorphic-fetch@2.2.1~install: isomorphic-fetch@2.2.1
81387 silly lifecycle isomorphic-fetch@2.2.1~install: no script for install,
continuing
81388 silly install fbjs@0.8.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\fbjs-582a07b7
81389 info lifecycle fbjs@0.8.4~install: fbjs@0.8.4
81390 silly lifecycle fbjs@0.8.4~install: no script for install, continuing
81391 silly install react@15.3.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\react-b4afd8ac
81392 info lifecycle react@15.3.1~install: react@15.3.1
81393 silly lifecycle react@15.3.1~install: no script for install, continuing
81394 silly install whatwg-url-compat@0.6.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\whatwg-url-compat-e9e93f75
81395 info lifecycle whatwg-url-compat@0.6.5~install: whatwg-url-compat@0.6.5
81396 silly lifecycle whatwg-url-compat@0.6.5~install: no script for install,
continuing
81397 silly install webidl-conversions@3.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\webidl-conversions-ba5f6e1a
81398 info lifecycle webidl-conversions@3.0.1~install: webidl-conversions@3.0.1
81399 silly lifecycle webidl-conversions@3.0.1~install: no script for install,
continuing
81400 silly install whatwg-url@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\whatwg-url-4f909539
81401 info lifecycle whatwg-url@2.0.1~install: whatwg-url@2.0.1
81402 silly lifecycle whatwg-url@2.0.1~install: no script for install,
continuing
81403 silly install whet.extend@0.9.9
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\whet.extend-6b374a16
81404 info lifecycle whet.extend@0.9.9~install: whet.extend@0.9.9
81405 silly lifecycle whet.extend@0.9.9~install: no script for install,
continuing
```

npm-debug.log

```
81406 silly install svgo@0.6.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\svgo-c1c8f18b
81407 info lifecycle svgo@0.6.6~install: svgo@0.6.6
81408 silly lifecycle svgo@0.6.6~install: no script for install, continuing
81409 silly install postcss-svgo@2.1.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-svgo-edd75ccb
81410 info lifecycle postcss-svgo@2.1.4~install: postcss-svgo@2.1.4
81411 silly lifecycle postcss-svgo@2.1.4~install: no script for install,
continuing
81412 silly install cssnano@3.7.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\cssnano-040ad9b7
81413 info lifecycle cssnano@3.7.4~install: cssnano@3.7.4
81414 silly lifecycle cssnano@3.7.4~install: no script for install, continuing
81415 silly install css-loader@0.24.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\css-loader-74adb982
81416 info lifecycle css-loader@0.24.0~install: css-loader@0.24.0
81417 silly lifecycle css-loader@0.24.0~install: no script for install,
continuing
81418 silly install window-size@0.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\window-size-468c7c91
81419 info lifecycle window-size@0.1.0~install: window-size@0.1.0
81420 silly lifecycle window-size@0.1.0~install: no script for install,
continuing
81421 silly install wordwrap@0.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\wordwrap-ebff688
81422 info lifecycle wordwrap@0.0.3~install: wordwrap@0.0.3
81423 silly lifecycle wordwrap@0.0.3~install: no script for install, continuing
81424 silly install optimist@0.6.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\optimist-891d32e8
81425 info lifecycle optimist@0.6.1~install: optimist@0.6.1
81426 silly lifecycle optimist@0.6.1~install: no script for install, continuing
81427 silly install wrappy@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\wrappy-c7027494
81428 info lifecycle wrappy@1.0.2~install: wrappy@1.0.2
81429 silly lifecycle wrappy@1.0.2~install: no script for install, continuing
81430 silly install once@1.4.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\once-c9bfd9d6
81431 info lifecycle once@1.4.0~install: once@1.4.0
81432 silly lifecycle once@1.4.0~install: no script for install, continuing
81433 silly install run-async@0.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\run-async-dc687b50
81434 info lifecycle run-async@0.1.0~install: run-async@0.1.0
81435 silly lifecycle run-async@0.1.0~install: no script for install,
continuing
81436 silly install inquirer@0.12.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\inquirer-cd4cff19
81437 info lifecycle inquirer@0.12.0~install: inquirer@0.12.0
81438 silly lifecycle inquirer@0.12.0~install: no script for install,
continuing
81439 silly install inflight@1.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\inflight-2f32fd07
81440 info lifecycle inflight@1.0.5~install: inflight@1.0.5
```



npm-debug.log

81441 silly lifecycle inflight@1.0.5~install: no script for install, continuing  
81442 silly install glob@7.0.6  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\glob-9b6321e6  
81443 info lifecycle glob@7.0.6~install: glob@7.0.6  
81444 silly lifecycle glob@7.0.6~install: no script for install, continuing  
81445 silly install shelljs@0.7.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\shelljs-e4277d92  
81446 info lifecycle shelljs@0.7.4~install: shelljs@0.7.4  
81447 silly lifecycle shelljs@0.7.4~install: no script for install, continuing  
81448 silly install rimraf@2.5.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\rimraf-73da3fb5  
81449 info lifecycle rimraf@2.5.4~install: rimraf@2.5.4  
81450 silly lifecycle rimraf@2.5.4~install: no script for install, continuing  
81451 silly install globby@5.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\globby-05e14dc0  
81452 info lifecycle globby@5.0.0~install: globby@5.0.0  
81453 silly lifecycle globby@5.0.0~install: no script for install, continuing  
81454 silly install del@2.2.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\del-841fc8a6  
81455 info lifecycle del@2.2.2~install: del@2.2.2  
81456 silly lifecycle del@2.2.2~install: no script for install, continuing  
81457 silly install glob@5.0.15  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\glob-4905a35b  
81458 info lifecycle glob@5.0.15~install: glob@5.0.15  
81459 silly lifecycle glob@5.0.15~install: no script for install, continuing  
81460 silly install write@0.2.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\write-a6a04b38  
81461 info lifecycle write@0.2.1~install: write@0.2.1  
81462 silly lifecycle write@0.2.1~install: no script for install, continuing  
81463 silly install flat-cache@1.2.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\flat-cache-d749459a  
81464 info lifecycle flat-cache@1.2.1~install: flat-cache@1.2.1  
81465 silly lifecycle flat-cache@1.2.1~install: no script for install,  
continuing  
81466 silly install file-entry-cache@1.3.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\file-entry-cache-88528b63  
81467 info lifecycle file-entry-cache@1.3.1~install: file-entry-cache@1.3.1  
81468 silly lifecycle file-entry-cache@1.3.1~install: no script for install,  
continuing  
81469 silly install write-file-atomic@1.2.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\write-file-atomic-ab9bf27f  
81470 info lifecycle write-file-atomic@1.2.0~install: write-file-atomic@1.2.0  
81471 silly lifecycle write-file-atomic@1.2.0~install: no script for install,  
continuing  
81472 silly install xdg-basedir@2.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\xdg-basedir-da8e1293  
81473 info lifecycle xdg-basedir@2.0.0~install: xdg-basedir@2.0.0  
81474 silly lifecycle xdg-basedir@2.0.0~install: no script for install,  
continuing  
81475 silly install configstore@2.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\configstore-cc2468f3  
81476 info lifecycle configstore@2.1.0~install: configstore@2.1.0

npm-debug.log

81477 silly lifecycle configstore@2.1.0~install: no script for install, continuing  
81478 silly install xml-name-validator@2.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\xml-name-validator-628fb7cd  
81479 info lifecycle xml-name-validator@2.0.1~install: xml-name-validator@2.0.1  
81480 silly lifecycle xml-name-validator@2.0.1~install: no script for install, continuing  
81481 silly install xregexp@3.1.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\xregexp-f4e50449  
81482 info lifecycle xregexp@3.1.1~install: xregexp@3.1.1  
81483 silly lifecycle xregexp@3.1.1~install: no script for install, continuing  
81484 silly install table@3.7.8  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\table-e16e2e44  
81485 info lifecycle table@3.7.8~install: table@3.7.8  
81486 silly lifecycle table@3.7.8~install: no script for install, continuing  
81487 silly install xtend@4.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\xtend-0b9e06e5  
81488 info lifecycle xtend@4.0.1~install: xtend@4.0.1  
81489 silly lifecycle xtend@4.0.1~install: no script for install, continuing  
81490 silly install is-my-json-valid@2.13.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\is-my-json-valid-75c007e8  
81491 info lifecycle is-my-json-valid@2.13.1~install: is-my-json-valid@2.13.1  
81492 silly lifecycle is-my-json-valid@2.13.1~install: no script for install, continuing  
81493 silly install har-validator@2.0.6  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\har-validator-b479b7a8  
81494 info lifecycle har-validator@2.0.6~install: har-validator@2.0.6  
81495 silly lifecycle har-validator@2.0.6~install: no script for install, continuing  
81496 silly install request@2.74.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\request-39466fcf  
81497 info lifecycle request@2.74.0~install: request@2.74.0  
81498 silly lifecycle request@2.74.0~install: no script for install, continuing  
81499 silly install jsdom@8.5.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\jsdom-40811e8e  
81500 info lifecycle jsdom@8.5.0~install: jsdom@8.5.0  
81501 silly lifecycle jsdom@8.5.0~install: no script for install, continuing  
81502 silly install jsdom@7.2.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\jsdom-6d7e6256  
81503 info lifecycle jsdom@7.2.2~install: jsdom@7.2.2  
81504 silly lifecycle jsdom@7.2.2~install: no script for install, continuing  
81505 silly install cheerio@0.20.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\cheerio-4188f6fe  
81506 info lifecycle cheerio@0.20.0~install: cheerio@0.20.0  
81507 silly lifecycle cheerio@0.20.0~install: no script for install, continuing  
81508 silly install enzyme@2.4.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\enzyme-1a08cf06  
81509 info lifecycle enzyme@2.4.1~install: enzyme@2.4.1  
81510 silly lifecycle enzyme@2.4.1~install: no script for install, continuing  
81511 silly install babel-cli@6.14.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-cli-a0c8ea6d  
81512 info lifecycle babel-cli@6.14.0~install: babel-cli@6.14.0

npm-debug.log

```
81513 silly lifecycle babel-cli@6.14.0~install: no script for install,
continuing
81514 silly install eslint@2.13.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\eslint-3dc15a1f
81515 info lifecycle eslint@2.13.1~install: eslint@2.13.1
81516 silly lifecycle eslint@2.13.1~install: no script for install, continuing
81517 silly install yargs@3.10.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\yargs-4d878af1
81518 info lifecycle yargs@3.10.0~install: yargs@3.10.0
81519 silly lifecycle yargs@3.10.0~install: no script for install, continuing
81520 silly install uglify-js@2.6.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\uglify-js-ab7af147
81521 info lifecycle uglify-js@2.6.4~install: uglify-js@2.6.4
81522 silly lifecycle uglify-js@2.6.4~install: no script for install,
continuing
81523 silly install webpack@1.13.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\webpack-7bc8319b
81524 info lifecycle webpack@1.13.2~install: webpack@1.13.2
81525 silly lifecycle webpack@1.13.2~install: no script for install, continuing
81526 silly install @kadira/storybook@2.11.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\@kadira\storybook-2b3e01f5
81527 info lifecycle @kadira/storybook@2.11.0~install: @kadira/storybook@2.11.0
81528 silly lifecycle @kadira/storybook@2.11.0~install: no script for install,
continuing
81529 silly doSerial postinstall 761
81530 silly postinstall @kadira/react-split-pane@1.4.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\@kadira\react-split-pane-3c4
58ce3
81531 info lifecycle @kadira/react-split-pane@1.4.7~postinstall:
@kadira/react-split-pane@1.4.7
81532 silly lifecycle @kadira/react-split-pane@1.4.7~postinstall: no script for
postinstall, continuing
81533 silly postinstall @kadira/storybook-addon-links@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\@kadira\storybook-addon-link
s-750bf382
81534 info lifecycle @kadira/storybook-addon-links@1.0.1~postinstall:
@kadira/storybook-addon-links@1.0.1
81535 silly lifecycle @kadira/storybook-addon-links@1.0.1~postinstall: no
script for postinstall, continuing
81536 silly postinstall @kadira/storybook-addons@1.5.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\@kadira\storybook-addons-45f
79af2
81537 info lifecycle @kadira/storybook-addons@1.5.0~postinstall:
@kadira/storybook-addons@1.5.0
81538 silly lifecycle @kadira/storybook-addons@1.5.0~postinstall: no script for
postinstall, continuing
81539 silly postinstall @kadira/storybook-channel@1.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\@kadira\storybook-channel-64
1a187e
81540 info lifecycle @kadira/storybook-channel@1.1.0~postinstall:
@kadira/storybook-channel@1.1.0
81541 silly lifecycle @kadira/storybook-channel@1.1.0~postinstall: no script
```

npm-debug.log

```
for postinstall, continuing
81542 silly postinstall abab@1.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\abab-35752491
81543 info lifecycle abab@1.0.3~postinstall: abab@1.0.3
81544 silly lifecycle abab@1.0.3~postinstall: no script for postinstall,
continuing
81545 silly postinstall acorn@3.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\acorn-dc979db9
81546 info lifecycle acorn@3.3.0~postinstall: acorn@3.3.0
81547 silly lifecycle acorn@3.3.0~postinstall: no script for postinstall,
continuing
81548 silly postinstall acorn@2.7.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\acorn-6d2119c0
81549 info lifecycle acorn@2.7.0~postinstall: acorn@2.7.0
81550 silly lifecycle acorn@2.7.0~postinstall: no script for postinstall,
continuing
81551 silly postinstall acorn-globals@1.0.9
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\acorn-globals-afcd9d9f
81552 info lifecycle acorn-globals@1.0.9~postinstall: acorn-globals@1.0.9
81553 silly lifecycle acorn-globals@1.0.9~postinstall: no script for
postinstall, continuing
81554 silly postinstall acorn-jsx@3.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\acorn-jsx-996d6c4c
81555 info lifecycle acorn-jsx@3.0.1~postinstall: acorn-jsx@3.0.1
81556 silly lifecycle acorn-jsx@3.0.1~postinstall: no script for postinstall,
continuing
81557 silly postinstall alphanum-sort@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\alphanum-sort-c612505f
81558 info lifecycle alphanum-sort@1.0.2~postinstall: alphanum-sort@1.0.2
81559 silly lifecycle alphanum-sort@1.0.2~postinstall: no script for
postinstall, continuing
81560 silly postinstall amdefine@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\amdefine-5fb72388
81561 info lifecycle amdefine@1.0.0~postinstall: amdefine@1.0.0
81562 silly lifecycle amdefine@1.0.0~postinstall: no script for postinstall,
continuing
81563 silly postinstall ansi-escapes@1.4.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ansi-escapes-3b2f665b
81564 info lifecycle ansi-escapes@1.4.0~postinstall: ansi-escapes@1.4.0
81565 silly lifecycle ansi-escapes@1.4.0~postinstall: no script for
postinstall, continuing
81566 silly postinstall ansi-html@0.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ansi-html-c74c7b66
81567 info lifecycle ansi-html@0.0.5~postinstall: ansi-html@0.0.5
81568 silly lifecycle ansi-html@0.0.5~postinstall: no script for postinstall,
continuing
81569 silly postinstall ansi-regex@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ansi-regex-56fbd314
81570 info lifecycle ansi-regex@2.0.0~postinstall: ansi-regex@2.0.0
81571 silly lifecycle ansi-regex@2.0.0~postinstall: no script for postinstall,
continuing
81572 silly postinstall ansi-styles@2.2.1
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ansi-styles-99e02d57
81573 info lifecycle ansi-styles@2.2.1~postinstall: ansi-styles@2.2.1
81574 silly lifecycle ansi-styles@2.2.1~postinstall: no script for postinstall,
continuing
81575 silly postinstall arr-flatten@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\arr-flatten-50378c55
81576 info lifecycle arr-flatten@1.0.1~postinstall: arr-flatten@1.0.1
81577 silly lifecycle arr-flatten@1.0.1~postinstall: no script for postinstall,
continuing
81578 silly postinstall arr-diff@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\arr-diff-2eb4dcef
81579 info lifecycle arr-diff@2.0.0~postinstall: arr-diff@2.0.0
81580 silly lifecycle arr-diff@2.0.0~postinstall: no script for postinstall,
continuing
81581 silly postinstall array-equal@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\array-equal-deae0038
81582 info lifecycle array-equal@1.0.0~postinstall: array-equal@1.0.0
81583 silly lifecycle array-equal@1.0.0~postinstall: no script for postinstall,
continuing
81584 silly postinstall array-find-index@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\array-find-index-94ff5658
81585 info lifecycle array-find-index@1.0.1~postinstall: array-find-index@1.0.1
81586 silly lifecycle array-find-index@1.0.1~postinstall: no script for
postinstall, continuing
81587 silly postinstall array-flatten@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\array-flatten-7af95ca7
81588 info lifecycle array-flatten@1.1.1~postinstall: array-flatten@1.1.1
81589 silly lifecycle array-flatten@1.1.1~postinstall: no script for
postinstall, continuing
81590 silly postinstall array-uniq@1.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\array-uniq-ee215f50
81591 info lifecycle array-uniq@1.0.3~postinstall: array-uniq@1.0.3
81592 silly lifecycle array-uniq@1.0.3~postinstall: no script for postinstall,
continuing
81593 silly postinstall array-union@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\array-union-75cd31fb
81594 info lifecycle array-union@1.0.2~postinstall: array-union@1.0.2
81595 silly lifecycle array-union@1.0.2~postinstall: no script for postinstall,
continuing
81596 silly postinstall array-unique@0.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\array-unique-e81b6172
81597 info lifecycle array-unique@0.2.1~postinstall: array-unique@0.2.1
81598 silly lifecycle array-unique@0.2.1~postinstall: no script for
postinstall, continuing
81599 silly postinstall arrify@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\arrify-95e503ad
81600 info lifecycle arrify@1.0.1~postinstall: arrify@1.0.1
81601 silly lifecycle arrify@1.0.1~postinstall: no script for postinstall,
continuing
81602 silly postinstall asap@2.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\asap-5d3f108c
81603 info lifecycle asap@2.0.4~postinstall: asap@2.0.4
```

npm-debug.log

81604 silly lifecycle asap@2.0.4~postinstall: no script for postinstall, continuing  
81605 silly postinstall asn1@0.2.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\asn1-5b4366ea  
81606 info lifecycle asn1@0.2.3~postinstall: asn1@0.2.3  
81607 silly lifecycle asn1@0.2.3~postinstall: no script for postinstall, continuing  
81608 silly postinstall assert-plus@0.2.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\assert-plus-e5aa9c35  
81609 info lifecycle assert-plus@0.2.0~postinstall: assert-plus@0.2.0  
81610 silly lifecycle assert-plus@0.2.0~postinstall: no script for postinstall, continuing  
81611 silly postinstall assertion-error@1.0.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\assertion-error-450e77c0  
81612 info lifecycle assertion-error@1.0.2~postinstall: assertion-error@1.0.2  
81613 silly lifecycle assertion-error@1.0.2~postinstall: no script for postinstall, continuing  
81614 silly postinstall async-each@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\async-each-20f720de  
81615 info lifecycle async-each@1.0.1~postinstall: async-each@1.0.1  
81616 silly lifecycle async-each@1.0.1~postinstall: no script for postinstall, continuing  
81617 silly postinstall aws-sign2@0.6.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\aws-sign2-9936d889  
81618 info lifecycle aws-sign2@0.6.0~postinstall: aws-sign2@0.6.0  
81619 silly lifecycle aws-sign2@0.6.0~postinstall: no script for postinstall, continuing  
81620 silly postinstall aws4@1.4.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\aws4-296321da  
81621 info lifecycle aws4@1.4.1~postinstall: aws4@1.4.1  
81622 silly lifecycle aws4@1.4.1~postinstall: no script for postinstall, continuing  
81623 silly postinstall supports-color@2.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\supports-color-afba76b1  
81624 info lifecycle supports-color@2.0.0~postinstall: supports-color@2.0.0  
81625 silly lifecycle supports-color@2.0.0~postinstall: no script for postinstall, continuing  
81626 silly postinstall js-tokens@2.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\js-tokens-64d09219  
81627 info lifecycle js-tokens@2.0.0~postinstall: js-tokens@2.0.0  
81628 silly lifecycle js-tokens@2.0.0~postinstall: no script for postinstall, continuing  
81629 silly postinstall json5@0.4.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\json5-24c67dfd  
81630 info lifecycle json5@0.4.0~postinstall: json5@0.4.0  
81631 silly lifecycle json5@0.4.0~postinstall: no script for postinstall, continuing  
81632 silly postinstall lodash.assign@4.2.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\lodash.assign-c1976114  
81633 info lifecycle lodash.assign@4.2.0~postinstall: lodash.assign@4.2.0  
81634 silly lifecycle lodash.assign@4.2.0~postinstall: no script for postinstall, continuing

npm-debug.log

81635 silly postinstall babel-plugin-syntax-async-functions@6.13.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-plugin-syntax-async-functions-59ed4933

81636 info lifecycle babel-plugin-syntax-async-functions@6.13.0~postinstall: babel-plugin-syntax-async-functions@6.13.0

81637 silly lifecycle babel-plugin-syntax-async-functions@6.13.0~postinstall: no script for postinstall, continuing

81638 silly postinstall babel-plugin-syntax-class-properties@6.13.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-plugin-syntax-class-properties-3be05a70

81639 info lifecycle babel-plugin-syntax-class-properties@6.13.0~postinstall: babel-plugin-syntax-class-properties@6.13.0

81640 silly lifecycle babel-plugin-syntax-class-properties@6.13.0~postinstall: no script for postinstall, continuing

81641 silly postinstall babel-plugin-syntax-decorators@6.13.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-plugin-syntax-decorators-18a91686

81642 info lifecycle babel-plugin-syntax-decorators@6.13.0~postinstall: babel-plugin-syntax-decorators@6.13.0

81643 silly lifecycle babel-plugin-syntax-decorators@6.13.0~postinstall: no script for postinstall, continuing

81644 silly postinstall babel-plugin-syntax-exponentiation-operator@6.13.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-plugin-syntax-exponentiation-operator-09a97a7a

81645 info lifecycle babel-plugin-syntax-exponentiation-operator@6.13.0~postinstall: babel-plugin-syntax-exponentiation-operator@6.13.0

81646 silly lifecycle babel-plugin-syntax-exponentiation-operator@6.13.0~postinstall: no script for postinstall, continuing

81647 silly postinstall babel-plugin-syntax-flow@6.13.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-plugin-syntax-flow-e6377cd6

81648 info lifecycle babel-plugin-syntax-flow@6.13.0~postinstall: babel-plugin-syntax-flow@6.13.0

81649 silly lifecycle babel-plugin-syntax-flow@6.13.0~postinstall: no script for postinstall, continuing

81650 silly postinstall babel-plugin-syntax-jsx@6.13.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-plugin-syntax-jsx-4ede9c54

81651 info lifecycle babel-plugin-syntax-jsx@6.13.0~postinstall: babel-plugin-syntax-jsx@6.13.0

81652 silly lifecycle babel-plugin-syntax-jsx@6.13.0~postinstall: no script for postinstall, continuing

81653 silly postinstall babel-plugin-syntax-object-rest-spread@6.13.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-plugin-syntax-object-rest-spread-ec138ea6

81654 info lifecycle babel-plugin-syntax-object-rest-spread@6.13.0~postinstall: babel-plugin-syntax-object-rest-spread@6.13.0

81655 silly lifecycle babel-plugin-syntax-object-rest-spread@6.13.0~postinstall: no script for postinstall, continuing

npm-debug.log

```
81656 silly postinstall babel-plugin-syntax-trailing-function-commas@6.13.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-syntax-trailing
-function-commas-8a8dfb11
81657 info lifecycle
babel-plugin-syntax-trailing-function-commas@6.13.0~postinstall:
babel-plugin-syntax-trailing-function-commas@6.13.0
81658 silly lifecycle
babel-plugin-syntax-trailing-function-commas@6.13.0~postinstall: no script for
postinstall, continuing
81659 silly postinstall balanced-match@0.4.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\balanced-match-9892ea71
81660 info lifecycle balanced-match@0.4.2~postinstall: balanced-match@0.4.2
81661 silly lifecycle balanced-match@0.4.2~postinstall: no script for
postinstall, continuing
81662 silly postinstall Base64@0.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\Base64-96bfc899
81663 info lifecycle Base64@0.2.1~postinstall: Base64@0.2.1
81664 silly lifecycle Base64@0.2.1~postinstall: no script for postinstall,
continuing
81665 silly postinstall base64-js@1.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\base64-js-aa4463ef
81666 info lifecycle base64-js@1.1.2~postinstall: base64-js@1.1.2
81667 silly lifecycle base64-js@1.1.2~postinstall: no script for postinstall,
continuing
81668 silly postinstall tweetnacl@0.14.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\tweetnacl-fdf2a70e
81669 info lifecycle tweetnacl@0.14.3~postinstall: tweetnacl@0.14.3
81670 silly lifecycle tweetnacl@0.14.3~postinstall: no script for postinstall,
continuing
81671 silly postinstall bcrypt-pbkdf@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\bcrypt-pbkdf-4bd298a0
81672 info lifecycle bcrypt-pbkdf@1.0.0~postinstall: bcrypt-pbkdf@1.0.0
81673 silly lifecycle bcrypt-pbkdf@1.0.0~postinstall: no script for
postinstall, continuing
81674 silly postinstall big.js@3.1.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\big.js-56a0d196
81675 info lifecycle big.js@3.1.3~postinstall: big.js@3.1.3
81676 silly lifecycle big.js@3.1.3~postinstall: no script for postinstall,
continuing
81677 silly postinstall binary-extensions@1.6.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\binary-extensions-ff3afad5
81678 info lifecycle binary-extensions@1.6.0~postinstall:
binary-extensions@1.6.0
81679 silly lifecycle binary-extensions@1.6.0~postinstall: no script for
postinstall, continuing
81680 silly postinstall bluebird@3.4.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\bluebird-277a6c7f
81681 info lifecycle bluebird@3.4.6~postinstall: bluebird@3.4.6
81682 silly lifecycle bluebird@3.4.6~postinstall: no script for postinstall,
continuing
81683 silly postinstall qs@6.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\qs-5e0d7934
```



npm-debug.log

81684 info lifecycle qs@6.2.0~postinstall: qs@6.2.0  
81685 silly lifecycle qs@6.2.0~postinstall: no script for postinstall, continuing  
81686 silly postinstall boolbase@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\boolbase-d03d60c9  
81687 info lifecycle boolbase@1.0.0~postinstall: boolbase@1.0.0  
81688 silly lifecycle boolbase@1.0.0~postinstall: no script for postinstall, continuing  
81689 silly postinstall builtin-modules@1.1.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\builtin-modules-e642b8f9  
81690 info lifecycle builtin-modules@1.1.1~postinstall: builtin-modules@1.1.1  
81691 silly lifecycle builtin-modules@1.1.1~postinstall: no script for postinstall, continuing  
81692 silly postinstall bytes@2.4.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\bytes-7f3af545  
81693 info lifecycle bytes@2.4.0~postinstall: bytes@2.4.0  
81694 silly lifecycle bytes@2.4.0~postinstall: no script for postinstall, continuing  
81695 silly postinstall callsites@0.2.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\callsites-85734b32  
81696 info lifecycle callsites@0.2.0~postinstall: callsites@0.2.0  
81697 silly lifecycle callsites@0.2.0~postinstall: no script for postinstall, continuing  
81698 silly postinstall caller-path@0.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\caller-path-116a00eb  
81699 info lifecycle caller-path@0.1.0~postinstall: caller-path@0.1.0  
81700 silly lifecycle caller-path@0.1.0~postinstall: no script for postinstall, continuing  
81701 silly postinstall camelcase@1.2.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\camelcase-2600c37e  
81702 info lifecycle camelcase@1.2.1~postinstall: camelcase@1.2.1  
81703 silly lifecycle camelcase@1.2.1~postinstall: no script for postinstall, continuing  
81704 silly postinstall camelcase@2.1.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\camelcase-a419b48a  
81705 info lifecycle camelcase@2.1.1~postinstall: camelcase@2.1.1  
81706 silly lifecycle camelcase@2.1.1~postinstall: no script for postinstall, continuing  
81707 silly postinstall caniuse-db@1.0.30000528  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\caniuse-db-341fa03f  
81708 info lifecycle caniuse-db@1.0.30000528~postinstall: caniuse-db@1.0.30000528  
81709 silly lifecycle caniuse-db@1.0.30000528~postinstall: no script for postinstall, continuing  
81710 silly postinstall browserslist@1.3.6  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\browserslist-114400d3  
81711 info lifecycle browserslist@1.3.6~postinstall: browserslist@1.3.6  
81712 silly lifecycle browserslist@1.3.6~postinstall: no script for postinstall, continuing  
81713 silly postinstall case-sensitive-paths-webpack-plugin@1.1.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\case-sensitive-paths-webpack-plugin-17b6be9c

npm-debug.log

81714 info lifecycle case-sensitive-paths-webpack-plugin@1.1.4~postinstall: case-sensitive-paths-webpack-plugin@1.1.4  
81715 silly lifecycle case-sensitive-paths-webpack-plugin@1.1.4~postinstall: no script for postinstall, continuing  
81716 silly postinstall caseless@0.11.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\caseless-4e880ff9  
81717 info lifecycle caseless@0.11.0~postinstall: caseless@0.11.0  
81718 silly lifecycle caseless@0.11.0~postinstall: no script for postinstall, continuing  
81719 silly postinstall supports-color@2.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\supports-color-d9ccfa0f  
81720 info lifecycle supports-color@2.0.0~postinstall: supports-color@2.0.0  
81721 silly lifecycle supports-color@2.0.0~postinstall: no script for postinstall, continuing  
81722 silly postinstall acorn@2.7.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\acorn-dfcb524a  
81723 info lifecycle acorn@2.7.0~postinstall: acorn@2.7.0  
81724 silly lifecycle acorn@2.7.0~postinstall: no script for postinstall, continuing  
81725 silly postinstall circular-json@0.3.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\circular-json-126d1a49  
81726 info lifecycle circular-json@0.3.1~postinstall: circular-json@0.3.1  
81727 silly lifecycle circular-json@0.3.1~postinstall: no script for postinstall, continuing  
81728 silly postinstall classnames@2.2.5  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\classnames-9547a0d1  
81729 info lifecycle classnames@2.2.5~postinstall: classnames@2.2.5  
81730 silly lifecycle classnames@2.2.5~postinstall: no script for postinstall, continuing  
81731 silly postinstall cli-width@2.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\cli-width-a367009d  
81732 info lifecycle cli-width@2.1.0~postinstall: cli-width@2.1.0  
81733 silly lifecycle cli-width@2.1.0~postinstall: no script for postinstall, continuing  
81734 silly postinstall wordwrap@0.0.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\wordwrap-b5061f7b  
81735 info lifecycle wordwrap@0.0.2~postinstall: wordwrap@0.0.2  
81736 silly lifecycle wordwrap@0.0.2~postinstall: no script for postinstall, continuing  
81737 silly postinstall clone@1.0.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\clone-3347805d  
81738 info lifecycle clone@1.0.2~postinstall: clone@1.0.2  
81739 silly lifecycle clone@1.0.2~postinstall: no script for postinstall, continuing  
81740 silly postinstall color-convert@1.5.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\color-convert-59a19533  
81741 info lifecycle color-convert@1.5.0~postinstall: color-convert@1.5.0  
81742 silly lifecycle color-convert@1.5.0~postinstall: no script for postinstall, continuing  
81743 silly postinstall color-name@1.1.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\color-name-10c2a6a5  
81744 info lifecycle color-name@1.1.1~postinstall: color-name@1.1.1

npm-debug.log

81745 silly lifecycle color-name@1.1.1~postinstall: no script for postinstall, continuing  
81746 silly postinstall color-string@0.3.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\color-string-d69b065e  
81747 info lifecycle color-string@0.3.0~postinstall: color-string@0.3.0  
81748 silly lifecycle color-string@0.3.0~postinstall: no script for postinstall, continuing  
81749 silly postinstall color@0.11.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\color-23a9a1a0  
81750 info lifecycle color@0.11.3~postinstall: color@0.11.3  
81751 silly lifecycle color@0.11.3~postinstall: no script for postinstall, continuing  
81752 silly postinstall colors@1.1.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\colors-6c99c00b  
81753 info lifecycle colors@1.1.2~postinstall: colors@1.1.2  
81754 silly lifecycle colors@1.1.2~postinstall: no script for postinstall, continuing  
81755 silly postinstall concat-map@0.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\concat-map-a40ba0f6  
81756 info lifecycle concat-map@0.0.1~postinstall: concat-map@0.0.1  
81757 silly lifecycle concat-map@0.0.1~postinstall: no script for postinstall, continuing  
81758 silly postinstall brace-expansion@1.1.6  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\brace-expansion-db41b438  
81759 info lifecycle brace-expansion@1.1.6~postinstall: brace-expansion@1.1.6  
81760 silly lifecycle brace-expansion@1.1.6~postinstall: no script for postinstall, continuing  
81761 silly postinstall constants-browserify@0.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\constants-browserify-3c417161  
81762 info lifecycle constants-browserify@0.0.1~postinstall: constants-browserify@0.0.1  
81763 silly lifecycle constants-browserify@0.0.1~postinstall: no script for postinstall, continuing  
81764 silly postinstall content-disposition@0.5.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\content-disposition-8986a3ae  
81765 info lifecycle content-disposition@0.5.1~postinstall: content-disposition@0.5.1  
81766 silly lifecycle content-disposition@0.5.1~postinstall: no script for postinstall, continuing  
81767 silly postinstall content-type@1.0.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\content-type-4d9eb510  
81768 info lifecycle content-type@1.0.2~postinstall: content-type@1.0.2  
81769 silly lifecycle content-type@1.0.2~postinstall: no script for postinstall, continuing  
81770 silly postinstall convert-source-map@1.3.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\convert-source-map-79010bc5  
81771 info lifecycle convert-source-map@1.3.0~postinstall: convert-source-map@1.3.0  
81772 silly lifecycle convert-source-map@1.3.0~postinstall: no script for postinstall, continuing  
81773 silly postinstall cookie@0.3.1

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\cookie-adbbda4
81774 info lifecycle cookie@0.3.1~postinstall: cookie@0.3.1
81775 silly lifecycle cookie@0.3.1~postinstall: no script for postinstall,
continuing
81776 silly postinstall cookie-signature@1.0.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\cookie-signature-f6ec9a90
81777 info lifecycle cookie-signature@1.0.6~postinstall: cookie-signature@1.0.6
81778 silly lifecycle cookie-signature@1.0.6~postinstall: no script for
postinstall, continuing
81779 silly postinstall core-js@2.4.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\core-js-6c7e7a0a
81780 info lifecycle core-js@2.4.1~postinstall: core-js@2.4.1
81781 silly lifecycle core-js@2.4.1~postinstall: no script for postinstall,
continuing
81782 silly postinstall core-util-is@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\core-util-is-2595d07a
81783 info lifecycle core-util-is@1.0.2~postinstall: core-util-is@1.0.2
81784 silly lifecycle core-util-is@1.0.2~postinstall: no script for
postinstall, continuing
81785 silly postinstall css-color-names@0.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\css-color-names-149c86c0
81786 info lifecycle css-color-names@0.0.4~postinstall: css-color-names@0.0.4
81787 silly lifecycle css-color-names@0.0.4~postinstall: no script for
postinstall, continuing
81788 silly postinstall css-what@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\css-what-7559a4a7
81789 info lifecycle css-what@2.1.0~postinstall: css-what@2.1.0
81790 silly lifecycle css-what@2.1.0~postinstall: no script for postinstall,
continuing
81791 silly postinstall cssesc@0.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\cssesc-9d91a0d4
81792 info lifecycle cssesc@0.1.0~postinstall: cssesc@0.1.0
81793 silly lifecycle cssesc@0.1.0~postinstall: no script for postinstall,
continuing
81794 silly postinstall cssom@0.3.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\cssom-d7e101cb
81795 info lifecycle cssom@0.3.1~postinstall: cssom@0.3.1
81796 silly lifecycle cssom@0.3.1~postinstall: no script for postinstall,
continuing
81797 silly postinstall cssstyle@0.2.37
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\cssstyle-3d9cd6c2
81798 info lifecycle cssstyle@0.2.37~postinstall: cssstyle@0.2.37
81799 silly lifecycle cssstyle@0.2.37~postinstall: no script for postinstall,
continuing
81800 silly postinstall currently-unhandled@0.4.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\currently-unhandled-35e90ae0
81801 info lifecycle currently-unhandled@0.4.1~postinstall:
currently-unhandled@0.4.1
81802 silly lifecycle currently-unhandled@0.4.1~postinstall: no script for
postinstall, continuing
81803 silly postinstall assert-plus@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\assert-plus-c03295a8
```

npm-debug.log

81804 info lifecycle assert-plus@1.0.0~postinstall: assert-plus@1.0.0  
81805 silly lifecycle assert-plus@1.0.0~postinstall: no script for postinstall, continuing  
81806 silly postinstall dashdash@1.14.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\dashdash-905aa960  
81807 info lifecycle dashdash@1.14.0~postinstall: dashdash@1.14.0  
81808 silly lifecycle dashdash@1.14.0~postinstall: no script for postinstall, continuing  
81809 silly postinstall date-now@0.1.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\date-now-7fa38bf9  
81810 info lifecycle date-now@0.1.4~postinstall: date-now@0.1.4  
81811 silly lifecycle date-now@0.1.4~postinstall: no script for postinstall, continuing  
81812 silly postinstall console-browserify@1.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\console-browserify-bea9bb4c  
81813 info lifecycle console-browserify@1.1.0~postinstall: console-browserify@1.1.0  
81814 silly lifecycle console-browserify@1.1.0~postinstall: no script for postinstall, continuing  
81815 silly postinstall decamelize@1.2.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\decamelize-b7d9d528  
81816 info lifecycle decamelize@1.2.0~postinstall: decamelize@1.2.0  
81817 silly lifecycle decamelize@1.2.0~postinstall: no script for postinstall, continuing  
81818 silly postinstall type-detect@0.1.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\type-detect-c71e8924  
81819 info lifecycle type-detect@0.1.1~postinstall: type-detect@0.1.1  
81820 silly lifecycle type-detect@0.1.1~postinstall: no script for postinstall, continuing  
81821 silly postinstall deep-eql@0.1.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\deep-eql-26c1bf9c  
81822 info lifecycle deep-eql@0.1.3~postinstall: deep-eql@0.1.3  
81823 silly lifecycle deep-eql@0.1.3~postinstall: no script for postinstall, continuing  
81824 silly postinstall deep-equal@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\deep-equal-062be045  
81825 info lifecycle deep-equal@1.0.1~postinstall: deep-equal@1.0.1  
81826 silly lifecycle deep-equal@1.0.1~postinstall: no script for postinstall, continuing  
81827 silly postinstall deep-is@0.1.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\deep-is-8e7ff353  
81828 info lifecycle deep-is@0.1.3~postinstall: deep-is@0.1.3  
81829 silly lifecycle deep-is@0.1.3~postinstall: no script for postinstall, continuing  
81830 silly postinstall defined@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\defined-cbad2397  
81831 info lifecycle defined@1.0.0~postinstall: defined@1.0.0  
81832 silly lifecycle defined@1.0.0~postinstall: no script for postinstall, continuing  
81833 silly postinstall delayed-stream@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\delayed-stream-5e948ac0  
81834 info lifecycle delayed-stream@1.0.0~postinstall: delayed-stream@1.0.0

npm-debug.log

81835 silly lifecycle delayed-stream@1.0.0~postinstall: no script for postinstall, continuing  
81836 silly postinstall combined-stream@1.0.5  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\combined-stream-80798cc9  
81837 info lifecycle combined-stream@1.0.5~postinstall: combined-stream@1.0.5  
81838 silly lifecycle combined-stream@1.0.5~postinstall: no script for postinstall, continuing  
81839 silly postinstall depd@1.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\depd-7835325b  
81840 info lifecycle depd@1.1.0~postinstall: depd@1.1.0  
81841 silly lifecycle depd@1.1.0~postinstall: no script for postinstall, continuing  
81842 silly postinstall destroy@1.0.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\destroy-d090e478  
81843 info lifecycle destroy@1.0.4~postinstall: destroy@1.0.4  
81844 silly lifecycle destroy@1.0.4~postinstall: no script for postinstall, continuing  
81845 silly postinstall diff@1.4.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\diff-a289dd7c  
81846 info lifecycle diff@1.4.0~postinstall: diff@1.4.0  
81847 silly lifecycle diff@1.4.0~postinstall: no script for postinstall, continuing  
81848 silly postinstall domelementtype@1.1.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\domelementtype-a832e460  
81849 info lifecycle domelementtype@1.1.3~postinstall: domelementtype@1.1.3  
81850 silly lifecycle domelementtype@1.1.3~postinstall: no script for postinstall, continuing  
81851 silly postinstall domain-browser@1.1.7  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\domain-browser-c66d9af6  
81852 info lifecycle domain-browser@1.1.7~postinstall: domain-browser@1.1.7  
81853 silly lifecycle domain-browser@1.1.7~postinstall: no script for postinstall, continuing  
81854 silly postinstall domelementtype@1.3.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\domelementtype-b4e2ee34  
81855 info lifecycle domelementtype@1.3.0~postinstall: domelementtype@1.3.0  
81856 silly lifecycle domelementtype@1.3.0~postinstall: no script for postinstall, continuing  
81857 silly postinstall domhandler@2.3.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\domhandler-99e950d8  
81858 info lifecycle domhandler@2.3.0~postinstall: domhandler@2.3.0  
81859 silly lifecycle domhandler@2.3.0~postinstall: no script for postinstall, continuing  
81860 silly postinstall ee-first@1.1.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\ee-first-794f671d  
81861 info lifecycle ee-first@1.1.1~postinstall: ee-first@1.1.1  
81862 silly lifecycle ee-first@1.1.1~postinstall: no script for postinstall, continuing  
81863 silly postinstall element-class@0.2.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\element-class-af076349  
81864 info lifecycle element-class@0.2.2~postinstall: element-class@0.2.2  
81865 silly lifecycle element-class@0.2.2~postinstall: no script for postinstall, continuing

npm-debug.log

```
81866 silly postinstall emojis-list@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\emojis-list-fcc5c764
81867 info lifecycle emojis-list@2.0.1~postinstall: emojis-list@2.0.1
81868 silly lifecycle emojis-list@2.0.1~postinstall: no script for postinstall,
continuing
81869 silly postinstall encodeurl@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\encodeurl-70f72939
81870 info lifecycle encodeurl@1.0.1~postinstall: encodeurl@1.0.1
81871 silly lifecycle encodeurl@1.0.1~postinstall: no script for postinstall,
continuing
81872 silly postinstall memory-fs@0.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\memory-fs-10518c6a
81873 info lifecycle memory-fs@0.2.0~postinstall: memory-fs@0.2.0
81874 silly lifecycle memory-fs@0.2.0~postinstall: no script for postinstall,
continuing
81875 silly postinstall entities@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\entities-1c158bb7
81876 info lifecycle entities@1.1.1~postinstall: entities@1.1.1
81877 silly lifecycle entities@1.1.1~postinstall: no script for postinstall,
continuing
81878 silly postinstall dom-serializer@0.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\dom-serializer-bb9bb69b
81879 info lifecycle dom-serializer@0.1.0~postinstall: dom-serializer@0.1.0
81880 silly lifecycle dom-serializer@0.1.0~postinstall: no script for
postinstall, continuing
81881 silly postinstall domutils@1.5.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\domutils-fe7b01b3
81882 info lifecycle domutils@1.5.1~postinstall: domutils@1.5.1
81883 silly lifecycle domutils@1.5.1~postinstall: no script for postinstall,
continuing
81884 silly postinstall es5-shim@4.5.9
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\es5-shim-7bef6019
81885 info lifecycle es5-shim@4.5.9~postinstall: es5-shim@4.5.9
81886 silly lifecycle es5-shim@4.5.9~postinstall: no script for postinstall,
continuing
81887 silly postinstall es6-shim@0.35.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\es6-shim-fa6022c8
81888 info lifecycle es6-shim@0.35.1~postinstall: es6-shim@0.35.1
81889 silly lifecycle es6-shim@0.35.1~postinstall: no script for postinstall,
continuing
81890 silly postinstall es6-symbol@3.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\es6-symbol-244d469f
81891 info lifecycle es6-symbol@3.1.0~postinstall: es6-symbol@3.1.0
81892 silly lifecycle es6-symbol@3.1.0~postinstall: no script for postinstall,
continuing
81893 silly postinstall es5-ext@0.10.12
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\es5-ext-7c66ed49
81894 info lifecycle es5-ext@0.10.12~postinstall: es5-ext@0.10.12
81895 silly lifecycle es5-ext@0.10.12~postinstall: no script for postinstall,
continuing
81896 silly postinstall d@0.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\d-6eee61cd
```

npm-debug.log

```
81897 info lifecycle d@0.1.1~postinstall: d@0.1.1
81898 silly lifecycle d@0.1.1~postinstall: no script for postinstall,
continuing
81899 silly postinstall es6-iterator@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\es6-iterator-ce6a09a1
81900 info lifecycle es6-iterator@2.0.0~postinstall: es6-iterator@2.0.0
81901 silly lifecycle es6-iterator@2.0.0~postinstall: no script for
postinstall, continuing
81902 silly postinstall es6-weak-map@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\es6-weak-map-c5f34702
81903 info lifecycle es6-weak-map@2.0.1~postinstall: es6-weak-map@2.0.1
81904 silly lifecycle es6-weak-map@2.0.1~postinstall: no script for
postinstall, continuing
81905 silly postinstall escape-html@1.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\escape-html-383a42d1
81906 info lifecycle escape-html@1.0.3~postinstall: escape-html@1.0.3
81907 silly lifecycle escape-html@1.0.3~postinstall: no script for postinstall,
continuing
81908 silly postinstall escape-string-regexp@1.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\escape-string-regexp-564c2b3
5
81909 info lifecycle escape-string-regexp@1.0.5~postinstall:
escape-string-regexp@1.0.5
81910 silly lifecycle escape-string-regexp@1.0.5~postinstall: no script for
postinstall, continuing
81911 silly postinstall source-map@0.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\source-map-1bc5f7bf
81912 info lifecycle source-map@0.2.0~postinstall: source-map@0.2.0
81913 silly lifecycle source-map@0.2.0~postinstall: no script for postinstall,
continuing
81914 silly postinstall estraverse@4.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\estraverse-c52efc01
81915 info lifecycle estraverse@4.2.0~postinstall: estraverse@4.2.0
81916 silly lifecycle estraverse@4.2.0~postinstall: no script for postinstall,
continuing
81917 silly postinstall eslint-config-airbnb@7.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\eslint-config-airbnb-3acf591
4
81918 info lifecycle eslint-config-airbnb@7.0.0~postinstall:
eslint-config-airbnb@7.0.0
81919 silly lifecycle eslint-config-airbnb@7.0.0~postinstall: no script for
postinstall, continuing
81920 silly postinstall eslint-plugin-babel@3.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\eslint-plugin-babel-1d53dae2
81921 info lifecycle eslint-plugin-babel@3.3.0~postinstall:
eslint-plugin-babel@3.3.0
81922 silly lifecycle eslint-plugin-babel@3.3.0~postinstall: no script for
postinstall, continuing
81923 silly postinstall eslint-plugin-jsx-a11y@0.6.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\eslint-plugin-jsx-a11y-d1e14
df1
81924 info lifecycle eslint-plugin-jsx-a11y@0.6.2~postinstall:
```



npm-debug.log

```
eslint-plugin-jsx-a11y@0.6.2
81925 silly lifecycle eslint-plugin-jsx-a11y@0.6.2~postinstall: no script for
postinstall, continuing
81926 silly postinstall eslint-plugin-react@4.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\eslint-plugin-react-e4f64185
81927 info lifecycle eslint-plugin-react@4.3.0~postinstall:
eslint-plugin-react@4.3.0
81928 silly lifecycle eslint-plugin-react@4.3.0~postinstall: no script for
postinstall, continuing
81929 silly postinstall estraverse@4.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\estraverse-4b17120e
81930 info lifecycle estraverse@4.2.0~postinstall: estraverse@4.2.0
81931 silly lifecycle estraverse@4.2.0~postinstall: no script for postinstall,
continuing
81932 silly postinstall globals@9.9.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\globals-1583001b
81933 info lifecycle globals@9.9.0~postinstall: globals@9.9.0
81934 silly lifecycle globals@9.9.0~postinstall: no script for postinstall,
continuing
81935 silly postinstall shelljs@0.6.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\shelljs-9150f17e
81936 info lifecycle shelljs@0.6.1~postinstall: shelljs@0.6.1
81937 silly lifecycle shelljs@0.6.1~postinstall: no script for postinstall,
continuing
81938 silly postinstall espree@3.1.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\espree-4c2a7e62
81939 info lifecycle espree@3.1.7~postinstall: espree@3.1.7
81940 silly lifecycle espree@3.1.7~postinstall: no script for postinstall,
continuing
81941 silly postinstall esprima@2.7.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\esprima-83ab43f6
81942 info lifecycle esprima@2.7.3~postinstall: esprima@2.7.3
81943 silly lifecycle esprima@2.7.3~postinstall: no script for postinstall,
continuing
81944 silly postinstall estraverse@4.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\estraverse-0cfafdb6
81945 info lifecycle estraverse@4.1.1~postinstall: estraverse@4.1.1
81946 silly lifecycle estraverse@4.1.1~postinstall: no script for postinstall,
continuing
81947 silly postinstall estraverse@1.9.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\estraverse-042b4ebb
81948 info lifecycle estraverse@1.9.3~postinstall: estraverse@1.9.3
81949 silly lifecycle estraverse@1.9.3~postinstall: no script for postinstall,
continuing
81950 silly postinstall esutils@2.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\esutils-8544be4d
81951 info lifecycle esutils@2.0.2~postinstall: esutils@2.0.2
81952 silly lifecycle esutils@2.0.2~postinstall: no script for postinstall,
continuing
81953 silly postinstall etag@1.7.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\etag-dad2d60b
81954 info lifecycle etag@1.7.0~postinstall: etag@1.7.0
```

npm-debug.log

81955 silly lifecycle etag@1.7.0~postinstall: no script for postinstall, continuing  
81956 silly postinstall event-emitter@0.3.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\event-emitter-6266090e  
81957 info lifecycle event-emitter@0.3.4~postinstall: event-emitter@0.3.4  
81958 silly lifecycle event-emitter@0.3.4~postinstall: no script for postinstall, continuing  
81959 silly postinstall es6-set@0.1.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\es6-set-aff32e4d  
81960 info lifecycle es6-set@0.1.4~postinstall: es6-set@0.1.4  
81961 silly lifecycle es6-set@0.1.4~postinstall: no script for postinstall, continuing  
81962 silly postinstall es6-map@0.1.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\es6-map-cdfbf9a4  
81963 info lifecycle es6-map@0.1.4~postinstall: es6-map@0.1.4  
81964 silly lifecycle es6-map@0.1.4~postinstall: no script for postinstall, continuing  
81965 silly postinstall events@1.1.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\events-308b94ae  
81966 info lifecycle events@1.1.1~postinstall: events@1.1.1  
81967 silly lifecycle events@1.1.1~postinstall: no script for postinstall, continuing  
81968 silly postinstall exenv@1.2.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\exenv-368fc209  
81969 info lifecycle exenv@1.2.0~postinstall: exenv@1.2.0  
81970 silly lifecycle exenv@1.2.0~postinstall: no script for postinstall, continuing  
81971 silly postinstall exit-hook@1.1.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\exit-hook-7295cce7  
81972 info lifecycle exit-hook@1.1.1~postinstall: exit-hook@1.1.1  
81973 silly lifecycle exit-hook@1.1.1~postinstall: no script for postinstall, continuing  
81974 silly postinstall qs@6.2.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\qs-bd8f2c38  
81975 info lifecycle qs@6.2.0~postinstall: qs@6.2.0  
81976 silly lifecycle qs@6.2.0~postinstall: no script for postinstall, continuing  
81977 silly postinstall extend@3.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\extend-73283b3a  
81978 info lifecycle extend@3.0.0~postinstall: extend@3.0.0  
81979 silly lifecycle extend@3.0.0~postinstall: no script for postinstall, continuing  
81980 silly postinstall extsprintf@1.0.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\extsprintf-44db48f7  
81981 info lifecycle extsprintf@1.0.2~postinstall: extsprintf@1.0.2  
81982 silly lifecycle extsprintf@1.0.2~postinstall: no script for postinstall, continuing  
81983 silly postinstall fast-levenshtein@1.1.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\fast-levenshtein-d210dbea  
81984 info lifecycle fast-levenshtein@1.1.4~postinstall: fast-levenshtein@1.1.4  
81985 silly lifecycle fast-levenshtein@1.1.4~postinstall: no script for postinstall, continuing

npm-debug.log

```
81986 silly postinstall fastparse@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\fastparse-5537154b
81987 info lifecycle fastparse@1.1.1~postinstall: fastparse@1.1.1
81988 silly lifecycle fastparse@1.1.1~postinstall: no script for postinstall,
continuing
81989 silly postinstall core-js@1.2.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\core-js-d442c8fe
81990 info lifecycle core-js@1.2.7~postinstall: core-js@1.2.7
81991 silly lifecycle core-js@1.2.7~postinstall: no script for postinstall,
continuing
81992 silly postinstall filename-regex@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\filename-regex-a3a8fa13
81993 info lifecycle filename-regex@2.0.0~postinstall: filename-regex@2.0.0
81994 silly lifecycle filename-regex@2.0.0~postinstall: no script for
postinstall, continuing
81995 silly postinstall flatten@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\flatten-8d3ee796
81996 info lifecycle flatten@1.0.2~postinstall: flatten@1.0.2
81997 silly lifecycle flatten@1.0.2~postinstall: no script for postinstall,
continuing
81998 silly postinstall for-in@0.1.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\for-in-f82facf3
81999 info lifecycle for-in@0.1.5~postinstall: for-in@0.1.5
82000 silly lifecycle for-in@0.1.5~postinstall: no script for postinstall,
continuing
82001 silly postinstall for-own@0.1.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\for-own-16857a0e
82002 info lifecycle for-own@0.1.4~postinstall: for-own@0.1.4
82003 silly lifecycle for-own@0.1.4~postinstall: no script for postinstall,
continuing
82004 silly postinstall foreach@2.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\foreach-2f12313a
82005 info lifecycle foreach@2.0.5~postinstall: foreach@2.0.5
82006 silly lifecycle foreach@2.0.5~postinstall: no script for postinstall,
continuing
82007 silly postinstall forever-agent@0.6.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\forever-agent-e9b824d0
82008 info lifecycle forever-agent@0.6.1~postinstall: forever-agent@0.6.1
82009 silly lifecycle forever-agent@0.6.1~postinstall: no script for
postinstall, continuing
82010 silly postinstall forwarded@0.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\forwarded-c8acdd74
82011 info lifecycle forwarded@0.1.0~postinstall: forwarded@0.1.0
82012 silly lifecycle forwarded@0.1.0~postinstall: no script for postinstall,
continuing
82013 silly postinstall fresh@0.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\fresh-566a3610
82014 info lifecycle fresh@0.3.0~postinstall: fresh@0.3.0
82015 silly lifecycle fresh@0.3.0~postinstall: no script for postinstall,
continuing
82016 silly postinstall fs-readdir-recursive@0.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\fs-readdir-recursive-86aa500
```

npm-debug.log

e

```
82017 info lifecycle fs-readdir-recursive@0.1.2~postinstall:
fs-readdir-recursive@0.1.2
82018 silly lifecycle fs-readdir-recursive@0.1.2~postinstall: no script for
postinstall, continuing
82019 silly postinstall fs.realpath@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\fs.realpath-9de28f19
82020 info lifecycle fs.realpath@1.0.0~postinstall: fs.realpath@1.0.0
82021 silly lifecycle fs.realpath@1.0.0~postinstall: no script for postinstall,
continuing
82022 silly postinstall function-bind@1.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\function-bind-c05a8b86
82023 info lifecycle function-bind@1.1.0~postinstall: function-bind@1.1.0
82024 silly lifecycle function-bind@1.1.0~postinstall: no script for
postinstall, continuing
82025 silly postinstall fuse.js@2.5.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\fuse.js-669dd915
82026 info lifecycle fuse.js@2.5.0~postinstall: fuse.js@2.5.0
82027 silly lifecycle fuse.js@2.5.0~postinstall: no script for postinstall,
continuing
82028 silly postinstall fuzzysearch@1.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\fuzzysearch-9404c800
82029 info lifecycle fuzzysearch@1.0.3~postinstall: fuzzysearch@1.0.3
82030 silly lifecycle fuzzysearch@1.0.3~postinstall: no script for postinstall,
continuing
82031 silly postinstall generate-function@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\generate-function-9ad356db
82032 info lifecycle generate-function@2.0.0~postinstall:
generate-function@2.0.0
82033 silly lifecycle generate-function@2.0.0~postinstall: no script for
postinstall, continuing
82034 silly postinstall get-stdin@4.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\get-stdin-56dfa090
82035 info lifecycle get-stdin@4.0.1~postinstall: get-stdin@4.0.1
82036 silly lifecycle get-stdin@4.0.1~postinstall: no script for postinstall,
continuing
82037 silly postinstall assert-plus@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\assert-plus-e09bc158
82038 info lifecycle assert-plus@1.0.0~postinstall: assert-plus@1.0.0
82039 silly lifecycle assert-plus@1.0.0~postinstall: no script for postinstall,
continuing
82040 silly postinstall getpass@0.1.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\getpass-6a04fe82
82041 info lifecycle getpass@0.1.6~postinstall: getpass@0.1.6
82042 silly lifecycle getpass@0.1.6~postinstall: no script for postinstall,
continuing
82043 silly postinstall globals@8.18.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\globals-98ac6219
82044 info lifecycle globals@8.18.0~postinstall: globals@8.18.0
82045 silly lifecycle globals@8.18.0~postinstall: no script for postinstall,
continuing
82046 silly postinstall graceful-fs@4.1.6
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\graceful-fs-0e2d8a8f
82047 info lifecycle graceful-fs@4.1.6~postinstall: graceful-fs@4.1.6
82048 silly lifecycle graceful-fs@4.1.6~postinstall: no script for postinstall,
continuing
82049 silly postinstall graceful-readlink@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\graceful-readlink-0bce9a4a
82050 info lifecycle graceful-readlink@1.0.1~postinstall:
graceful-readlink@1.0.1
82051 silly lifecycle graceful-readlink@1.0.1~postinstall: no script for
postinstall, continuing
82052 silly postinstall commander@2.9.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\commander-242164e2
82053 info lifecycle commander@2.9.0~postinstall: commander@2.9.0
82054 silly lifecycle commander@2.9.0~postinstall: no script for postinstall,
continuing
82055 silly postinstall growl@1.9.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\growl-c1eb1876
82056 info lifecycle growl@1.9.2~postinstall: growl@1.9.2
82057 silly lifecycle growl@1.9.2~postinstall: no script for postinstall,
continuing
82058 silly postinstall has@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\has-b9fc402f
82059 info lifecycle has@1.0.1~postinstall: has@1.0.1
82060 silly lifecycle has@1.0.1~postinstall: no script for postinstall,
continuing
82061 silly postinstall colormin@1.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\colormin-028bd878
82062 info lifecycle colormin@1.1.2~postinstall: colormin@1.1.2
82063 silly lifecycle colormin@1.1.2~postinstall: no script for postinstall,
continuing
82064 silly postinstall has-ansi@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\has-ansi-eeb5ea48
82065 info lifecycle has-ansi@2.0.0~postinstall: has-ansi@2.0.0
82066 silly lifecycle has-ansi@2.0.0~postinstall: no script for postinstall,
continuing
82067 silly postinstall has-flag@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\has-flag-aa6b8d73
82068 info lifecycle has-flag@1.0.0~postinstall: has-flag@1.0.0
82069 silly lifecycle has-flag@1.0.0~postinstall: no script for postinstall,
continuing
82070 silly postinstall hoek@2.16.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\hoek-a2a1f475
82071 info lifecycle hoek@2.16.3~postinstall: hoek@2.16.3
82072 silly lifecycle hoek@2.16.3~postinstall: no script for postinstall,
continuing
82073 silly postinstall boom@2.10.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\boom-71258067
82074 info lifecycle boom@2.10.1~postinstall: boom@2.10.1
82075 silly lifecycle boom@2.10.1~postinstall: no script for postinstall,
continuing
82076 silly postinstall cryptiles@2.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\cryptiles-f89e1330
```

npm-debug.log

82077 info lifecycle cryptiles@2.0.5~postinstall: cryptiles@2.0.5  
82078 silly lifecycle cryptiles@2.0.5~postinstall: no script for postinstall, continuing  
82079 silly postinstall hoist-non-react-statics@1.2.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\hoist-non-react-statics-082b25ca  
82080 info lifecycle hoist-non-react-statics@1.2.0~postinstall: hoist-non-react-statics@1.2.0  
82081 silly lifecycle hoist-non-react-statics@1.2.0~postinstall: no script for postinstall, continuing  
82082 silly postinstall hosted-git-info@2.1.5  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\hosted-git-info-09b86342  
82083 info lifecycle hosted-git-info@2.1.5~postinstall: hosted-git-info@2.1.5  
82084 silly lifecycle hosted-git-info@2.1.5~postinstall: no script for postinstall, continuing  
82085 silly postinstall html-comment-regex@1.1.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\html-comment-regex-1a3aec4b  
82086 info lifecycle html-comment-regex@1.1.1~postinstall: html-comment-regex@1.1.1  
82087 silly lifecycle html-comment-regex@1.1.1~postinstall: no script for postinstall, continuing  
82088 silly postinstall html-entities@1.2.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\html-entities-68550b8b  
82089 info lifecycle html-entities@1.2.0~postinstall: html-entities@1.2.0  
82090 silly lifecycle html-entities@1.2.0~postinstall: no script for postinstall, continuing  
82091 silly postinstall entities@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\entities-5c0e068b  
82092 info lifecycle entities@1.0.0~postinstall: entities@1.0.0  
82093 silly lifecycle entities@1.0.0~postinstall: no script for postinstall, continuing  
82094 silly postinstall isarray@0.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\isarray-8ea1fe99  
82095 info lifecycle isarray@0.0.1~postinstall: isarray@0.0.1  
82096 silly lifecycle isarray@0.0.1~postinstall: no script for postinstall, continuing  
82097 silly postinstall https-browserify@0.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\https-browserify-c2564a38  
82098 info lifecycle https-browserify@0.0.0~postinstall: https-browserify@0.0.0  
82099 silly lifecycle https-browserify@0.0.0~postinstall: no script for postinstall, continuing  
82100 silly postinstall iconv-lite@0.4.13  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\iconv-lite-e20716ff  
82101 info lifecycle iconv-lite@0.4.13~postinstall: iconv-lite@0.4.13  
82102 silly lifecycle iconv-lite@0.4.13~postinstall: no script for postinstall, continuing  
82103 silly postinstall encoding@0.1.12  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\encoding-8f1f0a95  
82104 info lifecycle encoding@0.1.12~postinstall: encoding@0.1.12  
82105 silly lifecycle encoding@0.1.12~postinstall: no script for postinstall, continuing  
82106 silly postinstall icss-replace-symbols@1.0.2

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\icss-replace-symbols-607d1119
82107 info lifecycle icss-replace-symbols@1.0.2~postinstall:
icss-replace-symbols@1.0.2
82108 silly lifecycle icss-replace-symbols@1.0.2~postinstall: no script for
postinstall, continuing
82109 silly postinstall ieee754@1.1.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ieee754-abf9e5ad
82110 info lifecycle ieee754@1.1.6~postinstall: ieee754@1.1.6
82111 silly lifecycle ieee754@1.1.6~postinstall: no script for postinstall,
continuing
82112 silly postinstall ignore@3.1.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ignore-79ece642
82113 info lifecycle ignore@3.1.5~postinstall: ignore@3.1.5
82114 silly lifecycle ignore@3.1.5~postinstall: no script for postinstall,
continuing
82115 silly postinstall immutable@3.8.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\immutable-dbd4b872
82116 info lifecycle immutable@3.8.1~postinstall: immutable@3.8.1
82117 silly lifecycle immutable@3.8.1~postinstall: no script for postinstall,
continuing
82118 silly postinstall imurmurhash@0.1.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\imurmurhash-cf00b4b9
82119 info lifecycle imurmurhash@0.1.4~postinstall: imurmurhash@0.1.4
82120 silly lifecycle imurmurhash@0.1.4~postinstall: no script for postinstall,
continuing
82121 silly postinstall indexes-of@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\indexes-of-611c7dcd
82122 info lifecycle indexes-of@1.0.1~postinstall: indexes-of@1.0.1
82123 silly lifecycle indexes-of@1.0.1~postinstall: no script for postinstall,
continuing
82124 silly postinstall indexof@0.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\indexof-94b40c42
82125 info lifecycle indexof@0.0.1~postinstall: indexof@0.0.1
82126 silly lifecycle indexof@0.0.1~postinstall: no script for postinstall,
continuing
82127 silly postinstall inherits@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\inherits-4fb75b51
82128 info lifecycle inherits@2.0.1~postinstall: inherits@2.0.1
82129 silly lifecycle inherits@2.0.1~postinstall: no script for postinstall,
continuing
82130 silly postinstall http-browserify@1.7.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\http-browserify-4fb3230f
82131 info lifecycle http-browserify@1.7.0~postinstall: http-browserify@1.7.0
82132 silly lifecycle http-browserify@1.7.0~postinstall: no script for
postinstall, continuing
82133 silly postinstall interpret@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\interpret-fadef268
82134 info lifecycle interpret@1.0.1~postinstall: interpret@1.0.1
82135 silly lifecycle interpret@1.0.1~postinstall: no script for postinstall,
continuing
82136 silly postinstall ipaddr.js@1.1.1
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ipaddr.js-19ce1c7b
82137 info lifecycle ipaddr.js@1.1.1~postinstall: ipaddr.js@1.1.1
82138 silly lifecycle ipaddr.js@1.1.1~postinstall: no script for postinstall,
continuing
82139 silly postinstall is-absolute-url@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-absolute-url-b6c3bcd0
82140 info lifecycle is-absolute-url@2.0.0~postinstall: is-absolute-url@2.0.0
82141 silly lifecycle is-absolute-url@2.0.0~postinstall: no script for
postinstall, continuing
82142 silly postinstall is-arrayish@0.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-arrayish-c59228de
82143 info lifecycle is-arrayish@0.2.1~postinstall: is-arrayish@0.2.1
82144 silly lifecycle is-arrayish@0.2.1~postinstall: no script for postinstall,
continuing
82145 silly postinstall error-ex@1.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\error-ex-9a19356b
82146 info lifecycle error-ex@1.3.0~postinstall: error-ex@1.3.0
82147 silly lifecycle error-ex@1.3.0~postinstall: no script for postinstall,
continuing
82148 silly postinstall is-binary-path@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-binary-path-30df90ae
82149 info lifecycle is-binary-path@1.0.1~postinstall: is-binary-path@1.0.1
82150 silly lifecycle is-binary-path@1.0.1~postinstall: no script for
postinstall, continuing
82151 silly postinstall is-buffer@1.1.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-buffer-0abfb183
82152 info lifecycle is-buffer@1.1.4~postinstall: is-buffer@1.1.4
82153 silly lifecycle is-buffer@1.1.4~postinstall: no script for postinstall,
continuing
82154 silly postinstall is-builtin-module@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-builtin-module-b24a5ef3
82155 info lifecycle is-builtin-module@1.0.0~postinstall:
is-builtin-module@1.0.0
82156 silly lifecycle is-builtin-module@1.0.0~postinstall: no script for
postinstall, continuing
82157 silly postinstall is-callable@1.1.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-callable-2d639e10
82158 info lifecycle is-callable@1.1.3~postinstall: is-callable@1.1.3
82159 silly lifecycle is-callable@1.1.3~postinstall: no script for postinstall,
continuing
82160 silly postinstall is-date-object@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-date-object-5aa9a64d
82161 info lifecycle is-date-object@1.0.1~postinstall: is-date-object@1.0.1
82162 silly lifecycle is-date-object@1.0.1~postinstall: no script for
postinstall, continuing
82163 silly postinstall is-dom@1.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-dom-46f581cb
82164 info lifecycle is-dom@1.0.5~postinstall: is-dom@1.0.5
82165 silly lifecycle is-dom@1.0.5~postinstall: no script for postinstall,
continuing
82166 silly postinstall is-dotfile@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-dotfile-288a699d
```



npm-debug.log

82167 info lifecycle is-dotfile@1.0.2~postinstall: is-dotfile@1.0.2  
82168 silly lifecycle is-dotfile@1.0.2~postinstall: no script for postinstall, continuing  
82169 silly postinstall is-extendable@0.1.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\is-extendable-484de4a0  
82170 info lifecycle is-extendable@0.1.1~postinstall: is-extendable@0.1.1  
82171 silly lifecycle is-extendable@0.1.1~postinstall: no script for postinstall, continuing  
82172 silly postinstall is-extglob@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\is-extglob-d04000b0  
82173 info lifecycle is-extglob@1.0.0~postinstall: is-extglob@1.0.0  
82174 silly lifecycle is-extglob@1.0.0~postinstall: no script for postinstall, continuing  
82175 silly postinstall extglob@0.3.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\extglob-d6b3cc0e  
82176 info lifecycle extglob@0.3.2~postinstall: extglob@0.3.2  
82177 silly lifecycle extglob@0.3.2~postinstall: no script for postinstall, continuing  
82178 silly postinstall is-glob@2.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\is-glob-3ed8fb5e  
82179 info lifecycle is-glob@2.0.1~postinstall: is-glob@2.0.1  
82180 silly lifecycle is-glob@2.0.1~postinstall: no script for postinstall, continuing  
82181 silly postinstall glob-parent@2.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\glob-parent-82623ed2  
82182 info lifecycle glob-parent@2.0.0~postinstall: glob-parent@2.0.0  
82183 silly lifecycle glob-parent@2.0.0~postinstall: no script for postinstall, continuing  
82184 silly postinstall glob-base@0.3.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\glob-base-a476bb2c  
82185 info lifecycle glob-base@0.3.0~postinstall: glob-base@0.3.0  
82186 silly lifecycle glob-base@0.3.0~postinstall: no script for postinstall, continuing  
82187 silly postinstall is-obj@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\is-obj-3ddd9313  
82188 info lifecycle is-obj@1.0.1~postinstall: is-obj@1.0.1  
82189 silly lifecycle is-obj@1.0.1~postinstall: no script for postinstall, continuing  
82190 silly postinstall dot-prop@3.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\dot-prop-e9aef9c5  
82191 info lifecycle dot-prop@3.0.0~postinstall: dot-prop@3.0.0  
82192 silly lifecycle dot-prop@3.0.0~postinstall: no script for postinstall, continuing  
82193 silly postinstall is-path-cwd@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\is-path-cwd-f3e891c0  
82194 info lifecycle is-path-cwd@1.0.0~postinstall: is-path-cwd@1.0.0  
82195 silly lifecycle is-path-cwd@1.0.0~postinstall: no script for postinstall, continuing  
82196 silly postinstall is-plain-obj@1.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\is-plain-obj-4e2cb571  
82197 info lifecycle is-plain-obj@1.1.0~postinstall: is-plain-obj@1.1.0  
82198 silly lifecycle is-plain-obj@1.1.0~postinstall: no script for

npm-debug.log

```
postinstall, continuing
82199 silly postinstall is-posix-bracket@0.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-posix-bracket-d8bb7dfe
82200 info lifecycle is-posix-bracket@0.1.1~postinstall: is-posix-bracket@0.1.1
82201 silly lifecycle is-posix-bracket@0.1.1~postinstall: no script for
postinstall, continuing
82202 silly postinstall expand-brackets@0.1.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\expand-brackets-a55b70d7
82203 info lifecycle expand-brackets@0.1.5~postinstall: expand-brackets@0.1.5
82204 silly lifecycle expand-brackets@0.1.5~postinstall: no script for
postinstall, continuing
82205 silly postinstall is-primitive@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-primitive-d6dd424c
82206 info lifecycle is-primitive@2.0.0~postinstall: is-primitive@2.0.0
82207 silly lifecycle is-primitive@2.0.0~postinstall: no script for
postinstall, continuing
82208 silly postinstall is-equal-shallow@0.1.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-equal-shallow-6ce8bf02
82209 info lifecycle is-equal-shallow@0.1.3~postinstall: is-equal-shallow@0.1.3
82210 silly lifecycle is-equal-shallow@0.1.3~postinstall: no script for
postinstall, continuing
82211 silly postinstall is-promise@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-promise-c858d756
82212 info lifecycle is-promise@2.1.0~postinstall: is-promise@2.1.0
82213 silly lifecycle is-promise@2.1.0~postinstall: no script for postinstall,
continuing
82214 silly postinstall is-property@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-property-0823ef52
82215 info lifecycle is-property@1.0.2~postinstall: is-property@1.0.2
82216 silly lifecycle is-property@1.0.2~postinstall: no script for postinstall,
continuing
82217 silly postinstall generate-object-property@1.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\generate-object-property-966
f3b48
82218 info lifecycle generate-object-property@1.2.0~postinstall:
generate-object-property@1.2.0
82219 silly lifecycle generate-object-property@1.2.0~postinstall: no script for
postinstall, continuing
82220 silly postinstall is-regex@1.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-regex-86c770a2
82221 info lifecycle is-regex@1.0.3~postinstall: is-regex@1.0.3
82222 silly lifecycle is-regex@1.0.3~postinstall: no script for postinstall,
continuing
82223 silly postinstall is-stream@1.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-stream-32aeea63
82224 info lifecycle is-stream@1.1.0~postinstall: is-stream@1.1.0
82225 silly lifecycle is-stream@1.1.0~postinstall: no script for postinstall,
continuing
82226 silly postinstall is-subset@0.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-subset-7a2c7560
82227 info lifecycle is-subset@0.1.1~postinstall: is-subset@0.1.1
82228 silly lifecycle is-subset@0.1.1~postinstall: no script for postinstall,
```

npm-debug.log

```
continuing
82229 silly postinstall is-svg@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-svg-ab88f6a8
82230 info lifecycle is-svg@2.0.1~postinstall: is-svg@2.0.1
82231 silly lifecycle is-svg@2.0.1~postinstall: no script for postinstall,
continuing
82232 silly postinstall is-symbol@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-symbol-761cb17a
82233 info lifecycle is-symbol@1.0.1~postinstall: is-symbol@1.0.1
82234 silly lifecycle is-symbol@1.0.1~postinstall: no script for postinstall,
continuing
82235 silly postinstall es-to-primitive@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\es-to-primitive-a2728205
82236 info lifecycle es-to-primitive@1.1.1~postinstall: es-to-primitive@1.1.1
82237 silly lifecycle es-to-primitive@1.1.1~postinstall: no script for
postinstall, continuing
82238 silly postinstall es-abstract@1.6.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\es-abstract-71b28af1
82239 info lifecycle es-abstract@1.6.1~postinstall: es-abstract@1.6.1
82240 silly lifecycle es-abstract@1.6.1~postinstall: no script for postinstall,
continuing
82241 silly postinstall is-typedarray@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-typedarray-7fd9435b
82242 info lifecycle is-typedarray@1.0.0~postinstall: is-typedarray@1.0.0
82243 silly lifecycle is-typedarray@1.0.0~postinstall: no script for
postinstall, continuing
82244 silly postinstall is-utf8@0.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-utf8-80173336
82245 info lifecycle is-utf8@0.2.1~postinstall: is-utf8@0.2.1
82246 silly lifecycle is-utf8@0.2.1~postinstall: no script for postinstall,
continuing
82247 silly postinstall isarray@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\isarray-f5582326
82248 info lifecycle isarray@1.0.0~postinstall: isarray@1.0.0
82249 silly lifecycle isarray@1.0.0~postinstall: no script for postinstall,
continuing
82250 silly postinstall doctrine@1.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\doctrine-ac83c5d4
82251 info lifecycle doctrine@1.3.0~postinstall: doctrine@1.3.0
82252 silly lifecycle doctrine@1.3.0~postinstall: no script for postinstall,
continuing
82253 silly postinstall buffer@4.9.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\buffer-a27d1c5d
82254 info lifecycle buffer@4.9.1~postinstall: buffer@4.9.1
82255 silly lifecycle buffer@4.9.1~postinstall: no script for postinstall,
continuing
82256 silly postinstall isobject@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\isobject-c12a5f3d
82257 info lifecycle isobject@2.1.0~postinstall: isobject@2.1.0
82258 silly lifecycle isobject@2.1.0~postinstall: no script for postinstall,
continuing
82259 silly postinstall isstream@0.1.2
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\isstream-3abd6491
82260 info lifecycle isstream@0.1.2~postinstall: isstream@0.1.2
82261 silly lifecycle isstream@0.1.2~postinstall: no script for postinstall,
continuing
82262 silly postinstall commander@0.6.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\commander-f2aa1e83
82263 info lifecycle commander@0.6.1~postinstall: commander@0.6.1
82264 silly lifecycle commander@0.6.1~postinstall: no script for postinstall,
continuing
82265 silly postinstall mkdirp@0.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\mkdirp-4160e5b6
82266 info lifecycle mkdirp@0.3.0~postinstall: mkdirp@0.3.0
82267 silly lifecycle mkdirp@0.3.0~postinstall: no script for postinstall,
continuing
82268 silly postinstall jade@0.26.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\jade-cf1d79ba
82269 info lifecycle jade@0.26.3~postinstall: jade@0.26.3
82270 silly lifecycle jade@0.26.3~postinstall: no script for postinstall,
continuing
82271 silly postinstall jju@1.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\jju-e6fef3c1
82272 info lifecycle jju@1.3.0~postinstall: jju@1.3.0
82273 silly lifecycle jju@1.3.0~postinstall: no script for postinstall,
continuing
82274 silly postinstall js-base64@2.1.9
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\js-base64-dfae5020
82275 info lifecycle js-base64@2.1.9~postinstall: js-base64@2.1.9
82276 silly lifecycle js-base64@2.1.9~postinstall: no script for postinstall,
continuing
82277 silly postinstall js-tokens@1.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\js-tokens-0c67fc94
82278 info lifecycle js-tokens@1.0.3~postinstall: js-tokens@1.0.3
82279 silly lifecycle js-tokens@1.0.3~postinstall: no script for postinstall,
continuing
82280 silly postinstall jsbn@0.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\jsbn-a63acb28
82281 info lifecycle jsbn@0.1.0~postinstall: jsbn@0.1.0
82282 silly lifecycle jsbn@0.1.0~postinstall: no script for postinstall,
continuing
82283 silly postinstall jodid25519@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\jodid25519-0464b71a
82284 info lifecycle jodid25519@1.0.2~postinstall: jodid25519@1.0.2
82285 silly lifecycle jodid25519@1.0.2~postinstall: no script for postinstall,
continuing
82286 silly postinstall ecc-jsbn@0.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ecc-jsbn-42eeaeec
82287 info lifecycle ecc-jsbn@0.1.1~postinstall: ecc-jsbn@0.1.1
82288 silly lifecycle ecc-jsbn@0.1.1~postinstall: no script for postinstall,
continuing
82289 silly postinstall acorn@2.7.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\acorn-c66db936
82290 info lifecycle acorn@2.7.0~postinstall: acorn@2.7.0
```

npm-debug.log

82291 silly lifecycle acorn@2.7.0~postinstall: no script for postinstall, continuing  
82292 silly postinstall webidl-conversions@3.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\webidl-conversions-d18132b2  
82293 info lifecycle webidl-conversions@3.0.1~postinstall:  
webidl-conversions@3.0.1  
82294 silly lifecycle webidl-conversions@3.0.1~postinstall: no script for postinstall, continuing  
82295 silly postinstall jsesc@0.5.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\jsesc-0e3df90e  
82296 info lifecycle jsesc@0.5.0~postinstall: jsesc@0.5.0  
82297 silly lifecycle jsesc@0.5.0~postinstall: no script for postinstall, continuing  
82298 silly postinstall json-loader@0.5.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\json-loader-4cba796b  
82299 info lifecycle json-loader@0.5.4~postinstall: json-loader@0.5.4  
82300 silly lifecycle json-loader@0.5.4~postinstall: no script for postinstall, continuing  
82301 silly postinstall json-parse-helpfulerror@1.0.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\json-parse-helpfulerror-217d367e  
82302 info lifecycle json-parse-helpfulerror@1.0.3~postinstall:  
json-parse-helpfulerror@1.0.3  
82303 silly lifecycle json-parse-helpfulerror@1.0.3~postinstall: no script for postinstall, continuing  
82304 silly postinstall json-schema@0.2.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\json-schema-9575c554  
82305 info lifecycle json-schema@0.2.2~postinstall: json-schema@0.2.2  
82306 silly lifecycle json-schema@0.2.2~postinstall: no script for postinstall, continuing  
82307 silly postinstall json-stringify-safe@5.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\json-stringify-safe-035aed7c  
82308 info lifecycle json-stringify-safe@5.0.1~postinstall:  
json-stringify-safe@5.0.1  
82309 silly lifecycle json-stringify-safe@5.0.1~postinstall: no script for postinstall, continuing  
82310 silly postinstall json5@0.5.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\json5-35050e00  
82311 info lifecycle json5@0.5.0~postinstall: json5@0.5.0  
82312 silly lifecycle json5@0.5.0~postinstall: no script for postinstall, continuing  
82313 silly postinstall jsonify@0.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\jsonify-199199ef  
82314 info lifecycle jsonify@0.0.0~postinstall: jsonify@0.0.0  
82315 silly lifecycle jsonify@0.0.0~postinstall: no script for postinstall, continuing  
82316 silly postinstall json-stable-stringify@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\json-stable-stringify-d3c7918d  
82317 info lifecycle json-stable-stringify@1.0.1~postinstall:  
json-stable-stringify@1.0.1  
82318 silly lifecycle json-stable-stringify@1.0.1~postinstall: no script for

npm-debug.log

postinstall, continuing

82319 silly postinstall jsonpointer@2.0.0

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\jsonpointer-9b84e8e8

82320 info lifecycle jsonpointer@2.0.0~postinstall: jsonpointer@2.0.0

82321 silly lifecycle jsonpointer@2.0.0~postinstall: no script for postinstall, continuing

82322 silly postinstall keycode@2.1.4

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\keycode-4d77b854

82323 info lifecycle keycode@2.1.4~postinstall: keycode@2.1.4

82324 silly lifecycle keycode@2.1.4~postinstall: no script for postinstall, continuing

82325 silly postinstall kind-of@3.0.4

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\kind-of-959f73be

82326 info lifecycle kind-of@3.0.4~postinstall: kind-of@3.0.4

82327 silly lifecycle kind-of@3.0.4~postinstall: no script for postinstall, continuing

82328 silly postinstall is-number@2.1.0

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\is-number-9640d720

82329 info lifecycle is-number@2.1.0~postinstall: is-number@2.1.0

82330 silly lifecycle is-number@2.1.0~postinstall: no script for postinstall, continuing

82331 silly postinstall lazy-cache@1.0.4

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\lazy-cache-d127abbf

82332 info lifecycle lazy-cache@1.0.4~postinstall: lazy-cache@1.0.4

82333 silly lifecycle lazy-cache@1.0.4~postinstall: no script for postinstall, continuing

82334 silly postinstall lodash@4.15.0

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\lodash-64bb1250

82335 info lifecycle lodash@4.15.0~postinstall: lodash@4.15.0

82336 silly lifecycle lodash@4.15.0~postinstall: no script for postinstall, continuing

82337 silly postinstall async@2.0.1

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\async-c4b520c6

82338 info lifecycle async@2.0.1~postinstall: async@2.0.1

82339 silly lifecycle async@2.0.1~postinstall: no script for postinstall, continuing

82340 silly postinstall lodash-es@4.15.0

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\lodash-es-b38b79b2

82341 info lifecycle lodash-es@4.15.0~postinstall: lodash-es@4.15.0

82342 silly lifecycle lodash-es@4.15.0~postinstall: no script for postinstall, continuing

82343 silly postinstall lodash.\_basecopy@3.0.1

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\lodash.\_basecopy-541bf43d

82344 info lifecycle lodash.\_basecopy@3.0.1~postinstall: lodash.\_basecopy@3.0.1

82345 silly lifecycle lodash.\_basecopy@3.0.1~postinstall: no script for postinstall, continuing

82346 silly postinstall lodash.\_bindcallback@3.0.1

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\lodash.\_bindcallback-004c43c4

82347 info lifecycle lodash.\_bindcallback@3.0.1~postinstall:

lodash.\_bindcallback@3.0.1

82348 silly lifecycle lodash.\_bindcallback@3.0.1~postinstall: no script for

npm-debug.log

```
postinstall, continuing
82349 silly postinstall lodash._getnative@3.9.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash._getnative-c51a0102
82350 info lifecycle lodash._getnative@3.9.1~postinstall:
lodash._getnative@3.9.1
82351 silly lifecycle lodash._getnative@3.9.1~postinstall: no script for
postinstall, continuing
82352 silly postinstall lodash._isiterateecall@3.0.9
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash._isiterateecall-36b10
21f
82353 info lifecycle lodash._isiterateecall@3.0.9~postinstall:
lodash._isiterateecall@3.0.9
82354 silly lifecycle lodash._isiterateecall@3.0.9~postinstall: no script for
postinstall, continuing
82355 silly postinstall lodash._root@3.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash._root-98099e61
82356 info lifecycle lodash._root@3.0.1~postinstall: lodash._root@3.0.1
82357 silly lifecycle lodash._root@3.0.1~postinstall: no script for
postinstall, continuing
82358 silly postinstall lodash.deburr@3.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.deburr-a3ee9e21
82359 info lifecycle lodash.deburr@3.2.0~postinstall: lodash.deburr@3.2.0
82360 silly lifecycle lodash.deburr@3.2.0~postinstall: no script for
postinstall, continuing
82361 silly postinstall lodash.indexof@4.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.indexof-fb2607a4
82362 info lifecycle lodash.indexof@4.0.5~postinstall: lodash.indexof@4.0.5
82363 silly lifecycle lodash.indexof@4.0.5~postinstall: no script for
postinstall, continuing
82364 silly postinstall lodash.isarguments@3.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.isarguments-60f99f8d
82365 info lifecycle lodash.isarguments@3.1.0~postinstall:
lodash.isarguments@3.1.0
82366 silly lifecycle lodash.isarguments@3.1.0~postinstall: no script for
postinstall, continuing
82367 silly postinstall lodash.isarray@3.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.isarray-fc271b0d
82368 info lifecycle lodash.isarray@3.0.4~postinstall: lodash.isarray@3.0.4
82369 silly lifecycle lodash.isarray@3.0.4~postinstall: no script for
postinstall, continuing
82370 silly postinstall lodash.keys@3.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.keys-df34d792
82371 info lifecycle lodash.keys@3.1.2~postinstall: lodash.keys@3.1.2
82372 silly lifecycle lodash.keys@3.1.2~postinstall: no script for postinstall,
continuing
82373 silly postinstall lodash._baseassign@3.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash._baseassign-03dda820
82374 info lifecycle lodash._baseassign@3.2.0~postinstall:
lodash._baseassign@3.2.0
82375 silly lifecycle lodash._baseassign@3.2.0~postinstall: no script for
postinstall, continuing
82376 silly postinstall lodash.pick@4.4.0
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.pick-71584c47
82377 info lifecycle lodash.pick@4.4.0~postinstall: lodash.pick@4.4.0
82378 silly lifecycle lodash.pick@4.4.0~postinstall: no script for postinstall,
continuing
82379 silly postinstall lodash.pickby@4.6.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.pickby-a73acf2a
82380 info lifecycle lodash.pickby@4.6.0~postinstall: lodash.pickby@4.6.0
82381 silly lifecycle lodash.pickby@4.6.0~postinstall: no script for
postinstall, continuing
82382 silly postinstall lodash.restparam@3.6.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.restparam-bf355471
82383 info lifecycle lodash.restparam@3.6.1~postinstall: lodash.restparam@3.6.1
82384 silly lifecycle lodash.restparam@3.6.1~postinstall: no script for
postinstall, continuing
82385 silly postinstall lodash._createassigner@3.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash._createassigner-72954
318
82386 info lifecycle lodash._createassigner@3.1.1~postinstall:
lodash._createassigner@3.1.1
82387 silly lifecycle lodash._createassigner@3.1.1~postinstall: no script for
postinstall, continuing
82388 silly postinstall lodash.assign@3.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.assign-fb6b209e
82389 info lifecycle lodash.assign@3.2.0~postinstall: lodash.assign@3.2.0
82390 silly lifecycle lodash.assign@3.2.0~postinstall: no script for
postinstall, continuing
82391 silly postinstall lodash.words@3.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.words-50ee575b
82392 info lifecycle lodash.words@3.2.0~postinstall: lodash.words@3.2.0
82393 silly lifecycle lodash.words@3.2.0~postinstall: no script for
postinstall, continuing
82394 silly postinstall lodash._createcompounder@3.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash._createcompounder-30d
34e4e
82395 info lifecycle lodash._createcompounder@3.0.0~postinstall:
lodash._createcompounder@3.0.0
82396 silly lifecycle lodash._createcompounder@3.0.0~postinstall: no script for
postinstall, continuing
82397 silly postinstall lodash.camelcase@3.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lodash.camelcase-12ca86d9
82398 info lifecycle lodash.camelcase@3.0.1~postinstall: lodash.camelcase@3.0.1
82399 silly lifecycle lodash.camelcase@3.0.1~postinstall: no script for
postinstall, continuing
82400 silly postinstall lolex@1.3.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lolex-f89a8789
82401 info lifecycle lolex@1.3.2~postinstall: lolex@1.3.2
82402 silly lifecycle lolex@1.3.2~postinstall: no script for postinstall,
continuing
82403 silly postinstall longest@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\longest-d5fcfd22
82404 info lifecycle longest@1.0.1~postinstall: longest@1.0.1
82405 silly lifecycle longest@1.0.1~postinstall: no script for postinstall,
```



npm-debug.log

```
continuing
82406 silly postinstall loose-envify@1.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\loose-envify-5e400d97
82407 info lifecycle loose-envify@1.2.0~postinstall: loose-envify@1.2.0
82408 silly lifecycle loose-envify@1.2.0~postinstall: no script for
postinstall, continuing
82409 silly postinstall invariant@2.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\invariant-f2422ac3
82410 info lifecycle invariant@2.2.1~postinstall: invariant@2.2.1
82411 silly lifecycle invariant@2.2.1~postinstall: no script for postinstall,
continuing
82412 silly postinstall lru-cache@2.7.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\lru-cache-d42180a9
82413 info lifecycle lru-cache@2.7.3~postinstall: lru-cache@2.7.3
82414 silly lifecycle lru-cache@2.7.3~postinstall: no script for postinstall,
continuing
82415 silly postinstall macaddress@0.2.8
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\macaddress-25b4a174
82416 info lifecycle macaddress@0.2.8~postinstall: macaddress@0.2.8
82417 silly lifecycle macaddress@0.2.8~postinstall: no script for postinstall,
continuing
82418 silly postinstall map-obj@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\map-obj-fb22bc61
82419 info lifecycle map-obj@1.0.1~postinstall: map-obj@1.0.1
82420 silly lifecycle map-obj@1.0.1~postinstall: no script for postinstall,
continuing
82421 silly postinstall camelcase-keys@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\camelcase-keys-6b155472
82422 info lifecycle camelcase-keys@2.1.0~postinstall: camelcase-keys@2.1.0
82423 silly lifecycle camelcase-keys@2.1.0~postinstall: no script for
postinstall, continuing
82424 silly postinstall math-expression-evaluator@1.2.14
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\math-expression-evaluator-73
39b283
82425 info lifecycle math-expression-evaluator@1.2.14~postinstall:
math-expression-evaluator@1.2.14
82426 silly lifecycle math-expression-evaluator@1.2.14~postinstall: no script
for postinstall, continuing
82427 silly postinstall media-typer@0.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\media-typer-2d1a62fa
82428 info lifecycle media-typer@0.3.0~postinstall: media-typer@0.3.0
82429 silly lifecycle media-typer@0.3.0~postinstall: no script for postinstall,
continuing
82430 silly postinstall merge-descriptors@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\merge-descriptors-014c3ae8
82431 info lifecycle merge-descriptors@1.0.1~postinstall:
merge-descriptors@1.0.1
82432 silly lifecycle merge-descriptors@1.0.1~postinstall: no script for
postinstall, continuing
82433 silly postinstall methods@1.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\methods-b156f529
82434 info lifecycle methods@1.1.2~postinstall: methods@1.1.2
```

npm-debug.log

82435 silly lifecycle methods@1.1.2~postinstall: no script for postinstall, continuing  
82436 silly postinstall mime@1.3.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\mime-b5d0c3d3  
82437 info lifecycle mime@1.3.4~postinstall: mime@1.3.4  
82438 silly lifecycle mime@1.3.4~postinstall: no script for postinstall, continuing  
82439 silly postinstall mime-db@1.23.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\mime-db-a42b0b15  
82440 info lifecycle mime-db@1.23.0~postinstall: mime-db@1.23.0  
82441 silly lifecycle mime-db@1.23.0~postinstall: no script for postinstall, continuing  
82442 silly postinstall mime-types@2.1.11  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\mime-types-45fc7254  
82443 info lifecycle mime-types@2.1.11~postinstall: mime-types@2.1.11  
82444 silly lifecycle mime-types@2.1.11~postinstall: no script for postinstall, continuing  
82445 silly postinstall form-data@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\form-data-079d7df5  
82446 info lifecycle form-data@1.0.1~postinstall: form-data@1.0.1  
82447 silly lifecycle form-data@1.0.1~postinstall: no script for postinstall, continuing  
82448 silly postinstall minimatch@3.0.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\minimatch-54c90eb0  
82449 info lifecycle minimatch@3.0.3~postinstall: minimatch@3.0.3  
82450 silly lifecycle minimatch@3.0.3~postinstall: no script for postinstall, continuing  
82451 silly postinstall minimist@1.2.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\minimist-23297d89  
82452 info lifecycle minimist@1.2.0~postinstall: minimist@1.2.0  
82453 silly lifecycle minimist@1.2.0~postinstall: no script for postinstall, continuing  
82454 silly postinstall minimist@0.0.8  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\minimist-98505e4f  
82455 info lifecycle minimist@0.0.8~postinstall: minimist@0.0.8  
82456 silly lifecycle minimist@0.0.8~postinstall: no script for postinstall, continuing  
82457 silly postinstall mkdirp@0.5.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\mkdirp-4675ff74  
82458 info lifecycle mkdirp@0.5.1~postinstall: mkdirp@0.5.1  
82459 silly lifecycle mkdirp@0.5.1~postinstall: no script for postinstall, continuing  
82460 silly postinstall mobx@2.5.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\mobx-c52dc167  
82461 info lifecycle mobx@2.5.1~postinstall: mobx@2.5.1  
82462 silly lifecycle mobx@2.5.1~postinstall: no script for postinstall, continuing  
82463 silly postinstall commander@2.3.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\commander-cdd79592  
82464 info lifecycle commander@2.3.0~postinstall: commander@2.3.0  
82465 silly lifecycle commander@2.3.0~postinstall: no script for postinstall, continuing

npm-debug.log

```
82466 silly postinstall escape-string-regexp@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\escape-string-regexp-d654ec7
6
82467 info lifecycle escape-string-regexp@1.0.2~postinstall:
escape-string-regexp@1.0.2
82468 silly lifecycle escape-string-regexp@1.0.2~postinstall: no script for
postinstall, continuing
82469 silly postinstall supports-color@1.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\supports-color-8253e3cd
82470 info lifecycle supports-color@1.2.0~postinstall: supports-color@1.2.0
82471 silly lifecycle supports-color@1.2.0~postinstall: no script for
postinstall, continuing
82472 silly postinstall ms@0.7.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ms-54ecdda8
82473 info lifecycle ms@0.7.1~postinstall: ms@0.7.1
82474 silly lifecycle ms@0.7.1~postinstall: no script for postinstall,
continuing
82475 silly postinstall debug@2.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\debug-58222b76
82476 info lifecycle debug@2.2.0~postinstall: debug@2.2.0
82477 silly lifecycle debug@2.2.0~postinstall: no script for postinstall,
continuing
82478 silly postinstall mute-stream@0.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\mute-stream-fc16b265
82479 info lifecycle mute-stream@0.0.5~postinstall: mute-stream@0.0.5
82480 silly lifecycle mute-stream@0.0.5~postinstall: no script for postinstall,
continuing
82481 silly postinstall negotiator@0.6.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\negotiator-e80ab4ee
82482 info lifecycle negotiator@0.6.1~postinstall: negotiator@0.6.1
82483 silly lifecycle negotiator@0.6.1~postinstall: no script for postinstall,
continuing
82484 silly postinstall accepts@1.3.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\accepts-0e5446fe
82485 info lifecycle accepts@1.3.3~postinstall: accepts@1.3.3
82486 silly lifecycle accepts@1.3.3~postinstall: no script for postinstall,
continuing
82487 silly postinstall node-fetch@1.6.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\node-fetch-bbd4726b
82488 info lifecycle node-fetch@1.6.0~postinstall: node-fetch@1.6.0
82489 silly lifecycle node-fetch@1.6.0~postinstall: no script for postinstall,
continuing
82490 silly postinstall isarray@0.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\isarray-b5d595f5
82491 info lifecycle isarray@0.0.1~postinstall: isarray@0.0.1
82492 silly lifecycle isarray@0.0.1~postinstall: no script for postinstall,
continuing
82493 silly postinstall node-uuid@1.4.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\node-uuid-f014aa35
82494 info lifecycle node-uuid@1.4.7~postinstall: node-uuid@1.4.7
82495 silly lifecycle node-uuid@1.4.7~postinstall: no script for postinstall,
continuing
```

npm-debug.log

```
82496 silly postinstall normalize-path@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\normalize-path-d0198e05
82497 info lifecycle normalize-path@2.0.1~postinstall: normalize-path@2.0.1
82498 silly lifecycle normalize-path@2.0.1~postinstall: no script for
postinstall, continuing
82499 silly postinstall normalize-range@0.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\normalize-range-a154f9f5
82500 info lifecycle normalize-range@0.1.2~postinstall: normalize-range@0.1.2
82501 silly lifecycle normalize-range@0.1.2~postinstall: no script for
postinstall, continuing
82502 silly postinstall nth-check@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\nth-check-92e8a72d
82503 info lifecycle nth-check@1.0.1~postinstall: nth-check@1.0.1
82504 silly lifecycle nth-check@1.0.1~postinstall: no script for postinstall,
continuing
82505 silly postinstall css-select@1.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\css-select-7a00ad51
82506 info lifecycle css-select@1.2.0~postinstall: css-select@1.2.0
82507 silly lifecycle css-select@1.2.0~postinstall: no script for postinstall,
continuing
82508 silly postinstall num2fraction@1.2.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\num2fraction-cfc72b0d
82509 info lifecycle num2fraction@1.2.2~postinstall: num2fraction@1.2.2
82510 silly lifecycle num2fraction@1.2.2~postinstall: no script for
postinstall, continuing
82511 silly postinstall number-is-nan@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\number-is-nan-42904e7e
82512 info lifecycle number-is-nan@1.0.0~postinstall: number-is-nan@1.0.0
82513 silly lifecycle number-is-nan@1.0.0~postinstall: no script for
postinstall, continuing
82514 silly postinstall is-fullwidth-code-point@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-fullwidth-code-point-3e94
30c2
82515 info lifecycle is-fullwidth-code-point@1.0.0~postinstall:
is-fullwidth-code-point@1.0.0
82516 silly lifecycle is-fullwidth-code-point@1.0.0~postinstall: no script for
postinstall, continuing
82517 silly postinstall is-finite@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-finite-e71536e9
82518 info lifecycle is-finite@1.0.1~postinstall: is-finite@1.0.1
82519 silly lifecycle is-finite@1.0.1~postinstall: no script for postinstall,
continuing
82520 silly postinstall repeating@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\repeating-fb73dae7
82521 info lifecycle repeating@2.0.1~postinstall: repeating@2.0.1
82522 silly lifecycle repeating@2.0.1~postinstall: no script for postinstall,
continuing
82523 silly postinstall indent-string@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\indent-string-4004df63
82524 info lifecycle indent-string@2.1.0~postinstall: indent-string@2.1.0
82525 silly lifecycle indent-string@2.1.0~postinstall: no script for
postinstall, continuing
```

npm-debug.log

82526 silly postinstall code-point-at@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\code-point-at-7d670683  
82527 info lifecycle code-point-at@1.0.0~postinstall: code-point-at@1.0.0  
82528 silly lifecycle code-point-at@1.0.0~postinstall: no script for  
postinstall, continuing  
82529 silly postinstall nwmatcher@1.3.8  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\nwmatcher-6cf6d411  
82530 info lifecycle nwmatcher@1.3.8~postinstall: nwmatcher@1.3.8  
82531 silly lifecycle nwmatcher@1.3.8~postinstall: no script for postinstall,  
continuing  
82532 silly postinstall oauth-sign@0.8.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\oauth-sign-cd0c6daa  
82533 info lifecycle oauth-sign@0.8.2~postinstall: oauth-sign@0.8.2  
82534 silly lifecycle oauth-sign@0.8.2~postinstall: no script for postinstall,  
continuing  
82535 silly postinstall object-assign@4.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\object-assign-6d6e0a3e  
82536 info lifecycle object-assign@4.1.0~postinstall: object-assign@4.1.0  
82537 silly lifecycle object-assign@4.1.0~postinstall: no script for  
postinstall, continuing  
82538 silly postinstall loader-utils@0.2.15  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\loader-utils-77059a11  
82539 info lifecycle loader-utils@0.2.15~postinstall: loader-utils@0.2.15  
82540 silly lifecycle loader-utils@0.2.15~postinstall: no script for  
postinstall, continuing  
82541 silly postinstall file-loader@0.9.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\file-loader-58ae71e6  
82542 info lifecycle file-loader@0.9.0~postinstall: file-loader@0.9.0  
82543 silly lifecycle file-loader@0.9.0~postinstall: no script for postinstall,  
continuing  
82544 silly postinstall figures@1.7.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\figures-1edac55e  
82545 info lifecycle figures@1.7.0~postinstall: figures@1.7.0  
82546 silly lifecycle figures@1.7.0~postinstall: no script for postinstall,  
continuing  
82547 silly postinstall esrecurse@4.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\esrecurse-c701e899  
82548 info lifecycle esrecurse@4.1.0~postinstall: esrecurse@4.1.0  
82549 silly lifecycle esrecurse@4.1.0~postinstall: no script for postinstall,  
continuing  
82550 silly postinstall escope@3.6.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\escope-913a2b65  
82551 info lifecycle escope@3.6.0~postinstall: escope@3.6.0  
82552 silly lifecycle escope@3.6.0~postinstall: no script for postinstall,  
continuing  
82553 silly postinstall babel-loader@6.2.5  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-loader-afdab3f8  
82554 info lifecycle babel-loader@6.2.5~postinstall: babel-loader@6.2.5  
82555 silly lifecycle babel-loader@6.2.5~postinstall: no script for  
postinstall, continuing  
82556 silly postinstall object-is@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\object-is-e0757ace

npm-debug.log

82557 info lifecycle object-is@1.0.1~postinstall: object-is@1.0.1  
82558 silly lifecycle object-is@1.0.1~postinstall: no script for postinstall, continuing  
82559 silly postinstall object-keys@1.0.11  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\object-keys-20dda30e  
82560 info lifecycle object-keys@1.0.11~postinstall: object-keys@1.0.11  
82561 silly lifecycle object-keys@1.0.11~postinstall: no script for postinstall, continuing  
82562 silly postinstall define-properties@1.1.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\define-properties-21a00f4a  
82563 info lifecycle define-properties@1.1.2~postinstall: define-properties@1.1.2  
82564 silly lifecycle define-properties@1.1.2~postinstall: no script for postinstall, continuing  
82565 silly postinstall array-includes@3.0.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\array-includes-6527c4b1  
82566 info lifecycle array-includes@3.0.2~postinstall: array-includes@3.0.2  
82567 silly lifecycle array-includes@3.0.2~postinstall: no script for postinstall, continuing  
82568 silly postinstall object.assign@4.0.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\object.assign-e6d3a479  
82569 info lifecycle object.assign@4.0.4~postinstall: object.assign@4.0.4  
82570 silly lifecycle object.assign@4.0.4~postinstall: no script for postinstall, continuing  
82571 silly postinstall object.entries@1.0.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\object.entries-0e81ab4b  
82572 info lifecycle object.entries@1.0.3~postinstall: object.entries@1.0.3  
82573 silly lifecycle object.entries@1.0.3~postinstall: no script for postinstall, continuing  
82574 silly postinstall object.getownpropertydescriptors@2.0.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\object.getownpropertydescriptors-dbb3a37c  
82575 info lifecycle object.getownpropertydescriptors@2.0.3~postinstall: object.getownpropertydescriptors@2.0.3  
82576 silly lifecycle object.getownpropertydescriptors@2.0.3~postinstall: no script for postinstall, continuing  
82577 silly postinstall object.omit@2.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\object.omit-6b524bd5  
82578 info lifecycle object.omit@2.0.0~postinstall: object.omit@2.0.0  
82579 silly lifecycle object.omit@2.0.0~postinstall: no script for postinstall, continuing  
82580 silly postinstall object.values@1.0.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\object.values-a7c9465c  
82581 info lifecycle object.values@1.0.3~postinstall: object.values@1.0.3  
82582 silly lifecycle object.values@1.0.3~postinstall: no script for postinstall, continuing  
82583 silly postinstall on-finished@2.3.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\on-finished-550c2f89  
82584 info lifecycle on-finished@2.3.0~postinstall: on-finished@2.3.0  
82585 silly lifecycle on-finished@2.3.0~postinstall: no script for postinstall, continuing  
82586 silly postinstall onetime@1.1.0

npm-debug.log

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\onetime-08279436  
82587 info lifecycle onetime@1.1.0~postinstall: onetime@1.1.0  
82588 silly lifecycle onetime@1.1.0~postinstall: no script for postinstall,  
continuing  
82589 silly postinstall minimist@0.0.10  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\minimist-b7341e43  
82590 info lifecycle minimist@0.0.10~postinstall: minimist@0.0.10  
82591 silly lifecycle minimist@0.0.10~postinstall: no script for postinstall,  
continuing  
82592 silly postinstall wordwrap@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\wordwrap-eb37de7a  
82593 info lifecycle wordwrap@1.0.0~postinstall: wordwrap@1.0.0  
82594 silly lifecycle wordwrap@1.0.0~postinstall: no script for postinstall,  
continuing  
82595 silly postinstall os-browserify@0.1.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\os-browserify-ca904097  
82596 info lifecycle os-browserify@0.1.2~postinstall: os-browserify@0.1.2  
82597 silly lifecycle os-browserify@0.1.2~postinstall: no script for  
postinstall, continuing  
82598 silly postinstall os-homedir@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\os-homedir-1e04650d  
82599 info lifecycle os-homedir@1.0.1~postinstall: os-homedir@1.0.1  
82600 silly lifecycle os-homedir@1.0.1~postinstall: no script for postinstall,  
continuing  
82601 silly postinstall user-home@2.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\user-home-4011642b  
82602 info lifecycle user-home@2.0.0~postinstall: user-home@2.0.0  
82603 silly lifecycle user-home@2.0.0~postinstall: no script for postinstall,  
continuing  
82604 silly postinstall os-tmpdir@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\os-tmpdir-b02891c5  
82605 info lifecycle os-tmpdir@1.0.1~postinstall: os-tmpdir@1.0.1  
82606 silly lifecycle os-tmpdir@1.0.1~postinstall: no script for postinstall,  
continuing  
82607 silly postinstall osenv@0.1.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\osenv-c121368e  
82608 info lifecycle osenv@0.1.3~postinstall: osenv@0.1.3  
82609 silly lifecycle osenv@0.1.3~postinstall: no script for postinstall,  
continuing  
82610 silly postinstall output-file-sync@1.1.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\output-file-sync-270c92cc  
82611 info lifecycle output-file-sync@1.1.2~postinstall: output-file-sync@1.1.2  
82612 silly lifecycle output-file-sync@1.1.2~postinstall: no script for  
postinstall, continuing  
82613 silly postinstall page-bus@3.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\page-bus-c954658f  
82614 info lifecycle page-bus@3.0.1~postinstall: page-bus@3.0.1  
82615 silly lifecycle page-bus@3.0.1~postinstall: no script for postinstall,  
continuing  
82616 silly postinstall @kadira/storybook-channel-pagebus@2.0.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\@kadira\storybook-channel-pa  
gebus-62a59971

npm-debug.log

82617 info lifecycle @kadira/storybook-channel-pagebus@2.0.2~postinstall:  
@kadira/storybook-channel-pagebus@2.0.2  
82618 silly lifecycle @kadira/storybook-channel-pagebus@2.0.2~postinstall: no  
script for postinstall, continuing  
82619 silly postinstall pako@0.2.9  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\pako-40fb1739  
82620 info lifecycle pako@0.2.9~postinstall: pako@0.2.9  
82621 silly lifecycle pako@0.2.9~postinstall: no script for postinstall,  
continuing  
82622 silly postinstall browserify-zlib@0.1.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\browserify-zlib-577062a2  
82623 info lifecycle browserify-zlib@0.1.4~postinstall: browserify-zlib@0.1.4  
82624 silly lifecycle browserify-zlib@0.1.4~postinstall: no script for  
postinstall, continuing  
82625 silly postinstall parse-glob@3.0.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\parse-glob-dc699b9c  
82626 info lifecycle parse-glob@3.0.4~postinstall: parse-glob@3.0.4  
82627 silly lifecycle parse-glob@3.0.4~postinstall: no script for postinstall,  
continuing  
82628 silly postinstall parse-json@2.2.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\parse-json-1bd98721  
82629 info lifecycle parse-json@2.2.0~postinstall: parse-json@2.2.0  
82630 silly lifecycle parse-json@2.2.0~postinstall: no script for postinstall,  
continuing  
82631 silly postinstall parse5@1.5.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\parse5-a5169457  
82632 info lifecycle parse5@1.5.1~postinstall: parse5@1.5.1  
82633 silly lifecycle parse5@1.5.1~postinstall: no script for postinstall,  
continuing  
82634 silly postinstall parseurl@1.3.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\parseurl-de7e1b5a  
82635 info lifecycle parseurl@1.3.1~postinstall: parseurl@1.3.1  
82636 silly lifecycle parseurl@1.3.1~postinstall: no script for postinstall,  
continuing  
82637 silly postinstall path-browserify@0.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\path-browserify-7ae7b857  
82638 info lifecycle path-browserify@0.0.0~postinstall: path-browserify@0.0.0  
82639 silly lifecycle path-browserify@0.0.0~postinstall: no script for  
postinstall, continuing  
82640 silly postinstall path-exists@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\path-exists-56e19174  
82641 info lifecycle path-exists@1.0.0~postinstall: path-exists@1.0.0  
82642 silly lifecycle path-exists@1.0.0~postinstall: no script for postinstall,  
continuing  
82643 silly postinstall path-is-absolute@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\path-is-absolute-2245a2b2  
82644 info lifecycle path-is-absolute@1.0.0~postinstall: path-is-absolute@1.0.0  
82645 silly lifecycle path-is-absolute@1.0.0~postinstall: no script for  
postinstall, continuing  
82646 silly postinstall path-is-inside@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\path-is-inside-a7a3f5aa  
82647 info lifecycle path-is-inside@1.0.1~postinstall: path-is-inside@1.0.1



npm-debug.log

82648 silly lifecycle path-is-inside@1.0.1~postinstall: no script for postinstall, continuing  
82649 silly postinstall is-path-inside@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\is-path-inside-417e68a1  
82650 info lifecycle is-path-inside@1.0.0~postinstall: is-path-inside@1.0.0  
82651 silly lifecycle is-path-inside@1.0.0~postinstall: no script for postinstall, continuing  
82652 silly postinstall is-path-in-cwd@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\is-path-in-cwd-5e924b48  
82653 info lifecycle is-path-in-cwd@1.0.0~postinstall: is-path-in-cwd@1.0.0  
82654 silly lifecycle is-path-in-cwd@1.0.0~postinstall: no script for postinstall, continuing  
82655 silly postinstall path-to-regexp@0.1.7  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\path-to-regexp-9664313c  
82656 info lifecycle path-to-regexp@0.1.7~postinstall: path-to-regexp@0.1.7  
82657 silly lifecycle path-to-regexp@0.1.7~postinstall: no script for postinstall, continuing  
82658 silly postinstall pbkdf2-compat@2.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\pbkdf2-compat-9733372b  
82659 info lifecycle pbkdf2-compat@2.0.1~postinstall: pbkdf2-compat@2.0.1  
82660 silly lifecycle pbkdf2-compat@2.0.1~postinstall: no script for postinstall, continuing  
82661 silly postinstall pify@2.3.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\pify-567f9556  
82662 info lifecycle pify@2.3.0~postinstall: pify@2.3.0  
82663 silly lifecycle pify@2.3.0~postinstall: no script for postinstall, continuing  
82664 silly postinstall pinkie@2.0.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\pinkie-b4bd7f16  
82665 info lifecycle pinkie@2.0.4~postinstall: pinkie@2.0.4  
82666 silly lifecycle pinkie@2.0.4~postinstall: no script for postinstall, continuing  
82667 silly postinstall pinkie-promise@2.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\pinkie-promise-8d65711e  
82668 info lifecycle pinkie-promise@2.0.1~postinstall: pinkie-promise@2.0.1  
82669 silly lifecycle pinkie-promise@2.0.1~postinstall: no script for postinstall, continuing  
82670 silly postinstall path-type@1.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\path-type-3a57758b  
82671 info lifecycle path-type@1.1.0~postinstall: path-type@1.1.0  
82672 silly lifecycle path-type@1.1.0~postinstall: no script for postinstall, continuing  
82673 silly postinstall path-exists@2.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\path-exists-30bc809d  
82674 info lifecycle path-exists@2.1.0~postinstall: path-exists@2.1.0  
82675 silly lifecycle path-exists@2.1.0~postinstall: no script for postinstall, continuing  
82676 silly postinstall find-up@1.1.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\find-up-6f736653  
82677 info lifecycle find-up@1.1.2~postinstall: find-up@1.1.2  
82678 silly lifecycle find-up@1.1.2~postinstall: no script for postinstall, continuing

npm-debug.log

```
82679 silly postinstall pluralize@1.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\pluralize-9e56b6c2
82680 info lifecycle pluralize@1.2.1~postinstall: pluralize@1.2.1
82681 silly lifecycle pluralize@1.2.1~postinstall: no script for postinstall,
continuing
82682 silly postinstall postcss-message-helpers@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-message-helpers-7c63
a8fc
82683 info lifecycle postcss-message-helpers@2.0.0~postinstall:
postcss-message-helpers@2.0.0
82684 silly lifecycle postcss-message-helpers@2.0.0~postinstall: no script for
postinstall, continuing
82685 silly postinstall postcss-value-parser@3.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-value-parser-2ae627a
8
82686 info lifecycle postcss-value-parser@3.3.0~postinstall:
postcss-value-parser@3.3.0
82687 silly lifecycle postcss-value-parser@3.3.0~postinstall: no script for
postinstall, continuing
82688 silly postinstall prelude-ls@1.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\prelude-ls-bb7867a7
82689 info lifecycle prelude-ls@1.1.2~postinstall: prelude-ls@1.1.2
82690 silly lifecycle prelude-ls@1.1.2~postinstall: no script for postinstall,
continuing
82691 silly postinstall prepend-http@1.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\prepend-http-1da538cc
82692 info lifecycle prepend-http@1.0.4~postinstall: prepend-http@1.0.4
82693 silly lifecycle prepend-http@1.0.4~postinstall: no script for
postinstall, continuing
82694 silly postinstall preserve@0.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\preserve-6d253fbc
82695 info lifecycle preserve@0.2.0~postinstall: preserve@0.2.0
82696 silly lifecycle preserve@0.2.0~postinstall: no script for postinstall,
continuing
82697 silly postinstall private@0.1.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\private-2ce0a9ab
82698 info lifecycle private@0.1.6~postinstall: private@0.1.6
82699 silly lifecycle private@0.1.6~postinstall: no script for postinstall,
continuing
82700 silly postinstall process@0.11.9
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\process-13ede2a9
82701 info lifecycle process@0.11.9~postinstall: process@0.11.9
82702 silly lifecycle process@0.11.9~postinstall: no script for postinstall,
continuing
82703 silly postinstall process-nextick-args@1.0.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\process-nextick-args-ca4e278
1
82704 info lifecycle process-nextick-args@1.0.7~postinstall:
process-nextick-args@1.0.7
82705 silly lifecycle process-nextick-args@1.0.7~postinstall: no script for
postinstall, continuing
82706 silly postinstall progress@1.1.8
```

npm-debug.log

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\progress-47df0015  
82707 info lifecycle progress@1.1.8~postinstall: progress@1.1.8  
82708 silly lifecycle progress@1.1.8~postinstall: no script for postinstall,  
continuing  
82709 silly postinstall promise@7.1.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\promise-83cfcdec  
82710 info lifecycle promise@7.1.1~postinstall: promise@7.1.1  
82711 silly lifecycle promise@7.1.1~postinstall: no script for postinstall,  
continuing  
82712 silly postinstall protocols@1.4.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\protocols-537a9cd7  
82713 info lifecycle protocols@1.4.1~postinstall: protocols@1.4.1  
82714 silly lifecycle protocols@1.4.1~postinstall: no script for postinstall,  
continuing  
82715 silly postinstall is-ssh@1.3.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\is-ssh-06566c93  
82716 info lifecycle is-ssh@1.3.0~postinstall: is-ssh@1.3.0  
82717 silly lifecycle is-ssh@1.3.0~postinstall: no script for postinstall,  
continuing  
82718 silly postinstall parse-url@1.3.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\parse-url-398cd9b9  
82719 info lifecycle parse-url@1.3.3~postinstall: parse-url@1.3.3  
82720 silly lifecycle parse-url@1.3.3~postinstall: no script for postinstall,  
continuing  
82721 silly postinstall git-up@2.0.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\git-up-babf6c17  
82722 info lifecycle git-up@2.0.2~postinstall: git-up@2.0.2  
82723 silly lifecycle git-up@2.0.2~postinstall: no script for postinstall,  
continuing  
82724 silly postinstall git-url-parse@6.0.5  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\git-url-parse-2c7e0f33  
82725 info lifecycle git-url-parse@6.0.5~postinstall: git-url-parse@6.0.5  
82726 silly lifecycle git-url-parse@6.0.5~postinstall: no script for  
postinstall, continuing  
82727 silly postinstall proxy-addr@1.1.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\proxy-addr-baa5e4eb  
82728 info lifecycle proxy-addr@1.1.2~postinstall: proxy-addr@1.1.2  
82729 silly lifecycle proxy-addr@1.1.2~postinstall: no script for postinstall,  
continuing  
82730 silly postinstall prr@0.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\pr-64f4e8e9  
82731 info lifecycle prr@0.0.0~postinstall: prr@0.0.0  
82732 silly lifecycle prr@0.0.0~postinstall: no script for postinstall,  
continuing  
82733 silly postinstall errno@0.1.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\errno-f0e540a6  
82734 info lifecycle errno@0.1.4~postinstall: errno@0.1.4  
82735 silly lifecycle errno@0.1.4~postinstall: no script for postinstall,  
continuing  
82736 silly postinstall punycode@1.4.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\punycode-6798663a  
82737 info lifecycle punycode@1.4.1~postinstall: punycode@1.4.1

npm-debug.log

82738 silly lifecycle punycode@1.4.1~postinstall: no script for postinstall, continuing  
82739 silly postinstall q@1.4.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\q-b406f0af  
82740 info lifecycle q@1.4.1~postinstall: q@1.4.1  
82741 silly lifecycle q@1.4.1~postinstall: no script for postinstall, continuing  
82742 silly postinstall coa@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\coa-b45e5d14  
82743 info lifecycle coa@1.0.1~postinstall: coa@1.0.1  
82744 silly lifecycle coa@1.0.1~postinstall: no script for postinstall, continuing  
82745 silly postinstall qs@6.2.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\qs-9acecc42  
82746 info lifecycle qs@6.2.1~postinstall: qs@6.2.1  
82747 silly lifecycle qs@6.2.1~postinstall: no script for postinstall, continuing  
82748 silly postinstall querystring@0.2.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\querystring-332529b5  
82749 info lifecycle querystring@0.2.0~postinstall: querystring@0.2.0  
82750 silly lifecycle querystring@0.2.0~postinstall: no script for postinstall, continuing  
82751 silly postinstall querystring-es3@0.2.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\querystring-es3-d6d8aa49  
82752 info lifecycle querystring-es3@0.2.1~postinstall: querystring-es3@0.2.1  
82753 silly lifecycle querystring-es3@0.2.1~postinstall: no script for postinstall, continuing  
82754 silly postinstall randomatic@1.1.5  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\randomatic-93c5f87b  
82755 info lifecycle randomatic@1.1.5~postinstall: randomatic@1.1.5  
82756 silly lifecycle randomatic@1.1.5~postinstall: no script for postinstall, continuing  
82757 silly postinstall range-parser@1.2.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\range-parser-1d7f4a03  
82758 info lifecycle range-parser@1.2.0~postinstall: range-parser@1.2.0  
82759 silly lifecycle range-parser@1.2.0~postinstall: no script for postinstall, continuing  
82760 silly postinstall react-addons-test-utils@15.3.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\react-addons-test-utils-8a0a6818  
82761 info lifecycle react-addons-test-utils@15.3.1~postinstall: react-addons-test-utils@15.3.1  
82762 silly lifecycle react-addons-test-utils@15.3.1~postinstall: no script for postinstall, continuing  
82763 silly postinstall react-dom@15.3.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\react-dom-7c9115e2  
82764 info lifecycle react-dom@15.3.1~postinstall: react-dom@15.3.1  
82765 silly lifecycle react-dom@15.3.1~postinstall: no script for postinstall, continuing  
82766 silly postinstall react-inspector@1.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\react-inspector-070bc4fe  
82767 info lifecycle react-inspector@1.1.0~postinstall: react-inspector@1.1.0

npm-debug.log

```
82768 silly lifecycle react-inspector@1.1.0~postinstall: no script for
postinstall, continuing
82769 silly postinstall @kadira/storybook-addon-actions@1.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\@kadira\storybook-addon-acti
ons-3dc9006b
82770 info lifecycle @kadira/storybook-addon-actions@1.0.4~postinstall:
@kadira/storybook-addon-actions@1.0.4
82771 silly lifecycle @kadira/storybook-addon-actions@1.0.4~postinstall: no
script for postinstall, continuing
82772 silly postinstall react-modal@1.4.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\react-modal-704b6ab5
82773 info lifecycle react-modal@1.4.0~postinstall: react-modal@1.4.0
82774 silly lifecycle react-modal@1.4.0~postinstall: no script for postinstall,
continuing
82775 silly postinstall readline2@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\readline2-56e1e3bf
82776 info lifecycle readline2@1.0.1~postinstall: readline2@1.0.1
82777 silly lifecycle readline2@1.0.1~postinstall: no script for postinstall,
continuing
82778 silly postinstall balanced-match@0.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\balanced-match-d643dc99
82779 info lifecycle balanced-match@0.1.0~postinstall: balanced-match@0.1.0
82780 silly lifecycle balanced-match@0.1.0~postinstall: no script for
postinstall, continuing
82781 silly postinstall reduce-function-call@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\reduce-function-call-56a8f26
8
82782 info lifecycle reduce-function-call@1.0.1~postinstall:
reduce-function-call@1.0.1
82783 silly lifecycle reduce-function-call@1.0.1~postinstall: no script for
postinstall, continuing
82784 silly postinstall reduce-css-calc@1.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\reduce-css-calc-229106db
82785 info lifecycle reduce-css-calc@1.3.0~postinstall: reduce-css-calc@1.3.0
82786 silly lifecycle reduce-css-calc@1.3.0~postinstall: no script for
postinstall, continuing
82787 silly postinstall regenerate@1.3.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\regenerate-d0bfcd69
82788 info lifecycle regenerate@1.3.1~postinstall: regenerate@1.3.1
82789 silly lifecycle regenerate@1.3.1~postinstall: no script for postinstall,
continuing
82790 silly postinstall regenerator-runtime@0.9.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\regenerator-runtime-df21379e
82791 info lifecycle regenerator-runtime@0.9.5~postinstall:
regenerator-runtime@0.9.5
82792 silly lifecycle regenerator-runtime@0.9.5~postinstall: no script for
postinstall, continuing
82793 silly postinstall babel-runtime@6.11.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-runtime-f39e4d94
82794 info lifecycle babel-runtime@6.11.6~postinstall: babel-runtime@6.11.6
82795 silly lifecycle babel-runtime@6.11.6~postinstall: no script for
postinstall, continuing
```

npm-debug.log

```
82796 silly postinstall react-simple-di@1.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\react-simple-di-b351cc7a
82797 info lifecycle react-simple-di@1.2.0~postinstall: react-simple-di@1.2.0
82798 silly lifecycle react-simple-di@1.2.0~postinstall: no script for
postinstall, continuing
82799 silly postinstall react-fuzzy@0.3.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\react-fuzzy-3eb8f682
82800 info lifecycle react-fuzzy@0.3.3~postinstall: react-fuzzy@0.3.3
82801 silly lifecycle react-fuzzy@0.3.3~postinstall: no script for postinstall,
continuing
82802 silly postinstall babel-plugin-transform-runtime@6.15.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-runti
me-bd33dba3
82806 info lifecycle babel-plugin-transform-runtime@6.15.0~postinstall:
babel-plugin-transform-runtime@6.15.0
82807 silly lifecycle babel-plugin-transform-runtime@6.15.0~postinstall: no
script for postinstall, continuing
82808 silly postinstall babel-plugin-transform-react-jsx-source@6.9.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-react
-jsx-source-3e0fe78b
82809 info lifecycle babel-plugin-transform-react-jsx-source@6.9.0~postinstall:
babel-plugin-transform-react-jsx-source@6.9.0
82810 silly lifecycle
babel-plugin-transform-react-jsx-source@6.9.0~postinstall: no script for
postinstall, continuing
82811 silly postinstall babel-plugin-transform-react-jsx-self@6.11.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-react
-jsx-self-1a1ec7f6
82812 info lifecycle babel-plugin-transform-react-jsx-self@6.11.0~postinstall:
babel-plugin-transform-react-jsx-self@6.11.0
82813 silly lifecycle babel-plugin-transform-react-jsx-self@6.11.0~postinstall:
no script for postinstall, continuing
82814 silly postinstall babel-plugin-transform-react-display-name@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-react
-display-name-81bbd389
82815 info lifecycle
babel-plugin-transform-react-display-name@6.8.0~postinstall:
babel-plugin-transform-react-display-name@6.8.0
82816 silly lifecycle
babel-plugin-transform-react-display-name@6.8.0~postinstall: no script for
postinstall, continuing
82817 silly postinstall babel-plugin-transform-react-constant-elements@6.9.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-react
-constant-elements-5c3c4e01
82818 info lifecycle
babel-plugin-transform-react-constant-elements@6.9.1~postinstall:
babel-plugin-transform-react-constant-elements@6.9.1
```

npm-debug.log

```
82819 silly lifecycle
babel-plugin-transform-react-constant-elements@6.9.1~postinstall: no script for
postinstall, continuing
82820 silly postinstall babel-plugin-transform-object-rest-spread@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-objec
t-rest-spread-6d968cb3
82821 info lifecycle
babel-plugin-transform-object-rest-spread@6.8.0~postinstall:
babel-plugin-transform-object-rest-spread@6.8.0
82822 silly lifecycle
babel-plugin-transform-object-rest-spread@6.8.0~postinstall: no script for
postinstall, continuing
82823 silly postinstall babel-plugin-transform-flow-strip-types@6.14.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-flow-
strip-types-0c259221
82824 info lifecycle
babel-plugin-transform-flow-strip-types@6.14.0~postinstall:
babel-plugin-transform-flow-strip-types@6.14.0
82825 silly lifecycle
babel-plugin-transform-flow-strip-types@6.14.0~postinstall: no script for
postinstall, continuing
82826 silly postinstall babel-plugin-transform-es2015-typeof-symbol@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es201
5-typeof-symbol-2910c62e
82827 info lifecycle
babel-plugin-transform-es2015-typeof-symbol@6.8.0~postinstall:
babel-plugin-transform-es2015-typeof-symbol@6.8.0
82828 silly lifecycle
babel-plugin-transform-es2015-typeof-symbol@6.8.0~postinstall: no script for
postinstall, continuing
82829 silly postinstall babel-plugin-transform-es2015-template-literals@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es201
5-template-literals-47fef4c3
82830 info lifecycle
babel-plugin-transform-es2015-template-literals@6.8.0~postinstall:
babel-plugin-transform-es2015-template-literals@6.8.0
82831 silly lifecycle
babel-plugin-transform-es2015-template-literals@6.8.0~postinstall: no script
for postinstall, continuing
82832 silly postinstall babel-plugin-transform-es2015-spread@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es201
5-spread-3c745e80
82833 info lifecycle babel-plugin-transform-es2015-spread@6.8.0~postinstall:
babel-plugin-transform-es2015-spread@6.8.0
82834 silly lifecycle babel-plugin-transform-es2015-spread@6.8.0~postinstall:
no script for postinstall, continuing
82835 silly postinstall babel-plugin-transform-es2015-literals@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es201
5-literals-6f989d24
82836 info lifecycle babel-plugin-transform-es2015-literals@6.8.0~postinstall:
babel-plugin-transform-es2015-literals@6.8.0
82837 silly lifecycle babel-plugin-transform-es2015-literals@6.8.0~postinstall:
```

npm-debug.log

```
no script for postinstall, continuing
82838 silly postinstall babel-plugin-transform-es2015-for-of@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-for-of-2235b574
82839 info lifecycle babel-plugin-transform-es2015-for-of@6.8.0~postinstall:
babel-plugin-transform-es2015-for-of@6.8.0
82840 silly lifecycle babel-plugin-transform-es2015-for-of@6.8.0~postinstall:
no script for postinstall, continuing
82841 silly postinstall babel-plugin-transform-es2015-destructuring@6.9.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-destructuring-b64d1c15
82842 info lifecycle
babel-plugin-transform-es2015-destructuring@6.9.0~postinstall:
babel-plugin-transform-es2015-destructuring@6.9.0
82843 silly lifecycle
babel-plugin-transform-es2015-destructuring@6.9.0~postinstall: no script for
postinstall, continuing
82844 silly postinstall
babel-plugin-transform-es2015-block-scoped-functions@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-block-scoped-functions-6f6b03b3
82845 info lifecycle
babel-plugin-transform-es2015-block-scoped-functions@6.8.0~postinstall:
babel-plugin-transform-es2015-block-scoped-functions@6.8.0
82846 silly lifecycle
babel-plugin-transform-es2015-block-scoped-functions@6.8.0~postinstall: no
script for postinstall, continuing
82847 silly postinstall babel-plugin-transform-es2015-arrow-functions@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-arrow-functions-ee82dd83
82848 info lifecycle
babel-plugin-transform-es2015-arrow-functions@6.8.0~postinstall:
babel-plugin-transform-es2015-arrow-functions@6.8.0
82849 silly lifecycle
babel-plugin-transform-es2015-arrow-functions@6.8.0~postinstall: no script for
postinstall, continuing
82850 silly postinstall babel-plugin-check-es2015-constants@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-check-es2015-constants-921b42c1
82851 info lifecycle babel-plugin-check-es2015-constants@6.8.0~postinstall:
babel-plugin-check-es2015-constants@6.8.0
82852 silly lifecycle babel-plugin-check-es2015-constants@6.8.0~postinstall: no
script for postinstall, continuing
82853 silly postinstall babel-messages@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-messages-c21250d2
82854 info lifecycle babel-messages@6.8.0~postinstall: babel-messages@6.8.0
82855 silly lifecycle babel-messages@6.8.0~postinstall: no script for
postinstall, continuing
82856 silly postinstall babel-polyfill@6.13.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-polyfill-fff4cb7b
82857 info lifecycle babel-polyfill@6.13.0~postinstall: babel-polyfill@6.13.0
82858 silly lifecycle babel-polyfill@6.13.0~postinstall: no script for
```



npm-debug.log

```
postinstall, continuing
82859 silly postinstall regex-cache@0.4.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\regex-cache-24220e42
82860 info lifecycle regex-cache@0.4.3~postinstall: regex-cache@0.4.3
82861 silly lifecycle regex-cache@0.4.3~postinstall: no script for postinstall,
continuing
82862 silly postinstall regjsngen@0.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\regjsngen-b1b14964
82863 info lifecycle regjsngen@0.2.0~postinstall: regjsngen@0.2.0
82864 silly lifecycle regjsngen@0.2.0~postinstall: no script for postinstall,
continuing
82865 silly postinstall regjsparser@0.1.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\regjsparser-e712d18a
82866 info lifecycle regjsparser@0.1.5~postinstall: regjsparser@0.1.5
82867 silly lifecycle regjsparser@0.1.5~postinstall: no script for postinstall,
continuing
82868 silly postinstall regexpu-core@2.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\regexpu-core-8c932d8e
82869 info lifecycle regexpu-core@2.0.0~postinstall: regexpu-core@2.0.0
82870 silly lifecycle regexpu-core@2.0.0~postinstall: no script for
postinstall, continuing
82871 silly postinstall regexpu-core@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\regexpu-core-2e4d3014
82872 info lifecycle regexpu-core@1.0.0~postinstall: regexpu-core@1.0.0
82873 silly lifecycle regexpu-core@1.0.0~postinstall: no script for
postinstall, continuing
82874 silly postinstall css-selector-tokenizer@0.6.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\css-selector-tokenizer-a6526
ec2
82875 info lifecycle css-selector-tokenizer@0.6.0~postinstall:
css-selector-tokenizer@0.6.0
82876 silly lifecycle css-selector-tokenizer@0.6.0~postinstall: no script for
postinstall, continuing
82877 silly postinstall repeat-element@1.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\repeat-element-da85a615
82878 info lifecycle repeat-element@1.1.2~postinstall: repeat-element@1.1.2
82879 silly lifecycle repeat-element@1.1.2~postinstall: no script for
postinstall, continuing
82880 silly postinstall repeat-string@1.5.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\repeat-string-44be144f
82881 info lifecycle repeat-string@1.5.4~postinstall: repeat-string@1.5.4
82882 silly lifecycle repeat-string@1.5.4~postinstall: no script for
postinstall, continuing
82883 silly postinstall fill-range@2.2.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\fill-range-a5175bf0
82884 info lifecycle fill-range@2.2.3~postinstall: fill-range@2.2.3
82885 silly lifecycle fill-range@2.2.3~postinstall: no script for postinstall,
continuing
82886 silly postinstall expand-range@1.8.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\expand-range-00ee1dd2
82887 info lifecycle expand-range@1.8.2~postinstall: expand-range@1.8.2
82888 silly lifecycle expand-range@1.8.2~postinstall: no script for
```

npm-debug.log

```
postinstall, continuing
82889 silly postinstall braces@1.8.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\braces-647ec649
82890 info lifecycle braces@1.8.5~postinstall: braces@1.8.5
82891 silly lifecycle braces@1.8.5~postinstall: no script for postinstall,
continuing
82892 silly postinstall micromatch@2.3.11
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\micromatch-15c0dbb1
82893 info lifecycle micromatch@2.3.11~postinstall: micromatch@2.3.11
82894 silly lifecycle micromatch@2.3.11~postinstall: no script for postinstall,
continuing
82895 silly postinstall anymatch@1.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\anymatch-0c2f84a4
82896 info lifecycle anymatch@1.3.0~postinstall: anymatch@1.3.0
82897 silly lifecycle anymatch@1.3.0~postinstall: no script for postinstall,
continuing
82898 silly postinstall align-text@0.1.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\align-text-713a23db
82899 info lifecycle align-text@0.1.4~postinstall: align-text@0.1.4
82900 silly lifecycle align-text@0.1.4~postinstall: no script for postinstall,
continuing
82901 silly postinstall center-align@0.1.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\center-align-696fb22c
82902 info lifecycle center-align@0.1.3~postinstall: center-align@0.1.3
82903 silly lifecycle center-align@0.1.3~postinstall: no script for
postinstall, continuing
82904 silly postinstall repeating@1.1.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\repeating-7ab448a4
82905 info lifecycle repeating@1.1.3~postinstall: repeating@1.1.3
82906 silly lifecycle repeating@1.1.3~postinstall: no script for postinstall,
continuing
82907 silly postinstall detect-indent@3.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\detect-indent-9a333cd1
82908 info lifecycle detect-indent@3.0.1~postinstall: detect-indent@3.0.1
82909 silly lifecycle detect-indent@3.0.1~postinstall: no script for
postinstall, continuing
82910 silly postinstall resolve@1.1.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\resolve-4764683a
82911 info lifecycle resolve@1.1.7~postinstall: resolve@1.1.7
82912 silly lifecycle resolve@1.1.7~postinstall: no script for postinstall,
continuing
82913 silly postinstall rechoir@0.6.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\rechoir-bf164818
82914 info lifecycle rechoir@0.6.2~postinstall: rechoir@0.6.2
82915 silly lifecycle rechoir@0.6.2~postinstall: no script for postinstall,
continuing
82916 silly postinstall resolve-from@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\resolve-from-abc65560
82917 info lifecycle resolve-from@1.0.1~postinstall: resolve-from@1.0.1
82918 silly lifecycle resolve-from@1.0.1~postinstall: no script for
postinstall, continuing
82919 silly postinstall require-uncached@1.0.2
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\require-uncached-5ccb7de4
82920 info lifecycle require-uncached@1.0.2~postinstall: require-uncached@1.0.2
82921 silly lifecycle require-uncached@1.0.2~postinstall: no script for
postinstall, continuing
82922 silly postinstall restore-cursor@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\restore-cursor-3aa93d95
82923 info lifecycle restore-cursor@1.0.1~postinstall: restore-cursor@1.0.1
82924 silly lifecycle restore-cursor@1.0.1~postinstall: no script for
postinstall, continuing
82925 silly postinstall cli-cursor@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\cli-cursor-50ad9c52
82926 info lifecycle cli-cursor@1.0.2~postinstall: cli-cursor@1.0.2
82927 silly lifecycle cli-cursor@1.0.2~postinstall: no script for postinstall,
continuing
82928 silly postinstall right-align@0.1.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\right-align-1d799d19
82929 info lifecycle right-align@0.1.3~postinstall: right-align@0.1.3
82930 silly lifecycle right-align@0.1.3~postinstall: no script for postinstall,
continuing
82931 silly postinstall cliui@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\cliui-3b511935
82932 info lifecycle cliui@2.1.0~postinstall: cliui@2.1.0
82933 silly lifecycle cliui@2.1.0~postinstall: no script for postinstall,
continuing
82934 silly postinstall ripemd160@0.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\ripemd160-30356072
82935 info lifecycle ripemd160@0.2.0~postinstall: ripemd160@0.2.0
82936 silly lifecycle ripemd160@0.2.0~postinstall: no script for postinstall,
continuing
82937 silly postinstall rx-lite@3.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\rx-lite-6eec3ca8
82938 info lifecycle rx-lite@3.1.2~postinstall: rx-lite@3.1.2
82939 silly lifecycle rx-lite@3.1.2~postinstall: no script for postinstall,
continuing
82940 silly postinstall samsam@1.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\samsam-72747a1a
82941 info lifecycle samsam@1.1.2~postinstall: samsam@1.1.2
82942 silly lifecycle samsam@1.1.2~postinstall: no script for postinstall,
continuing
82943 silly postinstall formatio@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\formatio-1bbe1f85
82944 info lifecycle formatio@1.1.1~postinstall: formatio@1.1.1
82945 silly lifecycle formatio@1.1.1~postinstall: no script for postinstall,
continuing
82946 silly postinstall sax@1.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\sax-958ac02c
82947 info lifecycle sax@1.2.1~postinstall: sax@1.2.1
82948 silly lifecycle sax@1.2.1~postinstall: no script for postinstall,
continuing
82949 silly postinstall semver@4.3.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\semver-f9fa6c15
82950 info lifecycle semver@4.3.6~postinstall: semver@4.3.6
```

npm-debug.log

82951 silly lifecycle semver@4.3.6~postinstall: no script for postinstall, continuing  
82952 silly postinstall semver-regex@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\semver-regex-3fc6869c  
82953 info lifecycle semver-regex@1.0.0~postinstall: semver-regex@1.0.0  
82954 silly lifecycle semver-regex@1.0.0~postinstall: no script for postinstall, continuing  
82955 silly postinstall semver@5.3.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\semver-876f1fec  
82956 info lifecycle semver@5.3.0~postinstall: semver@5.3.0  
82957 silly lifecycle semver@5.3.0~postinstall: no script for postinstall, continuing  
82958 silly postinstall semver-truncate@1.1.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\semver-truncate-04c46dcd  
82959 info lifecycle semver-truncate@1.1.2~postinstall: semver-truncate@1.1.2  
82960 silly lifecycle semver-truncate@1.1.2~postinstall: no script for postinstall, continuing  
82961 silly postinstall set-immediate-shim@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\set-immediate-shim-5b1b77b3  
82962 info lifecycle set-immediate-shim@1.0.1~postinstall: set-immediate-shim@1.0.1  
82963 silly lifecycle set-immediate-shim@1.0.1~postinstall: no script for postinstall, continuing  
82964 silly postinstall setprototypeof@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\setprototypeof-4e641643  
82965 info lifecycle setprototypeof@1.0.1~postinstall: setprototypeof@1.0.1  
82966 silly lifecycle setprototypeof@1.0.1~postinstall: no script for postinstall, continuing  
82967 silly postinstall sha.js@2.2.6  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\sha.js-4b8e4e59  
82968 info lifecycle sha.js@2.2.6~postinstall: sha.js@2.2.6  
82969 silly lifecycle sha.js@2.2.6~postinstall: no script for postinstall, continuing  
82970 silly postinstall crypto-browserify@3.2.8  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\crypto-browserify-347fea99  
82971 info lifecycle crypto-browserify@3.2.8~postinstall: crypto-browserify@3.2.8  
82972 silly lifecycle crypto-browserify@3.2.8~postinstall: no script for postinstall, continuing  
82973 silly postinstall shallowequal@0.2.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\shallowequal-4a8462ef  
82974 info lifecycle shallowequal@0.2.2~postinstall: shallowequal@0.2.2  
82975 silly lifecycle shallowequal@0.2.2~postinstall: no script for postinstall, continuing  
82976 silly postinstall react-komposer@1.13.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\react-komposer-deaa5c62  
82977 info lifecycle react-komposer@1.13.1~postinstall: react-komposer@1.13.1  
82978 silly lifecycle react-komposer@1.13.1~postinstall: no script for postinstall, continuing  
82979 silly postinstall mantra-core@1.7.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\mantra-core-133e4d10  
82980 info lifecycle mantra-core@1.7.0~postinstall: mantra-core@1.7.0

npm-debug.log

82981 silly lifecycle mantra-core@1.7.0~postinstall: no script for postinstall, continuing  
82982 silly postinstall shebang-regex@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\shebang-regex-d8250bc9  
82983 info lifecycle shebang-regex@1.0.0~postinstall: shebang-regex@1.0.0  
82984 silly lifecycle shebang-regex@1.0.0~postinstall: no script for postinstall, continuing  
82985 silly postinstall sigmund@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\sigmund-9b42c0d5  
82986 info lifecycle sigmund@1.0.1~postinstall: sigmund@1.0.1  
82987 silly lifecycle sigmund@1.0.1~postinstall: no script for postinstall, continuing  
82988 silly postinstall minimatch@0.3.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\minimatch-aa8a9c80  
82989 info lifecycle minimatch@0.3.0~postinstall: minimatch@0.3.0  
82990 silly lifecycle minimatch@0.3.0~postinstall: no script for postinstall, continuing  
82991 silly postinstall glob@3.2.11  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\glob-e4efaa2b  
82992 info lifecycle glob@3.2.11~postinstall: glob@3.2.11  
82993 silly lifecycle glob@3.2.11~postinstall: no script for postinstall, continuing  
82994 silly postinstall signal-exit@3.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\signal-exit-db5c53b5  
82995 info lifecycle signal-exit@3.0.0~postinstall: signal-exit@3.0.0  
82996 silly lifecycle signal-exit@3.0.0~postinstall: no script for postinstall, continuing  
82997 silly postinstall loud-rejection@1.6.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\loud-rejection-eee71dec  
82998 info lifecycle loud-rejection@1.6.0~postinstall: loud-rejection@1.6.0  
82999 silly lifecycle loud-rejection@1.6.0~postinstall: no script for postinstall, continuing  
83000 silly postinstall slash@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\slash-b9c2a7b4  
83001 info lifecycle slash@1.0.0~postinstall: slash@1.0.0  
83002 silly lifecycle slash@1.0.0~postinstall: no script for postinstall, continuing  
83003 silly postinstall slice-ansi@0.0.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\slice-ansi-550d2c23  
83004 info lifecycle slice-ansi@0.0.4~postinstall: slice-ansi@0.0.4  
83005 silly lifecycle slice-ansi@0.0.4~postinstall: no script for postinstall, continuing  
83006 silly postinstall slide@1.1.6  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\slide-34454bd0  
83007 info lifecycle slide@1.1.6~postinstall: slide@1.1.6  
83008 silly lifecycle slide@1.1.6~postinstall: no script for postinstall, continuing  
83009 silly postinstall sntp@1.0.9  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\sntp-fed9f6cc  
83010 info lifecycle sntp@1.0.9~postinstall: sntp@1.0.9  
83011 silly lifecycle sntp@1.0.9~postinstall: no script for postinstall, continuing

npm-debug.log

```
83012 silly postinstall hawk@3.1.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\hawk-4f4d3cfa
83013 info lifecycle hawk@3.1.3~postinstall: hawk@3.1.3
83014 silly lifecycle hawk@3.1.3~postinstall: no script for postinstall,
continuing
83015 silly postinstall sort-keys@1.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\sort-keys-41cb7983
83016 info lifecycle sort-keys@1.1.2~postinstall: sort-keys@1.1.2
83017 silly lifecycle sort-keys@1.1.2~postinstall: no script for postinstall,
continuing
83018 silly postinstall source-list-map@0.1.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\source-list-map-ad4de97e
83019 info lifecycle source-list-map@0.1.6~postinstall: source-list-map@0.1.6
83020 silly lifecycle source-list-map@0.1.6~postinstall: no script for
postinstall, continuing
83021 silly postinstall source-map@0.5.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\source-map-3f57d7de
83022 info lifecycle source-map@0.5.6~postinstall: source-map@0.5.6
83023 silly lifecycle source-map@0.5.6~postinstall: no script for postinstall,
continuing
83024 silly postinstall source-map@0.1.32
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\source-map-5ee43f76
83025 info lifecycle source-map@0.1.32~postinstall: source-map@0.1.32
83026 silly lifecycle source-map@0.1.32~postinstall: no script for postinstall,
continuing
83027 silly postinstall source-map-support@0.2.10
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\source-map-support-e82f100c
83028 info lifecycle source-map-support@0.2.10~postinstall:
source-map-support@0.2.10
83029 silly lifecycle source-map-support@0.2.10~postinstall: no script for
postinstall, continuing
83030 silly postinstall spdx-expression-parse@1.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\spdx-expression-parse-f908c0
a4
83031 info lifecycle spdx-expression-parse@1.0.3~postinstall:
spdx-expression-parse@1.0.3
83032 silly lifecycle spdx-expression-parse@1.0.3~postinstall: no script for
postinstall, continuing
83033 silly postinstall spdx-license-ids@1.2.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\spdx-license-ids-224e81dd
83034 info lifecycle spdx-license-ids@1.2.2~postinstall: spdx-license-ids@1.2.2
83035 silly lifecycle spdx-license-ids@1.2.2~postinstall: no script for
postinstall, continuing
83036 silly postinstall spdx-correct@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\spdx-correct-bda7a3b8
83037 info lifecycle spdx-correct@1.0.2~postinstall: spdx-correct@1.0.2
83038 silly lifecycle spdx-correct@1.0.2~postinstall: no script for
postinstall, continuing
83039 silly postinstall sprintf-js@1.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\sprintf-js-1196607f
83040 info lifecycle sprintf-js@1.0.3~postinstall: sprintf-js@1.0.3
83041 silly lifecycle sprintf-js@1.0.3~postinstall: no script for postinstall,
```

npm-debug.log

```
continuing
83042 silly postinstall argparse@1.0.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\argparse-b0fd702e
83043 info lifecycle argparse@1.0.7~postinstall: argparse@1.0.7
83044 silly lifecycle argparse@1.0.7~postinstall: no script for postinstall,
continuing
83045 silly postinstall js-yaml@3.6.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\js-yaml-d70fa94d
83046 info lifecycle js-yaml@3.6.1~postinstall: js-yaml@3.6.1
83047 silly lifecycle js-yaml@3.6.1~postinstall: no script for postinstall,
continuing
83048 silly postinstall assert-plus@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\assert-plus-fa03406a
83049 info lifecycle assert-plus@1.0.0~postinstall: assert-plus@1.0.0
83050 silly lifecycle assert-plus@1.0.0~postinstall: no script for postinstall,
continuing
83051 silly postinstall stack-source-map@1.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\stack-source-map-359406f5
83052 info lifecycle stack-source-map@1.0.5~postinstall: stack-source-map@1.0.5
83053 silly lifecycle stack-source-map@1.0.5~postinstall: no script for
postinstall, continuing
83054 silly postinstall stackframe@0.3.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\stackframe-ea5922fd
83055 info lifecycle stackframe@0.3.1~postinstall: stackframe@0.3.1
83056 silly lifecycle stackframe@0.3.1~postinstall: no script for postinstall,
continuing
83057 silly postinstall error-stack-parser@1.3.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\error-stack-parser-0eb83f86
83058 info lifecycle error-stack-parser@1.3.6~postinstall:
error-stack-parser@1.3.6
83059 silly lifecycle error-stack-parser@1.3.6~postinstall: no script for
postinstall, continuing
83060 silly postinstall redbox-react@1.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\redbox-react-7a342589
83061 info lifecycle redbox-react@1.3.0~postinstall: redbox-react@1.3.0
83062 silly lifecycle redbox-react@1.3.0~postinstall: no script for
postinstall, continuing
83063 silly postinstall statuses@1.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\statuses-94ebc62e
83064 info lifecycle statuses@1.3.0~postinstall: statuses@1.3.0
83065 silly lifecycle statuses@1.3.0~postinstall: no script for postinstall,
continuing
83066 silly postinstall http-errors@1.5.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\http-errors-41ad3705
83067 info lifecycle http-errors@1.5.0~postinstall: http-errors@1.5.0
83068 silly lifecycle http-errors@1.5.0~postinstall: no script for postinstall,
continuing
83069 silly postinstall send@0.14.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\send-87545c75
83070 info lifecycle send@0.14.1~postinstall: send@0.14.1
83071 silly lifecycle send@0.14.1~postinstall: no script for postinstall,
continuing
```

npm-debug.log

83072 silly postinstall serve-static@1.11.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\serve-static-2bc8fdda  
83073 info lifecycle serve-static@1.11.1~postinstall: serve-static@1.11.1  
83074 silly lifecycle serve-static@1.11.1~postinstall: no script for  
postinstall, continuing  
83075 silly postinstall steno@0.4.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\steno-53ca505a  
83076 info lifecycle steno@0.4.4~postinstall: steno@0.4.4  
83077 silly lifecycle steno@0.4.4~postinstall: no script for postinstall,  
continuing  
83078 silly postinstall lowdb@0.13.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\lowdb-6efba7b6  
83079 info lifecycle lowdb@0.13.1~postinstall: lowdb@0.13.1  
83080 silly lifecycle lowdb@0.13.1~postinstall: no script for postinstall,  
continuing  
83081 silly postinstall isarray@0.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\isarray-80685694  
83082 info lifecycle isarray@0.0.1~postinstall: isarray@0.0.1  
83083 silly lifecycle isarray@0.0.1~postinstall: no script for postinstall,  
continuing  
83084 silly postinstall strict-uri-encode@1.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\strict-uri-encode-b715e5b9  
83085 info lifecycle strict-uri-encode@1.1.0~postinstall:  
strict-uri-encode@1.1.0  
83086 silly lifecycle strict-uri-encode@1.1.0~postinstall: no script for  
postinstall, continuing  
83087 silly postinstall query-string@4.2.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\query-string-a1abac03  
83088 info lifecycle query-string@4.2.3~postinstall: query-string@4.2.3  
83089 silly lifecycle query-string@4.2.3~postinstall: no script for  
postinstall, continuing  
83090 silly postinstall normalize-url@1.6.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\normalize-url-65feda26  
83091 info lifecycle normalize-url@1.6.1~postinstall: normalize-url@1.6.1  
83092 silly lifecycle normalize-url@1.6.1~postinstall: no script for  
postinstall, continuing  
83093 silly postinstall string\_decoder@0.10.31  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\string\_decoder-294fef51  
83094 info lifecycle string\_decoder@0.10.31~postinstall: string\_decoder@0.10.31  
83095 silly lifecycle string\_decoder@0.10.31~postinstall: no script for  
postinstall, continuing  
83096 silly postinstall readable-stream@1.1.14  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\readable-stream-addb63cf  
83097 info lifecycle readable-stream@1.1.14~postinstall: readable-stream@1.1.14  
83098 silly lifecycle readable-stream@1.1.14~postinstall: no script for  
postinstall, continuing  
83099 silly postinstall stream-browserify@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\stream-browserify-40a11eb6  
83100 info lifecycle stream-browserify@1.0.0~postinstall:  
stream-browserify@1.0.0  
83101 silly lifecycle stream-browserify@1.0.0~postinstall: no script for  
postinstall, continuing



npm-debug.log

```
83102 silly postinstall readable-stream@1.1.14
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\readable-stream-1844ec7a
83103 info lifecycle readable-stream@1.1.14~postinstall: readable-stream@1.1.14
83104 silly lifecycle readable-stream@1.1.14~postinstall: no script for
postinstall, continuing
83105 silly postinstall readable-stream@1.1.14
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\readable-stream-84acd0ce
83106 info lifecycle readable-stream@1.1.14~postinstall: readable-stream@1.1.14
83107 silly lifecycle readable-stream@1.1.14~postinstall: no script for
postinstall, continuing
83108 silly postinstall htmlparser2@3.8.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\htmlparser2-fe11d562
83109 info lifecycle htmlparser2@3.8.3~postinstall: htmlparser2@3.8.3
83110 silly lifecycle htmlparser2@3.8.3~postinstall: no script for postinstall,
continuing
83111 silly postinstall string.prototype.padend@3.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\string.prototype.padend-f5ba
7059
83112 info lifecycle string.prototype.padend@3.0.0~postinstall:
string.prototype.padend@3.0.0
83113 silly lifecycle string.prototype.padend@3.0.0~postinstall: no script for
postinstall, continuing
83114 silly postinstall string.prototype.padstart@3.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\string.prototype.padstart-95
6285dc
83115 info lifecycle string.prototype.padstart@3.0.0~postinstall:
string.prototype.padstart@3.0.0
83116 silly lifecycle string.prototype.padstart@3.0.0~postinstall: no script
for postinstall, continuing
83117 silly postinstall airbnb-js-shims@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\airbnb-js-shims-913710f9
83118 info lifecycle airbnb-js-shims@1.0.1~postinstall: airbnb-js-shims@1.0.1
83119 silly lifecycle airbnb-js-shims@1.0.1~postinstall: no script for
postinstall, continuing
83120 silly postinstall stringstream@0.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\stringstream-a2688fcb
83121 info lifecycle stringstream@0.0.5~postinstall: stringstream@0.0.5
83122 silly lifecycle stringstream@0.0.5~postinstall: no script for
postinstall, continuing
83123 silly postinstall strip-ansi@3.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\strip-ansi-e68da056
83124 info lifecycle strip-ansi@3.0.1~postinstall: strip-ansi@3.0.1
83125 silly lifecycle strip-ansi@3.0.1~postinstall: no script for postinstall,
continuing
83126 silly postinstall string-width@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\string-width-42744dc7
83127 info lifecycle string-width@1.0.2~postinstall: string-width@1.0.2
83128 silly lifecycle string-width@1.0.2~postinstall: no script for
postinstall, continuing
83129 silly postinstall chalk@1.1.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\chalk-e53e7ac9
83130 info lifecycle chalk@1.1.3~postinstall: chalk@1.1.3
```

npm-debug.log

83131 silly lifecycle chalk@1.1.3~postinstall: no script for postinstall, continuing  
83132 silly postinstall log-symbols@1.0.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\log-symbols-0c0278e1  
83133 info lifecycle log-symbols@1.0.2~postinstall: log-symbols@1.0.2  
83134 silly lifecycle log-symbols@1.0.2~postinstall: no script for postinstall, continuing  
83135 silly postinstall clap@1.1.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\clap-60051f50  
83136 info lifecycle clap@1.1.1~postinstall: clap@1.1.1  
83137 silly lifecycle clap@1.1.1~postinstall: no script for postinstall, continuing  
83138 silly postinstall csso@2.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\csso-2caace55  
83139 info lifecycle csso@2.0.0~postinstall: csso@2.0.0  
83140 silly lifecycle csso@2.0.0~postinstall: no script for postinstall, continuing  
83141 silly postinstall babel-code-frame@6.11.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\babel-code-frame-fffa81da  
83142 info lifecycle babel-code-frame@6.11.0~postinstall: babel-code-frame@6.11.0  
83143 silly lifecycle babel-code-frame@6.11.0~postinstall: no script for postinstall, continuing  
83144 silly postinstall chalk@1.1.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\chalk-aab8ea5d  
83145 info lifecycle chalk@1.1.1~postinstall: chalk@1.1.1  
83146 silly lifecycle chalk@1.1.1~postinstall: no script for postinstall, continuing  
83147 silly postinstall strip-bom@2.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\strip-bom-8d0ea682  
83148 info lifecycle strip-bom@2.0.0~postinstall: strip-bom@2.0.0  
83149 silly lifecycle strip-bom@2.0.0~postinstall: no script for postinstall, continuing  
83150 silly postinstall load-json-file@1.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\load-json-file-8870329f  
83151 info lifecycle load-json-file@1.1.0~postinstall: load-json-file@1.1.0  
83152 silly lifecycle load-json-file@1.1.0~postinstall: no script for postinstall, continuing  
83153 silly postinstall strip-indent@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\strip-indent-1c50792c  
83154 info lifecycle strip-indent@1.0.1~postinstall: strip-indent@1.0.1  
83155 silly lifecycle strip-indent@1.0.1~postinstall: no script for postinstall, continuing  
83156 silly postinstall redent@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\redent-2acd880d  
83157 info lifecycle redent@1.0.0~postinstall: redent@1.0.0  
83158 silly lifecycle redent@1.0.0~postinstall: no script for postinstall, continuing  
83159 silly postinstall strip-json-comments@1.0.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\strip-json-comments-bd1af9ed  
83160 info lifecycle strip-json-comments@1.0.4~postinstall: strip-json-comments@1.0.4

npm-debug.log

83161 silly lifecycle strip-json-comments@1.0.4~postinstall: no script for postinstall, continuing  
83162 silly postinstall style-loader@0.13.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\style-loader-b98af189  
83163 info lifecycle style-loader@0.13.1~postinstall: style-loader@0.13.1  
83164 silly lifecycle style-loader@0.13.1~postinstall: no script for postinstall, continuing  
83165 silly postinstall supports-color@3.1.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\supports-color-502975c9  
83166 info lifecycle supports-color@3.1.2~postinstall: supports-color@3.1.2  
83167 silly lifecycle supports-color@3.1.2~postinstall: no script for postinstall, continuing  
83168 silly postinstall postcss@5.2.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\postcss-d62f7204  
83169 info lifecycle postcss@5.2.0~postinstall: postcss@5.2.0  
83170 silly lifecycle postcss@5.2.0~postinstall: no script for postinstall, continuing  
83171 silly postinstall postcss-reduce-transforms@1.0.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\postcss-reduce-transforms-3698fb6d  
83172 info lifecycle postcss-reduce-transforms@1.0.3~postinstall: postcss-reduce-transforms@1.0.3  
83173 silly lifecycle postcss-reduce-transforms@1.0.3~postinstall: no script for postinstall, continuing  
83174 silly postinstall postcss-reduce-initial@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\postcss-reduce-initial-4f349adb  
83175 info lifecycle postcss-reduce-initial@1.0.0~postinstall: postcss-reduce-initial@1.0.0  
83176 silly lifecycle postcss-reduce-initial@1.0.0~postinstall: no script for postinstall, continuing  
83177 silly postinstall postcss-reduce-idents@2.3.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\postcss-reduce-idents-c9df4366  
83178 info lifecycle postcss-reduce-idents@2.3.0~postinstall: postcss-reduce-idents@2.3.0  
83179 silly lifecycle postcss-reduce-idents@2.3.0~postinstall: no script for postinstall, continuing  
83180 silly postinstall postcss-ordered-values@2.2.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\postcss-ordered-values-5bb3f431  
83181 info lifecycle postcss-ordered-values@2.2.1~postinstall: postcss-ordered-values@2.2.1  
83182 silly lifecycle postcss-ordered-values@2.2.1~postinstall: no script for postinstall, continuing  
83183 silly postinstall postcss-normalize-url@3.0.7  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\postcss-normalize-url-08003a32  
83184 info lifecycle postcss-normalize-url@3.0.7~postinstall: postcss-normalize-url@3.0.7  
83185 silly lifecycle postcss-normalize-url@3.0.7~postinstall: no script for postinstall, continuing

npm-debug.log

```
83186 silly postinstall postcss-normalize-charset@1.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-normalize-charset-ce
9532a7
83187 info lifecycle postcss-normalize-charset@1.1.0~postinstall:
postcss-normalize-charset@1.1.0
83188 silly lifecycle postcss-normalize-charset@1.1.0~postinstall: no script
for postinstall, continuing
83189 silly postinstall postcss-modules-values@1.2.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-modules-values-4be33
244
83190 info lifecycle postcss-modules-values@1.2.2~postinstall:
postcss-modules-values@1.2.2
83191 silly lifecycle postcss-modules-values@1.2.2~postinstall: no script for
postinstall, continuing
83192 silly postinstall postcss-modules-scope@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-modules-scope-574d75
f9
83193 info lifecycle postcss-modules-scope@1.0.2~postinstall:
postcss-modules-scope@1.0.2
83194 silly lifecycle postcss-modules-scope@1.0.2~postinstall: no script for
postinstall, continuing
83195 silly postinstall postcss-modules-local-by-default@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-modules-local-by-def
ault-2a21bbb7
83196 info lifecycle postcss-modules-local-by-default@1.1.1~postinstall:
postcss-modules-local-by-default@1.1.1
83197 silly lifecycle postcss-modules-local-by-default@1.1.1~postinstall: no
script for postinstall, continuing
83198 silly postinstall postcss-modules-extract-imports@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-modules-extract-imp
orts-a08d27f1
83199 info lifecycle postcss-modules-extract-imports@1.0.1~postinstall:
postcss-modules-extract-imports@1.0.1
83200 silly lifecycle postcss-modules-extract-imports@1.0.1~postinstall: no
script for postinstall, continuing
83201 silly postinstall postcss-minify-gradients@1.0.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-minify-gradients-a2d
ad9b2
83202 info lifecycle postcss-minify-gradients@1.0.3~postinstall:
postcss-minify-gradients@1.0.3
83203 silly lifecycle postcss-minify-gradients@1.0.3~postinstall: no script for
postinstall, continuing
83204 silly postinstall postcss-minify-font-values@1.0.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-minify-font-values-d
3de91c5
83205 info lifecycle postcss-minify-font-values@1.0.5~postinstall:
postcss-minify-font-values@1.0.5
83206 silly lifecycle postcss-minify-font-values@1.0.5~postinstall: no script
for postinstall, continuing
83207 silly postinstall postcss-merge-longhand@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-merge-longhand-49579
79a
```

npm-debug.log

```
83208 info lifecycle postcss-merge-longhand@2.0.1~postinstall:
postcss-merge-longhand@2.0.1
83209 silly lifecycle postcss-merge-longhand@2.0.1~postinstall: no script for
postinstall, continuing
83210 silly postinstall postcss-merge-idents@2.1.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-merge-idents-43f2d8d
3
83211 info lifecycle postcss-merge-idents@2.1.7~postinstall:
postcss-merge-idents@2.1.7
83212 silly lifecycle postcss-merge-idents@2.1.7~postinstall: no script for
postinstall, continuing
83213 silly postinstall postcss-loader@0.11.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-loader-00db421d
83214 info lifecycle postcss-loader@0.11.1~postinstall: postcss-loader@0.11.1
83215 silly lifecycle postcss-loader@0.11.1~postinstall: no script for
postinstall, continuing
83216 silly postinstall postcss-discard-overridden@0.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-discard-overridden-4
50f6015
83217 info lifecycle postcss-discard-overridden@0.1.1~postinstall:
postcss-discard-overridden@0.1.1
83218 silly lifecycle postcss-discard-overridden@0.1.1~postinstall: no script
for postinstall, continuing
83219 silly postinstall postcss-discard-empty@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-discard-empty-09eb59
29
83220 info lifecycle postcss-discard-empty@2.1.0~postinstall:
postcss-discard-empty@2.1.0
83221 silly lifecycle postcss-discard-empty@2.1.0~postinstall: no script for
postinstall, continuing
83222 silly postinstall postcss-discard-duplicates@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-discard-duplicates-9
19891fb
83223 info lifecycle postcss-discard-duplicates@2.0.1~postinstall:
postcss-discard-duplicates@2.0.1
83224 silly lifecycle postcss-discard-duplicates@2.0.1~postinstall: no script
for postinstall, continuing
83225 silly postinstall postcss-discard-comments@2.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-discard-comments-91e
d03c9
83226 info lifecycle postcss-discard-comments@2.0.4~postinstall:
postcss-discard-comments@2.0.4
83227 silly lifecycle postcss-discard-comments@2.0.4~postinstall: no script for
postinstall, continuing
83228 silly postinstall postcss-convert-values@2.4.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-convert-values-2415f
d00
83229 info lifecycle postcss-convert-values@2.4.0~postinstall:
postcss-convert-values@2.4.0
83230 silly lifecycle postcss-convert-values@2.4.0~postinstall: no script for
postinstall, continuing
83231 silly postinstall postcss-colormin@2.2.0
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-colormin-9eb0e49d
83232 info lifecycle postcss-colormin@2.2.0~postinstall: postcss-colormin@2.2.0
83233 silly lifecycle postcss-colormin@2.2.0~postinstall: no script for
postinstall, continuing
83234 silly postinstall postcss-calc@5.3.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-calc-239231ea
83235 info lifecycle postcss-calc@5.3.1~postinstall: postcss-calc@5.3.1
83236 silly lifecycle postcss-calc@5.3.1~postinstall: no script for
postinstall, continuing
83237 silly postinstall autoprefixer@6.4.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\autoprefixer-26aa29ba
83238 info lifecycle autoprefixer@6.4.1~postinstall: autoprefixer@6.4.1
83239 silly lifecycle autoprefixer@6.4.1~postinstall: no script for
postinstall, continuing
83240 silly postinstall symbol-observable@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\symbol-observable-1427fd0e
83241 info lifecycle symbol-observable@1.0.2~postinstall:
symbol-observable@1.0.2
83242 silly lifecycle symbol-observable@1.0.2~postinstall: no script for
postinstall, continuing
83243 silly postinstall redux@3.6.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\redux-35e7d8ba
83244 info lifecycle redux@3.6.0~postinstall: redux@3.6.0
83245 silly lifecycle redux@3.6.0~postinstall: no script for postinstall,
continuing
83246 silly postinstall @kadira/storybook-ui@3.4.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\@kadira\storybook-ui-4c86642
f
83247 info lifecycle @kadira/storybook-ui@3.4.1~postinstall:
@kadira/storybook-ui@3.4.1
83248 silly lifecycle @kadira/storybook-ui@3.4.1~postinstall: no script for
postinstall, continuing
83249 silly postinstall symbol-tree@3.1.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\symbol-tree-ffa3bc53
83250 info lifecycle symbol-tree@3.1.4~postinstall: symbol-tree@3.1.4
83251 silly lifecycle symbol-tree@3.1.4~postinstall: no script for postinstall,
continuing
83252 silly postinstall tapable@0.1.10
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\tapable-63de8129
83253 info lifecycle tapable@0.1.10~postinstall: tapable@0.1.10
83254 silly lifecycle tapable@0.1.10~postinstall: no script for postinstall,
continuing
83255 silly postinstall enhanced-resolve@0.9.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\enhanced-resolve-7761cc5a
83256 info lifecycle enhanced-resolve@0.9.1~postinstall: enhanced-resolve@0.9.1
83257 silly lifecycle enhanced-resolve@0.9.1~postinstall: no script for
postinstall, continuing
83258 silly postinstall text-table@0.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\text-table-8f315a68
83259 info lifecycle text-table@0.2.0~postinstall: text-table@0.2.0
83260 silly lifecycle text-table@0.2.0~postinstall: no script for postinstall,
continuing
```

npm-debug.log

```
83261 silly postinstall through@2.3.8
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\through-2d33819c
83262 info lifecycle through@2.3.8~postinstall: through@2.3.8
83263 silly lifecycle through@2.3.8~postinstall: no script for postinstall,
continuing
83264 silly postinstall timers-browserify@1.4.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\timers-browserify-2d6dacdb
83265 info lifecycle timers-browserify@1.4.2~postinstall:
timers-browserify@1.4.2
83266 silly lifecycle timers-browserify@1.4.2~postinstall: no script for
postinstall, continuing
83267 silly postinstall to-fast-properties@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\to-fast-properties-60b7a1bc
83268 info lifecycle to-fast-properties@1.0.2~postinstall:
to-fast-properties@1.0.2
83269 silly lifecycle to-fast-properties@1.0.2~postinstall: no script for
postinstall, continuing
83270 silly postinstall babel-types@6.15.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-types-2bc2bbeb
83271 info lifecycle babel-types@6.15.0~postinstall: babel-types@6.15.0
83272 silly lifecycle babel-types@6.15.0~postinstall: no script for
postinstall, continuing
83273 silly postinstall babel-traverse@6.15.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-traverse-33a3343f
83274 info lifecycle babel-traverse@6.15.0~postinstall: babel-traverse@6.15.0
83275 silly lifecycle babel-traverse@6.15.0~postinstall: no script for
postinstall, continuing
83276 silly postinstall babel-template@6.15.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-template-e00b68ed
83277 info lifecycle babel-template@6.15.0~postinstall: babel-template@6.15.0
83278 silly lifecycle babel-template@6.15.0~postinstall: no script for
postinstall, continuing
83279 silly postinstall babel-helpers@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helpers-ed5690fb
83280 info lifecycle babel-helpers@6.8.0~postinstall: babel-helpers@6.8.0
83281 silly lifecycle babel-helpers@6.8.0~postinstall: no script for
postinstall, continuing
83282 silly postinstall babel-plugin-transform-strict-mode@6.11.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-strict-
mode-02c2fd5f
83283 info lifecycle babel-plugin-transform-strict-mode@6.11.3~postinstall:
babel-plugin-transform-strict-mode@6.11.3
83284 silly lifecycle babel-plugin-transform-strict-mode@6.11.3~postinstall: no
script for postinstall, continuing
83285 silly postinstall
babel-plugin-transform-es2015-shorthand-properties@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es201
5-shorthand-properties-8d0e669c
83286 info lifecycle
babel-plugin-transform-es2015-shorthand-properties@6.8.0~postinstall:
babel-plugin-transform-es2015-shorthand-properties@6.8.0
83287 silly lifecycle
```

npm-debug.log

```
babel-plugin-transform-es2015-shorthand-properties@6.8.0~postinstall: no script
for postinstall, continuing
83288 silly postinstall babel-plugin-transform-es2015-modules-commonjs@6.14.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es201
5-modules-commonjs-f8c1389e
83289 info lifecycle
babel-plugin-transform-es2015-modules-commonjs@6.14.0~postinstall:
babel-plugin-transform-es2015-modules-commonjs@6.14.0
83290 silly lifecycle
babel-plugin-transform-es2015-modules-commonjs@6.14.0~postinstall: no script
for postinstall, continuing
83291 silly postinstall babel-plugin-transform-es2015-modules-amd@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es201
5-modules-amd-45ba77de
83292 info lifecycle
babel-plugin-transform-es2015-modules-amd@6.8.0~postinstall:
babel-plugin-transform-es2015-modules-amd@6.8.0
83293 silly lifecycle
babel-plugin-transform-es2015-modules-amd@6.8.0~postinstall: no script for
postinstall, continuing
83294 silly postinstall babel-plugin-transform-es2015-modules-umd@6.12.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es201
5-modules-umd-5faa4ca9
83295 info lifecycle
babel-plugin-transform-es2015-modules-umd@6.12.0~postinstall:
babel-plugin-transform-es2015-modules-umd@6.12.0
83296 silly lifecycle
babel-plugin-transform-es2015-modules-umd@6.12.0~postinstall: no script for
postinstall, continuing
83297 silly postinstall babel-plugin-transform-es2015-duplicate-keys@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es201
5-duplicate-keys-f85309bb
83298 info lifecycle
babel-plugin-transform-es2015-duplicate-keys@6.8.0~postinstall:
babel-plugin-transform-es2015-duplicate-keys@6.8.0
83299 silly lifecycle
babel-plugin-transform-es2015-duplicate-keys@6.8.0~postinstall: no script for
postinstall, continuing
83300 silly postinstall babel-plugin-transform-es2015-block-scoping@6.15.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es201
5-block-scoping-c8a1f882
83301 info lifecycle
babel-plugin-transform-es2015-block-scoping@6.15.0~postinstall:
babel-plugin-transform-es2015-block-scoping@6.15.0
83302 silly lifecycle
babel-plugin-transform-es2015-block-scoping@6.15.0~postinstall: no script for
postinstall, continuing
83303 silly postinstall babel-helper-regex@6.9.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-regex-1955fb8c
83304 info lifecycle babel-helper-regex@6.9.0~postinstall:
babel-helper-regex@6.9.0
83305 silly lifecycle babel-helper-regex@6.9.0~postinstall: no script for
```



npm-debug.log

```
postinstall, continuing
83306 silly postinstall babel-plugin-transform-es2015-unicode-regex@6.11.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-unicode-regex-acd4a4b4
83307 info lifecycle
babel-plugin-transform-es2015-unicode-regex@6.11.0~postinstall:
babel-plugin-transform-es2015-unicode-regex@6.11.0
83308 silly lifecycle
babel-plugin-transform-es2015-unicode-regex@6.11.0~postinstall: no script for
postinstall, continuing
83309 silly postinstall babel-plugin-transform-es2015-sticky-regex@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-sticky-regex-d7fd6440
83310 info lifecycle
babel-plugin-transform-es2015-sticky-regex@6.8.0~postinstall:
babel-plugin-transform-es2015-sticky-regex@6.8.0
83311 silly lifecycle
babel-plugin-transform-es2015-sticky-regex@6.8.0~postinstall: no script for
postinstall, continuing
83312 silly postinstall babel-helper-optimise-call-expression@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-optimise-call-expression-bce62eb8
83313 info lifecycle babel-helper-optimise-call-expression@6.8.0~postinstall:
babel-helper-optimise-call-expression@6.8.0
83314 silly lifecycle babel-helper-optimise-call-expression@6.8.0~postinstall:
no script for postinstall, continuing
83315 silly postinstall babel-helper-replace-supers@6.14.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-replace-supers-7186fafc
83316 info lifecycle babel-helper-replace-supers@6.14.0~postinstall:
babel-helper-replace-supers@6.14.0
83317 silly lifecycle babel-helper-replace-supers@6.14.0~postinstall: no script
for postinstall, continuing
83318 silly postinstall babel-plugin-transform-es2015-object-super@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-object-super-3760153f
83319 info lifecycle
babel-plugin-transform-es2015-object-super@6.8.0~postinstall:
babel-plugin-transform-es2015-object-super@6.8.0
83320 silly lifecycle
babel-plugin-transform-es2015-object-super@6.8.0~postinstall: no script for
postinstall, continuing
83321 silly postinstall babel-helper-hoist-variables@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-hoist-variables-d392367c
83322 info lifecycle babel-helper-hoist-variables@6.8.0~postinstall:
babel-helper-hoist-variables@6.8.0
83323 silly lifecycle babel-helper-hoist-variables@6.8.0~postinstall: no script
for postinstall, continuing
83324 silly postinstall babel-plugin-transform-es2015-modules-systemjs@6.14.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es2015-modules-systemjs-aa5f97f9
```

npm-debug.log

```
83325 info lifecycle
babel-plugin-transform-es2015-modules-systemjs@6.14.0~postinstall:
babel-plugin-transform-es2015-modules-systemjs@6.14.0
83326 silly lifecycle
babel-plugin-transform-es2015-modules-systemjs@6.14.0~postinstall: no script
for postinstall, continuing
83327 silly postinstall babel-helper-get-function-arity@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-get-function-ar
ity-7476b596
83328 info lifecycle babel-helper-get-function-arity@6.8.0~postinstall:
babel-helper-get-function-arity@6.8.0
83329 silly lifecycle babel-helper-get-function-arity@6.8.0~postinstall: no
script for postinstall, continuing
83330 silly postinstall babel-helper-function-name@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-function-name-d
39e4be4
83331 info lifecycle babel-helper-function-name@6.8.0~postinstall:
babel-helper-function-name@6.8.0
83332 silly lifecycle babel-helper-function-name@6.8.0~postinstall: no script
for postinstall, continuing
83333 silly postinstall babel-plugin-transform-es2015-function-name@6.9.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es201
5-function-name-8e57a90e
83334 info lifecycle
babel-plugin-transform-es2015-function-name@6.9.0~postinstall:
babel-plugin-transform-es2015-function-name@6.9.0
83335 silly lifecycle
babel-plugin-transform-es2015-function-name@6.9.0~postinstall: no script for
postinstall, continuing
83336 silly postinstall babel-plugin-transform-class-properties@6.11.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-class
-properties-a3dc4c23
83337 info lifecycle
babel-plugin-transform-class-properties@6.11.5~postinstall:
babel-plugin-transform-class-properties@6.11.5
83338 silly lifecycle
babel-plugin-transform-class-properties@6.11.5~postinstall: no script for
postinstall, continuing
83339 silly postinstall babel-helper-remap-async-to-generator@6.11.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-remap-async-to-
generator-d9b93b62
83340 info lifecycle babel-helper-remap-async-to-generator@6.11.2~postinstall:
babel-helper-remap-async-to-generator@6.11.2
83341 silly lifecycle babel-helper-remap-async-to-generator@6.11.2~postinstall:
no script for postinstall, continuing
83342 silly postinstall babel-plugin-transform-async-to-generator@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-async
-to-generator-76140513
83343 info lifecycle
babel-plugin-transform-async-to-generator@6.8.0~postinstall:
babel-plugin-transform-async-to-generator@6.8.0
83344 silly lifecycle
```

npm-debug.log

```
babel-plugin-transform-async-to-generator@6.8.0~postinstall: no script for
postinstall, continuing
83345 silly postinstall babel-helper-explode-assignable-expression@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-explode-assigna
ble-expression-8e956979
83346 info lifecycle
babel-helper-explode-assignable-expression@6.8.0~postinstall:
babel-helper-explode-assignable-expression@6.8.0
83347 silly lifecycle
babel-helper-explode-assignable-expression@6.8.0~postinstall: no script for
postinstall, continuing
83348 silly postinstall babel-helper-define-map@6.9.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-define-map-6e70
5baa
83349 info lifecycle babel-helper-define-map@6.9.0~postinstall:
babel-helper-define-map@6.9.0
83350 silly lifecycle babel-helper-define-map@6.9.0~postinstall: no script for
postinstall, continuing
83351 silly postinstall babel-plugin-transform-es2015-computed-properties@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es201
5-computed-properties-80bf1890
83352 info lifecycle
babel-plugin-transform-es2015-computed-properties@6.8.0~postinstall:
babel-plugin-transform-es2015-computed-properties@6.8.0
83353 silly lifecycle
babel-plugin-transform-es2015-computed-properties@6.8.0~postinstall: no script
for postinstall, continuing
83354 silly postinstall babel-plugin-transform-es2015-classes@6.14.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es201
5-classes-da350a41
83355 info lifecycle babel-plugin-transform-es2015-classes@6.14.0~postinstall:
babel-plugin-transform-es2015-classes@6.14.0
83356 silly lifecycle babel-plugin-transform-es2015-classes@6.14.0~postinstall:
no script for postinstall, continuing
83357 silly postinstall babel-helper-call-delegate@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-call-delegate-5
8c4407b
83358 info lifecycle babel-helper-call-delegate@6.8.0~postinstall:
babel-helper-call-delegate@6.8.0
83359 silly lifecycle babel-helper-call-delegate@6.8.0~postinstall: no script
for postinstall, continuing
83360 silly postinstall babel-plugin-transform-es2015-parameters@6.11.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-es201
5-parameters-20748683
83361 info lifecycle
babel-plugin-transform-es2015-parameters@6.11.4~postinstall:
babel-plugin-transform-es2015-parameters@6.11.4
83362 silly lifecycle
babel-plugin-transform-es2015-parameters@6.11.4~postinstall: no script for
postinstall, continuing
83363 silly postinstall babel-helper-builder-react-jsx@6.9.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-builder-react-j
```

npm-debug.log

sx-079d7974

```
83364 info lifecycle babel-helper-builder-react-jsx@6.9.0~postinstall:
babel-helper-builder-react-jsx@6.9.0
83365 silly lifecycle babel-helper-builder-react-jsx@6.9.0~postinstall: no
script for postinstall, continuing
83366 silly postinstall babel-plugin-transform-react-jsx@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-react
-jsx-1f75111a
83367 info lifecycle babel-plugin-transform-react-jsx@6.8.0~postinstall:
babel-plugin-transform-react-jsx@6.8.0
83368 silly lifecycle babel-plugin-transform-react-jsx@6.8.0~postinstall: no
script for postinstall, continuing
83369 silly postinstall babel-preset-react@6.11.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-preset-react-eee34c8d
83370 info lifecycle babel-preset-react@6.11.1~postinstall:
babel-preset-react@6.11.1
83371 silly lifecycle babel-preset-react@6.11.1~postinstall: no script for
postinstall, continuing
83372 silly postinstall
babel-helper-builder-binary-assignment-operator-visitor@6.15.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-builder-binary-
assignment-operator-visitor-f92337bc
83373 info lifecycle
babel-helper-builder-binary-assignment-operator-visitor@6.15.0~postinstall:
babel-helper-builder-binary-assignment-operator-visitor@6.15.0
83374 silly lifecycle
babel-helper-builder-binary-assignment-operator-visitor@6.15.0~postinstall: no
script for postinstall, continuing
83375 silly postinstall babel-plugin-transform-exponentiation-operator@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-expon
entiation-operator-f3171535
83376 info lifecycle
babel-plugin-transform-exponentiation-operator@6.8.0~postinstall:
babel-plugin-transform-exponentiation-operator@6.8.0
83377 silly lifecycle
babel-plugin-transform-exponentiation-operator@6.8.0~postinstall: no script for
postinstall, continuing
83378 silly postinstall babel-preset-stage-3@6.11.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-preset-stage-3-c3e0d18
b
83379 info lifecycle babel-preset-stage-3@6.11.0~postinstall:
babel-preset-stage-3@6.11.0
83380 silly lifecycle babel-preset-stage-3@6.11.0~postinstall: no script for
postinstall, continuing
83381 silly postinstall babel-preset-es2016@6.11.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-preset-es2016-7b7609d7
83382 info lifecycle babel-preset-es2016@6.11.3~postinstall:
babel-preset-es2016@6.11.3
83383 silly lifecycle babel-preset-es2016@6.11.3~postinstall: no script for
postinstall, continuing
83384 silly postinstall babel-helper-bindify-decorators@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-bindify-decorat
```

npm-debug.log

ors-d202bb51

```
83385 info lifecycle babel-helper-bindify-decorators@6.8.0~postinstall:
babel-helper-bindify-decorators@6.8.0
83386 silly lifecycle babel-helper-bindify-decorators@6.8.0~postinstall: no
script for postinstall, continuing
83387 silly postinstall babel-helper-explode-class@6.8.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-helper-explode-class-2
a31bf83
83388 info lifecycle babel-helper-explode-class@6.8.0~postinstall:
babel-helper-explode-class@6.8.0
83389 silly lifecycle babel-helper-explode-class@6.8.0~postinstall: no script
for postinstall, continuing
83390 silly postinstall babel-plugin-transform-decorators@6.13.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-decor
ators-01dfcc7a
83391 info lifecycle babel-plugin-transform-decorators@6.13.0~postinstall:
babel-plugin-transform-decorators@6.13.0
83392 silly lifecycle babel-plugin-transform-decorators@6.13.0~postinstall: no
script for postinstall, continuing
83393 silly postinstall babel-preset-stage-2@6.13.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-preset-stage-2-0f18e4c
2
83394 info lifecycle babel-preset-stage-2@6.13.0~postinstall:
babel-preset-stage-2@6.13.0
83395 silly lifecycle babel-preset-stage-2@6.13.0~postinstall: no script for
postinstall, continuing
83396 silly postinstall babel-generator@6.14.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-generator-529c306a
83397 info lifecycle babel-generator@6.14.0~postinstall: babel-generator@6.14.0
83398 silly lifecycle babel-generator@6.14.0~postinstall: no script for
postinstall, continuing
83399 silly postinstall babel-eslint@6.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-eslint-cbbe3bf9
83400 info lifecycle babel-eslint@6.1.2~postinstall: babel-eslint@6.1.2
83401 silly lifecycle babel-eslint@6.1.2~postinstall: no script for
postinstall, continuing
83402 silly postinstall to-iso-string@0.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\to-iso-string-8212fe66
83403 info lifecycle to-iso-string@0.0.2~postinstall: to-iso-string@0.0.2
83404 silly lifecycle to-iso-string@0.0.2~postinstall: no script for
postinstall, continuing
83405 silly postinstall mocha@2.5.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\mocha-f72eb4f8
83406 info lifecycle mocha@2.5.3~postinstall: mocha@2.5.3
83407 silly lifecycle mocha@2.5.3~postinstall: no script for postinstall,
continuing
83408 silly postinstall tough-cookie@2.3.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\tough-cookie-ea3c7401
83409 info lifecycle tough-cookie@2.3.1~postinstall: tough-cookie@2.3.1
83410 silly lifecycle tough-cookie@2.3.1~postinstall: no script for
postinstall, continuing
83411 silly postinstall tr46@0.0.3
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\tr46-806202ae
83412 info lifecycle tr46@0.0.3~postinstall: tr46@0.0.3
83413 silly lifecycle tr46@0.0.3~postinstall: no script for postinstall,
continuing
83414 silly postinstall trim-newlines@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\trim-newlines-c7833160
83415 info lifecycle trim-newlines@1.0.0~postinstall: trim-newlines@1.0.0
83416 silly lifecycle trim-newlines@1.0.0~postinstall: no script for
postinstall, continuing
83417 silly postinstall tryit@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\tryit-d4530dbe
83418 info lifecycle tryit@1.0.2~postinstall: tryit@1.0.2
83419 silly lifecycle tryit@1.0.2~postinstall: no script for postinstall,
continuing
83420 silly postinstall is-resolvable@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\is-resolvable-dfdb6d08
83421 info lifecycle is-resolvable@1.0.0~postinstall: is-resolvable@1.0.0
83422 silly lifecycle is-resolvable@1.0.0~postinstall: no script for
postinstall, continuing
83423 silly postinstall tty-browserify@0.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\tty-browserify-78a393e4
83424 info lifecycle tty-browserify@0.0.0~postinstall: tty-browserify@0.0.0
83425 silly lifecycle tty-browserify@0.0.0~postinstall: no script for
postinstall, continuing
83426 silly postinstall tunnel-agent@0.4.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\tunnel-agent-2fbcffd3
83427 info lifecycle tunnel-agent@0.4.3~postinstall: tunnel-agent@0.4.3
83428 silly lifecycle tunnel-agent@0.4.3~postinstall: no script for
postinstall, continuing
83429 silly postinstall tv4@1.2.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\tv4-be046e70
83430 info lifecycle tv4@1.2.7~postinstall: tv4@1.2.7
83431 silly lifecycle tv4@1.2.7~postinstall: no script for postinstall,
continuing
83432 silly postinstall tweetnacl@0.13.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\tweetnacl-08e46808
83433 info lifecycle tweetnacl@0.13.3~postinstall: tweetnacl@0.13.3
83434 silly lifecycle tweetnacl@0.13.3~postinstall: no script for postinstall,
continuing
83435 silly postinstall sshpk@1.10.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\sshpk-73956f65
83436 info lifecycle sshpk@1.10.0~postinstall: sshpk@1.10.0
83437 silly lifecycle sshpk@1.10.0~postinstall: no script for postinstall,
continuing
83438 silly postinstall type-check@0.3.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\type-check-a0785c86
83439 info lifecycle type-check@0.3.2~postinstall: type-check@0.3.2
83440 silly lifecycle type-check@0.3.2~postinstall: no script for postinstall,
continuing
83441 silly postinstall levn@0.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\levn-4773e5a7
83442 info lifecycle levn@0.3.0~postinstall: levn@0.3.0
```

npm-debug.log

83443 silly lifecycle levn@0.3.0~postinstall: no script for postinstall, continuing  
83444 silly postinstall optionator@0.8.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\optionator-af47b694  
83445 info lifecycle optionator@0.8.1~postinstall: optionator@0.8.1  
83446 silly lifecycle optionator@0.8.1~postinstall: no script for postinstall, continuing  
83447 silly postinstall escodegen@1.8.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\escodegen-7999b9d6  
83448 info lifecycle escodegen@1.8.1~postinstall: escodegen@1.8.1  
83449 silly lifecycle escodegen@1.8.1~postinstall: no script for postinstall, continuing  
83450 silly postinstall type-detect@1.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\type-detect-1b9744f9  
83451 info lifecycle type-detect@1.0.0~postinstall: type-detect@1.0.0  
83452 silly lifecycle type-detect@1.0.0~postinstall: no script for postinstall, continuing  
83453 silly postinstall chai@3.5.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\chai-a054d7a2  
83454 info lifecycle chai@3.5.0~postinstall: chai@3.5.0  
83455 silly lifecycle chai@3.5.0~postinstall: no script for postinstall, continuing  
83456 silly postinstall type-is@1.6.13  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\type-is-cf4bd055  
83457 info lifecycle type-is@1.6.13~postinstall: type-is@1.6.13  
83458 silly lifecycle type-is@1.6.13~postinstall: no script for postinstall, continuing  
83459 silly postinstall typedarray@0.0.6  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\typedarray-1c9be939  
83460 info lifecycle typedarray@0.0.6~postinstall: typedarray@0.0.6  
83461 silly lifecycle typedarray@0.0.6~postinstall: no script for postinstall, continuing  
83462 silly postinstall ua-parser-js@0.7.10  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\ua-parser-js-d8fe3f16  
83463 info lifecycle ua-parser-js@0.7.10~postinstall: ua-parser-js@0.7.10  
83464 silly lifecycle ua-parser-js@0.7.10~postinstall: no script for postinstall, continuing  
83465 silly postinstall async@0.2.10  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\async-9fe43715  
83466 info lifecycle async@0.2.10~postinstall: async@0.2.10  
83467 silly lifecycle async@0.2.10~postinstall: no script for postinstall, continuing  
83468 silly postinstall uglify-to-browserify@1.0.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\uglify-to-browserify-adc594f3  
83469 info lifecycle uglify-to-browserify@1.0.2~postinstall:  
uglify-to-browserify@1.0.2  
83470 silly lifecycle uglify-to-browserify@1.0.2~postinstall: no script for postinstall, continuing  
83471 silly postinstall uniq@1.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\uniq-756b4be5  
83472 info lifecycle uniq@1.0.1~postinstall: uniq@1.0.1

npm-debug.log

83473 silly lifecycle uniq@1.0.1~postinstall: no script for postinstall, continuing  
83474 silly postinstall postcss-selector-parser@2.2.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\postcss-selector-parser-825a7184  
83475 info lifecycle postcss-selector-parser@2.2.1~postinstall:  
postcss-selector-parser@2.2.1  
83476 silly lifecycle postcss-selector-parser@2.2.1~postinstall: no script for postinstall, continuing  
83477 silly postinstall postcss-minify-selectors@2.0.5  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\postcss-minify-selectors-202ce7d0  
83478 info lifecycle postcss-minify-selectors@2.0.5~postinstall:  
postcss-minify-selectors@2.0.5  
83479 silly lifecycle postcss-minify-selectors@2.0.5~postinstall: no script for postinstall, continuing  
83480 silly postinstall unqid@3.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\unqid-645be45c  
83481 info lifecycle unqid@3.1.0~postinstall: unqid@3.1.0  
83482 silly lifecycle unqid@3.1.0~postinstall: no script for postinstall, continuing  
83483 silly postinstall postcss-filter-plugins@2.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\postcss-filter-plugins-ad1e8441  
83484 info lifecycle postcss-filter-plugins@2.0.1~postinstall:  
postcss-filter-plugins@2.0.1  
83485 silly lifecycle postcss-filter-plugins@2.0.1~postinstall: no script for postinstall, continuing  
83486 silly postinstall uniqs@2.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\uniqs-913b6e0a  
83487 info lifecycle uniqs@2.0.0~postinstall: uniqs@2.0.0  
83488 silly lifecycle uniqs@2.0.0~postinstall: no script for postinstall, continuing  
83489 silly postinstall postcss-zindex@2.1.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\postcss-zindex-1f751242  
83490 info lifecycle postcss-zindex@2.1.1~postinstall: postcss-zindex@2.1.1  
83491 silly lifecycle postcss-zindex@2.1.1~postinstall: no script for postinstall, continuing  
83492 silly postinstall postcss-unique-selectors@2.0.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\postcss-unique-selectors-032091f7  
83493 info lifecycle postcss-unique-selectors@2.0.2~postinstall:  
postcss-unique-selectors@2.0.2  
83494 silly lifecycle postcss-unique-selectors@2.0.2~postinstall: no script for postinstall, continuing  
83495 silly postinstall postcss-minify-params@1.0.5  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\postcss-minify-params-7806d1a0  
83496 info lifecycle postcss-minify-params@1.0.5~postinstall:  
postcss-minify-params@1.0.5  
83497 silly lifecycle postcss-minify-params@1.0.5~postinstall: no script for postinstall, continuing



npm-debug.log

```
83498 silly postinstall postcss-discard-unused@2.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-discard-unused-d908fa25
83499 info lifecycle postcss-discard-unused@2.2.1~postinstall:
postcss-discard-unused@2.2.1
83500 silly lifecycle postcss-discard-unused@2.2.1~postinstall: no script for
postinstall, continuing
83501 silly postinstall unpipe@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\unpipe-12b65580
83502 info lifecycle unpipe@1.0.0~postinstall: unpipe@1.0.0
83503 silly lifecycle unpipe@1.0.0~postinstall: no script for postinstall,
continuing
83504 silly postinstall raw-body@2.1.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\raw-body-6f4ab038
83505 info lifecycle raw-body@2.1.7~postinstall: raw-body@2.1.7
83506 silly lifecycle raw-body@2.1.7~postinstall: no script for postinstall,
continuing
83507 silly postinstall body-parser@1.15.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\body-parser-094a1ab4
83508 info lifecycle body-parser@1.15.2~postinstall: body-parser@1.15.2
83509 silly lifecycle body-parser@1.15.2~postinstall: no script for
postinstall, continuing
83510 silly postinstall finalhandler@0.5.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\finalhandler-0f964f42
83511 info lifecycle finalhandler@0.5.0~postinstall: finalhandler@0.5.0
83512 silly lifecycle finalhandler@0.5.0~postinstall: no script for
postinstall, continuing
83513 silly postinstall mime@1.2.11
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\mime-31f2a102
83514 info lifecycle mime@1.2.11~postinstall: mime@1.2.11
83515 silly lifecycle mime@1.2.11~postinstall: no script for postinstall,
continuing
83516 silly postinstall url-loader@0.5.7
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\url-loader-7e96c39c
83517 info lifecycle url-loader@0.5.7~postinstall: url-loader@0.5.7
83518 silly lifecycle url-loader@0.5.7~postinstall: no script for postinstall,
continuing
83519 silly postinstall punycode@1.3.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\punycode-ddc8f535
83520 info lifecycle punycode@1.3.2~postinstall: punycode@1.3.2
83521 silly lifecycle punycode@1.3.2~postinstall: no script for postinstall,
continuing
83522 silly postinstall url@0.10.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\url-6c6e80f3
83523 info lifecycle url@0.10.3~postinstall: url@0.10.3
83524 silly lifecycle url@0.10.3~postinstall: no script for postinstall,
continuing
83525 silly postinstall user-home@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\user-home-8d944ad5
83526 info lifecycle user-home@1.1.1~postinstall: user-home@1.1.1
83527 silly lifecycle user-home@1.1.1~postinstall: no script for postinstall,
continuing
```

npm-debug.log

```
83528 silly postinstall home-or-tmp@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\home-or-tmp-2774d2d5
83529 info lifecycle home-or-tmp@1.0.0~postinstall: home-or-tmp@1.0.0
83530 silly lifecycle home-or-tmp@1.0.0~postinstall: no script for postinstall,
continuing
83531 silly postinstall babel-register@6.14.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-register-b26732c5
83532 info lifecycle babel-register@6.14.0~postinstall: babel-register@6.14.0
83533 silly lifecycle babel-register@6.14.0~postinstall: no script for
postinstall, continuing
83534 silly postinstall babel-core@6.14.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-core-d15c3c8f
83535 info lifecycle babel-core@6.14.0~postinstall: babel-core@6.14.0
83536 silly lifecycle babel-core@6.14.0~postinstall: no script for postinstall,
continuing
83537 silly postinstall babel-plugin-transform-regenerator@6.14.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-plugin-transform-regen
erator-5780f65e
83538 info lifecycle babel-plugin-transform-regenerator@6.14.0~postinstall:
babel-plugin-transform-regenerator@6.14.0
83539 silly lifecycle babel-plugin-transform-regenerator@6.14.0~postinstall: no
script for postinstall, continuing
83540 silly postinstall babel-preset-es2015@6.14.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-preset-es2015-7ddf75df
83541 info lifecycle babel-preset-es2015@6.14.0~postinstall:
babel-preset-es2015@6.14.0
83542 silly lifecycle babel-preset-es2015@6.14.0~postinstall: no script for
postinstall, continuing
83543 silly postinstall util@0.10.3
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\util-fd7b2006
83544 info lifecycle util@0.10.3~postinstall: util@0.10.3
83545 silly lifecycle util@0.10.3~postinstall: no script for postinstall,
continuing
83546 silly postinstall sinon@1.17.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\sinon-dc7ac4b9
83547 info lifecycle sinon@1.17.5~postinstall: sinon@1.17.5
83548 silly lifecycle sinon@1.17.5~postinstall: no script for postinstall,
continuing
83549 silly postinstall assert@1.4.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\assert-9bfa8459
83550 info lifecycle assert@1.4.1~postinstall: assert@1.4.1
83551 silly lifecycle assert@1.4.1~postinstall: no script for postinstall,
continuing
83552 silly postinstall util-deprecate@1.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\util-deprecate-dfc93200
83553 info lifecycle util-deprecate@1.0.2~postinstall: util-deprecate@1.0.2
83554 silly lifecycle util-deprecate@1.0.2~postinstall: no script for
postinstall, continuing
83555 silly postinstall readable-stream@2.0.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\readable-stream-55fa69fb
83556 info lifecycle readable-stream@2.0.6~postinstall: readable-stream@2.0.6
83557 silly lifecycle readable-stream@2.0.6~postinstall: no script for
```

npm-debug.log

```
postinstall, continuing
83558 silly postinstall readdirp@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\readdirp-02932e54
83559 info lifecycle readdirp@2.1.0~postinstall: readdirp@2.1.0
83560 silly lifecycle readdirp@2.1.0~postinstall: no script for postinstall,
continuing
83561 silly postinstall chokidar@1.6.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\chokidar-894f8ff6
83562 info lifecycle chokidar@1.6.0~postinstall: chokidar@1.6.0
83563 silly lifecycle chokidar@1.6.0~postinstall: no script for postinstall,
continuing
83564 silly postinstall memory-fs@0.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\memory-fs-e4b77bf5
83565 info lifecycle memory-fs@0.3.0~postinstall: memory-fs@0.3.0
83566 silly lifecycle memory-fs@0.3.0~postinstall: no script for postinstall,
continuing
83567 silly postinstall concat-stream@1.5.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\concat-stream-8e3b9096
83568 info lifecycle concat-stream@1.5.2~postinstall: concat-stream@1.5.2
83569 silly lifecycle concat-stream@1.5.2~postinstall: no script for
postinstall, continuing
83570 silly postinstall bl@1.1.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\bl-0c35cd36
83571 info lifecycle bl@1.1.2~postinstall: bl@1.1.2
83572 silly lifecycle bl@1.1.2~postinstall: no script for postinstall,
continuing
83573 silly postinstall utils-merge@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\utils-merge-db7f2f9a
83574 info lifecycle utils-merge@1.0.0~postinstall: utils-merge@1.0.0
83575 silly lifecycle utils-merge@1.0.0~postinstall: no script for postinstall,
continuing
83576 silly postinstall uuid@2.0.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\uuid-3be85b30
83577 info lifecycle uuid@2.0.2~postinstall: uuid@2.0.2
83578 silly lifecycle uuid@2.0.2~postinstall: no script for postinstall,
continuing
83579 silly postinstall @kadira/storybook-database@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\@kadira\storybook-database-0
59539fb
83580 info lifecycle @kadira/storybook-database@2.1.0~postinstall:
@kadira/storybook-database@2.1.0
83581 silly lifecycle @kadira/storybook-database@2.1.0~postinstall: no script
for postinstall, continuing
83582 silly postinstall @kadira/storybook-database-local@1.2.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\@kadira\storybook-database-l
ocal-8f015474
83583 info lifecycle @kadira/storybook-database-local@1.2.0~postinstall:
@kadira/storybook-database-local@1.2.0
83584 silly lifecycle @kadira/storybook-database-local@1.2.0~postinstall: no
script for postinstall, continuing
83585 silly postinstall v8flags@2.0.11
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\v8flags-0e3547cb
```

npm-debug.log

```
83586 info lifecycle v8flags@2.0.11~postinstall: v8flags@2.0.11
83587 silly lifecycle v8flags@2.0.11~postinstall: no script for postinstall,
continuing
83588 silly postinstall validate-npm-package-license@3.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\validate-npm-package-license
-0767741e
83589 info lifecycle validate-npm-package-license@3.0.1~postinstall:
validate-npm-package-license@3.0.1
83590 silly lifecycle validate-npm-package-license@3.0.1~postinstall: no script
for postinstall, continuing
83591 silly postinstall normalize-package-data@2.3.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\normalize-package-data-5207a
25a
83592 info lifecycle normalize-package-data@2.3.5~postinstall:
normalize-package-data@2.3.5
83593 silly lifecycle normalize-package-data@2.3.5~postinstall: no script for
postinstall, continuing
83594 silly postinstall read-pkg@1.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\read-pkg-82e91d03
83595 info lifecycle read-pkg@1.1.0~postinstall: read-pkg@1.1.0
83596 silly lifecycle read-pkg@1.1.0~postinstall: no script for postinstall,
continuing
83597 silly postinstall read-pkg-up@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\read-pkg-up-0588c28e
83598 info lifecycle read-pkg-up@1.0.1~postinstall: read-pkg-up@1.0.1
83599 silly lifecycle read-pkg-up@1.0.1~postinstall: no script for postinstall,
continuing
83600 silly postinstall meow@3.7.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\meow-d7918d5b
83601 info lifecycle meow@3.7.0~postinstall: meow@3.7.0
83602 silly lifecycle meow@3.7.0~postinstall: no script for postinstall,
continuing
83603 silly postinstall find-versions@1.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\find-versions-d4cef21c
83604 info lifecycle find-versions@1.2.1~postinstall: find-versions@1.2.1
83605 silly lifecycle find-versions@1.2.1~postinstall: no script for
postinstall, continuing
83606 silly postinstall bin-version@1.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\bin-version-300138f2
83607 info lifecycle bin-version@1.0.4~postinstall: bin-version@1.0.4
83608 silly lifecycle bin-version@1.0.4~postinstall: no script for postinstall,
continuing
83609 silly postinstall bin-version-check@2.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\bin-version-check-2c37b73f
83610 info lifecycle bin-version-check@2.1.0~postinstall:
bin-version-check@2.1.0
83611 silly lifecycle bin-version-check@2.1.0~postinstall: no script for
postinstall, continuing
83612 silly postinstall vary@1.1.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\vary-6017af1a
83613 info lifecycle vary@1.1.0~postinstall: vary@1.1.0
83614 silly lifecycle vary@1.1.0~postinstall: no script for postinstall,
```

npm-debug.log

```
continuing
83615 silly postinstall express@4.14.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\express-dd0405ca
83616 info lifecycle express@4.14.0~postinstall: express@4.14.0
83617 silly lifecycle express@4.14.0~postinstall: no script for postinstall,
continuing
83618 silly postinstall vendors@1.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\vendors-3c701064
83619 info lifecycle vendors@1.0.1~postinstall: vendors@1.0.1
83620 silly lifecycle vendors@1.0.1~postinstall: no script for postinstall,
continuing
83621 silly postinstall postcss-merge-rules@2.0.10
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-merge-rules-cffa1b5d
83622 info lifecycle postcss-merge-rules@2.0.10~postinstall:
postcss-merge-rules@2.0.10
83623 silly lifecycle postcss-merge-rules@2.0.10~postinstall: no script for
postinstall, continuing
83624 silly postinstall verror@1.3.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\verror-cebcfb6d
83625 info lifecycle verror@1.3.6~postinstall: verror@1.3.6
83626 silly lifecycle verror@1.3.6~postinstall: no script for postinstall,
continuing
83627 silly postinstall jsprim@1.3.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\jsprim-b37b0175
83628 info lifecycle jsprim@1.3.0~postinstall: jsprim@1.3.0
83629 silly lifecycle jsprim@1.3.0~postinstall: no script for postinstall,
continuing
83630 silly postinstall http-signature@1.1.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\http-signature-e0a7f7c6
83631 info lifecycle http-signature@1.1.1~postinstall: http-signature@1.1.1
83632 silly lifecycle http-signature@1.1.1~postinstall: no script for
postinstall, continuing
83633 silly postinstall vm-browserify@0.0.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\vm-browserify-1faf2275
83634 info lifecycle vm-browserify@0.0.4~postinstall: vm-browserify@0.0.4
83635 silly lifecycle vm-browserify@0.0.4~postinstall: no script for
postinstall, continuing
83636 silly postinstall node-libs-browser@0.6.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\node-libs-browser-bdbef59a
83637 info lifecycle node-libs-browser@0.6.0~postinstall:
node-libs-browser@0.6.0
83638 silly lifecycle node-libs-browser@0.6.0~postinstall: no script for
postinstall, continuing
83639 silly postinstall async@0.9.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\async-bacf83a2
83640 info lifecycle async@0.9.2~postinstall: async@0.9.2
83641 silly lifecycle async@0.9.2~postinstall: no script for postinstall,
continuing
83642 silly postinstall watchpack@0.2.9
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\watchpack-99d19321
83643 info lifecycle watchpack@0.2.9~postinstall: watchpack@0.2.9
83644 silly lifecycle watchpack@0.2.9~postinstall: no script for postinstall,
```

npm-debug.log

```
continuing
83645 silly postinstall webidl-conversions@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\webidl-conversions-c0300868
83646 info lifecycle webidl-conversions@2.0.1~postinstall:
webidl-conversions@2.0.1
83647 silly lifecycle webidl-conversions@2.0.1~postinstall: no script for
postinstall, continuing
83648 silly postinstall source-map@0.4.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\source-map-b8a12384
83649 info lifecycle source-map@0.4.4~postinstall: source-map@0.4.4
83650 silly lifecycle source-map@0.4.4~postinstall: no script for postinstall,
continuing
83651 silly postinstall webpack-core@0.6.8
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\webpack-core-e6307c6f
83652 info lifecycle webpack-core@0.6.8~postinstall: webpack-core@0.6.8
83653 silly lifecycle webpack-core@0.6.8~postinstall: no script for
postinstall, continuing
83654 silly postinstall webpack-dev-middleware@1.6.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\webpack-dev-middleware-959df
abc
83655 info lifecycle webpack-dev-middleware@1.6.1~postinstall:
webpack-dev-middleware@1.6.1
83656 silly lifecycle webpack-dev-middleware@1.6.1~postinstall: no script for
postinstall, continuing
83657 silly postinstall webpack-hot-middleware@2.12.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\webpack-hot-middleware-2c34a
b85
83658 info lifecycle webpack-hot-middleware@2.12.2~postinstall:
webpack-hot-middleware@2.12.2
83659 silly lifecycle webpack-hot-middleware@2.12.2~postinstall: no script for
postinstall, continuing
83660 silly postinstall async@1.5.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\async-c55bc7f0
83661 info lifecycle async@1.5.2~postinstall: async@1.5.2
83662 silly lifecycle async@1.5.2~postinstall: no script for postinstall,
continuing
83663 silly postinstall interpret@0.6.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\interpret-aa342d47
83664 info lifecycle interpret@0.6.6~postinstall: interpret@0.6.6
83665 silly lifecycle interpret@0.6.6~postinstall: no script for postinstall,
continuing
83666 silly postinstall whatwg-fetch@1.0.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\whatwg-fetch-003fda44
83667 info lifecycle whatwg-fetch@1.0.0~postinstall: whatwg-fetch@1.0.0
83668 silly lifecycle whatwg-fetch@1.0.0~postinstall: no script for
postinstall, continuing
83669 silly postinstall isomorphic-fetch@2.2.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\isomorphic-fetch-9e71200f
83670 info lifecycle isomorphic-fetch@2.2.1~postinstall: isomorphic-fetch@2.2.1
83671 silly lifecycle isomorphic-fetch@2.2.1~postinstall: no script for
postinstall, continuing
83672 silly postinstall fbjs@0.8.4
```

npm-debug.log

```
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\fbjs-582a07b7
83673 info lifecycle fbjs@0.8.4~postinstall: fbjs@0.8.4
83674 silly lifecycle fbjs@0.8.4~postinstall: no script for postinstall,
continuing
83675 silly postinstall react@15.3.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\react-b4afd8ac
83676 info lifecycle react@15.3.1~postinstall: react@15.3.1
83677 silly lifecycle react@15.3.1~postinstall: no script for postinstall,
continuing
83678 silly postinstall whatwg-url-compat@0.6.5
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\whatwg-url-compat-e9e93f75
83679 info lifecycle whatwg-url-compat@0.6.5~postinstall:
whatwg-url-compat@0.6.5
83680 silly lifecycle whatwg-url-compat@0.6.5~postinstall: no script for
postinstall, continuing
83681 silly postinstall webidl-conversions@3.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\webidl-conversions-ba5f6e1a
83682 info lifecycle webidl-conversions@3.0.1~postinstall:
webidl-conversions@3.0.1
83683 silly lifecycle webidl-conversions@3.0.1~postinstall: no script for
postinstall, continuing
83684 silly postinstall whatwg-url@2.0.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\whatwg-url-4f909539
83685 info lifecycle whatwg-url@2.0.1~postinstall: whatwg-url@2.0.1
83686 silly lifecycle whatwg-url@2.0.1~postinstall: no script for postinstall,
continuing
83687 silly postinstall whet.extend@0.9.9
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\whet.extend-6b374a16
83688 info lifecycle whet.extend@0.9.9~postinstall: whet.extend@0.9.9
83689 silly lifecycle whet.extend@0.9.9~postinstall: no script for postinstall,
continuing
83690 silly postinstall svgo@0.6.6
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\svgo-c1c8f18b
83691 info lifecycle svgo@0.6.6~postinstall: svgo@0.6.6
83692 silly lifecycle svgo@0.6.6~postinstall: no script for postinstall,
continuing
83693 silly postinstall postcss-svgo@2.1.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\postcss-svgo-edd75ccb
83694 info lifecycle postcss-svgo@2.1.4~postinstall: postcss-svgo@2.1.4
83695 silly lifecycle postcss-svgo@2.1.4~postinstall: no script for
postinstall, continuing
83696 silly postinstall cssnano@3.7.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\cssnano-040ad9b7
83697 info lifecycle cssnano@3.7.4~postinstall: cssnano@3.7.4
83698 silly lifecycle cssnano@3.7.4~postinstall: no script for postinstall,
continuing
83699 silly postinstall css-loader@0.24.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\css-loader-74adb982
83700 info lifecycle css-loader@0.24.0~postinstall: css-loader@0.24.0
83701 silly lifecycle css-loader@0.24.0~postinstall: no script for postinstall,
continuing
83702 silly postinstall window-size@0.1.0
```

npm-debug.log

C:\Users\run\Desktop\KOT\kad\node\_modules\.staging>window-size-468c7c91  
83703 info lifecycle window-size@0.1.0~postinstall: window-size@0.1.0  
83704 silly lifecycle window-size@0.1.0~postinstall: no script for postinstall,  
continuing  
83705 silly postinstall wordwrap@0.0.3  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\wordwrap-ebef688  
83706 info lifecycle wordwrap@0.0.3~postinstall: wordwrap@0.0.3  
83707 silly lifecycle wordwrap@0.0.3~postinstall: no script for postinstall,  
continuing  
83708 silly postinstall optimist@0.6.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\optimist-891d32e8  
83709 info lifecycle optimist@0.6.1~postinstall: optimist@0.6.1  
83710 silly lifecycle optimist@0.6.1~postinstall: no script for postinstall,  
continuing  
83711 silly postinstall wrappy@1.0.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\wrappy-c7027494  
83712 info lifecycle wrappy@1.0.2~postinstall: wrappy@1.0.2  
83713 silly lifecycle wrappy@1.0.2~postinstall: no script for postinstall,  
continuing  
83714 silly postinstall once@1.4.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\once-c9bfd9d6  
83715 info lifecycle once@1.4.0~postinstall: once@1.4.0  
83716 silly lifecycle once@1.4.0~postinstall: no script for postinstall,  
continuing  
83717 silly postinstall run-async@0.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\run-async-dc687b50  
83718 info lifecycle run-async@0.1.0~postinstall: run-async@0.1.0  
83719 silly lifecycle run-async@0.1.0~postinstall: no script for postinstall,  
continuing  
83720 silly postinstall inquirer@0.12.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\inquirer-cd4cff19  
83721 info lifecycle inquirer@0.12.0~postinstall: inquirer@0.12.0  
83722 silly lifecycle inquirer@0.12.0~postinstall: no script for postinstall,  
continuing  
83723 silly postinstall inflight@1.0.5  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\inflight-2f32fd07  
83724 info lifecycle inflight@1.0.5~postinstall: inflight@1.0.5  
83725 silly lifecycle inflight@1.0.5~postinstall: no script for postinstall,  
continuing  
83726 silly postinstall glob@7.0.6  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\glob-9b6321e6  
83727 info lifecycle glob@7.0.6~postinstall: glob@7.0.6  
83728 silly lifecycle glob@7.0.6~postinstall: no script for postinstall,  
continuing  
83729 silly postinstall shelljs@0.7.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\shelljs-e4277d92  
83730 info lifecycle shelljs@0.7.4~postinstall: shelljs@0.7.4  
83731 silly lifecycle shelljs@0.7.4~postinstall: no script for postinstall,  
continuing  
83732 silly postinstall rimraf@2.5.4  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\rimraf-73da3fb5  
83733 info lifecycle rimraf@2.5.4~postinstall: rimraf@2.5.4



npm-debug.log

83734 silly lifecycle rimraf@2.5.4~postinstall: no script for postinstall, continuing  
83735 silly postinstall globby@5.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\globby-05e14dc0  
83736 info lifecycle globby@5.0.0~postinstall: globby@5.0.0  
83737 silly lifecycle globby@5.0.0~postinstall: no script for postinstall, continuing  
83738 silly postinstall del@2.2.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\del-841fc8a6  
83739 info lifecycle del@2.2.2~postinstall: del@2.2.2  
83740 silly lifecycle del@2.2.2~postinstall: no script for postinstall, continuing  
83741 silly postinstall glob@5.0.15  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\glob-4905a35b  
83742 info lifecycle glob@5.0.15~postinstall: glob@5.0.15  
83743 silly lifecycle glob@5.0.15~postinstall: no script for postinstall, continuing  
83744 silly postinstall write@0.2.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\write-a6a04b38  
83745 info lifecycle write@0.2.1~postinstall: write@0.2.1  
83746 silly lifecycle write@0.2.1~postinstall: no script for postinstall, continuing  
83747 silly postinstall flat-cache@1.2.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\flat-cache-d749459a  
83748 info lifecycle flat-cache@1.2.1~postinstall: flat-cache@1.2.1  
83749 silly lifecycle flat-cache@1.2.1~postinstall: no script for postinstall, continuing  
83750 silly postinstall file-entry-cache@1.3.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\file-entry-cache-88528b63  
83751 info lifecycle file-entry-cache@1.3.1~postinstall: file-entry-cache@1.3.1  
83752 silly lifecycle file-entry-cache@1.3.1~postinstall: no script for postinstall, continuing  
83753 silly postinstall write-file-atomic@1.2.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\write-file-atomic-ab9bf27f  
83754 info lifecycle write-file-atomic@1.2.0~postinstall: write-file-atomic@1.2.0  
83755 silly lifecycle write-file-atomic@1.2.0~postinstall: no script for postinstall, continuing  
83756 silly postinstall xdg-basedir@2.0.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\xdg-basedir-da8e1293  
83757 info lifecycle xdg-basedir@2.0.0~postinstall: xdg-basedir@2.0.0  
83758 silly lifecycle xdg-basedir@2.0.0~postinstall: no script for postinstall, continuing  
83759 silly postinstall configstore@2.1.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\configstore-cc2468f3  
83760 info lifecycle configstore@2.1.0~postinstall: configstore@2.1.0  
83761 silly lifecycle configstore@2.1.0~postinstall: no script for postinstall, continuing  
83762 silly postinstall xml-name-validator@2.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\xml-name-validator-628fb7cd  
83763 info lifecycle xml-name-validator@2.0.1~postinstall: xml-name-validator@2.0.1

npm-debug.log

83764 silly lifecycle xml-name-validator@2.0.1~postinstall: no script for postinstall, continuing  
83765 silly postinstall xregexp@3.1.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\xregexp-f4e50449  
83766 info lifecycle xregexp@3.1.1~postinstall: xregexp@3.1.1  
83767 silly lifecycle xregexp@3.1.1~postinstall: no script for postinstall, continuing  
83768 silly postinstall table@3.7.8  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\table-e16e2e44  
83769 info lifecycle table@3.7.8~postinstall: table@3.7.8  
83770 silly lifecycle table@3.7.8~postinstall: no script for postinstall, continuing  
83771 silly postinstall xtend@4.0.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\xtend-0b9e06e5  
83772 info lifecycle xtend@4.0.1~postinstall: xtend@4.0.1  
83773 silly lifecycle xtend@4.0.1~postinstall: no script for postinstall, continuing  
83774 silly postinstall is-my-json-valid@2.13.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\is-my-json-valid-75c007e8  
83775 info lifecycle is-my-json-valid@2.13.1~postinstall:  
is-my-json-valid@2.13.1  
83776 silly lifecycle is-my-json-valid@2.13.1~postinstall: no script for postinstall, continuing  
83777 silly postinstall har-validator@2.0.6  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\har-validator-b479b7a8  
83778 info lifecycle har-validator@2.0.6~postinstall: har-validator@2.0.6  
83779 silly lifecycle har-validator@2.0.6~postinstall: no script for postinstall, continuing  
83780 silly postinstall request@2.74.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\request-39466fcf  
83781 info lifecycle request@2.74.0~postinstall: request@2.74.0  
83782 silly lifecycle request@2.74.0~postinstall: no script for postinstall, continuing  
83783 silly postinstall jsdom@8.5.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\jsdom-40811e8e  
83784 info lifecycle jsdom@8.5.0~postinstall: jsdom@8.5.0  
83785 silly lifecycle jsdom@8.5.0~postinstall: no script for postinstall, continuing  
83786 silly postinstall jsdom@7.2.2  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\jsdom-6d7e6256  
83787 info lifecycle jsdom@7.2.2~postinstall: jsdom@7.2.2  
83788 silly lifecycle jsdom@7.2.2~postinstall: no script for postinstall, continuing  
83789 silly postinstall cheerio@0.20.0  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\cheerio-4188f6fe  
83790 info lifecycle cheerio@0.20.0~postinstall: cheerio@0.20.0  
83791 silly lifecycle cheerio@0.20.0~postinstall: no script for postinstall, continuing  
83792 silly postinstall enzyme@2.4.1  
C:\Users\run\Desktop\KOT\kad\node\_modules\.staging\enzyme-1a08cf06  
83793 info lifecycle enzyme@2.4.1~postinstall: enzyme@2.4.1  
83794 silly lifecycle enzyme@2.4.1~postinstall: no script for postinstall,

npm-debug.log

```
continuing
83795 silly postinstall babel-cli@6.14.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\babel-cli-a0c8ea6d
83796 info lifecycle babel-cli@6.14.0~postinstall: babel-cli@6.14.0
83797 silly lifecycle babel-cli@6.14.0~postinstall: no script for postinstall,
continuing
83798 silly postinstall eslint@2.13.1
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\eslint-3dc15a1f
83799 info lifecycle eslint@2.13.1~postinstall: eslint@2.13.1
83800 silly lifecycle eslint@2.13.1~postinstall: no script for postinstall,
continuing
83801 silly postinstall yargs@3.10.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\yargs-4d878af1
83802 info lifecycle yargs@3.10.0~postinstall: yargs@3.10.0
83803 silly lifecycle yargs@3.10.0~postinstall: no script for postinstall,
continuing
83804 silly postinstall uglify-js@2.6.4
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\uglify-js-ab7af147
83805 info lifecycle uglify-js@2.6.4~postinstall: uglify-js@2.6.4
83806 silly lifecycle uglify-js@2.6.4~postinstall: no script for postinstall,
continuing
83807 silly postinstall webpack@1.13.2
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\webpack-7bc8319b
83808 info lifecycle webpack@1.13.2~postinstall: webpack@1.13.2
83809 silly lifecycle webpack@1.13.2~postinstall: no script for postinstall,
continuing
83810 silly postinstall @kadira/storybook@2.11.0
C:\Users\run\Desktop\KOT\kad\node_modules\.staging\@kadira\storybook-2b3e01f5
83811 info lifecycle @kadira/storybook@2.11.0~postinstall:
@kadira/storybook@2.11.0
83812 silly lifecycle @kadira/storybook@2.11.0~postinstall: no script for
postinstall, continuing
83813 verbose unlock done using
C:\Users\run\AppData\Roaming\npm-cache\_locks\staging-e40a7182e5921cda.lock for
C:\Users\run\Desktop\KOT\kad\node_modules\.staging
83814 silly executeActions Finishing
83815 silly rollbackFailedOptional Starting
83816 silly rollbackFailedOptional Finishing
83817 silly runTopLevelLifecycles Starting
83818 silly install runTopLevelLifecycles
83819 silly preinstall kad@0.0.0 C:\Users\run\Desktop\KOT\kad\kad-8712ceee
83820 info lifecycle kad@0.0.0~preinstall: kad@0.0.0
83821 silly lifecycle kad@0.0.0~preinstall: no script for preinstall,
continuing
83822 silly build kad@0.0.0
83823 info linkStuff kad@0.0.0
83824 silly linkStuff kad@0.0.0 has C:\Users\run\Desktop\KOT as its parent
node_modules
83825 verbose linkBins kad@0.0.0
83826 verbose linkMans kad@0.0.0
83827 silly install kad@0.0.0 C:\Users\run\Desktop\KOT\kad\kad-8712ceee
83828 info lifecycle kad@0.0.0~install: kad@0.0.0
```

npm-debug.log

```
83829 silly lifecycle kad@0.0.0~install: no script for install, continuing
83830 silly postinstall kad@0.0.0 C:\Users\run\Desktop\KOT\kad\kad-8712ceee
83831 info lifecycle kad@0.0.0~postinstall: kad@0.0.0
83832 silly lifecycle kad@0.0.0~postinstall: no script for postinstall,
continuing
83833 silly prepublish kad@0.0.0 C:\Users\run\Desktop\KOT\kad\kad-8712ceee
83834 info lifecycle kad@0.0.0~prepublish: kad@0.0.0
83835 verbose lifecycle kad@0.0.0~prepublish: unsafe-perm in lifecycle true
83836 verbose lifecycle kad@0.0.0~prepublish: PATH: C:\Program
Files\nodejs\node_modules\npm\bin\node-gyp-bin;C:\Users\run\Desktop\KOT\kad\nod
e_modules\.bin;C:\Program
Files\nodejs;C:\app\run\product\12.1.0\client_1;C:\app\client\run\product\12.1.
0\client_1;C:\app\client\run\product\12.1.0\client_1\bin;C:\Program Files
(x86)\Intel\iCLS Client\;C:\Program Files\Intel\iCLS
Client\;C:\ProgramData\Oracle\Java\javapath;C:\windows\system32;C:\windows;C:\w
indows\System32\Wbem;C:\windows\System32\WindowsPowerShell\v1.0\;C:\Program
Files (x86)\OracleODBC11.1\;C:\Program Files\Intel\Intel(R) Management Engine
Components\DAL;C:\Program Files\Intel\Intel(R) Management Engine
Components\IPT;C:\Program Files (x86)\Intel\Intel(R) Management Engine
Components\DAL;C:\Program Files (x86)\Intel\Intel(R) Management Engine
Components\IPT;C:\Program Files\Microsoft SQL Server\130\Tools\Binn\;C:\Program
Files\Git\cmd;C:\Program Files\Microsoft\Web Platform Installer\;C:\Program
Files\TortoiseSVN\bin;C:\Program Files\nodejs\;C:\Program
Files\dotnet\;C:\Users\run\.dnx\runtimes\dnx-clr-win-x86.1.0.0-rc1-update2\bin;
C:\Users\run\.dnx\bin;C:\Users\run\AppData\Local\.meteor\;C:\Users\run\AppData\
Roaming\npm;C:\Program Files (x86)\Microsoft VS Code\bin
83837 verbose lifecycle kad@0.0.0~prepublish: CWD: C:\Users\run\Desktop\KOT\kad
83838 silly lifecycle kad@0.0.0~prepublish: Args: [ '/d /s /c', '.
./scripts/prepublish.sh' ]
83839 silly lifecycle kad@0.0.0~prepublish: Returned: code: 1 signal: null
83840 info lifecycle kad@0.0.0~prepublish: Failed to exec prepublish script
83841 warn optional Skipping failed optional dependency /chokidar/fsevents:
83842 warn notsup Not compatible with your operating system or architecture:
fsevents@1.0.14
83843 verbose stack Error: kad@0.0.0 prepublish: `./scripts/prepublish.sh`
83843 verbose stack Exit status 1
83843 verbose stack     at EventEmitter.<anonymous> (C:\Program
Files\nodejs\node_modules\npm\lib\utils\lifecycle.js:239:16)
83843 verbose stack     at emitTwo (events.js:106:13)
83843 verbose stack     at EventEmitter.emit (events.js:191:7)
83843 verbose stack     at ChildProcess.<anonymous> (C:\Program
Files\nodejs\node_modules\npm\lib\utils\spawn.js:24:14)
83843 verbose stack     at emitTwo (events.js:106:13)
83843 verbose stack     at ChildProcess.emit (events.js:191:7)
83843 verbose stack     at maybeClose (internal/child_process.js:850:16)
83843 verbose stack     at Process.ChildProcess._handle.onexit
(internal/child_process.js:215:5)
83844 verbose pkgid kad@0.0.0
83845 verbose cwd C:\Users\run\Desktop\KOT\kad
83846 error Windows_NT 10.0.10586
83847 error argv "C:\\Program Files\\nodejs\\node.exe" "C:\\Program
Files\\nodejs\\node_modules\\npm\\bin\\npm-cli.js" "install"
```

npm-debug.log

```
83848 error node v6.0.0
83849 error npm v3.8.6
83850 error code ELIFECYCLE
83851 error kad@0.0.0 prepublish: ` ./.scripts/prepublish.sh`
83851 error Exit status 1
83852 error Failed at the kad@0.0.0 prepublish script '.
./scripts/prepublish.sh'.
83852 error Make sure you have the latest version of node.js and npm installed.
83852 error If you do, this is most likely a problem with the kad package,
83852 error not with npm itself.
83852 error Tell the author that this fails on your system:
83852 error . ./.scripts/prepublish.sh
83852 error You can get information on how to open an issue for this project
with:
83852 error npm bugs kad
83852 error Or if that isn't available, you can get their info via:
83852 error npm owner ls kad
83852 error There is likely additional logging output above.
83853 verbose exit [ 1, true ]
```