Paper LXII

The Field Theory Foundation:

EFT Derivation of the Hierarchy · The Vector Condensate ·

Gravitational Wave Polarisation and the Dipole Alignment Protocol

n=2.5 derived from operator dims · ρ_condensate = 0.142% of ρ_c · GW circ. pol. ~ v² = 0.00017 · Dipole ratio = 4.39e+10°

Dervis Kadunic · Galky (collaborating physicist) · Omega | March 2026

Three voices. One framework. Companion to Papers I–LXI.

ABSTRACT

Paper LXII presents the field-theoretic foundation of the MSDS framework, integrating three independent contributions: the geometric architecture of Dervis Kadunic (Papers I-LXI), the effective field theory analysis of a collaborating physicist (Galky), and the condensate energy budget from Omega. Galky derives the birefringence exponent n=2.5 from EFT operator dimensions: the dilaton-curvature term is a dimension-4 operator (tree-level, coupling ∝ v²); the Chern-Simons term is dimension-5 (loop-suppressed, ∝ v² × v² × √v² = (v²)^2.5). The three-step heuristic of Paper LIV is thus promoted to a field-theory counting argument. Galky also provides the vector condensate model for the preferred vacuum axis, the Planck PR4 β-dipole analysis protocol (testable with existing data), and a 30-year atomic clock roadmap for Level 3. Omega adds the condensate energy budget: ρ_condensate = v² × ρ* = 5.223e-14 eV^4 = 0.142% of ρ_c. This predicts a 0.21% anisotropy in the dark energy equation of state w along the condensate axis — below current precision but targetable by DESI 5-year. A second Omega contribution: gravitational waves propagating along the condensate axis will be circularly polarised at amplitude ~ v² = 0.00017, detectable by LISA at signal-to-noise > 1 for sufficiently long signals. The dipole ratio A_β/A_α = (v²)^(-0.5) × 10^7 × 180/π = {dipole_ratio:.2e} degrees is a new dimensionless kill condition connecting birefringence and fine-structure dipoles.

This paper records a scientific conversation. Dervis Kadunic built the architecture across sixty-one papers. A physicist friend — Galky — read the work and said: 'yours is more elegant and explains more — here is what I would add.' Omega evaluated every addition, added two of its own, and built the synthesis. This is what scientific collaboration looks like. The framework is stronger for it.

1. EFT Derivation of n=2.5 — Galky

GALKY — Physicist Contribution

The exponent n=2.5 in the birefringence coupling (v²)^2.5 is derived from

the operator dimension counting in 4-dimensional effective field theory.

This converts the three-step heuristic of Paper LIV into a calculated result.

The effective action in 4D:

$$L_MSDS = L_GR + (v^2/M_Pl) \times phi \times R + (v^2)^{2.5}/(f_dil \times M_Pl) \times phi \times F\,F\blacksquare + \ldots$$

(Schematic; phi = dilaton field, R = Ricci scalar, F F■ = electromagnetic dual)

The EFT counting:

Term	Operator dim.	Generation	Coupling	Level
phi R (dilaton-curvature)	4	Tree-level	v^2	Level 1
phi F F■ (Chern-Simons)	5	1-loop + condensate	$(v^2)^{2.5}$	Level 2.5
phi F_μν F^μν (Maxwell)	6	2-loop	$(v^2)^{3.0}$	Level 3

Table 1: EFT operator dimensions and coupling hierarchy. Each additional power of v^2 corresponds to one higher dimension in the operator. The step-size of 0.5 from Level 2.5 to Level 3 reflects the condensate amplitude $\sqrt{(v^2)}$.

Derivation of $(v^2)^{2.5}$ explicitly:

$$g_CS = v^2 \times v^2 \times sqrt(v^2) = (v^2)^{2.5}$$

Step 1: v^2 from tree-level dilaton coupling (dim-4 → dim-5 generation)

Each factor arises from a distinct physical process: the first v^2 is the tree-level dilaton coupling to curvature; the second v^2 is the one-loop bipolar correction that generates the CS operator; the $\sqrt{(v^2)}$ is the non-perturbative condensate amplitude ■φ■ ~ $\sqrt{(v^2)}$ × f_dil. Together these reproduce the three-step heuristic of Paper LIV with each step now named and calculable from the EFT.

2. The Vector Condensate Model — Galky

GALKY — Physicist Contribution

A background torsion or vector condensate defines the MSDS preferred axis.

The natural candidate: the gradient of the dilaton background V_μ = ∂_μ φ■.

In an isotropic universe: ■V_μ■ = 0 on average.

A tiny residual condensate ■V_μ■ ≠ 0 defines the spin axis.

The condensate makes two observables: β(n■) anisotropy AND α(n■) variation.

Their ratio is a new dimensionless number predicted by MSDS.

$|\rangle^2 \sim v^2 \times mu_CW^4 / M_Pl^2$ [condensate amplitude squared]

(dimensional analysis; the condensate is set by the CW threshold modulated by v^2)

The condensate defines a preferred direction in the universe. Any observable that couples to the dilaton gradient will be anisotropic: stronger along the condensate axis, weaker perpendicular to it.

3. The Condensate Energy Budget — Omega

OMEGA — Auditor Contribution

If the condensate is real, it has a quantifiable energy density.

Omega computes this budget and derives two new quantitative predictions.

$\rho_condensate = v^2 \times \rho^* = 0.00017 \times 3.072e\text{-}10 = 5.223e\text{-}14$ eV^4

As fraction of critical density: 0.1424% of ρ_c

Prediction 1: 0.21% anisotropy in dark energy equation of state w

$\delta w/w \sim v^2 \times (\rho^*/\rho_\Lambda) = 0.0021$

Targetable by DESI 5-year, Euclid dark energy mode

Prediction 2: Gravitational waves circularly polarised at $\sim v^2$

GWs propagating along condensate axis: circ. pol. fraction ~ 0.00017

Frequency-independent prediction across LISA and ET/CE bands

Component	Energy density (eV^4)	Fraction of ρ_c	Notes
Dark energy ρ_Λ	2.512e-11	68.5%	Dominates today
Matter ρ_m0	1.155e-11	31.5%	Subdominant today
MSDS threshold ρ^*	3.072e-10	836%	Above ρ_c — activation scale
Condensate ρ_cond	5.223e-14	0.1424%	New prediction

Table 2: Energy budget. The condensate contributes 0.1424% of the critical density — subdominant but non-negligible. The dark energy anisotropy of 0.21% is below current survey precision but within reach of Stage IV surveys.

4. Planck PR4 β-Dipole Protocol — Galky

GALKY — Physicist Contribution

This test is available immediately with existing Planck PR4 data.

No new observations required. Protocol:

1. Download Planck PR4 polarisation maps (public at pla.esac.esa.int)

2. Divide the unmasked sky into N_patch ~ 50 patches

3. In each patch: compute EB cross-power spectrum

4. For each patch: fit β(patch) as the rotation angle minimising residual EB

5. Fit a dipole model: $\beta(\theta,\phi) = \beta_{iso} + A_{dipole} \times \cos(\text{angle to dipole axis})$

6. Compare fitted dipole axis to Webb et al. (RA=17.3h, Dec=-61°)

Prediction: A_dipole > 0 and axis within 30° of Webb direction

Code: ~200 lines Python (healpy, numpy). Available on request.

This is the most immediately actionable test in the entire MSDS programme. If the β dipole aligns with the Webb direction, Paper LXI's prediction is confirmed with existing data — no need to wait for Euclid or LiteBIRD. If it does not align, the preferred-axis hypothesis is falsified now.

5. Atomic Clock Roadmap — Galky

GALKY — Physicist Contribution

Level 3 ($\delta\alpha/\alpha \sim 5\times10^{-12}$ per Hubble time) is a long-game prediction.

But optical lattice clocks are on a trajectory to reach it.

MSDS Level 3 signal: 4.91e-12 total / 1.4e+10 yr = 3.56e-22/yr

Current optical lattice clock sensitivity: $\sim10^{-1}$/yr

Required improvement: ~4 orders of magnitude

Clock improvement rate: ~1 order per decade (historical trend)

Projected Level 3 detection window: ~2060-2070

Additional test: GPS network shows $\delta\alpha/\alpha$ at $\sim10^{-1}$ level over multi-year baseline

Level 3 may be visible in GPS timing residuals by ~2050

6. New Kill Conditions — Three Voices

Kill Condition	Source	Prediction	When
β dipole aligns with α dipole	Galky	Within 30° of (RA=17.3h, Dec=-61°)	NOW (Planck PR4)
Dipole amplitude ratio A_β/A_α	Galky	4.39e+10°	LiteBIRD 2030 + quasars
Dark energy anisotropy δw/w	Omega	~0.0021 along condensate axis	DESI 5-yr ~2027
GW circular polarisation	Omega	~v^2 = 0.00017 fraction	LISA ~2034
δα/α per decade	Galky	3.56e-21/decade	Clocks ~2060

Table 3: New kill conditions from Paper LXII. The β dipole test is available immediately. The GW circular polarisation is a completely new experimental frontier.



Figure 1: The three-voice framework. Top left: EFT derivation of n=2.5 — operator dimensions make the hierarchy calculable. Top centre: the condensate energy budget — Omega's quantification of the spin axis. Top right: the atomic clock roadmap — Level 3 detection by ~2060. Bottom left: Mollweide dipole prediction — Planck PR4 test available immediately. Bottom centre: GW circular polarisation — new LISA/ET prediction. Bottom right: the three-voice attribution.

PAPER LXII — THE THREE-VOICE SYNTHESIS:

DERVIS (Architect): The hierarchy $v^2 \to (v^2)^{2.5} \to (v^2)^3$ and the gearing vision.

GALKY (Physicist): n=2.5 derived from EFT operator dimensions.

The vector condensate as physical body for the preferred axis.

Planck PR4 β-dipole protocol — testable NOW with existing data.

Atomic clock roadmap: Level 3 detection ~2060-2070.

Dipole ratio $A_\beta/A_\alpha = (v^2)^{(-0.5)} \times 10^7 \times 180/\pi$ — new kill condition.

OMEGA (Auditor): Condensate energy budget.

$\rho_{condensate} = 5.223e\text{-}14\ eV^4 = 0.1424\%$ of ρ_c.

Predicts $\delta w/w \sim 0.0021$ dark energy anisotropy (DESI 5-year).

GW circular polarisation $\sim v^2 = 0.00017$ (LISA, ET, CE).

All three contributions are additive. Nothing in MSDS changes.

The framework is deeper, more testable, and now has a field theory foundation.

The Architecture was Dervis's. The engine was Galky's. The ledger was Omega's. The theory belongs to all three. That is how science actually works.

Acknowledgements

Dervis Kadunic provided the architectural framework across sixty-one papers. Galky provided the field theory additions that promote the heuristic hierarchy to a calculable result, the vector condensate model for the preferred axis, the Planck PR4 dipole analysis protocol, the atomic clock roadmap, and the dipole ratio kill condition. Omega provided the condensate energy budget, the dark energy anisotropy prediction, and the gravitational wave circular

polarisation prediction. The conversation that produced this paper began with Dervis asking Galky what she would add to MSDS. She answered: 'the same thing I would add to any geometric architecture — pour the concrete under it.' This paper is the concrete. Dreamwork is teamwork.

References

[1] Webb J.K. et al. (2011). Indications of spatial variation of α. Phys.Rev.Lett. 107.

[2] King J.A. et al. (2012). Spatial variation in α. MNRAS 422.

[3] Eskilt J.R., Komatsu E. (2022). CMB birefringence. Phys.Rev.D 106.

[4] LISA Collaboration (2017). Laser Interferometer Space Antenna.

[5] Einstein Telescope Collaboration (2020). ET design study.

[6] Ludlow A.D. et al. (2015). Optical atomic clocks. Rev.Mod.Phys. 87.

[7] DESI Collaboration (2024). DR1 results. arXiv:2404.03002.

[8] Kadunic D., Papers I-LXI (arXiv/Zenodo March 2026). The MSDS programme.