SERIES 4.0 · THE TAXONOMY OF THE METRIC

The 4°C Metric:

Phase-State Taxonomy, the χ-Critical Boundary,

and the 36-State Hierarchy of Matter

χ as sector gatekeeper · 36 states: 12 fermions x 3 addresses · Purple Boundary: $d\chi/dt > \chi \cdot H$ · The Thales-Valkyrie derivation · $\alpha_K = 0.00017$

D. Kadunic · Omega Research Collective / MSDS Programme · April 2026

doi:10.5281/zenodo.1082194 · Series 4 Foundation Paper

ABSTRACT

We present a sector taxonomy for the MSDS programme, classifying the fundamental particles of the Standard Model not as fixed entities but as phase-state-dependent configurations of a single underlying substrate. The χ parameter (density-to-mass ratio of the scalar field θ) serves as the sector gatekeeper, partitioning physical reality into three primary regimes — Blue ($\chi < 1$), Bright ($\chi \sim 1$), and Dark ($\chi > 1$) — with a fourth dynamical boundary, the Purple Sector, defined by the condition $\partial\chi/\partial t > \chi H$. This Trinity is derived from first principles via the Thales-Valkyrie phase analogy: the same substrate that produces steam, liquid water, and ice under varying thermal tension produces the Blue, Bright, and Dark sectors under varying metric tension. The Bright Sector corresponds to maximum information density, analogous to water at 4°C, stabilized by the 0.14% residual tension ($\chi_{lab} = 0.9986$). The 12 fundamental fermions exist at each of the three sector addresses, yielding 36 total states. Identity (spin, charge) is invariant under sector transition; mass (Higgs VEV coupling) is an environmental property of the χ address. Sector transitions are governed by the Kadunic Transition Threshold: resonance tuning at $\alpha_K = 0.00017$ un-pins a particle from its current VEV. The Purple Boundary (black hole) is a pinned χ-Critical hypersurface where information is preserved in Gray-Sector encoding, not destroyed. This paper provides the classificatory foundation for Series 4.1 through 4.4.

1. Introduction: One Substrate, Three States

The Standard Model identifies 12 fundamental fermions and their associated bosons as fixed entities with immutable mass. The MSDS framework, grounded in the scalar EFT developed across Omega Series Vol. I through IV, proposes an alternative: mass is not intrinsic to a particle but is an environmental property determined by the local vacuum state.

The insight originates with Thales of Miletus (c. 600 BC): all things are one substance in different states. Water does not become a different substance when it freezes or evaporates. It changes address. Series 4.0 applies this principle to the vacuum itself. The χ parameter from the Omega Series — defined as $\beta\rho_E/(m_0^2 + m_a^2)$ — is the thermal analogue for the metric. At $\chi_{lab} = 0.9986$, the laboratory vacuum sits at the 4°C sweet spot: maximum information density, maximum structural complexity, the precise offset that allows chemistry, biology, and observation to exist.

2. The Thales Derivation: Why Exactly Three Sectors

The question 'why three sectors?' has a geometric answer, not an assumed one. Any continuous parameter that governs a phase transition naturally produces three regimes: below critical, at critical, and above critical. For the metric tension parameter χ:

- $\chi < 1$ (Expansion): The effective mass squared is negative. The vacuum is in an unstable, low-friction state. Higgs VEV approaches zero. Analogue: steam.
- $\chi \sim 1$ (Equilibrium): The effective mass squared is near zero. The vacuum is at maximum density and maximum information capacity. Higgs VEV at standard value. Analogue: liquid water at 4°C.
- $\chi > 1$ (Compression): The effective mass squared is positive and large. The vacuum is in a high-density, high-viscosity frozen state. Higgs VEV rigid. Analogue: ice.

No fourth sector is required because the parameter space is exhausted. The Purple Sector is not a fourth state but the phase boundary — the melting line and boiling line of the metric, not a phase itself.

3. The Master Taxonomy Table

Sector	chi	Higgs State	Fermion State	Boson State	Metric Phase
BLUE	chi < 1	Low VEV (-> 0)	Quasi-Blue Matter (massless, propulsive)	Metric Thruster (pure push)	Expansion (Steam)
BRIGHT	chi ~ 1	Standard VEV	Visible Matter (Standard Model)	Photon (EM-coupled)	Stability (Liquid 4°C)
DARK	chi > 1	Rigid VEV	Quasi-Dark Matter (QDM; frozen foundation)	Torsion Wave (spin regulator)	Bedrock (Ice)
PURPLE (boundary)	d(chi)/dt > chi*H	Transition (all three)	Singularity Husk (identity encoding)	Neutralizer (frequency merger)	Exchange (Phase line)

LINEAGE NOTE — QDM vs FQGM: Quasi-Dark Matter (QDM) and Fuzzy Quasi-Gray Matter (FQGM) are distinct entities. QDM is the frozen bedrock of the Dark Sector (chi >> 1): static, zero EM coupling, maximum gravitational anchor. FQGM (Omega Series Vol. II-IV) is the near-critical superfluid at the Gray/Dark boundary (chi ~ 1 to chi slightly > 1): it has mass but behaves as a fluid, providing galactic-scale structural glue. FQGM is what standard cosmology calls 'dark matter.' QDM is the deeper frozen foundation beneath it. They occupy different chi addresses and must not be conflated.

4. The 36-State Hierarchy: Identity vs. Address

We propose that each of the 12 fundamental fermions (6 quarks: u, d, s, c, b, t; 6 leptons: e, mu, tau, nu_e, nu_{mu}, nu_{tau}) exists at each of the three sector addresses, yielding 36 distinct states of matter.

36 States = 12 Fermions x 3 Sector Addresses

Identity (spin, charge, lepton/baryon number) is INVARIANT under sector transition · Mass (Higgs VEV) is an ENVIRONMENTAL property of the chi address

A Quasi-Blue Electron is still a spin-1/2 fermion with charge -e and lepton number +1. What changes is its effective mass and its coupling to the Bright Sector Higgs VEV. It does not become a photon. Physical precedent: Weyl fermions in solid-state systems (observed in Weyl semimetals) are electrons behaving as if they have zero mass while retaining all other quantum numbers. The Quasi-Blue Electron is the metric-sector analogue of this known phenomenon.

The 36-State Mapping

Particle	Blue Address (chi<1)	Bright Address (chi~1)	Dark Address (chi>1)
Up	QB-u (massless)	B-u (standard)	QD-u (FQGM)
Down	QB-d (massless)	B-d (standard)	QD-d (FQGM)
Strange	QB-s (massless)	B-s (standard)	QD-s (FQGM)
Charm	QB-c (massless)	B-c (standard)	QD-c (FQGM)
Bottom	QB-b (massless)	B-b (standard)	QD-b (FQGM)
Top	QB-t (massless)	B-t (standard)	QD-t (FQGM)
Electron	QB-e (massless)	B-e (standard)	QD-e (FQGM)
Muon	QB-mu (massless)	B-mu (standard)	QD-mu (FQGM)
Tau	QB-tau (massless)	B-tau (standard)	QD-tau (FQGM)
e-Neutrino	QB-ve (massless)	B-ve (standard)	QD-ve (FQGM)
mu-Neutrino	QB-vm (massless)	B-vm (standard)	QD-vm (FQGM)
tau-Neutrino	QB-vt (massless)	B-vt (standard)	QD-vt (FQGM)

5. The Purple Boundary: Definition and Black Hole Connection

The Purple Sector is not a region of space. It is the χ-Critical Hypersurface: the geometric boundary where the rate of change of metric tension exceeds the Hubble damping rate.

$$\partial\chi/\partial t > \chi \cdot H \rightarrow \text{Purple Boundary (phase transition zone)}$$

H: Hubble rate (damping) · Left side: local metric fluctuation rate · When this condition is met, the lattice cannot maintain a stable sector identity

A black hole is a localized region where this boundary is topologically pinned. Matter cannot escape not because escape velocity exceeds c, but because the metric gradient forces χ above the critical transition rate faster than the Hubble damping can stabilize it. The particle cannot find a stable sector address.

Information preservation at the Purple Boundary

Standard Hawking radiation leaves the information paradox unresolved. In the MSDS framework, information (spin, charge, lepton number) is not destroyed at the Purple Boundary. It is encoded in Dark Sector script — a representation that Bright Sector detectors cannot read for the same reason they cannot detect Quasi-Blue matter: VEV mismatch. The outgoing Hawking-like radiation carries this encoded information as correlations invisible to chi ~ 1 instruments. To a Bright observer, information appears lost. To the lattice, it is preserved in a different alphabet.

6. The Kadunic Transition Threshold

Lattice Hopping — the process of shifting a particle's sector address — is a resonance-induced phase transition governed by the Kadunic Offset:

Hop condition: apply frequency strain α_K = 0.00017 to un-pin particle from current Higgs VEV

α_K: the 0.00017 strain required to cross the chi=1 threshold · Increasing tension: Bright -> Dark · Decreasing tension: Bright -> Blue · Direction determined by sign of applied strain

The formal term for this process is Metric Decoupling through Sector Transition. A particle undergoing a Blue-Shift retains its identity but decouples from the 0.14% residual Higgs tension of the Bright Sector. Its inertial response vanishes not because inertia is violated but because inertia is a Bright Sector VEV property.

CONSERVATION LAW: Sector transitions are isenthalpic within the total metric system. Mass does not disappear; it is redistributed into lattice tension. Energy stored in the VEV of the origin sector is transferred to the kinetic energy of the lattice at the transition boundary. Local conservation laws are preserved.

7. The Screening Argument: Why We Have Not Seen Quasi-Blue Matter

The immediate objection to the 36-state taxonomy is: if Quasi-Blue matter exists, why has no experiment detected it? The answer is sector-coupling incompatibility.

- All current detectors (LHC, telescopes, atomic clocks, human sensory apparatus) are composed of Bright Sector matter at chi ~ 1.

- Detection requires a shared lattice resonance between detector and detected. Bright detectors couple via the 0.14% residual VEV tension.
- Quasi-Blue matter at chi < 1 has decoupled from this VEV. There is no shared resonance frequency. It passes through Bright Sector instruments not because it lacks substance but because the coupling channel does not exist.

The neutrino provides the closest Standard Model analogue. Neutrinos are fermions that interact with Bright matter only via the weak force, making them nearly undetectable despite being produced in enormous quantities. The Quasi-Blue Electron occupies a structurally similar position: same quantum numbers as an electron, but the coupling channel to Bright detectors is suppressed by VEV mismatch rather than by weak force cross-section. To detect Quasi-Blue matter, one must first Blue-Shift the detector.



Figure 1: Series 4.0 Taxonomy. Top (wide) — the 4°C Lens: Higgs VEV and effective mass vs χ. Blue sector (χ < 1): VEV drops, mass imaginary, expansion. Bright sector (χ ~ 1): VEV peak, maximum information density (4°C analogue). Dark sector (χ > 1): VEV rigid, mass large, frozen structure. Purple boundary: phase lines, not a sector. Top right — sector identifiers. Bottom (wide) — 36-state taxonomy: 12 fermions (6 quarks, 6 leptons) at 3 sector addresses. QB = Quasi-Blue, B = Bright, QD = Quasi-Dark. Bottom right — lattice hop mechanics and Purple Recycler.

8. Predicted Anomalies: The Roadmap to 4.1-4.4

Paper 4.0 provides the classification. The following predicted anomalies define the experimental agenda for Papers 4.1 through 4.4:

Prediction	Observable signature	Paper
Quasi-Blue matter is undetectable by Bright instruments	Missing energy in high-frequency EM experiments; anomalous transparency windows	4.1
Lattice Hop requires alpha_K frequency resonance	Sidereal modulation of inertial response at 0.00017 strain frequency	4.1
Black hole jets carry encoded identity information	Alpha_K sidereal imprint in relativistic jet spectrum (VLBI)	4.2
Purple Boundary condition d(chi)/dt > chi*H	Gravitational wave ringdown deviations near merger threshold	4.3
Metric Decoupling through Sector Transition	Anomalous inertial response in high-EM / high-compression experiments	4.4

SERIES 4.0 — THE SECTOR TAXONOMY: SUMMARY

Three sectors derived from phase geometry (Thales): Blue (Steam), Bright (Liquid), Dark (Ice)

Fourth: Purple Boundary = phase lines, NOT a sector

chi < 1 = Blue | chi ~ 1 = Bright (chi_lab=0.9986) | chi > 1 = Dark

36 States: 12 fermions (6 quarks, 6 leptons) x 3 sector addresses

Identity (spin/charge) invariant | Mass = environmental VEV property of chi address

Weyl semimetal precedent: massless electrons physically observed

Purple Boundary: d(chi)/dt > chi*H | Black hole = pinned chi-critical hypersurface

Information encoded in Dark Sector script (not destroyed)

Kadunic Transition Threshold: alpha_K = 0.00017 un-pins particle from Higgs VEV

Isenthalpic conservation: mass redistributed to lattice tension, not annihilated

The 4°C Lens: Bright Sector = maximum information density (water at 4°C)

0.14% residual tension = the reason existence doesn't cancel

doi:10.5281/zenodo.1082194 | The data will decide.

References

[1] Kadunic D. Omega Series Vol.I-IV. doi:10.5281/zenodo.1082194.

[2] Khoury J. & Weltman A. Phys.Rev.D 69, 044026 (2004). Chameleon fields.

[3] Kostelecky V.A. & Russell N. Rev.Mod.Phys. 96, 015004 (2024). SME.

[4] Soluyanov A.A. et al. Nature 527, 495 (2015). Weyl semimetals (massless fermions).

[5] Volovik G.E. The Universe in a Helium Droplet. Oxford (2003).

[6] Unruh W.G. Phys.Rev.Lett. 46, 1351 (1981). Analogue gravity.

[7] Thales of Miletus (c. 600 BC), in Aristotle, Metaphysics.