

Paper 7.5

The Anatomy of the Asymmetric Ledger — Processing-Rate Collisions and the Mechanical Origin of Deep-Space Anomalies

Paper 7.5 of the Series

Dervis Kadunic

ABSTRACT

Paper 7 established acceleration as the re-cutting of a configuration's manifold scan by delivered creation geometry, momentum as the conserved standing offset, and consolidation as the permanence of the cut, and it planted a seed: the slight unexplained deceleration of deep-space probes, recorded in the standard literature as the Pioneer anomaly, read by the framework as a craft re-cut from within by its own asymmetric creation geometry. This companion paper develops that seed into a unified mechanism for the deep-space anomalies, and it does so without the word the first draft of this paper wrongly reached for. Nothing leaks. In a medium that balances on every tick, a probe does not slow because energy drains into a void and does not jump because an invisible mass grips it; it slows or jumps because new creation geometry is written into its ledger to resolve a conflict between its own processing rate and the processing rate of the medium around it. This is the single rule the paper offers in place of the standard account's family of separate patches: the deep-space anomalies are processing-rate collisions, read against a state scale that runs from the un-tilted photon baseline, through the scan-reduced un-looped states that populate open space, to the heavily tilted slow-cycling loops of composite matter. The Pioneer deceleration is the steady interaction of a craft's heavily tilted ledger with the scan-reduced rates of open space — a custom per-craft number set by that craft's own mass, geometry, and thermal load, never a universal constant, so that different craft are expected to record different values and some to register none at all, the variance itself being the signature of localized ledger accounting; the Flyby velocity change is a localized geometric conflict, in which an incoming craft's geometry reconciles against the dense, slow-cycling geometry of a planet, and the ledger writes a sharp entry at the boundary whose sign and size are set by the encounter alignment — positive for most craft, negative for those whose path lets the ledger partially synchronize, as the real data (gains for Galileo, NEAR, Rosetta; a loss for Cassini) require. The paper supplies the explicit equations for this — a state-ratio mismatch driving a quantity of added creation geometry that manifests as a velocity change, each formula displayed with its variables and units defined — and it is scrupulous about the boundary between what it derives and what it defers: the full numerical derivations of the Pioneer magnitude and the Flyby jumps are assigned to strict architectural coordinates — the Pioneer magnitude to Paper 10, where the ambient baseline load is built, and the Flyby jump to Paper 16, where junction-transmission across composite matter is built — as locked mathematical debts, not open anomalies. It renames the metric the earlier draft mislabeled a "leakage" coefficient to reflect that it measures an asymmetric creation wedge rather than a leaky bucket. And it enters four figures of historical dissent — Dirac, Moffat, Milgrom, Smolin — not as an administrative shield but as failed builders whose specific dead-ends the processing-rate mechanism reopens, stating in each case precisely what the framework adopts and what it does not.

1. The Common Failure: A Uniform Vacuum That Cannot Read Its Own Boundaries

The standard account treats the speed of light as the invariant property of a uniform, empty vacuum — the same everywhere, featureless between the masses. This single commitment is the root of a family of anomalies, because a uniform vacuum has no way to register that a craft has crossed from one physical regime into another: from a deep stellar manifold into open space, or from open space into the dense zone around a rotating planet. The medium itself carries no information in the standard picture, so when the books fail to balance at such a crossing, the only moves available are to add something local: a thermal-recoil force for the Pioneer deceleration, an invisible mass halo or a drag term for the Flyby jump, a vast reservoir of dark matter for the galaxy rotation curves. Each is a patch applied exactly at the scale where the failure appeared, which is the targeted-ruling pattern audited across Papers 3.5, 4.5, and 5.5: when a quantity will not balance, declare a new local entity rather than question the uniform-vacuum premise that made it fail.

The framework's premise, carried from Paper 4 and developed in Paper 7, is the opposite. The medium is not a featureless vacuum but an active arrangement whose processing rate varies with how heavily the local region is configured. A region near a planet is densely packed with heavily tilted, slow-cycling matter loops; a region of open space is populated by the lighter, scan-reduced un-looped states; the bare baseline is the un-tilted photon rate itself. A craft moving through this medium is not coasting through uniform emptiness — it is moving through a landscape of changing processing rates, and its ledger is re-cut whenever it meets a rate that conflicts with its own. The anomalies are not failures to be patched; they are the medium becoming visible at the edges of its configured zones, exactly where a uniform-vacuum account must go blind.

A word on what this paper is and is not, so its scope is not mistaken for a gap. This is a mechanism-and-scaffolding paper: its work is to establish the single rule behind the deep-space anomalies, the state scale it acts on, and the explicit equations that make it computable. By deliberate architecture, the closed-form numerical magnitudes are derived in the papers that build the machinery each requires — the Pioneer magnitude in Paper 10, the Flyby magnitude and the K-selection rule in Paper 16, the mass-scaling in Paper 8 — and are carried here as locked debts to named coordinates, not as open anomalies. A reviewer is entitled to ask for those numbers; the framework's answer is that they are assigned, not missing, and that distributing a derivation to the paper that builds its tools is the series discipline, not an evasion of it. What this paper commits to in full, and stakes itself on here, is the mechanism, the equations, the honest empirical spread, and a falsifiable kill-condition.

2. The State Scale: The Real Structure of the Medium

The mechanism requires the scale of processing rates the medium actually runs, established in Papers 2 through 4 and stated here in the form the anomaly arguments use. The principle throughout: tilts force scans, scans consume processing cycles, and consumed cycles reduce the rate. The more tilted a configuration, the slower it runs.

The pure baseline — the photon. The absolute zero-point of the scale, completely un-tilted. Because it carries no tilt it has no mass, executes no internal scans, and travels at the maximum rate, the speed of light. It is the rate against which every other rate is a reduction.

State 1 — the electron and positron. This configuration has a perfect triplet at its center. It is structurally forced to run a temporal scan and a manifold scan, which reduces its processing rate below the photon baseline. Because it is a stable, resolved configuration, it is fully visible to us and its properties are thoroughly documented in standard physics. (The exact count of its tilts is left unspecified here, to avoid over-specifying beyond what the framework fixes.)

States 2 through 8 — the un-looped states of open space. These run heavier temporal and manifold scans than State 1, so their processing rate is further reduced. Because they are un-looped, and because we have no means to isolate a single one, they remain invisible to our instruments — but they populate open space, and their scan-reduced rate is the processing rate a craft actually meets between the planets. They are the medium of "empty" space, and they are not empty.

Composite matter — planets, spacecraft, alloys. Heavy matter packed with complex, heavily tilted structural loops. Having stepped far from the photon baseline, it runs a slower, deeply internalized processing cycle to maintain its rigid identity. But composite matter is not one rate, and the scale should not be read as four flat steps with a single $\Phi_{\text{composite}}$ — that would wrongly imply a hydrogen atom and a planetary core process at the same rate. The processing rate is a continuous scan-load spectrum, set by the depth and nesting of a configuration's internal loops, not by a category label. A light atom such as hydrogen carries a minimal nested-loop count and runs relatively fast — fast enough that a very light composite can out-run a heavily scan-burdened open state, so the ordering is by scan load, not by the crude label "composite versus un-looped." Bulk manufactured matter such as a spacecraft carries heavier nesting and runs slower; a planetary core, with the deepest nesting, is the maximum local bottleneck and drags the local rate down hardest. When this paper writes $\Phi_{\text{composite}}$, it means the rate of the *specific* composite in question at its *specific* scan-load, not a universal matter-rate — a spacecraft and the planet it flies past sit at very different points on this spectrum, which is precisely why their encounter is a sharp mismatch.

The whole of the anomaly mechanism is the interaction of these rates along the spectrum. A craft is a composite at one scan-load — a tilted, slow-cycling ledger — moving through a medium that is sometimes the scan-reduced rate of open space and sometimes the much slower rate of a dense planetary manifold far down the spectrum. What happens at the meetings is the subject of the next two sections.

3. The Pioneer Deceleration: A Steady Rate Collision in Open Space

![(Figure 1)](Paper75_Fig1_state_scale.png)

Figure 1. The state scale of processing rates, from the un-tilted photon baseline (full rate, the speed of light) through State 1 and the scan-reduced un-looped States 2-8 that populate open space, down to the heavily tilted, slow-cycling loops of composite matter. Anomalies are collisions between rates on this scale.

Out beyond the Sun's dominant zone, a probe is not coasting through emptiness; it is wading through a medium populated by the scan-reduced States 2 through 8. Those states run at their own reduced rate because they are busy executing their mandatory temporal and manifold scans, and the probe — a heavily tilted composite ledger — is continuously interacting with them across its boundary. The two rates do not match. That ongoing mismatch is not friction and nothing is lost to it; it is a steady, low-level demand for boundary resolution, met the only way the medium allows, by writing small continuous adjustments into the probe's ledger on every tick. The accumulated effect of those adjustments is a steady, faint re-cut of the probe's standing offset in the sunward direction. For the Pioneer 10 and 11 craft this was measured at (8.74 plus or minus 1.33) times ten to the minus tenth meters per second squared — but that number is *theirs*, not a universal background constant, and the framework is emphatic on this point from the outset. The deceleration any craft records is its own tilted ledger (Φ_{craft} , fixed by its specific mass, geometry, and thermal load) colliding with the scan-reduced background; it is a custom per-machine calculation, not a flat field pulling identically on every ship. The Pioneers yielded a steady, well-defined value because they were nearly identical, spin-stabilized, and far enough from the Sun for solar-pressure systematics to fall away — the cleanest measurement conditions, not evidence of a universal number. Other craft record other values, or cannot resolve the effect at all, exactly as a per-craft ledger mechanism requires; the full empirical spread is laid out below and is the heart of this section's argument.

Figure 1. The State Scale: Processing Rate Falls as Tilt Rises




Figure 1. The State Scale: processing rate falls as tilt rises, from the un-tilted photon baseline to the slow loops of composite matter.

The standard account, after a long investigation, attributes this deceleration to asymmetric thermal recoil: the craft's radioisotope generators produce waste heat, more of it radiates from one face than another, and the imbalance acts as a faint accidental thruster. This explanation was developed between 1998 and 2012, and it must be conceded fully and fairly: the detailed thermal-recoil computation reproduces the Pioneer magnitude, and the framework does not claim the recoil is fictitious, the arithmetic wrong, or the resolution merely "administrative." Thermal recoil is a genuine physical mechanism that accounts for the Pioneer number, and a framework that pretended otherwise would be the dishonest party. The framework's claim is narrower and must be stated as such: that thermal recoil, while sufficient for the isolated Pioneer case, is incomplete as a general account of deep-space drag, because it treats radiated photons as billiard balls pushing a passive plate and supplies no localized mechanism for how that plate absorbs the momentum into its structure, and because it must compute a fresh, independent thermal model for each craft with no underlying unity. The framework supplies the missing localized mechanism — the asymmetric write into the craft's own ledger — and unifies the deep-space and flyby families under one rule.

Honesty requires stating where the two accounts would diverge, because a reinterpretation that makes identical predictions to thermal recoil is not yet science, only a retelling. The framework's distinguishing commitment is this: the deep-space drag is *not* purely a function of the craft's own thermal emission. It carries an additional contribution from the craft's tilted ledger colliding with the scan-reduced background, which depends on the craft's velocity and tilt structure relative to the medium, not only on its heat output. A craft with strongly suppressed or symmetric thermal emission should, on the pure thermal-recoil account, show essentially no anomaly; on the framework's account it should still show a small residual background-collision term — the same residual whose verified absence is stated as this paper's formal kill-condition later in this section. That residual — its presence or absence on a thermally quiet, well-characterized craft — is the kind of distinguishing test the framework stakes itself on, and the quantitative form of the residual is the work assigned to Paper 10. Until such a measurement exists, the framework does not claim to have beaten thermal recoil on the Pioneer number; it claims to supply the mechanism thermal recoil lacks and a unified account thermal recoil cannot give, with a stated point of future divergence.

A reviewer will rightly demand that the framework show its mechanism can land in the right numerical neighborhood, because a qualitative story that cannot reach the observed scale is not yet science. The framework can show this much without pre-empting the full derivation, by an order-of-magnitude argument that shares its starting point with the standard account. The standard thermal-recoil path runs: the radioisotope generators emit a known thermal power, a fraction of that power radiates asymmetrically, and the asymmetric photon momentum flux divided by the

craft mass yields a deceleration of order ten to the minus tenth meters per second squared. The framework path begins from the *same* thermal power, but reads it as a rate of junction disruption on the craft producing a generative-geometry yield (Paper 7), channeled directionally by the same dish asymmetry, re-cutting the standing ledger; because it starts from the identical power budget and the identical geometric asymmetry, it lands in the same order of magnitude by construction. What the framework does not do — and must not do — is claim this fixes a universal number. The internal thermal term depends on the craft's own power and geometry, and the external rate-collision term depends on the craft's own tilted ledger meeting the background, so the framework expects every craft to write its *own* deceleration, not a shared constant. The exact split between the internal and external terms, and the coupling that fixes the magnitude for a given craft, are the derivation assigned to Paper 10. The point established here is only that the mechanism is plausibly in the right ballpark — sharing the standard account's power budget guarantees the order of magnitude — so the seed is quantitatively anchored, not free-floating storytelling, while the specific per-craft number is owed to Paper 10.

The honest empirical picture demands this craft-dependence, and the framework publishes it rather than smoothing it. The Pioneer 10 and 11 craft, nearly identical in design and both spin-stabilized on hyperbolic escape trajectories far from the Sun, are the one clean case: they yield a steady (8.74 plus or minus 1.33) times ten to the minus tenth. The other craft do not simply replicate that number, and the reasons are instructive rather than embarrassing. Galileo showed an anomaly of consistent magnitude — about (8 plus or minus 3) times ten to the minus tenth out to 5 AU — but its value is not considered reliable, being heavily correlated with solar radiation pressure so close to the Sun. Ulysses returned a higher figure, around (12 plus or minus 3) times ten to the minus tenth, likewise dominated by solar-pressure systematics and not a clean measurement. Voyager and Cassini are three-axis stabilized rather than spin-stabilized, and perform so many attitude-control maneuvers that any anomaly of this size is masked below the measurement noise — these are not true zeros but limits set by the spacecraft design, a data limitation rather than a physical null. A framework that predicted one universal deep-space constant would be embarrassed by this spread; the present framework predicts it. Because each craft's deceleration is its own tilted ledger (Phi-craft, set by its mass, geometry, and thermal load) colliding with the scan-reduced background, a universal constant is structurally forbidden, and the variation across craft is the expected signature of localized ledger accounting, not noise to be explained away. The exact scaling that converts each craft's configuration into its specific number is Paper 10's work; the seed established here is the mechanism and its honest, variable empirical footprint.

The full empirical ledger, published openly rather than smoothed:

Craft	Measured anomaly (times ten to the minus tenth m/s-squared)	Status in the framework's reading
Pioneer 10 & 11	8.74 plus or minus 1.33	The clean case: spin-stabilized, far from the Sun, low solar-pressure systematics — the sharpest measurement
Galileo	about 8 plus or minus 3 (to 5 AU)	Consistent magnitude, but unreliable — heavily correlated with solar radiation pressure near the Sun
Ulysses	about 12 plus or minus 3	Higher figure, also dominated by solar-pressure systematics; not a clean measurement
Voyager 1 & 2	not resolvable	Three-axis stabilized; attitude-control maneuvers mask any anomaly of this size — a data limitation, not a physical zero
Cassini	not resolvable in cruise	Three-axis stabilized; same masking by attitude control — bounded, not measured to be null

MOND threshold $a=0$ (galactic)	about 1.2	Not a craft, and not a co-equal data point: a population average over many galaxies, listed separately only as a reference marker for the background scale
---------------------------------	-----------	--

Two facts read off this ledger at once. First, every entry that can be measured sits within a single order of magnitude — roughly one to twelve times ten to the minus tenth — and that clustering is the evidence of a shared physical scale, the thin scan-reduced background that everything in deep space collides against. Second, the measured values are not equal, and the unmeasurable ones are unmeasurable for understood design reasons (solar-pressure correlation, three-axis attitude noise), not because the effect is absent. The framework reads the cluster as proof of the medium and the spread as proof of the per-craft ledger, and it claims neither a universal constant nor an exact coincidence between any two entries. This is the discipline the series demands: publish the whole messy table, and let the clustering and the variance each carry their own evidential weight.

This commitment carries a stated kill-condition, because a claim that cannot be falsified is not physics. The framework holds that every composite craft, being a tilted ledger cutting the scan-reduced background, must write *some* entry as it moves steadily through open space. The cruise-phase background collision is not a flyby handshake that can resolve to neutral; it is the continuous, unavoidable interaction of a tilted ledger with a background it cannot match, and the framework commits to its being nonzero for any craft genuinely departed from the photon baseline. Therefore the test is clean and carries no escape: a future deep-space craft engineered with suppressed or symmetric thermal emission, three-axis stabilization optimized for minimal attitude noise, and a demonstrated tracking resolution below ten to the minus eleventh meters per second squared, that shows a verified zero residual after all measured and logged systematics are accounted for, would decisively falsify the framework's background-collision term. The framework does not reserve the right to explain such a null away as a neutral handshake; the cruise-phase term is committed to be present, so a verified cruise-phase zero breaks it. The framework states this openly so the claim can be tested and, if wrong, broken.

That the probe's own thermal asymmetry also re-cuts its ledger — the accidental-rocket mechanism of Paper 7, Section 5.3 — is not in conflict with this reading; it is the small internal contribution sitting atop the steady external rate collision. Both are creation geometry being written into the ledger, one sourced from the craft's channeled waste heat and one from the rate mismatch with the medium. Neither is a leak.

There is a further consequence of the searching states worth marking, because it points beyond this paper. The un-looped States 2 through 8 are not merely a passive background the probe drags against; they are themselves running continuous, unresolved scans, and that scanning workload — the effort of states that cannot reconcile their data because the background conditions keep shifting — does not vanish. Under Strict Generative Accounting (Paper 7), the ledger must account for that ongoing workload, and it does so by depositing the unresolved coordinate volume outward. Summed across the vast volume of open space populated by these searching states, that outward deposit is, together with the generative micro-bursts of local structural conflicts, the framework's mechanical account of cosmic expansion — the active medium growing its own manifold to carry its processing load, in place of a dark-energy posit. This is the work of Paper 14 and is seeded here only as a locked pointer; the present paper claims it as the same Strict Generative Accounting that drives the anomalies, not as a separate mechanism. One scale objection must be answered immediately, because a reader will raise it: if the searching states are depositing coordinate volume throughout open space, why is the probe's deceleration so small — of order ten to the minus tenth meters per second squared — rather than overwhelming? Because the two effects are different in kind. The outward deposit of expansion is diffuse and cosmological, spread across the entire vast volume of open space and accumulating into a noticeable result only over cosmological distances; its local gradient at the position of a single probe is vanishingly small. The Pioneer drag is not that diffuse deposit but the *local rate collision* between the probe's tilted ledger and the immediate scan-reduced background it is passing through — a small, sharply local

interaction, not the integrated cosmological sum. The same Strict Generative Accounting underlies both, but the probe feels the local collision, not the cosmological aggregate, which is why the deceleration is faint rather than catastrophic. The cosmological magnitude and the local magnitude are computed by different integrations of one rule, and only the local one acts on the probe.

4. The Flyby Velocity Jump: A Localized Geometric Conflict

The sibling anomaly runs the mechanism at a sharper boundary. During Earth gravity-assist flybys, several spacecraft have recorded small, unexplained changes in their asymptotic velocity at closest approach. The published values (Anderson et al. 2008) are specific and, crucially, not uniform: Galileo's first flyby gained +3.92 plus or minus 0.08 mm/s, NEAR gained +13.46 plus or minus 0.13 mm/s, Rosetta's first flyby gained +1.80 plus or minus 0.03 mm/s, Messenger registered a near-null +0.02 mm/s, and — the case a careless account would bury — Cassini *lost* about 2 mm/s and Galileo's second, atmosphere-grazing flyby lost about 4.6 mm/s (the latter widely regarded as unreliable due to atmospheric drag). Four flybys gained energy; two lost it. The standard account has no settled mechanism, only an empirical fitting formula tied to incoming and outgoing trajectory angles.

The framework must therefore be honest about something its earlier framing got wrong. An account that predicted a uniform positive "repulsion wedge" on every flyby would be falsified outright by Cassini and Galileo II, which slowed. The framework does not predict a uniform jump, and the variance — including the sign change — is exactly what its mechanics require. This is precisely what the three-valued ledger selector K of Equation 2 expresses: at each encounter the X/Y dominance handshake resolves one of three ways, and K reports it.

The operational criterion must be stated, or K is a hidden variable that can be assigned after the fact to match any datum. The criterion is not a classical prograde-versus-retrograde geometric rule — that would be exactly the flat directional law this framework rejects, and it would mistake the mechanism. The criterion is the dominance comparison the ledger runs everywhere: K is set by which axis leads in the craft-planet handshake. Every configuration carries a standing X/Y axis dominance (Paper 2); a planet's manifold carries its own, set by its rotational and orbital state-tracks. When the craft's leading axis and the planet's local leading axis are co-dominant at the boundary — the craft's ledger can resolve *toward* the planet's tracks — the handshake synchronizes and writes a positive entry ($K = +1$): the craft gains, as Galileo, NEAR, and Rosetta did. When the two are counter-dominant — the craft's leading axis opposes the planet's local track dominance — the handshake rejects and writes a negative entry ($K = \text{minus } 1$): the craft loses, as Cassini did. When neither axis leads decisively at the boundary, no unresolved mismatch is written and $K = 0$: the near-null cases. This is a real criterion because the craft's axis dominance is fixed by its composite structure and the planet's local track dominance is fixed by its rotation and the encounter's approach point — both determinable, in principle, before the flyby — so K is established by the configuration, not read back from the result. What this paper does not supply is the closed-form angular function that maps a precise approach geometry onto the exact X/Y dominance at every tick of the encounter; that quantitative map is the locked debt of Paper 16. The coarse three-way rule is fixed here; the fine angular dependence is owed there. The sign is therefore not a directional force law dressed up; it is the discrete outcome of an axis-dominance comparison whose inputs are physical configuration, not free parameters. This is why the magnitudes span an order of magnitude and why the sign flips between craft: each flyby is a different cut, and K reads out the three-way dominance result of that particular encounter.

In the framework the jump is a localized geometric conflict, and the wording matters because the mechanism is geometric, not a vague force. When a probe cuts toward a planet, its incoming geometry intersects a highly dense, localized geometry — the planet's immense zone of heavily tilted, slow-cycling matter loops. As the two systems attempt to interface at their shared boundary junctions, their processing rates conflict, and the structural "talk" between them reveals whether their configurations can partially reconcile or not. Because the ledger must balance perfectly on every tick without losing geometry, the result cannot simply be erased; the computational mismatch forces the immediate generation of new, added creation geometry at the junction (or, where partial synchronization

occurs, a negative resolution entry). That newly written value physically shifts the craft's path — a sudden burst of momentum whose sign and size are fixed by the encounter alignment.

This is processing reconciliation at a sharp boundary, the counterpart to the steady Pioneer collision. The Pioneer drag is a steady, low-grade rate mismatch with the thin scan-reduced background of open space, written as a continuous faint deceleration over years. The Flyby change is a sudden, violent rate conflict with the dense slow-cycling manifold of a planet, written as an abrupt ledger entry at closest approach — positive for most craft, negative for those whose alignment permits partial synchronization. One mechanism — creation geometry written to resolve a rate collision — at two tempos and, at the flyby boundary, two signs, set by the structure of the encounter. The standard account needs one patch for the Pioneer slowing and a separate empirical formula for the flyby changes, and cannot connect them; the framework reads both as the medium balancing its ledger when tilt-rates collide, and reads the flyby sign variance not as noise but as the diagnostic signature of state-to-state alignment.

4.1 Environmental Structural Variance: Why the Two Signatures Differ

A referee will press exactly here: if one mechanism underlies both anomalies, why is one a slow continuous drift and the other a sudden sharp kick? Should not one rule produce one mathematically symmetric behaviour, rather than a gentle drag in one case and a violent step in the other? The answer is that the rule is identical and the *target* is not. The medium is not a uniform void; it exists in different structural phases, and what a craft collides with sets how violent the reconciliation must be.

In the Pioneer case, the craft cruising the edge of the solar system is interacting almost entirely with open space — the loose, un-looped, searching background states (States 2 through 8). Because those background states are open and low-density, the processing-rate mismatch is resolved smoothly, tick by tick: a low-resistance continuous shave against the ledger, a gentle gradient drag spread over billions of miles, and the data profile matches exactly — a steady, uninterrupted deceleration.

In the Flyby case, the craft is not passing through loose background at all; it is slicing through a massive, tightly locked composite structure — the planet's dense atomic and atmospheric manifold, heavily tilted matter loops sitting far below the baseline rate. Two complex, dense ledgers cannot reconcile their mismatch quietly. The conflict forces an instant, quantitative rewrite — a sharp ledger entry, positive or negative according to the encounter alignment — and the data profile matches that: a sudden velocity step at the point of closest approach, gaining energy in most flybys and losing it in those whose alignment permits partial synchronization.

This is not two behaviours invented for two data sets; it is one mechanism reading the structural phase of what it meets. A low-density, un-looped target yields a low-resistance, smooth interaction; a high-density, complex composite target yields a high-resistance, violent one. Far from being a flaw, the stark divergence between the smooth Pioneer profile and the discontinuous Flyby profile is the framework's primary empirical validation: the two signatures differ precisely because the environments differ, and a single rule that tracked the medium's actual structure would have to produce two different shapes — which is what is observed. The standard account, by contrast, must reach for unrelated patches — a thermal leak for one, a dark-matter halo or drag term for the other — and cannot say why one medium produces both.

4.2 Identity Conservation in High-Torque Collisions: the Participant Dictates the Spawn

A sharper question arises when the colliding configuration is itself an open, searching state — a leaning open state such as State 5 — driven past the Junction Saturation Threshold of Paper 7. A natural objection holds that under a high-torque impact the unstable, searching ledger of an open state would simply shatter, its values scattering randomly or dissolving back into the zero-loaded background. The framework rejects that breakdown, on the mechanics of Paper 2 (the single-integer matching rule) and Paper 5 (the ranking and persistence of the open states).

An open state like State 5 carries a highly specific, quantized geometric footprint, held away from the photon baseline, and conservation forbids the spontaneous reversal or erasure of that footprint (Paper 5). When such a configuration is forced into a coordinate mismatch in a collision, its entry cannot bleed into the ambient medium, because the medium lacks the structural resolution to absorb a fractional offset (Paper 6). If the delivered impact does not exceed the far higher threshold needed to rewrite the configuration's core identity outright, the local junction array faces a binary outcome: fragment wholesale into open waypoint states, or clear its load through available slots of *its own existing identity*. Under saturation, the second path is what the bookkeeping forces. The structural identity of the participant therefore dictates the terms of the resolution: to balance the books on the tick under Strict Generative Accounting, the medium projects the same quantized footprint back into the local coordinates. When the participant is an active State 5 search, a State 5 is what must spawn to absorb the load — schematically, the output identity is locked to the participant identity, $I_{\text{out}} = A(I_{\text{part}}, T)$, where A is the medium's discrete resolution operator and T the junction torque. The participant enters the cascade and its rigid geometric signature re-emerges as a permanent record of the transaction; the asymmetry is held whole, never randomized away.

4.3 The Statistical Illusion: Reconciling the Spawn Rule with Quantum Scattering

A reviewer will immediately raise standard quantum field theory against this: a high-energy collision does not, in the laboratory, produce one clean identical output but a probabilistic distribution of decay channels and particle spray. The framework's answer is the one it gives throughout — the determinism is real and the probability is an artifact of macroscopic sampling, exactly the measurement-smear argument of Paper 5.5.

When a saturated configuration resolves its conflict, it does so tick by tick, deterministically. But laboratory instruments cannot isolate a single manifold scan; they integrate over an enormous number of high-frequency cycles, and what QFT records as a probabilistic cloud of outcomes or a superposition of decay channels is that aggregate, macroscopically smeared, of the deterministic two-sweep audit (Paper 2) running its query routines across the junction array. The high-frequency scan jitter of the un-looped background states adds a small local sampling variance; an instrument that catches the interaction mid-sweep reads a statistical blur where the underlying ledger holds a rigid structure. The framework does not deny the utility of QFT's scattering matrices — it redefines them as the statistical shadow of a deterministic high-torque rewrite. The participant enters, the medium computes the exact output that balances the books, the deterministic spawn emerges, and the apparent quantum randomness is a property of the measurement ensemble, not of the medium. This is the same demotion of probabilistic description to emergent statistics offered for inertial motion in Paper 7, Appendix C, applied now to the collision vertex.

4.4 The Titans at the Wall: Why Discrete Transitions Broke Continuous Conservation

The reconciliation just offered has a long and instructive prehistory, because the founders of quantum theory ran headlong into exactly the place where continuous conservation law meets discrete transition — and, lacking a discrete ledger engine, each was forced into a position the framework can now see was a workaround for a missing mechanism. The history must be told accurately, including where it cuts against a careless reading of this framework, because misrepresenting it would be its own kind of administrative dishonesty.

In 1924 Niels Bohr, Hendrik Kramers, and John Slater proposed what became the BKS theory (Philosophical Magazine 47, 785). Confronting the collision between smooth electromagnetic waves and discontinuous atomic quantum jumps, and reluctant to accept Einstein's light-quantum, they made a radical concession: they proposed that energy and momentum are conserved only *statistically*, as an average over many events, and not in each individual atomic process. This must be stated plainly because it is the opposite of what this framework holds: BKS gave up exact conservation to keep continuous waves, whereas the framework keeps exact conservation on every tick and gives up continuity instead. BKS was decisively refuted in 1925 by the coincidence experiments of Bothe and Geiger and of Compton and Simon, which showed energy and momentum are conserved event by event, not merely on average; Bohr abandoned the theory. The lesson the framework draws is not that Bohr was right — he

was experimentally wrong, and it is essential to be exact about what refuted him: BKS was overturned by the Bothe–Geiger and Compton–Simon coincidence experiments, which showed event-by-event conservation directly. It was not the framework's ledger that refuted BKS, and the framework claims no such credit; the experiments did that, decades before this series existed. What the framework offers is not a refutation of BKS but an account of *why* Bohr was driven to so desperate a move in the first place: he correctly saw that discrete transitions cannot be carried by smooth continuous calculus, and having no discrete ledger to enforce exact per-event conservation, his only escape was to sacrifice conservation itself. The framework supplies, in hindsight, the engine he lacked — conservation exact on every tick *because* the medium is a discrete self-balancing ledger — but it supplies it as a structural option Bohr did not have, not as the thing that proved him wrong. Bohr reached for statistical conservation because he had continuity and no ledger; the experiments then showed conservation is exact, which is the answer a ledger medium would have predicted.

Paul Dirac, who unified quantum mechanics with relativity and predicted antimatter, spent his later decades refusing the renormalization machinery that quantum field theory adopted to tame its infinities. He called the theory "ugly and incomplete" (1951) and described renormalization as "just a stop-gap procedure," insisting that the need for such infinite subtractions signaled that "there must be some fundamental change in our ideas, probably a change just as fundamental as the passage from Bohr's orbit theory to quantum mechanics." Dirac's objection was structural, not merely aesthetic: a foundational theory that must subtract infinities by hand to match experiment is, on his view, telling you its underlying picture of space and time is wrong. The framework agrees with the diagnosis: the infinities arise from treating the vacuum as a continuum with no smallest unit of account, and a discrete medium that balances finitely on every tick has no infinities to subtract. The framework should be careful not to overclaim here — the idea that discreteness tames the continuum's infinities is shared with lattice approaches, causal set theory, and other discrete programs, and the framework is one discrete proposal among several, not the unique resolution. What it claims is alignment with Dirac's diagnosis and membership in the family of discrete answers to it, with its own specific ledger structure as its contribution, not sole ownership of the cure.

Julian Schwinger, who shared the Nobel Prize for quantum electrodynamics, built his own formulation on rigorous operator methods rather than on Feynman's diagrams. His reservation was about rigor and visualization: he was wary of treating the diagrams' internal lines as literal physical events, and his often-quoted remark that the diagram method "brought quantum field theory to the masses" carried, in his mouth, a double edge — a worry that pictorial bookkeeping invited physicists to reify mathematical placeholders as real entities. His objection is best read as the reification point, not as a claim about energy-borrowing specifically (that critique belongs with the uncertainty-principle reasoning Dirac and others distrusted). The framework takes his caution as pointing at the same gap from a different angle: a formalism whose internal lines tempt reification is a formalism missing a real underlying ledger of which those lines would be the bookkeeping. On this reading the framework's discrete state-tracks are the structure the diagrams gesture at without grounding.

The pattern across all three is one pattern, and it is the pattern this paper has been describing at the scale of spacecraft rather than particles. Each titan saw that discrete transitions fracture continuous conservation calculus. Bohr, lacking a ledger, gave up conservation and was proved wrong. Dirac and Schwinger, unwilling to give up conservation, were left disgusted by the patches their continuous formalism required. None of them had a discrete, self-balancing accounting medium in which conservation is exact on every tick precisely because the books are closed discretely. That discrete ledger is what the 27-state framework offers as the structural engine those builders reached for and lacked. The framework does not claim, in this paper, to have resolved the renormalization problem or the measurement problem — those would each require their own dedicated treatment. The narrower and defensible claim is this: the same discrete-ledger commitment that lets a flyby's signed velocity step be read as exact tick-by-tick accounting is the commitment Bohr abandoned and Dirac and Schwinger missed, and offering it is what connects the spacecraft-scale anomaly of this paper to the century-old foundational discomfort of the particle scale. Whether it actually dissolves that discomfort is a promissory claim this series must still earn, paper by paper, not one

§4.4 settles. And one boundary must be explicit, to keep this section history and not myth: the framework does not claim these builders would have endorsed its machinery, nor that they were proto-versions of it. It claims only that their structural discomforts — Bohr's retreat to statistical conservation, Dirac's revulsion at infinite subtractions, Schwinger's distrust of reified diagrams — are precisely the symptoms a discrete-ledger medium is built to address. Reading them as evidence *for* the framework would be Whig history; reading them as a record of where continuous formalism hurt, which the framework then offers one discrete answer to, is the honest and narrower use made here.

4.5 Environmental Variance and Active Creation Geometry

A consistent framework cannot treat the very effects that obscure its signal as a separate "classical noise" problem living outside its own ledger, because that would re-import the passive-vacuum picture the series rejects. The systematics that complicate the craft table — solar radiation pressure for Galileo and Ulysses, attitude-control maneuvers for Voyager and Cassini — are not external interference from outside the manifold; they are active expressions of the same medium, and the framework reads them as such.

Solar-pressure systematics are an active, high-density stream of creation geometry. Close to the Sun, the craft sits in a dense outflow of photons and charged particles, a flooding of the local tracks with high-frequency directional updates. This is not a passive push to be subtracted but a strong, structured write into the local ledger that shifts axis dominance and swamps the faint, steady background rate-collision beneath it. The Galileo and Ulysses anomalies are unreliable not because the framework's effect is absent there but because a louder write from the same medium sits on top of it — signal buried under a stronger signal of the same kind, not noise of a different kind.

Attitude-control maneuvers are localized forced rewrites. A three-axis-stabilized craft fires thrusters and runs stabilization routines continuously, and each firing injects a localized, high-torque structural reset into the craft's own ledger (the very re-cutting Paper 7 identifies as written geometry). These forced writes raise a processing-noise floor on the craft itself that masks the small underlying mismatch entry. Voyager and Cassini do not read true zeros; they read a craft whose own ledger is being rewritten too often and too hard by its control system for the faint background term to be resolved beneath it.

Both cases say the same thing the whole paper says: nothing here operates outside the ledger. Solar pressure, radiation, and onboard propulsion are all writes into the same medium, and the masking they produce is the medium being loud, not the medium being absent. This must not become an unfalsifiable escape hatch — a reviewer is right to insist that "a louder write masks it" cannot be a free move that explains away every null. It is not free, because the masking is independently measurable: the solar-pressure systematic is correlated with measured solar distance and flux, and the attitude-control writes are logged thruster firings with known timing and magnitude. The framework's claim is therefore checkable in the strong direction — if, after subtracting the *measured and logged* solar-pressure and attitude-control contributions, a craft meeting the Section 3 conditions still shows a true zero where its encounter geometry does not force $K = 0$, the background term is falsified. The masking explanation is only admissible to the extent the masking write is itself observed; it cannot be invoked where no such louder write is logged. This is why the framework predicts the anomaly is cleanest exactly where these competing writes are weakest and best-characterized — far from the Sun, spin-stabilized, minimal thrusting — which is precisely the Pioneer condition, and precisely the condition the falsification test of Section 3 demands.

5. The Formal Scaffolding: The Equations of the Rate Collision

The mechanism is quantitative, and this section lays out the actual equations a reader can run, defines every term, and works through how they chain together — while assigning the final numerical magnitudes to their strict coordinates (Section 6). The aim is to make the accounting explicit and computable, not to claim the two headline numbers are settled here.

5.1 The Processing-State Variables

Each state on the scale of Section 2 is assigned a processing rate, a quantity that falls as structural tilt rises (more tilt forces heavier scans, which consume more cycles, which lowers the rate). Four rates enter the anomaly calculation:

Symbol	Name	What it is	Relative size
Phi_photon	Photon baseline rate	The un-tilted maximum processing rate of the medium; the rate of light	Largest (the ceiling)
Phi_bg	Background rate	The processing rate of open space, dominated by the scan-reduced States 2-8	High, but below Phi_photon
Phi_craft	Craft rate	The incoming craft's own heavily tilted, locked processing rate	Low (heavily tilted)
Phi_composite	Composite rate	The dense, heavily tilted rate of a planet or alloy — the rate of the <i>specific</i> composite at its <i>specific</i> scan-load (Section 2), never a single universal matter-rate	Lowest (most tilted, slowest)

All four carry the same units of processing rate (cycles per tick of the medium); their ratios are therefore dimensionless.

5.2 The Mismatch Ratio (Equation 1)

When a craft moves through the medium, the severity of the conflict is set by how its own rate and the background rate compare against any dense composite zone in its path. An earlier formulation of this paper wrote the mismatch as $M = (\text{Phi_bg} * \text{Phi_craft}) / \text{Phi_composite}$ and then said that in open space "Phi_composite drops out." That was the framework's own targeted-ruling sin in miniature: a variable cannot be wished away by changing the craft's location, and a denominator that goes to zero or to one in deep space either breaks the equation or silently changes its meaning. The honest form is a single continuous equation that governs both regimes without switching formulas by hand:

$$\text{(Equation 1) } M = (\text{Phi_craft} / \text{Phi_bg}) (1 + \alpha (\text{Phi_bg} / \text{Phi_composite} - 1))$$

Here **M** is the dimensionless mismatch, and **alpha** is a geometric occupancy factor between zero and one. It is not a free knob and not a classical mass-density: the manifold is geometry, not a fluid container, so alpha is fixed by the scan-load of the local states, not by how much "stuff" is present. Concretely, alpha is the fraction of the local processing that is nested planetary scan rather than ambient open-space scan:

$$\alpha = \text{Sigma_nested} / (\text{Sigma_nested} + \text{Sigma_ambient})$$

where Sigma_ambient is the baseline tracking load of the open manifold (the un-looped States 2 through 8) and Sigma_nested is the additional slow-cycling structural scan forced by a dense planetary configuration. In open deep space the medium is entirely ambient scan, Sigma_nested is zero, and alpha snaps cleanly to 0. Approaching a planet the craft does not meet "more mass" but a steep escalation in nested manifold geometry — a body far from the photon baseline overloads the local processing with deeply layered tracking — so Sigma_nested grows far larger than Sigma_ambient and alpha rises toward 1. The equation reads cleanly in both regimes. At alpha = 0 it reduces exactly to $M = \text{Phi_craft} / \text{Phi_bg}$, a clean comparison between the craft's own rate and the background, with no division by Phi_composite and nothing wished away — the small, steady Pioneer-regime mismatch. As alpha rises toward 1 the planetary term switches on; because Phi_composite is heavily tilted and small, the ratio Phi_bg / Phi_composite grows large and M spikes — the Flyby regime. Both Phi_bg and Phi_composite are present at a flyby, as they must be, since the craft is cutting through open space right next to the planet; alpha governs the

smooth scan-load transition between them rather than abruptly swapping formulas.

5.3 The Written Ledger Entry (Equation 2)

Because geometry is conserved and nothing leaks, a nonzero mismatch cannot be ignored; the ledger must write an entry to balance the tick. The quantity written is:

$$\text{(Equation 2) } \Delta\text{-G} = K \, t_{\text{interaction}} \, M$$

where:

Symbol	Name	What it is	Range / units
Delta-G	Written ledger entry	The geometry written at the junction to resolve the mismatch; its sign is the sign of the resolution	geometric units
K	Ledger resolution selector	The three-valued outcome of the X/Y dominance handshake: resolve toward (+1), reject (minus 1), or neutral (0)	exactly one of {+1, 0, minus 1}
t _{interaction}	Interaction window	The duration of the close-approach (Flyby) or the continuous exposure (Pioneer)	seconds
M	Mismatch	The dimensionless ratio from Equation 1	dimensionless

K is not a coupling constant to be fitted, and the earlier framing of it as one was a mistake worth correcting plainly: it imported exactly the hand-tuned-parameter habit the series attacks in Papers 4.5 and 5.5. In this framework a junction has only three things it can do when two configurations meet, because that is all the ledger permits. It can resolve *toward* the incoming configuration — synchronize with it and write a positive entry. It can *reject* it — repel, and write a negative entry. Or it can find no unresolved mismatch and write *nothing*. K is the report of which of those three happened: +1, minus 1, or 0, decided by the X/Y dominance comparison at the handshake, the same three-way resolution the ledger performs everywhere else in the series. There is no fourth option and no value in between, so there is no dial to tune.

This is why K is the discipline-keeping term, not the vulnerability. It does not set the *size* of the entry — that is carried by how badly the rates clash (M) and how long they clash (t_{interaction}). K sets only the *direction*: whether the entry is written, and with which sign. A brief, hard rejection (Flyby with K = minus 1, large M, short t_{interaction}) and a faint, sustained one (Pioneer with K fixed by its steady handshake, small M, long t_{interaction}) are spanned by the same equation, and a craft whose handshake resolves cleanly toward the background (K = 0) writes nothing and shows no anomaly at all. The closed-form rule for *how the X/Y comparison fixes K on a given tick* — the junction-transmission logic that decides toward, reject, or neutral — is built in Paper 16; the magnitude scaling of M against the ambient baseline is built in Paper 10. What this paper fixes is the form: K is the three-valued ledger selector, M and t_{interaction} carry the magnitude, and nothing here is tuned to make Pioneer and Flyby come out right.

5.4 The Velocity Change (Equation 3)

The written Delta-G manifests as a directional wedge at the junction, which appears as a change in the craft's motion. Dividing the added geometry by the craft's structural mass gives the velocity change:

$$\text{(Equation 3) } \Delta\text{-v} = \Delta\text{-G} / M_{\text{craft}}$$

where **Delta-v** is the change in the craft's standing offset, **Delta-G** is the signed added creation geometry from Equation 2, and **M_craft** is the craft's structural scan-load — its total bound, looped geometry measured against the photon baseline. A hostile reader will object that a divisor named "mass" smuggles back the classical quantity the series spent its early papers dissolving. The objection is anticipated and refused at its root: the framework does not divide by kilograms, because the kilogram is an arbitrary human artifact and this entire series exists to replace such artifacts with the one non-arbitrary ruler, the photon baseline. **M_craft** is not classical inertial mass and is not measured in kilograms; it is the craft's internal ledger-scan budget — the bound count of looped geometry, expressed as a departure from the un-tilted photon rate, that must be re-cut to change the craft's motion. This is mass read as Paper 8 builds it: mass as the accounting of departure from c , scaled by the photon baseline, not by a prototype weight. Equation 3 is therefore the structural truth of which "impulse divided by mass" is only the macroscopic shadow: the written wedge of geometry is spread across the craft's scan budget, and a deeper departure from the photon baseline — a larger bound-loop budget — absorbs the same Delta-G into a smaller Delta-v. Every term in this equation is referred to the photon baseline; no arbitrary unit enters. The classical relation is recovered downstream as the shadow of this one, and the exact scaling of the scan budget against the baseline is the locked debt of Paper 8.

5.5 The Three Equations as a Chain

The three equations chain in sequence, and a simulation of a flyby would run them as a tick-by-tick ledger audit:

1. **Cruise.** The craft moves through the thin open-space background. No dense composite zone sits in its path, so α is near zero, the planetary term of Equation 1 is switched off, M reduces to the small steady ratio $\Phi_{\text{craft}} / \Phi_{\text{bg}}$, Delta-G is a small continuous trickle (Equation 2), and Delta-v is a faint steady drag (Equation 3) — the Pioneer-scale interaction.
2. **Approach.** The craft enters the dense composite zone of the planet. The nested planetary scan-load rises, α climbs toward one, the planetary term of Equation 1 switches on, and because $\Phi_{\text{composite}}$ is small the ratio $\Phi_{\text{bg}} / \Phi_{\text{composite}}$ grows large, so M spikes.
3. **Conflict.** The large M drives a large Delta-G at the boundary junction (Equation 2) over the short $t_{\text{interaction}}$ of closest approach, with the resolution selector K fixing whether that entry is written toward (+1), against (minus 1), or neutral (0).
4. **Jump.** That signed Delta-G, divided by the craft's scan budget (Equation 3), appears as a sharp Delta-v exactly at closest approach — the Flyby velocity step, of whichever sign K selected.

Figure 3. Localized Geometric Conflict: The Boundary Junction Writes the Entry




Figure 3. Localized Geometric Conflict: at the boundary junction the craft and planet rates cannot synchronize, and the X/Y handshake writes a signed entry of whichever sign K selects.

5. **Departure.** The craft exits the dense zone, alpha falls back toward zero, the planetary term switches off, M falls back to its steady background value, and the craft resumes its faint cruise-phase drag.

This chain fixes the entire structure of the account — a state-ratio mismatch (Equation 1) whose resolution K writes as a signed entry (Equation 2) that manifests as a velocity change (Equation 3) — and binds it completely to the state scale of Section 2, from the un-tilted photon through the composite, with no administrative fudge inserted at any step. What it does not do is write the closed-form rule by which the X/Y handshake fixes K toward, reject, or neutral on a given tick, nor the magnitude scaling of M; those are the work of Papers 16 and 10 respectively. K itself is not a number this paper must solve for — it is the three-valued ledger outcome, the same selector the series uses throughout.

6. The Quantitative Commitments, Assigned to Strict Coordinates

The full numerical derivations of the two anomaly magnitudes are deliberately not performed in this companion paper, and they are not left as floating promises either. Each is assigned to the architectural coordinate where the machinery it requires is built, as a locked mathematical debt.

The Pioneer deceleration magnitude is assigned to Paper 10 (Gravity). The deceleration is Equation 3 evaluated for the cruise regime — a configuration interacting steadily with the scan-reduced background as it escapes the Sun's dominant processing zone into the bare baseline rate Phi_baseline. Fixing its value requires the ambient baseline load that Paper 10 supplies — the downward, baseline-ward geometric drift that Paper 10 builds in full as the framework's account of gravity — together with the magnitude scaling of the mismatch M against that load (the resolution selector K having already fixed the sign and presence of the entry here in Equation 2). The number, 8.74 times ten to the minus tenth meters per second squared, must be derived there, from those formulas, because it is a gravitational-scale interaction with the medium, not a property of the probe alone.

The Flyby velocity change is assigned to Paper 16 (Composite Matter). The signed step is Equation 3 evaluated for the approach regime — a rapid ledger re-cut as a probe slices through a massive, rotating, highly configured composite manifold, where M spikes and a large signed Delta-G is written. Fixing the size of the entry requires the explicit momentum-sharing and junction-transmission rules — how the added geometry written at a boundary

junction propagates through and off a composite structure, and how the X/Y handshake there fixes the selector K — which Paper 16 builds in its treatment of bonded matter. The magnitude and sign of the step must be derived there, from those rules.

These are not open-ended experimental anomalies handed to administrative governance. They are locked mathematical debts assigned to designated papers, each placed where its required machinery is constructed, so that the tracking across the series remains airtight while the internal derivations are built in their proper volumes. This paper fixes the mechanism and the scaffolding; Papers 10 and 16 settle the numbers.

One further commitment is seeded here but deliberately not developed, because its proper home is downstream. The same logic that reads deep-space drag as a processing-rate interaction rather than a property of empty space suggests a parallel reading of cosmological redshift: that a photon traversing immense intervals accumulates a cumulative processing overhead as it cuts through the active tracking loops of the ambient manifold, and that what is observed as redshift need not require a literal metric expansion of space. The same sequential-execution picture suggests that the arrow of time is the accumulation of the medium's processing cycles rather than an entropic decay. These are stated here only as a seed, to mark that the framework's commitment to a discrete active medium has cosmological reach — they are *not* claimed or argued in this paper. The redshift mechanism belongs to Paper 14 (Cosmic Expansion), and the time-ledger account to Paper 13 (Time as the Rotation Ledger), where each can be built with the machinery it requires. Nothing in the present paper's anomaly account depends on them, and no expansion coefficient or cosmological constant is imported here to support them — the seed points forward, and the contamination that an earlier draft introduced by reaching for such a coefficient has been removed.

7. The Asymmetric Write Coefficient: Renaming a Mislabeled Metric

An earlier draft of this critique introduced a coefficient it called a "geometric leakage coefficient," and the name was wrong in a way worth correcting openly, because it imported the exact classical assumption the framework rejects. "Leakage" says energy drains out of a system into the environment and is lost — the friction picture, in which motion bleeds away. The framework instead postulates, as a foundational axiom of the ledger, that the medium balances on every tick and geometry is never lost, only written and relocated. This is an axiom, not a theorem: it is not derived from a Noether-style symmetry but adopted as the ledger's founding commitment, and it is the stronger for being stated as a risky commitment rather than a certainty. A reviewer may object that this is weaker than the standard account, which derives conservation from Noether's theorem as a consequence of continuous time-translation symmetry. The framework's reply is not to apologize for the axiom but to note what the derivation assumes: Noether's theorem yields conservation only on a smooth, continuous spacetime with differentiable symmetries, and that continuity is precisely what this framework rejects in favor of a discrete tick-by-tick ledger. On a discrete medium there is no continuous symmetry to differentiate, so conservation cannot be a downstream theorem; it must be the hardware rule itself. The two are not the same claim graded on one scale — one derives conservation from assumed continuity, the other builds it in as the discrete medium's founding constraint — and which to prefer is judged by which better accounts for discrete boundary events like the anomalies, not by which is more "derived" under continuous rules. What standard physics calls energy lost to heat is, on this axiom, geometry relocated into high-entropy, multi-directional states — recoverable in principle through sufficiently precise junction resolution, though no macroscopic technology fully achieves this. The axiom is falsifiable: a verified instance of genuinely non-conserving energy transfer would break it. A probe that slows has not leaked anything under this axiom; new creation geometry has been written into its ledger. A vehicle that holds its momentum cleanly has simply had no asymmetric geometry written against it.

That the relocation is real and not mere wordplay is visible in the contrast between two kinds of braking. Ordinary friction braking clamps surfaces together and scatters clean directional state-loops into trillions of unaligned multi-directional tracks — heat — data not missing from the ledger but rendered macroscopically unrecoverable by the scrambling. Regenerative braking routes some of the same kinetic momentum through an organized

electromagnetic field and translates those directional loops cleanly into structured chemical storage in a battery, reclaiming on the ledger a portion of what friction would have scrambled. The honest comparison is partial, not total: regenerative braking recovers only a fraction, and the remainder still scatters to heat, so the example does not demonstrate full recoverability and is not offered as proof of the axiom. What it demonstrates is narrower and still useful — that "deceleration" need not mean total loss, that a more state-aligned interaction reclaims more of the geometry and a chaotic one reclaims less. The axiom's stronger claim, that the scattered remainder is recoverable in principle through sufficiently precise junction resolution, is exactly that: a claim in principle, beyond current technology, held as part of the falsifiable axiom rather than shown here.

The coefficient therefore does not measure a loss; it measures how much asymmetric creation geometry is being written into or against a configuration's standing ledger per tick — an asymmetric write, not a leaky bucket. Renamed accordingly, the **Asymmetric Write Coefficient (Lambda)** runs from a floor at zero, where no asymmetric geometry is written and a consolidated offset is held perfectly — the maglev of Paper 7, floating on its resolution-rejection cushion with no contact to force any write — upward as more asymmetric geometry is written per tick, as in a steel-wheeled vehicle whose grinding contact continuously forces small wedges of creation geometry into randomized multi-directional resets, observed macroscopically as heat. The heat is not leaked energy; it is creation geometry written in many directions at once because the contact keeps forcing local conflicts. The coefficient counts the writing, and what classical physics called thermal loss is, on this reading, the asymmetric writing made visible as randomized motion. (The exact functional form of Lambda is fixed alongside the consolidation accounting; it is named and defined here as an asymmetric write, with its formal expression developed where the bonded-matter mechanics of Paper 16 supply the junction rules it depends on.)

8. The Dissent From Inside: Four Builders Whose Walls This Mechanism Reopens

Four serious figures rejected the boundary-patch habit and reached for something the standard account would not give them. They are entered here not as authorities who endorse the framework — they could not have — and not as an administrative shield of famous names, but as builders who hit specific walls that the processing-rate mechanism reopens. In each case the framework states what it adopts and what it does not, because rescuing a blueprint is not the same as adopting it whole.

Paul Dirac and the varying constant. Dirac, who rejected the renormalization of standard theory as clever mathematics rather than sound physics, noticed a coincidence of very large numbers relating atomic and cosmic scales, and proposed in his Large Numbers Hypothesis that the fundamental constants — gravity among them — are not fixed but change as the universe ages. He had the instinct that a "constant" might be a variable in disguise, but no mechanism for why it would vary. The framework supplies one: what reads as a varying gravitational strength is a local readout of the ratio between the un-tilted photon baseline and the scan-reduced rates of the States 2 through 8 that populate the local region. As a system moves through regions with different densities of these invisible scan-bound states, the local background rate Φ_{bg} shifts, and the "constant" shifts with it — not because time is passing, but because the processing environment has changed. **Adopt:** the objection to fudge-factor mathematics, and the willingness to treat a fundamental constant as a physical variable set by the medium. **Do not adopt:** the specific claim that the variation tracks the age of the universe; the framework ties it to local processing environment, not cosmic time.

John Moffat and the imaginary field. Moffat declined the thermal-recoil explanation for Pioneer and, facing the galaxy rotation curves, built a modified gravity in which a new vector field acts as a fifth force — repulsive at short range, attractive at long — to supply the missing pull without dark matter. He correctly saw that the anomaly demanded a real physical agent and that standard gravity strains past roughly fifteen to twenty astronomical units, but he had to invent the field by hand. The framework replaces the imaginary vector field with a literal rate collision:

the outer stars of a galaxy move through a background of faster, lighter scan-reduced states while the galactic core is a slow, heavily tilted composite zone, and the interaction between the fast background and the slow zone forces the system to write new geometry to settle the mismatch — the same processing reconciliation that produces a flyby's sign-varying jump, operating at galactic scale. **Adopt:** that the anomaly needs a real physical agent in an active medium, and that Moffat's "repulsion" is pointing at something real. **Do not adopt:** the specific vector-field content of his theory; the framework's agent is the rate collision, not a new fundamental field.

Mordehai Milgrom and the threshold. Milgrom solved the galaxy rotation curves by positing that below a tiny acceleration threshold, a_0 approximately 1.2×10^{-10} meters per second squared, dynamics depart from Newton's law and gravity effectively strengthens. His threshold is empirically robust — calibrated from spiral galaxy rotation curves as a population average across many galaxies. The framework reads his threshold as a real coordinate, not a modified force law: a_0 is the scale at which a configuration's interaction passes from being dominated by local, heavily tilted composite matter to being dominated by the scan-reduced background rates of open space — the boundary tracking-load of the ambient manifold itself, a rigid and non-expanding property of the medium's processing limits, not a coefficient of any cosmic expansion.

A discipline must be observed here, and the earlier draft of this paper failed it badly enough to be worth correcting in the open. That draft seized on the proximity of the MOND threshold to the Pioneer value and declared them "one mechanism at two scales," forcing an exact match — the very move this series indicts standard physics for, smoothing messy data into a pretty universal number. The framework forbids that move. In the framework there can be no universal deep-space deceleration constant, because the deceleration written into any craft's ledger is a rate collision between *that craft's own* tilted ledger (Phi-craft, set by its specific mass, geometry, and internal thermal load) and the scan-reduced background — a custom calculation per machine, not a field that pulls identically on everything. What the framework claims is the *scale clustering*, not an identity: the MOND galactic threshold (about 1.2), the Pioneer deceleration (8.74), and the general window into which modeled deep-space drags fall (roughly 1 to 12 times 10^{-10}) cluster within one order of magnitude. That clustering is the evidence of a shared background scale — the thin, ambient, scan-reduced rate of open space that everything in deep space collides against. The *spread within* that cluster is the evidence of the ledger: each object writes its own number because each has its own Phi-craft, and each handshake resolves its own way. The cluster is the proof of the medium; the spread is the proof of localized accounting. Neither is a coincidence to be explained away, and neither is an exact coincidence to be claimed; the framework derives the scale from the medium and the spread from per-craft ledgers, forcing neither into the other. **Adopt:** the reality and significance of the threshold scale, and the recognition that a real background scale operates near 10^{-10} . **Do not adopt:** MOND's modification of the law of inertia, and — equally — any reading that flattens the clustered values into a single universal constant.

Lee Smolin and the evolving law. Smolin argued that space is not a smooth background but a relational network of loops, and that the laws of physics are not eternal edicts but evolve. He had the conviction that physics had become an abstract geometry game detached from mechanism, and that the relational processes were primary — but he lacked the specific gear that makes the relations do work. The framework supplies it: the "loops" are the heavily tilted structural loops of composite matter, and the "evolving law" is the continuous, real-time writing of added creation geometry, ΔG , whenever an incoming geometry meets an incompatible localized structure and the ledger must rebalance. The law does not evolve through cosmic time; it is rewritten tick by tick wherever a rate collision forces a new geometric entry. **Adopt:** the methodological indictment of detached geometry, and the insistence that space is active relational process rather than static background. **Do not adopt:** the specific loop-quantization program; the framework's loops are tilt-loops of matter resolved by the ledger, not quantized areas of an abstract space.

The pattern is one pattern. Each of the four saw that the standard boundary-patch habit was wrong, and each reached for an active medium, a variable constant, a real repulsion, a threshold scale, an evolving law — and each was stopped at the wall of having no mechanism for the thing they reached for. The processing-rate collision is that mechanism. Where the standard account resolved the Pioneer number in 2012 with a thermal-recoil computation,


the framework does not call that resolution false; it calls it incomplete — a correct number for one isolated case, without the localized mechanism or the unifying account that would connect deep-space drag to flyby reconciliation and to the walls these four builders spent careers reaching for.

Intellectual honesty requires naming the modern work the framework does *not* adopt, so that the four builders above are not mistaken for a cherry-picked convergence. Stacy McGaugh's observational program has shown that MOND, taken as a flat acceleration law, fails in galaxy clusters without additional ingredients such as neutrinos; the framework does not adopt MOND's flat law and reads the cluster scale as requiring a dynamic ledger integration over a churning sea of background states, deferred to the composite-matter machinery of Paper 16 rather than claimed here. Erik Verlinde's entropic gravity also derives gravity without dark matter, but from holographic entropy gradients on a smooth screen; the framework rejects the smooth-holographic premise, treating the medium instead as a discrete state-ledger, and its predictions are not Verlinde's. And some researchers — specifically the thermal-analysis work of Francisco, Bertolami, Gil, and Páramos (2008) — questioned the completeness of the thermal-recoil closure even after 2012; the framework's position is not that thermal recoil is zero but that it is incomplete, which aligns it with the skeptics on completeness while parting from any claim that the recoil is fictitious. Naming these openly is the point: the framework converges with some lines of dissent and diverges from others, and it states which, rather than collecting agreeable names.

9. Conclusion

The standard account cannot read its own boundaries, because it built its physics on a uniform vacuum, and so every boundary anomaly forces a separate local patch — a thermal recoil here, an invisible mass there, a drag term somewhere else. The framework reads all of them as one mechanism. The medium is an active landscape of processing rates set by tilt, from the un-tilted photon baseline through the scan-reduced un-looped states of open space to the slow, heavily tilted loops of composite matter; and an anomaly is what happens when a craft's rate collides with the medium's. The Pioneer deceleration is the steady collision of a tilted ledger with the thin scan-reduced background of open space, written as a faint continuous drag. The Flyby change is a localized geometric conflict with the dense slow manifold of a planet, written as a sudden ledger entry at closest approach whose sign and size are set by the encounter alignment — positive where the handshake resolves toward the planet's tracks, negative where it rejects, near-null where it neither, with no sign privileged over another. One rule — creation geometry written to resolve a rate collision, its sign reported by the three-valued selector K — accounts for the steady Pioneer drag and the sharp, sign-varying flyby change alike, and nothing leaks at any step. The scaffolding that turns this into calculation is fixed here as a state-ratio mismatch driving added geometry; the two headline numbers are assigned as locked debts to Paper 10 and Paper 16, where their machinery is built. The mislabeled "leakage" coefficient is renamed to the Asymmetric Write Coefficient, because the framework writes, it does not leak. And the four builders who saw the boundary-patch habit was wrong — Dirac, Moffat, Milgrom, Smolin — are not a shield of names but a record of walls, each of which the processing-rate mechanism reopens. The anomalies were never engineering noise. They are the medium becoming visible at the edges of its configured zones, exactly where a uniform vacuum must go blind.

Figure 4. The Four Reopened Walls: Builders Who Reached, and the Gear That Turns



Each saw the boundary-patch habit was wrong and reached for something real — an agent, a field, a threshold, an evolving law — and each was stopped at the wall of having no mechanism. The processing-rate collision is the gear that turns where they stalled.

Adopt: that each pointed at something real. Do not adopt: the hand-built device each used to reach for it.

Figure 4. The Four Reopened Walls: Dirac, Moffat, Milgrom, and Smolin each reached for something real and stalled at the wall of no mechanism; the rate collision is the gear that turns.

References

This paper is the critique companion to Paper 7 and part of the *Departure From the Photon Baseline* series. It cites the companion papers by their published records and the primary sources for the anomalies and the historical dissent of Section 8. Empirical values are drawn from the published literature and cited below.

1. Kadunic, D. (2026). *The 27 Lagrangians of Gravity: A Survey of the Field's Standards of Evaluation* (Paper 1). Zenodo. <https://doi.org/10.5281/zenodo.20434286>
2. Kadunic, D. (2026). *The Three-Axis Framework and the Nine-State Classification of the 27 Geometric States* (Paper 2). Zenodo. <https://doi.org/10.5281/zenodo.20510019>
3. Kadunic, D. (2026). *They Assumed It; They Did Not See It: A Critique of Inferred Particles in Standard Physics* (Paper 2.5). Zenodo. <https://doi.org/10.5281/zenodo.20518514>
4. Kadunic, D. (2026). *The Nine-State Classification with Inside-Outside Structure* (Paper 3). Zenodo. <https://doi.org/10.5281/zenodo.20561941>
5. Kadunic, D. (2026). *The Constant That Does Not Stay Constant: A Structural Audit of the Fine-Structure Measurement* (Paper 3.5). Zenodo. <https://doi.org/10.5281/zenodo.20575611>
6. Kadunic, D. (2026). *The Photon as Baseline, Electron-Positron as First Tilt* (Paper 4). Zenodo. <https://doi.org/10.5281/zenodo.20633821>
7. Kadunic, D. (2026). *The Fragmented Metric — A Structural Deconstruction of Targeted Ruling and the Proliferation of Unfalsifiable Ontologies* (Paper 4.5). Zenodo. <https://doi.org/10.5281/zenodo.20634735>
8. Kadunic, D. (2026). *The Closure Principle and Configuration Stability* (Paper 5). Zenodo. <https://doi.org/10.5281/zenodo.20690435>
9. Kadunic, D. (2026). *The Administrative Metric — Effective Field Theory as a Governance Tool for Shifting Rulers* (Paper 5.5). Zenodo. <https://doi.org/10.5281/zenodo.20690704>
10. Kadunic, D. (2026). *Rest, Uniform Motion, and Inertia as Active Internal Ledger States* (Paper 6). Zenodo. <https://doi.org/10.5281/zenodo.20708857>
11. Kadunic, D. (2026). *The Passive-Motion Fallacy — Kinetic Energy, the Ghost in the Reference Frame, and the Vindication of the Medium* (Paper 6.5). Zenodo. <https://doi.org/10.5281/zenodo.20708957>
12. Kadunic, D. (2026). *Acceleration, Momentum, and Geometric Consolidation* (Paper 7). Zenodo. <https://doi.org/10.5281/zenodo.20750711>
13. Anderson, J. D., Laing, P. A., Lau, E. L., Liu, A. S., Nieto, M. M., and Turyshev, S. G. (1998). "Indication, from Pioneer 10/11, Galileo, and Ulysses Data, of an Apparent Anomalous, Weak, Long-Range Acceleration." *Physical Review Letters*, 81, 2858. (Original detection; Pioneer acceleration of (8.74 plus or minus 1.33) times ten to the minus tenth meters per second squared.)
14. Turyshev, S. G., Toth, V. T., Kinsella, G., Lee, S.-C., Lok, S. M., and Ellis, J. (2012). "Support for the Thermal Origin of the Pioneer Anomaly." *Physical Review Letters*, 108, 241101. (The standard thermal-recoil resolution, cited as the account under critique.)
15. Milgrom, M. (1983). "A modification of the Newtonian dynamics as a possible alternative to the hidden mass hypothesis." *Astrophysical Journal*, 270, 365. (MOND; the acceleration threshold a_0 .)
16. Begeman, K. G., Broeils, A. H., and Sanders, R. H. (1991). "Extended rotation curves of spiral galaxies: dark haloes and modified dynamics." *MNRAS*, 249, 523. (Calibration of a_0 approximately 1.2 times ten to the minus

tenth meters per second squared.)

17. Moffat, J. W. (2006). "Scalar-tensor-vector gravity theory." *Journal of Cosmology and Astroparticle Physics*, 2006(03), 004. (Modified gravity / MOG.)

18. Smolin, L. (2006). *The Trouble with Physics*. Houghton Mifflin. (The methodological critique; evolving law; relational space.)

19. Dirac, P. A. M. (1937). "The Cosmological Constants." *Nature*, 139, 323. (The Large Numbers Hypothesis.)

20. Anderson, J. D., Campbell, J. K., Ekelund, J. E., Ellis, J., and Jordan, J. F. (2008). "Anomalous Orbital-Energy Changes Observed during Spacecraft Flybys of Earth." *Physical Review Letters*, 100, 091102. (Flyby anomaly values: Galileo +3.92, NEAR +13.46, Cassini approximately minus 2, Rosetta +1.80 mm/s; sign varies across craft.)

21. McGaugh, S. S. (2015). "A Tale of Two Paradigms: the Mutual Incommensurability of LCDM and MOND." *Canadian Journal of Physics*, 93(2), 250. (Observational MOND program; cluster-scale limitations — cited as dissent the framework does not adopt.)

22. Verlinde, E. (2011). "On the Origin of Gravity and the Laws of Newton." *Journal of High Energy Physics*, 2011(4), 29. (Entropic gravity — cited as a distinct information-theoretic account the framework does not adopt.)

23. Francisco, F., Bertolami, O., Gil, P. J. S., and Páramos, J. (2008). "Thermal Analysis of the Pioneer Anomaly: A Method to Estimate Radiative Momentum Transfer." *Physical Review D*, 78(10), 103001. (Thermal-recoil modeling cited on the completeness question.)

Paper 7 establishes acceleration as re-cutting by creation geometry, momentum as the conserved offset, consolidation, and the deep-space probe seed on which this paper builds. The quantitative derivation of the Pioneer magnitude is the work of Paper 10 (ambient baseline load); the quantitative derivation of the Flyby change is the work of Paper 16 (junction transmission across composite matter); neither is performed here. Empirical values for the Pioneer acceleration are cited from reference 13, the flyby values from reference 20, and the MOND threshold from references 15-16.

Appendix A: The Boundary-Anomaly Translation Ledger

The table maps each standard anomaly explanation to its framework reading, in the manner of the ledgers of Papers 3.5, 4.5, 5.5, and 6.5.

Anomaly	Standard explanation	Framework reading
Pioneer deceleration	Asymmetric thermal recoil from the craft's own waste heat	Steady rate collision of a tilted ledger with the scan-reduced background of open space; magnitude derived in Paper 10
Flyby velocity change	No consensus; empirical angle-fit formula (Anderson 2008)	Localized geometric conflict with a planet's dense slow manifold, written as a ledger entry whose sign follows encounter alignment; magnitude derived in Paper 16
Galaxy rotation curves	Dark matter halo supplying extra gravity	Outer stars interacting with the faster scan-reduced background against the slow composite core (forward to Paper 16)
Varying gravitational strength (Dirac)	Constants changing with cosmic age	Local readout of the photon-baseline-to-background rate ratio

Figure 2. The Two-Anomaly Symmetry: one rule at two tempos — steady Pioneer drag against the thin background, sharp sign-varying Flyby entry at a dense manifold.

Figure Plan

- **Figure 1 — The State Scale** (built): processing rate versus tilt, photon baseline to composite matter.
- **Figure 2 — The Two-Anomaly Symmetry** (built): Pioneer steady drag into thin background beside Flyby sharp sign-varying entry at a dense manifold, same mechanism at two tempos.
- **Figure 3 — Localized Geometric Conflict** (built): the flyby boundary junction where incompatible rates force the signed Delta-G entry, illustrating Sections 4 and 5.
- **Figure 4 — The Four Reopened Walls** (built): a compact map of Dirac, Moffat, Milgrom, and Smolin, each wall and the rate-collision gear that reopens it, illustrating Section 8.