## phpclasses.org

## PHP CSS Parser: Get HTML document nodes matching a CSS selector

Gonzalo Chumillas

3-4 minutes

**Description Author** 

This

package

can get

HTML or

XML

document

matching a

CSS

nodes

selector.

It can

parse a

CSS query

selector

expression

and find

DOM

Name: Gonzalo Chumillas <contact>

Classes: 8 packages by Gonzalo Chumillas

Country: Spain

**Age:** 42

All time rank: 1331 26 in Spain

Week rank: 1156 42 in Spain w

Nominee:

Innovation

award

2x

```
document
nodes that
match the
criteria
defined by
that
expression.
The helper
class can
also return
the HTML
or XML
string that
represent a
matching
node.
Details
# cssparser
Evaluates a CSS selector expression and filters
nodes from a given DOMNode object. For example:
```php
// loads an xml document
$doc = new DOMDocument("1.0", "UTF-8");
$doc->load('test.xml');
// filters nodes
```

```
$p = new CSSParser($doc, 'books item.sci-
fi.horror[author id ^= theodore][author id $=
sturgeon]');
$nodes = $p->parse();
// prints nodes
foreach ($nodes as $node) {
    echo CSSHelper::dom2str($node) . "\n~~~\n";
}
. . .
### Supported features
#### Basic selectors:
1. [All Selector ("*â€⊞)](http://api.jquery.com
/all-selector/)
2. [Class Selector (".classâ€⊞)]
(http://api.jquery.com/class-selector/)
3. [Element Selector ("elementâ€⊞)]
(http://api.jquery.com/element-selector/)
4. [ID Selector ("#idâ€⊞)]
(http://api.jquery.com/id-selector/)
5. [Multiple Selector ("selector1, selector2,
selectorNâ€⊞)](http://api.jquery.com/multiple-
selector/)
#### Child filters:
1. [:first-child Selector](http://api.jquery.com
/first-child-selector/)
```

2. [:nth-child() Selector](http://api.jquery.com
/nth-child-selector/)

## #### Attribute filters:

- 1. [Attribute Contains Prefix Selector
  \[name|="value"\]](http://api.jquery.com
  /attribute-contains-prefix-selector/)
- 2. [Attribute Contains Selector \[name\*="value"
  \]](http://api.jquery.com/attribute-containsselector/)
- 3. [Attribute Contains Word Selector
  \[name~="value"\]](http://api.jquery.com
  /attribute-contains-word-selector/)
- 4. [Attribute Ends With Selector \[name\$="value"
  \]](http://api.jquery.com/attribute-ends-withselector/)
- 5. [Attribute Equals Selector \[name="value"
  \]](http://api.jquery.com/attribute-equalsselector/)
- 6. [Attribute Not Equal Selector \[name!="value"
  \]](http://api.jquery.com/attribute-not-equalselector/)
- 7. [Attribute Starts With Selector
  \[name^="value"\]](http://api.jquery.com
  /attribute-starts-with-selector/)
- 8. [Has Attribute Selector \[name
  \]](http://api.jquery.com/has-attributeselector/)
- 9. [Multiple Attribute Selector \[name="value"

\]\[name2="value2"\]](http://api.jquery.com
/multiple-attribute-selector/)

ŧ,

## **Files**

Version Control	Unique User Downloads	Download Rankings
1000/		All time: 7,182
100%		This 752 week:

Applications that use this package

No pages of applications that use this class were specified.

If you know an application of this package, send a message to the

author

to add a link here.