

# MA161 Quiz 17 Solutions

TA: Carlos Salinas

March 22, 2018

**Problem 17.1.** Find the absolute maximum and absolute minimum of  $f(x) = x - \ln(9x)$  on the interval  $[1/2, 2]$ .

*Solution.* Most of us got this problem right. By the Extreme Value Theorem, we have to check at the critical points, i.e. where  $f'(x) = 0$ , and at the endpoints  $x = 1/2$  and  $x = 2$ . So let us do just that. First,

$$f(1/2) = 1/2 - \ln(9/2), \tag{17.1}$$

$$f(2) = 2 - \ln(18). \tag{17.2}$$

What about the critical points? First we need to take the derivative as we now do:

$$f'(x) = 1 - \frac{9}{9x} = 1 - \frac{1}{x}.$$

The only place where the derivative is zero happens when  $x = 1$ . Now we must check what happens at  $x = 1$ . At  $x = 1$

$$f(1) = 1 - \ln(9). \tag{17.3}$$

The max was  $2 - \ln(18)$  and the min was  $1 - \ln(9)$ . ☺

*Remark 1.* It is difficult to determine which of Equations (17.1), (17.2), and (17.3) are the min and max, so I did not take off any points for mislabeling the extrema.

Here's a general method for dealing with logarithms. Let's look at Equations (17.1), (17.2), and (17.3). The first thing you should try to do when you come across a logarithm is try to see if you can write what is on the inside as a power or a product of numbers. In this case,

$$\begin{aligned}f(1/2) &= 1/2 - \ln(9/2) \\&= 1/2 - (\ln(9) - \ln(2)) \\&= 1/2 - \ln(3^2) + \ln(2), \\&= 1/2 - 2\ln(3) + \ln(2), \\f(2) &= 2 - \ln(18) \\&= 2 - 2\ln(3) - \ln(2), \\f(1) &= 1 - \ln(9) \\&= 1 - 2\ln(3),\end{aligned}$$

Now here's another tip. To see which number between  $a$  and  $b$  is bigger, try to subtract them. For example

$$f(1/2) - f(2) = 1/2 - 2 + 2\ln(2) = -3/2 + 2\ln(2)$$

Now  $\ln(2) \approx 0.7$  so this number is negative, i.e.  $f(2)$  is bigger than  $f(1/2)$ .

**Problem 17.2.** Find the absolute maximum and absolute minimum of  $f(x) = (x^2 - 1)^3$  on the interval  $[-1, 5]$ .

*Solution.* By the Extreme Value Theorem, we must check at the end points and where the derivative of  $f$  equals 0. First, let us take the derivative

$$f'(x) = 6x(x^2 - 1)^2. \tag{17.4}$$

The zeros of Equation (17.4) happen at  $x = 0, \pm 1$ . Luckily this means that we only have to check  $x = -1$  once. Now, let us find all the

extrema.

$$\begin{aligned}f(-1) &= 0, \\f(1) &= 0, \\f(0) &= 1, \\f(5) &= 24^3.\end{aligned}$$

Clearly  $f(5) = 24^3$  is our maximum and both  $f(-1) = f(1) = 0$  our minimum.  $\odot$

**Problem 17.3.** Let  $f(x) = x + 4/x$ . If we denote by  $M$  the absolute maximum of  $f$  on  $[1, 4]$  and by  $m$  the absolute minimum, what is their product  $Mm$ ?

*Solution.* First let us find the derivative. The derivative of  $f$  is

$$f'(x) = 1 - \frac{4}{x^2},$$

which has zero at  $x = 2$  and  $x = -2$ . Since  $x = -2$  is outside our interval, which was  $[1, 4]$ , we disregard it. So the extrema are

$$\begin{aligned}f(1) &= 5, \\f(2) &= 4, \\f(4) &= 5.\end{aligned}$$

Then  $M = 5$  and  $m = 4$  so  $Mm = 20$ .  $\odot$