```
2018-12-10 20:10:01,009 - AP configuration: <AP: 192.168.2.51, channel: 52, power: 20>, <AP: 192.168.2.68, channel: 40, power: 45>
2018-12-10 20:10:01,010 - STA (client) configuration: default demand = 5
2018-12-10 20:10:15,757 - System environnement [New STA]:
2018-12-10 20:10:15,758 - [STA MAC]: [(Mesure type, Mesure in mbps), ...] // Mesure type = -1 = Theoric value, Mesure type = 1 = reel value
2018-12-10 20:10:15,759 - [STA MAC]: ['192.168.2.51', '192.168.2.68'] //Number of ap and their order
2018-12-10 20:10:15,760 - [6c:88:14:f0:dc:14]: [(-1, 65), (-1, 117)] [Try to connect on AP 192.168.2.68]
2018-12-10 20:10:15,761 - ClientConnectionAccept: Client 6c:88:14:f0:dc:14 connect on ap 192.168.2.68
2018-12-10 20:10:28,577 - System environnement [New STA]:
2018-12-10 20:10:28,578 - [STA MAC]: [(Mesure type, Mesure in mbps), ...] // Mesure type = -1 = Theoric value, Mesure type = 1 = reel value
2018-12-10 20:10:28,579 - [STA MAC]: ['192.168.2.51', '192.168.2.68'] //Number of ap and their order
2018-12-10 20:10:28,580 - [6c:88:14:f0:dc:14]; [(-1, 15.721461538461538), (1, 21.07)] [Connected on AP 192.168.2.68]
2018-12-10 20:10:28,581 - [28:16:ad:fd:c1:bd]: [(-1, 52), (-1, 52)] [Try to connect on AP 192.168.2.68]
2018-12-10 20:10:28,582 - ClientConnectionRefuse: Client 28:16:ad:fd:c1:bd refuse on ap 192.168.2.68 but accept on 192.168.2.51
2018-12-10 20:10:28,749 - ClientConnect: Client 28:16:ad:fd:c1:bd has been connected on AP 192.168.2.51
2018-12-10 20:10:39,987 - ClientConnectionRefuse: Client 00:1f:3b:13:76:49 refuse on ap 192.168.2.68 because there is not enough data to take
decision
2018-12-10 20:10:40,690 - System environnement [New STA]:
2018-12-10 20:10:40,691 - [STA MAC]: [(Mesure type, Mesure in mbps), ...] // Mesure type = -1 = Theoric value, Mesure type = 1 = reel value
2018-12-10 20:10:40,692 - [STA MAC]: ['192.168.2.51', '192.168.2.68'] //Number of ap and their order 2018-12-10 20:10:40,693 - [6c:88:14:f0:dc:14]: [(-1, 12.369379844961239), (1, 16.45)] [Connected on AP 192.168.2.68]
2018-12-10 20:10:40,694 - [28:16:ad:fd:c1:bd]: [(1, 9.96), (-1, 13.28000000000001)] [Connected on AP 192.168.2.51]
2018-12-10 20:10:40,695 - [00:1f:3b:13:76:49]: [(-1, 39), (-1, 52)] [Try to connect on AP 192.168.2.51]
2018-12-10 20:10:40,697 - ClientConnectionRefuse: Client 00:1f:30:13:76:49 refuse on ap 192.168.2.51 but accept on 192.168.2.68
2018-12-10 20:10:42,907 - ClientConnect: Client 00:1f:3b:13:76:49 has been connected on AP 192.168.2.68
2018-12-10 20:11:01,288 - ClientDicsonnect: Client 00:1f:3b:13:76:49 as been disconnected by AP 192.168.2.68
2018-12-10 20:11:37,127 - ClientConnectionRefuse : Client 00:1f:3b:13:76:49 refuse on ap 192.168.2.68 because there is not enough data to take
2018-12-10 20:11:37,537 - System environnement [New STA]:
2018-12-10 20:11:37,538 - [STA MAC]: [(Mesure type, Mesure in mbps), ...] // Mesure type = -1 = Theoric value, Mesure type = 1 = reel value
2018-12-10 20:11:37,539 - [STA MAC]: ['192.168.2.51', '192.168.2.68'] //Number of ap and their order
2018-12-10 20:11:37,540 - [6c:88:14:f0:dc:14]: [(-1, 0), (1, 29.89)] [Connected on AP 192.168.2.68]
2018-12-10 20:11:37,541 - [00:1f:3b:13:76:49]; [(-1, 15.457327586206896), (1, 16.45)] [Try to connect on AP 192.168.2.51]
2018-12-10 20:11:37,542 - [28:16:ad:fd:c1:bd]: [(1, 9.96), (-1, 0)] [Connected on AP 192.168.2.51]
2018-12-10 20:11:37,544 - ClientConnectionRefuse: Client 00:1f:3b:13:76:49 refuse on ap 192.168.2.51 but accept on 192.168.2.68
2018-12-10 20:11:39,804 - ClientConnect: Client 00:1f:3b:13:76:49 has been connected on AP 192.168.2.68
2018-12-10 20:12:28,776 - ClientDicsonnect: Client 28:16:ad:fd:c1:bd as been disconnected by AP 192.168.2.51
2018-12-10 20:12:28,797 - ClientDicsonnect: Client 00:1f:3b:13:76:49 as been disconnected by AP 192.168.2.68
2018-12-10 20:12:42,945 - ClientConnectionRefuse: Client 00:1f:3b:13:76:49 refuse on ap 192.168.2.68 because there is not enough data to take
2018-12-10 20:12:43,381 - System environnement [New STA]:
2018-12-10 20:12:43,382 - [STA MAC]: [(Mesure type, Mesure in mbps), ...] // Mesure type = -1 = Theoric value, Mesure type = 1 = reel value
2018-12-10 20:12:43,383 - [STA MAC]: ['192.168.2.51', '192.168.2.68'] //Number of ap and their order
2018-12-10 20:12:43,384 - [6c:88:14:f0:dc:14]: [(-1, 0), (1, 29.89)] [Connected on AP 192.168.2.68]
2018-12-10 20:12:43,385 - [00:1f:3b:13:76:49]: [(-1, 19.654137931034484), (1, 21.11)] [Try to connect on AP 192.168.2.51]
2018-12-10 20:12:43,386 - [28:16:ad:fd:c1:bd]: [(1, 9.96), (-1, 0)] [Expect]
2018-12-10 20:12:43,387 - ClientConnectionAccept: Client 00:1f:3b:13:76:49 connect on ap 192.168.2.51
2018-12-10 20:13:03,347 - System environnement [New STA]:
2018-12-10 20:13:03,348 - [STA MAC]: [(Mesure type, Mesure in mbps), ...] // Mesure type = -1 = Theoric value, Mesure type = 1 = reel value
2018-12-10 20:13:03,349 - [STA MAC]: ['192.168.2.51', '192.168.2.68'] //Number of ap and their order
2018-12-10 20:13:03,350 - [6c:88:14:f0:dc:14]: [(-1, 0), (1, 24.71)] [Connected on AP 192.168.2.68]
2018-12-10 20:13:03,351 - [28:16:ad:fd:c1:bd]: [(1, 9.96), (-1, 14.16000000000000)] [Try to connect on AP 192.168.2.68]
2018-12-10 20:13:03,352 - [00:1f:3b:13:76:49]: [(1, 21.11), (1, 21.11)] [Connected on AP 192.168.2.51]
2018-12-10 20:13:03,354 - ClientConnectionAccept : Client 28:16:ad:fd:c1:bd connect on ap 192.168.2.68
```