

Every screen, drawn

Low-fidelity wireframes for the complete product — 46 screens across seven roles, each annotated with its purpose, the data it needs, its states, and how it behaves when JavaScript never loads. Numbered so the blueprint, the tests and the code can all point at the same thing.

SCREENS	ROLES	LAUNCH SLICE	SLICE 2	STATUS
46	7 + anonymous	37 screens	9 screens	For documentation

00

How to read this

These are **wireframes**, not **designs**. They fix what is on each screen, what it does, and what order things appear in. They deliberately say nothing about colour, typeface, imagery or brand — those decisions come later and changing them costs nothing. Changing *what a screen does* after it is built costs a great deal, which is why that gets settled here.

Every screen carries a number — `PUB-01` , `ATH-03` , `CRD-05` . Use those numbers everywhere: in the blueprint's screen chapter, in test names, in commit messages, in bug reports. One vocabulary across the whole project.

ANNOTATION	WHAT IT RECORDS, AND WHY IT IS HERE RATHER THAN LEFT TO THE DEVELOPER
Purpose	The one job this screen does. If a screen needs two sentences here, it is two screens.
Who	The roles that can reach it, and the scope limit. A coordinator screen says "own LGA only" because that restriction is the design, not a detail.
Data	What the screen must load. This is what the API endpoint has to return, so it is written before the endpoint is.
Actions	Everything the user can do, and where each one goes.
States	Empty, loading, error, and the specific failure this screen can produce. Most bugs live in states nobody drew.
No-JS	What happens on Opera Mini in proxy mode, where JavaScript barely runs and there is no service worker. Every launch-critical screen must work as a plain form POST.

TWO CONVENTIONS THAT RUN THROUGH EVERY SCREEN

Server-rendered first. Every screen marked `LAUNCH` works with JavaScript switched off. Buttons are form submissions, not click handlers. JavaScript improves these screens; it never enables them.

Errors carry a reference. Every error state shows a short reference code taken from the request ID. A coordinator in Birnin Kudu reads it down the phone and it lands you in the exact trace. It appears on every error state in this document because it must appear on every error screen in the product.

01

Public — no account needed

The highest-traffic screens in the system, and the only ones a stranger ever sees.

kafriada.ng/a/KA-NG-JG-BKD-2026-000123?s=1.a...

PHOTO
or
SILHOUETTE

Musa Ibrahim Sule
Midfielder · Football
✓ ISSUED BY KAFRIADA

KAFRIADA ID
KA-NG-JG-BKD-2026-000123

VERIFICATION
VERIFIED 12 OCT 2026
Check the photo matches the person in front of you.

LGA
CURRENT CLUB

CAREER HISTORY

Report a problem with this profile

KAFRIADA · Jigawa State pilot

PURPOSE

Let anyone holding a printed card confirm that this athlete exists in the register, and see what KAFRIADA knows about them.

WHO

Everyone, no account. This is the only screen with no permission check.

DATA

Name, KUID, LGA, sport, position, verification state and date, current club, career events. Photo **only if approved**. Never the phone number, date of birth or documents.

ACTIONS

Report a problem (opens a simple form, no account). Nothing else — this screen is read-only by design.

STATES

- **Verified** — photo shown, badge shown.
- **Unverified** — silhouette, no badge, no explanation of why (never shame the athlete).
- **Verification withdrawn** — silhouette plus a neutral "verification withdrawn" line.
- **Signature invalid or absent** — the profile still renders in full, only the "Issued by KAFRIADA" pill is gone. **Never an error page** — someone typing a KUID by hand must still see the athlete.
- **KUID not found** — plain "no athlete with this ID" page with a reference code.

NO-JS

Fully server-rendered. Zero JavaScript on this page at all. Edge-cached for 60 seconds with the query string in the cache key.

THE WORDING IS LOAD-BEARING

The pill says "Issued by KAFRIADA", not "Verified athlete", and the line beneath tells the reader to check the face. A copied URL keeps a valid signature, so the tick proves the QR came from us — not that the bearer is the person shown. Getting this wording wrong misleads scouts.

PUB-02

Home / landing

LAUNCH

KAFRIADA

Sign in

HERO IMAGE

Your permanent sports ID. Free.

Register free

Find an athlete by ID

HOW IT WORKS

1

2

3

INSTALL

Add to home screen

[Privacy](#) · [Contact](#) · [Jigawa State pilot](#)

PURPOSE

Explain what KAFRIADA is in one screen and send people to registration. Most visitors arrive here from a poster or word of mouth, not a search.

WHO

Everyone.

DATA

Static, apart from the PWA install prompt.

ACTIONS

Register · Look up an ID · Sign in · Install app.

STATES

Signed in — the top bar shows the dashboard link instead of Sign in.

NO-JS

Everything works. The install prompt simply does not appear, which is correct — that browser cannot install it anyway.

Find an athlete

KAFRIADA ID

KA-NG-JG-__-__-__

Look up

Enter the ID printed on the card, or scan the QR code with your phone camera.

NOT FOUND — check the ID and try again

PURPOSE

A way in for someone whose camera will not scan, or who has a card with a damaged QR.

WHO

Everyone.

DATA

None until submitted; then it redirects to PUB-01.

ACTIONS

Submit an ID → redirect to `/a/{kuid}` with no signature, so the profile shows without the issued-by pill.

STATES

Not found; malformed ID (explain the format rather than saying "invalid"). Rate limited at the edge to stop anyone walking the whole register.

NO-JS

A plain form POST. The input mask is a JavaScript nicety only.

Privacy notice

v1.0

What we keep, and what we do with it

IF YOU ASK US TO DELETE YOUR DATA

Your name, photo, phone and documents are erased. Your KAFRIADA ID and payment records must be kept by law.

WHO TO CONTACT

Version 1.0 · effective 1 October 2026

PURPOSE

NDPR notice, written to be understood rather than to be legally survivable. Linked from registration, where consent to **this version** is recorded as a row.

WHO

Everyone.

DATA

The notice text and its version number. The version matters — consent records point at it.

ACTIONS

Read. Contact link.

STATES

Older versions remain reachable by version number, because a consent row from June must resolve to the notice as it read in June.

NO-JS

Static page.

THE DELETION PARAGRAPH IS NOT OPTIONAL

Audit rows and financial records cannot be deleted and the KUID is immutable, so deletion means anonymisation. Say so **here, in plain words, before anyone signs up** — not when the first request arrives. A promise you cannot keep is worse than a limitation you explained.

KAFRIADA

!

Something went wrong at our end

Nothing you did caused this. Please try again in a moment.

REFERENCE

7F3A-91CC*Quote this if you call for help.*

Try again

Back to home

PURPOSE

Fail without alarming anyone, and hand the user something that makes support fast.

WHO

Everyone.

DATA

The request ID, shortened for reading aloud.

ACTIONS

Retry · Home.

STATES

500 (this); 404 (not found, no alarm); 403 (not permitted — never explain what exists that they cannot see); 429 (rate limited — say when to try again); maintenance.

NO-JS

Static page.

WHY THE REFERENCE CODE EARNS ITS PLACE

It is one line in an error component, and it converts "the app broke, I do not know when or where" into an exact trace. Solo, with 27 LGAs of coordinators phoning you, this is one of the highest-value fifteen minutes in the whole build.

02

Register and sign in

The most important flow in the product. Every screen here is a plain form POST.

Register — step 1 of 3

Get your free KAFRIADA ID

Takes about two minutes. You need a phone that can receive SMS.

FULL NAME (AS ON YOUR ID DOCUMENT)

PHONE NUMBER

We send a code to this number. One phone, one KAFRIADA ID.

DATE OF BIRTH

STATE LGA

SPORT POSITION

CHOOSE A PASSWORD

☐ I am 18 or older and I accept the [privacy notice](#).

Continue

[Already registered? Sign in](#)

PURPOSE

Collect the minimum needed to mint a KUID. Every field here is either required by the ID format or by the pilot's rules — nothing is collected "for later".

WHO

Anonymous.

DATA

LGA list from geography, filtered to **live LGAs only**. Sport and position lists. Current privacy notice version.

ACTIONS

Continue → validate, hash the password, mint the KUID, send OTP, go to AUT-02.

STATES

- **Phone already registered** — offer sign-in or password reset. Never say "that phone has KUID 000123".
- **Under 18** — decline plainly, explain the pilot is adults only.
- **LGA not yet live** — "registration opens in your LGA soon", capture the phone for a waiting list.
- Validation errors shown inline, above the field, with the original input preserved.

NO-JS

Plain POST. Server-side validation re-renders the form with values intact. The LGA dropdown is a real `<select>`, not a search widget.

THREE THINGS THIS SCREEN MUST DO BEHIND THE SCENES

1. Hash the password **before** opening the database transaction. 2. Record consent as a row carrying the notice version and timestamp — the checkbox alone is not evidence. 3. Treat the phone number as the identity anchor, enforced by a unique constraint, not by this form's check.

Register — step 2 of 3

←

Enter the code we sent

Sent to 0803 000 0000 — [change number](#)

6-DIGIT CODE

Confirm

Resend code (available in 0:47)

Code not arriving? It can take a few minutes on a slow network. You can keep this page open.

PURPOSE

Prove the person controls the phone number, since the phone number is what makes an athlete unique.

WHO

Anonymous, holding a pending registration.

DATA

Masked phone number, seconds until resend is allowed, attempts remaining.

ACTIONS

Confirm · Resend (1 per 60s, 5 per day) · Change number (returns to AUT-01 with values kept).

STATES

Wrong code (attempts remaining shown); expired code; resend cooling down; daily resend limit reached (offer a support number); **Termii degraded** — "the code is queued, keep this page open" rather than a failure.

NO-JS

Plain POST. The countdown renders as a server-computed time; the live timer is a JavaScript nicety. **Six separate boxes become one plain input** without JavaScript — do not build a six-box widget that only works with it.

THE KUID ALREADY EXISTS BY THIS POINT

Registration mints the ID before the OTP is confirmed; only the phone-verified flag waits. So a Termii outage delays a badge, it never loses a registration — which is exactly what you want during a drive with 200 people in a hall.

Register — done

✓ REGISTERED

Musa, this is your KAFRIADA ID

KA-NG-JG-BKD-2026-000123

QR

This ID is permanent. It never changes.

Download my QR card

Print my card

NEXT STEP — OPTIONAL

Add your photo and a verified badge for ₦2,500.

Learn about verification

Go to my profile

PURPOSE

Deliver the thing they came for, immediately and permanently — then, and only then, introduce the paid option.

WHO

The newly registered athlete.

DATA

Name, KUID, signed QR image.

ACTIONS

Download card (PNG) · Print card · Learn about verification (→ VER-01) · Go to profile (→ ATH-01).

STATES

Only one. This screen cannot fail — by the time it renders, the KUID is committed.

NO-JS

Download and print are plain links to server-generated files. **No client-side QR generation** — the signature is computed on the server and the image is rendered there.

THIS IS THE CONVERSION MOMENT

The upsell appears **after** the free thing is delivered and is visibly secondary. Putting the ₦2,500 ask before the ID is handed over would depress registration, and registration volume is gate metric number one.

Sign in

Welcome back

PHONE NUMBER

0803 000 0000

PASSWORD

Sign in

[Forgot your password?](#)

No account yet? [Register free](#)

PURPOSE

Authenticate. One screen for every role — athletes, club admins and coordinators all sign in here.

WHO

Anonymous.

DATA

None.

ACTIONS

Sign in → role-appropriate dashboard · Forgot password · Register.

STATES

Wrong credentials — one message for both wrong-phone and wrong-password, never distinguishing them. Rate limited at 10/hour per account and per IP. Locked account. **Phone not yet verified** — send straight to AUT-02.

NO-JS

Plain POST, session cookie set on response.

SESSION LENGTH DIFFERS BY ROLE

Staff roles get a **30-minute idle timeout** because coordinators work on shared phones; athletes get 30 days. Same screen, different outcome — decided by the role, not by a "remember me" checkbox.

AUT-05

Forgot password

LAUNCH

Reset password

Reset your password

We send a code to your registered phone.

PHONE NUMBER

0803 000 0000

Send code

STEP 2 — AFTER THE CODE ARRIVES

6-digit code

New password

Set new password

All other devices will be signed out.

PURPOSE

Recover an account using the phone number, which is the identity anchor.

WHO

Anonymous.

DATA

None held; the code is short-lived and single-use.

ACTIONS

Send code · Set new password → all sessions for that user revoked, then sign in.

STATES

Unknown phone shows the same success message as a known one — never confirm who is registered. Code expired; OTP rate limit reached; password too weak.

NO-JS

Two plain POSTs. Shown as one screen here; may be two pages in build.

Signed in as an athlete. Deliberately small — the athlete's job is done in two minutes and revisited rarely.

ATH-01

My profile — athlete home

LAUNCH

My KAFRIADA

Sign out

PHOTO

Musa Ibrahim Sule
KA-NG-JG-BKD-2026-000123

NOT VERIFIED

Add your photo for ₦2,500

Get verified

MY CARD

QR

Download

Print

My details

›

My clubs

1

Payments

›

View my public profile

›

Home

Card

Clubs

Payments

PURPOSE

One place showing who they are, their verification status, their card, and the way into everything else.

WHO

athlete, own record only.

DATA

Own athlete summary, verification state, QR, count of pending roster invitations.

ACTIONS

Get verified (→ VER-01) · Download/print card · Edit details · Clubs · Payments · View public profile (→ PUB-01).

STATES

Not verified (prompt shown) · Payment pending (status strip, no prompt) · Under review (status strip) · Verified (badge, prompt gone) · Rejected (reason plus resubmit) · Withdrawn (neutral notice) · Pending roster invitation (badge on Clubs).

NO-JS

Everything is a link or a form. The bottom navigation is plain links.

My details

CANNOT BE CHANGED

KA-NG-JG-BKD-2026-000123

Your KAFRIADA ID is permanent. It records where you first registered, not where you live now.

FULL NAME

Musa Ibrahim Sule

DATE OF BIRTH

04 / 03 / 2001

SPORT

Football ▾

POSITION

Midfielder ▾

CURRENT LGA

Birnin Kudu ▾

PHONE NUMBER

0803 000 0000

LOCKED

To change your phone number, contact your LGA coordinator.

Save changes

PURPOSE

Let an athlete correct their own details, while making immutable things visibly immutable.

WHO

athlete, own record. super_admin for any record.

DATA

Own record; live LGA list.

ACTIONS

Save. Nothing here can change the KUID or the phone.

STATES


Verified athlete editing their name — warn that a name change sends the record back for review, since the name was verified against a document. Validation errors inline.

NO-JS

Plain form POST.

TWO IMMUTABLES, EXPLAINED RATHER THAN HIDDEN

The KUID panel explains that the ID records place of **registration**, not residence. Say it here and on PUB-01 and you spend the pilot answering the question once instead of every week. The phone is locked because it is the identity anchor — changing it is a coordinator action with a reason and an audit row.



PURPOSE

Produce the physical artefact. In the pilot the printed card is the product people actually carry.

WHO

athlete (own);
lga_coordinator (bulk, for their LGA).

DATA

Name, KUID, sport, position, LGA, and the server-generated signed QR.

ACTIONS

Download PNG · Print-optimised HTML page.

STATES


Verified — card carries the photo. Unverified — card carries no photo but is fully valid; the ID is what matters.

NO-JS

Server-rendered images and a print stylesheet. No canvas, no client-side rendering.

THE SIGNATURE CARRIES A VERSION

The encoded URL is `?s=1.a1b2...` — the leading **1** is the key version. Without it, rotating `QR_SECRET` invalidates every card ever printed in Jigawa on the same day. It costs two characters now and is unfixable later.



PURPOSE

Show the athlete what they paid and when — the receipt trail that makes assisted payment trustworthy.

WHO

athlete (own); coordinator and super_admin can view for support.

DATA

Ledger entries for their wallet, with kind, amount in kobo rendered as naira, timestamp, and **the coordinator's name where the payment was assisted.**

ACTIONS

Read only. There is no action on this screen, and that is the design.

STATES

Empty (never paid) · Paid · Cancelled/expired · Under review · Reversed (shown plainly with its reason).

NO-JS

Server-rendered list.

THE PARAGRAPH AT THE BOTTOM IS A REGULATORY STATEMENT

There is no withdraw button and no send button, on any screen, for any role. **Saying so plainly to the user** is part of how KAFRIADA stays a record book rather than something the Central Bank would treat as a bank. The wording is not decoration.

My clubs

INVITATION

Birnin Kudu United FC
wants to add you to their roster

AcceptDecline

CURRENT CLUB

Dutse Rangers FC
Joined 3 Aug 2026

ACTIVE

PAST CLUBS

Home

Card

Clubs

Payments

PURPOSE

The athlete controls their own roster membership. A club cannot simply claim a player.

WHO

athlete, own record.

DATA

Pending invitations, current membership, past memberships.

ACTIONS

Accept invitation (closes any open membership, opens the new one, writes a career event, all in one transaction) · Decline · Leave club.

STATES

No club and no invitation (explain that a club must invite them) · Invitation pending · In a club · Invitation while already in a club — **warn that accepting leaves the current club.**

NO-JS

Accept and Decline are form POSTs.

THE DATABASE ENFORCES THE RULE, NOT THIS SCREEN

An athlete can be in at most one club at a time, and that is a partial unique index in Postgres. If this screen has a bug, the database refuses the write — the profile never shows someone playing for two clubs.

Verification and payment

The commercial hypothesis of the entire pilot lives in these five screens.

VER-01

What verification gets you

LAUNCH

Get verified

SIL

Now

PHOTO

After

✓

Your photo on your public profile

✓

Verified badge scouts can trust

✓

Checked by your LGA coordinator

N2,500

One payment. No renewal.

YOU WILL NEED

1

A photo of your face

2

A photo of your ID document

Start — pay with my card

I want to pay with cash

Paying cash? Take ₦2,500 to your LGA coordinator and they will do this for you.

PURPOSE

Convert. Show the before-and-after, state the price once, and remove the two objections — "what do I get" and "I have no card".

WHO

athlete (own record).

DATA

Price in kobo from configuration, never hard-coded in the page. Current verification state.

ACTIONS

Pay by card (→ VER-02) · Pay by cash (→ shows the coordinator's name and location for their LGA).

STATES

Already verified (screen not reachable) · Payment pending (→ VER-03) · Under review (→ VER-04) · Rejected (→ VER-05).

NO-JS

Static content, two form buttons.

THE CASH ROUTE IS NOT A FOOTNOTE

Card penetration in Jigawa is low. If this screen only offers a card, the 4% conversion figure measures card ownership rather than willingness to pay, and the pilot's headline number becomes meaningless. **The cash path must be as visible as the card path** — that is why it is a full-width button, not a link.

Verification — step 1 of 2

YOUR PHOTO

TAP TO TAKE PHOTO

Face clearly visible, no cap, no sunglasses

YOUR ID DOCUMENT

TAP TO UPLOAD

NIN slip, voter's card, driver's licence or passport

Your document is used only to check your identity and age, and is deleted 30 days after a decision. Your photo stays on your profile.

Continue to payment

Maximum 10MB per image.

PURPOSE

Collect the two artefacts a reviewer needs. Files go **directly to storage**, never through the application server.

WHO

athlete (own); coordinator when assisting.

DATA

Presigned upload URLs, issued one per file after a permission check.

ACTIONS

Capture or choose each file · Continue → creates the payment intent, moves to VER-03.

STATES

Nothing uploaded · One of two uploaded · Too large · Wrong file type · **Storage unavailable** ("we could not accept your photo just now, try again shortly" — the case stays in draft, nothing half-created) · Upload succeeded but the object cannot be confirmed (no asset row written).

NO-JS

Falls back to a standard multi-part form POST to a server endpoint that streams onward to storage. Slower, larger, and it works — which is the point. The direct-to-storage presigned path is the JavaScript enhancement.

WHAT HAPPENS TO THESE FILES AFTERWARDS

The bucket is **private**. Every image is re-encoded by the worker and its EXIF stripped — phone photos carry GPS coordinates, and an athlete's home location must never reach a public profile. Only the derivative is ever served, and only after a permission check. If the bucket were public, the ¥2,500 paywall would be bypassable by anyone who guessed a URL.

Payment

AMOUNT DUE

₦2,500.00

Athlete verification · KA-...-000123

Pay securely with Paystack

You will leave KAFRIADA to pay. We never see your card details.

AFTER YOU RETURN

CHECKING

We are confirming your payment with Paystack. This usually takes a few seconds.

You can close this page safely. We will send you an SMS when your payment is confirmed.

Check again

PURPOSE

Hand off to Paystack, then hold the athlete calmly while the webhook — not this page — decides the truth.

WHO

athlete (own); coordinator when assisting.

DATA

Amount in kobo, our own payment reference, the Paystack authorisation URL.

ACTIONS

Pay (leave) · Check again (re-read our own record — **never** a request to Paystack from the browser).

STATES

- **Checking** — returned from Paystack, webhook not yet processed. The normal case for a few seconds.
- **Confirmed** — → VER-04.
- **Still checking after 2 minutes** — reassure, promise SMS, stop refreshing.
- **Failed or abandoned** — offer to try again; the case waits 72 hours before expiring.
- **Paystack unreachable** — "payments are temporarily unavailable, your submission is saved". The case stays in `draft` so the 72-hour clock never starts during an outage.

NO-JS

"Check again" is a plain link that reloads the page. **No polling loop** — on a slow network a polling page is worse than a reload button, and on Opera Mini it does not run at all.

THIS SCREEN IS NOT ALLOWED TO GRANT ANYTHING

The browser returning from Paystack is **not** proof of payment — it can be forged by typing the return URL. Only the signed server-to-server webhook moves the record forward. This page reads our own database and reports what it finds; it never decides.

VER-04

Verification status — under review

LAUNCH

Verification

UNDER REVIEW

Your LGA coordinator is checking your documents.
Usually decided within 24 hours.

PROGRESS

✓

Documents received

✓

₦2,500 paid — 12 Oct, 11:04

•

Being checked

4

Photo goes live

We will send an SMS to 0803 000 0000 when a decision is made. You do not need to keep this page open.

Back to my profile

PURPOSE	Reassure someone who has just parted with ₦2,500 that the money arrived and something is happening.
WHO	athlete (own).
DATA	Verification state, payment timestamp and amount, submission time.
ACTIONS	None. Waiting is the correct action.
STATES	Under review · Approved (celebrate, link to the public profile) · Rejected (→ VER-05) · Escalated after three rejections (show the coordinator's contact) · Withdrawn.
NO-JS	Static render; SMS is what actually notifies.

Verification

NOT APPROVED

REASON FROM THE REVIEWER
"The ID document photo is too blurred to read the name.
Please take it again in better light."

You do not pay again. Your ₦2,500 still covers this. You have 2 more attempts.

REPLACE YOUR DOCUMENT

TAP TO UPLOAD AGAIN

Resubmit for review

Get help from my coordinator

PURPOSE

Recover the sale. A rejection is a correctable problem, not a lost customer — and the money has already been taken.

WHO

athlete (own).

DATA

Reviewer's reason (mandatory, always shown verbatim), attempts remaining, the original payment reference.

ACTIONS

Replace files · Resubmit against the **same payment** · Contact coordinator.

STATES

Attempts 1 and 2 remaining · **Third rejection** → **escalated**, resubmission closes and the coordinator's contact details appear.

NO-JS

Upload falls back as in VER-02; resubmit is a form POST.

TWO RULES MADE VISIBLE

"**You do not pay again**" in bold, because the fear of paying twice is what stops people resubmitting. And "**2 more attempts**", because uncapped resubmission is an infinite free-review coupon that a solo reviewer cannot absorb. Three strikes, then a human takes over in person.

05

Club administrator

Minimal at launch — enough to make "81 active clubs" a real number.

CLB-01

Register a club

LAUNCH

Register a club

Register your club — free

Add your players and give them a verified roster.

CLUB NAME

Birnin Kudu United FC

YEAR FOUNDED

1998

STATE

Jigawa

LGA

Birnin Kudu ▾

SPORT

Football ▾

CONTACT PHONE

0803 000 0000

Registering a club is free. A verified club badge costs ₦15,000 and is optional.

Register club

PURPOSE

Get clubs onto the platform at zero friction and zero cost. Club count is one of the four gate metrics.

WHO

Any signed-in user (becomes club_admin of the club they create); coordinators may register on a club's behalf.

DATA

Live LGA list, sport list.

ACTIONS

Register → creator granted club_admin **scoped to that club** → CLB-02.

STATES

Duplicate club name in the same LGA — warn and ask them to confirm rather than blocking; two clubs can genuinely share a name.

NO-JS

Plain form POST.

IF THE SCHEDULE SLIPS, THIS SCREEN IS THE FIRST CUT

Coordinators can enter clubs on their behalf, which still produces the "81 clubs" number the CEO gate needs. Self-service club registration is a convenience, not a gate requirement — which makes it the cheapest thing to drop first.

Birnin Kudu United FC

Sign out

24
PLAYERS

9
VERIFIED

3
INVITES OUT

NOT A VERIFIED CLUB

Verify your club for ₦15,000 to receive transfers and show a club badge.

Verify

Roster

Invitations

Club details

Search roster...

+ Add player

PLAYER	KAFRIADA ID	POSITION	STATUS	
Musa Ibrahim Sule	KA-...-000123	Midfielder	VERIFIED	...
Sani Yusuf Garba	KA-...-000188	Defender	UNVERIFIED	...
Aliyu Kabir	KA-...-000241	Striker	INVITE SENT	...

PURPOSE

One screen for everything a club administrator does in the pilot: see the squad, invite players, and see who is verified.

WHO

club_admin
scoped to their own club; coach read-only; coordinator read-only within their LGA; super_admin any.

DATA

Club summary, roster with each athlete's verification state, outstanding invitations, org-account status.

ACTIONS

Add player (→ CLB-03) · Remove player · Verify club (→ CLB-04) · Edit club details.

	STATES	Empty roster (explain that players must accept an invitation) · Not verified (prompt) · Verified (badge, prompt gone) · Verification under review.
	NO-JS	Tabs are links with a query parameter. Search is a form GET. The row menu is a link to a player page.

THE SCOPE CHECK IS
THE WHOLE
SECURITY STORY
HERE

Every query on this screen is bounded to **this** club, checked server-side on every request. The most common data-leak bug in role-based systems is granting the permission without checking which club it applies to — a club_admin who can manage *every* roster passes a naive test suite. The permission matrix tests this explicitly with a second club.

Add a player

FIND BY KAFRIADA ID OR PHONE

KA-NG-JG-BKD-2026-000123

Search

SIL

Musa Ibrahim Sule
Midfielder · Birnin Kudu
UNVERIFIED

This player is currently at **Dutse Rangers FC**.
Accepting your invitation will move them to your club.

Send invitation

The player must accept before they appear on your roster.

PURPOSE

Add a player by their permanent ID — which is exactly the behaviour that makes the KUID valuable to clubs.

WHO

club_admin, own club.

DATA

Athlete summary from an exact-match lookup, plus their current club.

ACTIONS

Search · Send invitation → the athlete sees it on ATH-05.

STATES

Exact match only — no browsing, no partial search, no fuzzy matching. Not found · Already on your roster · Already invited · Currently at another club (warn).

NO-JS

Form GET for search, form POST for invite.

EXACT MATCH IS A PRIVACY DECISION, NOT A SHORTCUT

If a club admin could search "all midfielders in Birnin Kudu", the register becomes a directory anyone can harvest by registering a club. Requiring a full KUID or phone means you must already know who you are looking for. **Browsing the register is a scout permission, and it is limited to verified athletes only.**

Verify club

Become a verified club

☒

Verified badge on your club page

☒

Accept incoming player transfers

☒

Listed as an official KAFRIADA club

₦15,000

One payment

UPLOAD

CLUB REGISTRATION OR LGA LETTER

Pay and submit

PURPOSE

The club revenue line, and the gate that makes transfers a recruitment engine in Slice 2.

WHO

club_admin, own club.

DATA

Club price in kobo from configuration.

ACTIONS

Upload evidence · Pay → the identical payment and webhook path as VER-03, with a different amount and beneficiary.

STATES

Mirrors the athlete verification machine exactly — draft, payment pending, under review, approved, rejected, revoked.

NO-JS

As VER-02 and VER-03.

ONE PAYMENT PATH, TWO PRICES

Club verification reuses the athlete money path completely — same initialise, same webhook, same idempotency, same ledger. Only the amount and the beneficiary differ. **Two prices, one code path**, so there is exactly one place where money can be wrong.

LGA and state coordinator

The operational heart of the pilot. Every screen here is scoped to the coordinator's own LGA.

Birnin Kudu LGA · Aisha Bello

Sign out

312
REGISTERED

14
PAID

6
TO REVIEW

7
CLUBS

OLDEST WAITING 19H

Six verifications need a decision. Target is 24 hours.

Review now

WHAT DO YOU NEED TO DO?

Review verifications

Pay for an athlete

Find an athlete

Print QR cards

CASH COLLECTED TODAY

₦12,500

Daily limit ₦100,000 / 20 payments

5 PAYMENTS

PURPOSE

Tell a coordinator what needs doing today, in their own LGA, on a phone, standing in a field.

WHO

lga_coordinator (own LGA); state_coordinator (own state, with an LGA selected)

DATA

Counts scoped to the LGA, review queue depth and oldest item age today's assistance payment total against the capacity

ACTIONS

Review (→ CRD-02) · Pay for an athlete (→ CRD-04) · Find an athlete (→ CRD-03) · Print cards (→ CRD-06).

STATES

Empty queue (say so plainly is good news) Queue over 18 hours (amber) Over 24 hours (red) · Daily capacity reached (assistance payment button disabled with reason).

NO-JS

Everything is linked. Numbers

are server-rendered.

WHY THE CASH TOTAL IS ON THE HOME SCREEN

A coordinator handling cash should see their own running total every time they open the app, next to the limit. It makes the number impossible to lose track of and makes the daily settlement conversation trivial. **Visibility is the control.**

Review — 6 waiting

1 OF 6

Waiting 19h · paid ₦2,500 on 12 Oct

OLDEST

SUBMITTED PHOTO

ID DOCUMENT

PHOTO

DOCUMENT

CHECK AGAINST THE DOCUMENT

Name	Musa Ibrahim Sule
Date of birth	04/03/2001 · age 25
KAFRIADA ID	KA-...-000123
Attempt	1 of 3

☐ Face matches · name matches · 18 or older

Approve

Reject with reason

Skip for now

PURPOSE	Make a careful decision quickly. At roughly four days this is a queue, not a console — one case at a time, everything needed on one screen.
WHO	lga_coordinator (own LGA), state_coordinator (own state), super_admin.
DATA	Case, submitted media through short-lived signed URLs (never public ones), athlete's claimed details, computed age, attempt number, payment confirmation.
ACTIONS	Approve · Reject (reason mandatory, for text, shown verbatim to the athlete) · Skip
STATES	Empty queue Conflict of interest — if the case is the reviewer's own record or an athlete of a club they administer

the case is hidden and the actions refuse server-side · Third rejection escalates and case leaves the queue · Media fails to load (do not allow a decision on documents you cannot see).

NO-JS

Approve and Reject are for POSTs. Images are plain `<img` tags with sign sources.

**THE AGE CHECK
HAPPENS HERE OR
NOWHERE**

18-plus is self-declared at registration, so **this screen is the only place a human ever verifies age** — and only for the small share who pay. The checklist puts it in front of the reviewer every time. The conflict-of-interest rule is enforced in the service layer, not by hiding a button.

Find an athlete

KAFRIADA ID, PHONE, OR NAME

Musa Ibrahim

Search

Searching Birnin Kudu LGA only.

SIL

Musa Ibrahim Sule
KA-...-000123 · Midfielder

UNVERIFIED

PH

Musa Ibrahim Danjuma
KA-...-000341 · Goalkeeper

VERIFIED

PURPOSE

The coordinator's working tool — look someone up to help them, pay for them, or check a record.

WHO

lga_coordinator (own LGA),
state_coordinator (own state),
super_admin (all).

DATA

Athlete summaries **within scope**.
Partial-name search is allowed here, unlike CLB-03.

ACTIONS

Search · Open an athlete → their record, with pay-on-behalf and support actions.

STATES

No results. **An athlete outside the coordinator's LGA returns "no results", never "not permitted"** — the distinction lets someone probe who exists elsewhere.

NO-JS

Form GET, server-rendered results, paginated with plain links.

Pay on behalf

SIL

Musa Ibrahim Sule
KA-NG-JG-BKD-2026-000123

YOU ARE ABOUT TO

Collect in cash

₦2,500

Pay with

Your own card

Credited to

Musa Ibrahim Sule

Recorded as

Assisted by Aisha Bello

Musa will receive an SMS receipt as soon as the payment is confirmed. Make sure you have collected the cash first.

☐ I have collected ₦2,500 in cash from this athlete

Pay ₦2,500 now

Today: 5 of 20 payments · ₦12,500 of ₦100,000

PURPOSE

Let an athlete with no bank card still convert. Without this the conversion metric measures card ownership.

WHO

lga_coordinator only, own LGA only. **Not state_coordinator, not super_admin** — cash handling is a field role.

DATA

Athlete summary, price, the coordinator's running daily count and total.

ACTIONS

Confirm cash collected · Pay → Paystack with the coordinator's card, **ledger entries landing on the athlete's wallet**, `coordinator_id` tagged on the payment.

STATES

Daily cap reached (blocked, state coordinator notified) · Athlete already paid · Athlete outside the LGA (not reachable) · Payment failed (nothing recorded; tell them to return the cash).

NO-JS

Plain form POST then redirect to Paystack.

**THREE CONTROLS ON ONE SCREEN, AND ONE
THING SOFTWARE CANNOT DO**

The **athlete's** phone gets the receipt — not the coordinator's — which is what makes skimming visible. The daily caps bound both fraud and the risk of a card being blocked mid-drive. The confirmation checkbox creates a deliberate pause.

None of that stops a coordinator taking cash and never opening the app. That needs a printed receipt book, a posted complaint number in every LGA, and the state coordinator ringing five random athletes per LGA each week. **Budget for it in the rollout, not the sprint.**

My settlement

1 – 31 Oct 2026 ▾

Export CSV

₦47,500

CASH COLLECTED

₦47,500

PAID TO PAYSTACK

₦0

DIFFERENCE

DATE	ATHLETE	KAFRIADA ID	AMOUNT	STATUS
12 Oct	Musa Ibrahim Sule	KA-...-000123	₦2,500	CONFIRMED
12 Oct	Sani Yusuf Garba	KA-...-000188	₦2,500	CONFIRMED
11 Oct	Aliyu Kabir	KA-...-000241	₦2,500	CHECKING

PURPOSE

Let a coordinator prove what they collected and paid, and let a state coordinator check it.

WHO

lga_coordinator (own record only); state_coordinator (all coordinators in their state); super_admin.

DATA

Assisted payments in a date range, with status. Read from the **replica**, never the write path.

ACTIONS

Change date range · Export CSV.

STATES

Empty period
Any non-zero difference highlighted, which means payment did not confirm and needs a human

NO-JS

Form GET for range; CSV is a server-generated file.

**IF TIME RUNS SHORT,
THIS BECOMES A
METABASE QUERY**

27 coordinators do not need a purpose-built screen — a saved report against the read replica gives the same numbers. It is on the cut list precisely because the underlying data is identical either way.

Print cards

Registered between ▾

Not yet printed ▾

Find

42 athletes · 6 sheets of A4, 8 cards per sheet

QR

QR

QR

QR


Print all 6 sheets

Download PDF

PURPOSE	Turn a registration data into a stack of physical cards. Most athletes never print their own.
WHO	lga_coordinator (own LGA), state_coordinator, super_admin.
DATA	Athletes in scope with their signature QR codes, filtered by registration date and print status.
ACTIONS	Filter · Print (opens a print optimised page) Download PDF Mark as printed
STATES	None matching Very large batch (page it, do not build a 400-card document).
NO-JS	A print stylesheet on a normal HTML page. The browser's own print dialogue does the work

Super admin

Small, sharp, and every action here writes an audit row.



**TWO NUMBERS
CARRY THE PILOT**

Unresolved

payments — if it is zero, nobody is missing what they paid for. **Conversion** — the commercial verdict. Everything else on this screen is context for those two.

Users and roles

Search by name, phone or ID...

All roles ▾

NAME	ROLE	SCOPE	LAST SEEN	
Aisha Bello	lga_coordinator	Birnin Kudu	2h ago	...
Ibrahim Danladi	state_coordinator	Jigawa	1d ago	...
Fatima Usman	club_admin	BK United FC	4h ago	...

GRANT A ROLE

User...

Role ▾

Scope ▾

You will be asked for your password again before this is saved.

Grant role

PURPOSE	Appoint coordinators and club administrator and see exactly who holds what, bounded to where.
WHO	super_admin only.
DATA	Users with their roles and scope , last session time.
ACTIONS	Grant role (role + scope together) · Revoke role · Reset a phone number (with reason) · End all sessions for a user.
STATES	Re-authentication required before any grant or revoke · A role that requires a scope cannot be granted without one – enforced server-side, not by the form.
NO-JS	Form POSTs throughout.

**ROLE AND SCOPE
ARE ONE ACTION,
NEVER TWO**

Granting

`lga_coordinator`

without saying

which LGA would

create a coordinator

over all 27. The

form makes scope a

required field, and

the service refuses a

scoped role with no

scope. This is the

third of the three

most expensive-to-

change decisions,

and it is why

`scope_type` and

`scope_id` exist

from the very first

migration.

Withdraw verification

PHOTO

Musa Ibrahim Sule
KA-...-000123 · verified 12 Oct

THIS WILL

☐ Remove the photo from the public profile

☐ Show "verification withdrawn" publicly

☐ **Not** refund the ₦2,500

☐ **Not** change the KAFRIADA ID

REASON (REQUIRED, KEPT PERMANENTLY)

Document later found to be forged...

Enter your password to confirm.

.....

Withdraw verification

PURPOSE

Take back a badge granted in error or on a forged document. Verification is what KAFRIADA sells, so it must be withdrawable.

WHO

super_admin only, with re-authentication.

DATA

Athlete summary, verification history.

ACTIONS

Withdraw with a mandatory reason → state becomes `revoked`, photo hidden, audit row written.

STATES

Not currently approved (unreachable) · Already withdrawn.

NO-JS

Form POST.

THIS STATE DID NOT EXIST IN THE ORIGINAL SPECIFICATION

The verification machine ended at `approved` with no way back. The first forged document would have had no code path — and in a 5,000-person pilot with cash-handling agents, there will be a first one. Adding a state to a live state machine is a migration plus a UI pass plus a policy argument; adding it now is one screen.

Record a reversal

KAFRIADA cannot send money. Make the refund in the Paystack dashboard first, then record it here so the books match.

PAYMENT REFERENCE

KAF-8f21c9a4...

Athlete Musa Ibrahim Sule

Amount ₦2,500.00

Paid 12 Oct 2026

REASON (REQUIRED)

Duplicate payment — refunded in Paystack 14 Oct...

PAYSTACK REFUND REFERENCE

RFD-...

Enter your password to confirm.

.....

Record reversal

PURPOSE

Keep the ledger honest when money leaves through Paystack — without ever giving the application the ability to move money.

WHO

super_admin only, with re-authentication.

DATA

The payment, its ledger lines, current state.

ACTIONS

Record a reversal → a debit ledger line with the reason and the external refund reference, plus an audit row.

STATES

Payment not found · Not successful · Already reversed.

NO-JS

Form POST.

THIS SCREEN RECORDS; IT DOES NOT PAY

The refund itself is made by a human inside Paystack's own dashboard. This endpoint writes a ledger line saying that it happened. That distinction is what keeps KAFRIADA a record book rather than something requiring a licence — and it is why chargebacks, which will happen, do not silently break the books.

LGA rollout — Jigawa

Registration is only open in LGAs marked live. Public profiles work everywhere.

LGA	WAVE	REGISTERED	STATUS	
Birnin Kudu	1	312	LIVE	Close
Dutse	2	96	LIVE	Close
Hadejia	2	74	LIVE	Close
Gumel	3	0	NOT OPEN	Open
Kazaure	3	0	NOT OPEN	Open

Opening or closing an LGA takes effect immediately. No deployment required.

PURPOSE	Run the phase rollout, and start a bad wave in seconds with a release.
WHO	super_admin; state_coordinator; read-only.
DATA	All 27 LGAs with wave number, registration count and live flag.
ACTIONS	Open an LGA Close an LGA (existing athletes keep working; only new registration stops).
STATES	Closing a live LGA asks for confirmation and a reason, since it is visible to the public immediately.
NO-JS	Form POSTs.

**A BOOLEAN COLUMN
INSTEAD OF A
FEATURE-FLAG
SERVICE**

One field on the LGA record replaces an entire third-party product. It is the whole rollout control, it costs nothing to run, and it makes "stop the wave" a thirty-second action rather than a deployment.

Audit log

Who...

Action ▾

Date range ▾

WHEN	WHO	ACTION	SUBJECT	REF
14 Oct 09:12	A. Bello	verification.approved	KA-...-000123	7F3A...
14 Oct 09:04	system	payment.confirmed	KAF-8f21...	91CC...
14 Oct 08:55	A. Bello	payment.assisted	KA-...-000123	91CC...
13 Oct 17:40	I. Danladi	role.granted	F. Usman	4B2E...

Audit records cannot be edited or deleted by anyone, including administrators. Kept for 7 years.

PURPOSE	Answer "who this, and when without needing a developer or database console.
WHO	super_admin (all); state_coordinator (own state).
DATA	Audit rows with actor, action, subject, timestamp and the request reference that ties back to the trace.
ACTIONS	Filter · Export No delete. No edit. The screen has no such controls because the database has no such grant
STATES	Empty result · Very large range (paged).
NO-JS	Form GET, page with plain link

**THE GUARANTEE IS
IN THE DATABASE,
NOT THIS SCREEN**

No application role holds `UPDATE` or `DELETE` on the audit table — granted that way in the first migration, with a test that attempts a delete and asserts it fails. Even an attacker who owned the whole application could not rewrite this log, because the connection it would have to use does not have permission.

Data requests

RECEIVED	PERSON	TYPE	DUE	STATUS
10 Oct	Musa Ibrahim Sule	Export	9 Nov	OPEN
08 Oct	Hauwa Aliyu	Delete	7 Nov	DONE

HANDLE A REQUEST

KAFRIADA ID or phone...

Export ▾

Delete means anonymise. Name, photo, phone, date of birth and documents are erased. The KAFRIADA ID, payment records and audit history are kept, as the privacy notice states.

Run

PURPOSE	Meet NDPR obligations. Manual in the pilot, because a handful of requests does not justify automation.
WHO	super_admin only, with re-authentication for a deletion.
DATA	The request log, and everything held about one data subject.
ACTIONS	Export → a JSON bundle emailed to the subject · Anonymise → erases identifying fields, retains KUID shell, ledger and audit. Both write audit rows.
STATES	Open · Overdue (30 days) · Done · Subject not found.
NO-JS	Form POSTs; export is a generated file

**TWO OBLIGATIONS
THAT NEED A
PERSON, NOT CODE**

The deletion conflict is disclosed on **PUB-04** before anyone registers, so this screen never has to break bad news. And separately: NDPR filing obligations begin above 2,000 **data subjects in twelve months**. The pilot targets 5,000. That is assumption **A7**, still with no owner and no budget line.

Scout

The role exists at launch; its own tooling does not. Scouts use the public profile until Slice 2.

Find players

Sign out

Position ▾

LGA ▾

Age ▾

Search

Showing verified athletes only. 34 results.

PHOTO

Musa I. Sule

Midfielder · 25

✓

PHOTO

Sani Y. Garba

Defender · 22

✓

PHOTO

Aliyu Kabir

Striker · 20

✓

PURPOSE	Let scouts browse the register — the demand side that eventually makes verification worth paying for.
WHO	scout only. Verified athletes only , never unverified ones.
DATA	Verified athlete summaries with photos. Never phone numbers, never dates of birth — only computed age.
ACTIONS	Filter · Open a profile (the public profile, PUB-01).
STATES	No results · Filters too narrow.

NO-JS

Form GET
with
server-
rendered
results.

**WHY THIS WAITS, AND
WHY THE
RESTRICTION IS
PERMANENT**

Scouting is the demand side, and demand only matters once there is supply. It also does not touch any of the four gate metrics.

The **verified-only** rule is not a Slice 2 detail — it is the commercial engine. Being findable is precisely what the ₦2,500 buys, and a scout screen that showed unverified athletes would give the product away.

kafriada.ng/c/birnin-kudu-united

**Birnin Kudu United FC**

Founded 1998 · Birnin Kudu, Jigawa

✓ VERIFIED CLUB

24
SQUAD**9**
VERIFIED

SQUAD



PURPOSE

A public page a club can share, which is the main reason a club pays ₦15,000.

WHO

Everyone, no account.

DATA

Club summary and roster with each athlete's verification state.

ACTIONS

Open an athlete's profile.

STATES

Verified club (badge) · Unverified (no badge, page still works) · Empty squad.

NO-JS

Server-rendered, edge-cached like PUB-01.

Slice 2 — transfers and the feed

Documented now so the tables and states are designed once. Built after Birnin Kudu goes live.

TRF-01

List a player for transfer

SLICE 2

Transfer a player

PH

Musa Ibrahim Sule
Currently at Birnin Kudu United FC

MOVING TO

Search club by name...

No money moves through KAFRIADA. Any fee is arranged directly between the clubs. This records the move only.

List this transfer

Musa will be asked to accept before anything happens.

PURPOSE

Begin a transfer record. The selling club starts it, and nobody's money is involved.

WHO

club_admin of the athlete's **current** club.

DATA

Athlete summary, club search.

ACTIONS

List → state `listed`, SMS to the athlete.

STATES

Athlete already in a transfer · Destination club not on KAFRIADA (invite them — this is the recruitment engine).

NO-JS

Form GET and POST.

Transfer request

YOUR CLUB WANTS TO TRANSFER YOU

From
BK United FC

To
Dutse Rangers FC

You decide. Nothing happens unless you accept.

Accept

Decline

PURPOSE

The athlete's consent. A player cannot be moved between clubs without agreeing.

WHO

athlete, own record.

DATA

Transfer with both clubs.

ACTIONS

Accept → `player_accepted` ·
Decline → `cancelled` .

STATES

Pending · Expired · Cancelled by the selling club.

NO-JS

Form POSTs.

Incoming transfer

PH

Musa Ibrahim Sule

Accepted · from BK United FC

ACTION NEEDED

Your club must be a verified KAFRIADA club to confirm an incoming transfer.

Verify club — N15,000

Confirm transfer

This request expires in 24 days.

PURPOSE

Complete the transfer — and, deliberately, recruit the buying club as a paying customer.

WHO

club_admin of the buying club.

DATA

Transfer, athlete summary, the buying club's org-account status.

ACTIONS

Verify club (→ CLB-04) · Confirm (only enabled once approved) → buyer_confirmed .

STATES

awaiting_buyer_onboarding — a visible, named state with a nudge and a 30-day expiry.

NO-JS

Form POSTs.

THE STATE THAT STOPS TRANSFERS DYING SILENTLY

Without a named waiting state, a transfer sits in player_accepted for weeks while a club decides whether to pay, and to everyone watching it simply looks broken. Making the wait visible, nudged and time-bounded is what turns a stall into a sales conversation.

Validate transfer

Player

Musa Ibrahim Sule · KA-...-000123

From

Birnin Kudu United FC

To

Dutse Rangers FC

VERIFIED CLUB

ALL PARTIES HAVE AGREED

✓

Selling club listed · 2 Nov

✓

Player accepted · 3 Nov

✓

Buying club confirmed · 5 Nov

Completing will move the player, add a career record, and publish a news post to both LGAs.

Validate and complete


Reject

PURPOSE	Official confirmation, and the trigger for the one transaction that must be all-or-nothing.
WHO	lga_coordinator, state_coordinator, super_admin.
DATA	Transfer with full event history.
ACTIONS	Complete → official transaction: complete the old membership, open the new one, write a career event, write the outcome event, mark completed. Reject → cancelled with a reason.
STATES	Not all parties agreed (not reachable) · Buying club unverified (blocked).
NO-JS	Form POSTs.

**RECORDS ARE
TRANSACTIONAL;
ANNOUNCEMENTS
ARE NOT**

The membership change and the career record commit together — a partial completion would put an athlete at two clubs, and the partial unique index would refuse it anyway.

The **news post** and **the SMS** go through the outbox: written in the same transaction as an event row, delivered afterwards by a worker, retried if they fail. Nobody is ever told about a transfer that did not happen, and no transfer happens silently.



PURPOSE	See where every transfer is stuck. Mostly a coordinator's tool for unblocking.
WHO	club_admin (own club), coordinator (own scope), super_admin.
DATA	Transfers with state, age, and which party is blocking.
ACTIONS	Open a transfer · Nudge the blocking party · Cancel.
STATES	Empty · Stalled beyond 14 days (highlighted).
NO-JS	Server-rendered; tabs are links.

New post

←

HEADLINE

Trials at Dutse Stadium — 14 November

MESSAGE

Open trials for players aged 18–23...

WHO SEES THIS

WHOLE STATE

CHOSEN LGAS

BIRNIN KUDU ×


DUTSE ×

+ ADD LGA

Reaches about 408 athletes.

Publish

PURPOSE	Reach athletes in specific places. The read-only "marketplace" from the agreed pilot scope.
WHO	lga_coordinator (own LGA), state_coordinator (own state), super_admin (all).
DATA	LGA list in scope with the estimated reach.
ACTIONS	Publish · Save draft · Delete a post.
STATES	No targets chosen · Scope exceeded (an LGA coordinator cannot target another LGA).
NO-JS	A multi-select falls back to checkboxes.



PURPOSE

Give athletes a reason to open the app after registering. Read-only for everyone but admins.

WHO

Any signed-in user, filtered to their LGA and state.

DATA

Posts targeting the user's LGA or state, newest first, paged.

ACTIONS

Read. Open a linked athlete or club.

STATES

Empty · System-generated transfer posts marked distinctly from written ones.

NO-JS

Server-rendered with plain pagination links, no infinite scroll.

QUERIED ON READ, NOT FANNED OUT ON WRITE

27 LGAs and a few thousand users means this is one indexed query. No per-user feed table, no fan-out job, no notification records. That decision saves a table and a worker, and it holds comfortably past ten thousand athletes.

Screen index

All 46, with the role that reaches them. Use these codes in the blueprint, in tests and in commits.

CODE	SCREEN	WHO	SLICE	NOTES
PUB-01	Public athlete profile	Anyone	LAUNCH	Highest traffic. Edge-cached.
PUB-02	Home / landing	Anyone	LAUNCH	
PUB-03	Look up by ID	Anyone	LAUNCH	For damaged QR codes.
PUB-04	Privacy notice	Anyone	LAUNCH	Versioned; consent points at it.
PUB-05	Error page	Anyone	LAUNCH	Carries the support reference.
AUT-01	Register — details	Anonymous	LAUNCH	Mints the KUID.
AUT-02	Register — confirm phone	Anonymous	LAUNCH	
AUT-03	Register — ID ready	New athlete	LAUNCH	Conversion moment.
AUT-04	Sign in	Anonymous	LAUNCH	One screen, all roles.
AUT-05	Forgot password	Anonymous	LAUNCH	
ATH-01	My profile	athlete	LAUNCH	
ATH-02	Edit my details	athlete	LAUNCH	KUID and phone locked.
ATH-03	My QR card	athlete	LAUNCH	The physical product.
ATH-04	My payments	athlete	LAUNCH	No withdraw, stated plainly.
ATH-05	My clubs	athlete	LAUNCH	Athlete controls membership.
VER-01	What verification gets you	athlete	LAUNCH	Cash route must be prominent.
VER-02	Upload photo and document	athlete	LAUNCH	Direct to private storage.
VER-03	Payment	athlete	LAUNCH	Webhook decides, not this page.
VER-04	Under review	athlete	LAUNCH	
VER-05	Rejected — resubmit	athlete	LAUNCH	No second fee. Three attempts.
CLB-01	Register a club	Any signed-in	LAUNCH	First on the cut list.
CLB-02	Club dashboard	club_admin (own)	LAUNCH	Scope is the security story.
CLB-03	Invite a player	club_admin (own)	LAUNCH	Exact match only.
CLB-04	Verify the club	club_admin (own)	LAUNCH	Same money path, other price.
CLB-05	Public club page	Anyone	SLICE 2	
CRD-01	Coordinator dashboard	lga / state coord	LAUNCH	Cash total always visible.
CRD-02	Review queue and decision	lga / state coord	LAUNCH	The only age check.

CODE	SCREEN	WHO	SLICE	NOTES
CRD-03	Find an athlete	lga / state coord	LAUNCH	Out of scope returns nothing.
CRD-04	Pay for an athlete	lga_coordinator only	LAUNCH	Receipt goes to the athlete.
CRD-05	Settlement	coord (own) / state	LAUNCH	Can become a Metabase report.
CRD-06	Bulk QR printing	lga / state coord	LAUNCH	
ADM-01	Admin dashboard	super_admin	LAUNCH	Ledger check is the top line.
ADM-02	Users and roles	super_admin	LAUNCH	Role and scope granted together.
ADM-03	Withdraw a verification	super_admin	LAUNCH	The state the spec lacked.
ADM-04	Record a reversal	super_admin	LAUNCH	Records; never pays.
ADM-05	LGA rollout control	super_admin	LAUNCH	A boolean, not a flag service.
ADM-06	Audit log	super_admin / state	LAUNCH	No delete control exists.
ADM-07	Data requests	super_admin	LAUNCH	Delete means anonymise.
SCT-01	Scout search	scout	SLICE 2	Verified athletes only, always.
TRF-01	List a player for transfer	club_admin (selling)	SLICE 2	
TRF-02	Athlete accepts	athlete	SLICE 2	
TRF-03	Buying club confirms	club_admin (buying)	SLICE 2	The recruitment gate.
TRF-04	Coordinator validates	coordinator	SLICE 2	One all-or-nothing transaction.
TRF-05	Transfer tracking	club_admin / coord	SLICE 2	
FED-01	Publish a post	coordinator / admin	SLICE 2	
FED-02	The feed	Any signed-in	SLICE 2	Queried on read.

WHAT THESE WIREFRAMES COMMIT US TO

Thirty-seven screens at launch, nine after. Every launch screen works without JavaScript. Every screen that shows money says plainly that money cannot leave. Every screen bounded to a club or an LGA has that limit checked on the server, not implied by a hidden button. Every error hands the user a reference code.

None of that is visual design, and all of it is expensive to add later. **The colours, the typeface and the logo can change the week before launch and cost nothing. What each screen does, who can reach it, and what it refuses to do — that is settled here.**