

H101 | 8,920 nucleotides | 933 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 4.467 | after PBD96 5.113 | PBD96 Kabsch RMSD 4.947

H102 | 8,334 nucleotides | 879 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 3.947 | after PBD96 5.146 | PBD96 Kabsch RMSD 4.995

H103 | 7,666 nucleotides | 797 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 3.516 | after PBD96 4.712 | PBD96 Kabsch RMSD 4.622

H104 | 8,164 nucleotides | 849 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 4.424 | after PBD96 5.285 | PBD96 Kabsch RMSD 5.189

H105 | 6,180 nucleotides | 643 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 3.912 | after PBD96 4.817 | PBD96 Kabsch RMSD 4.606

H106 | 8,824 nucleotides | 922 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 4.426 | after PBD96 5.261 | PBD96 Kabsch RMSD 5.044

H107 | 7,898 nucleotides | 829 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 5.164 | after PBD96 5.698 | PBD96 Kabsch RMSD 4.791


H108 | 7,718 nucleotides | 804 rigid fragments



All-node RMSD to Prepared: raw model 3.642 | after PBD96 4.875 | PBD96 Kabsch RMSD 4.663

H109 | 6,784 nucleotides | 713 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 4.401 | after PBD96 5.067 | PBD96 Kabsch RMSD 4.956

H110 | 8,518 nucleotides | 886 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 4.323 | after PBD96 5.335 | PBD96 Kabsch RMSD 5.272

H111 | 8,792 nucleotides | 924 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 3.693 | after PBD96 5.358 | PBD96 Kabsch RMSD 5.312

H112 | 7,998 nucleotides | 836 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 4.568 | after PBD96 4.957 | PBD96 Kabsch RMSD 4.923

H113 | 8,184 nucleotides | 861 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 4.566 | after PBD96 5.042 | PBD96 Kabsch RMSD 4.924

H114 | 9,216 nucleotides | 964 rigid fragments

Initial



Model prediction (PBD96)




Prepared




All-node RMSD to Prepared: raw model 4.274 | after PBD96 5.038 | PBD96 Kabsch RMSD 4.899

H115 | 6,206 nucleotides | 647 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 3.625 | after PBD96 4.156 | PBD96 Kabsch RMSD 4.128

H116 | 6,298 nucleotides | 650 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 3.852 | after PBD96 5.214 | PBD96 Kabsch RMSD 4.956

H117 | 6,200 nucleotides | 650 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 2.776 | after PBD96 4.122 | PBD96 Kabsch RMSD 4.079

H118 | 8,052 nucleotides | 848 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 4.306 | after PBD96 5.001 | PBD96 Kabsch RMSD 4.892

H119 | 9,182 nucleotides | 959 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 4.929 | after PBD96 4.969 | PBD96 Kabsch RMSD 4.810

H120 | 7,502 nucleotides | 777 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 3.793 | after PBD96 5.281 | PBD96 Kabsch RMSD 5.186

H121 | 9,364 nucleotides | 963 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 4.022 | after PBD96 5.254 | PBD96 Kabsch RMSD 4.903

H122 | 9,790 nucleotides | 1,016 rigid fragments


Initial



Model prediction (PBD96)




Prepared




All-node RMSD to Prepared: raw model 4.110 | after PBD96 4.451 | PBD96 Kabsch RMSD 4.150

H123 | 9,764 nucleotides | 1,012 rigid fragments

Initial



Model prediction (PBD96)



Prepared



All-node RMSD to Prepared: raw model 3.763 | after PBD96 4.319 | PBD96 Kabsch RMSD 4.251

H124 | 8,746 nucleotides | 911 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 3.564 | after PBD96 4.397 | PBD96 Kabsch RMSD 4.354

H125 | 5,338 nucleotides | 551 rigid fragments


Initial | **Model prediction (PBD96)** | **Prepared**




All-node RMSD to Prepared: raw model 2.473 | after PBD96 3.428 | PBD96 Kabsch RMSD 3.340

H126 | 9,716 nucleotides | 1,002 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 4.290 | after PBD96 5.394 | PBD96 Kabsch RMSD 5.345


H127 | 5,326 nucleotides | 548 rigid fragments



All-node RMSD to Prepared: raw model 3.004 | after PBD96 3.695 | PBD96 Kabsch RMSD 3.431

H128 | 8,780 nucleotides | 913 rigid fragments

Initial



Model prediction (PBD96)



Prepared



All-node RMSD to Prepared: raw model 3.338 | after PBD96 3.965 | PBD96 Kabsch RMSD 3.946

H129 | 7,236 nucleotides | 749 rigid fragments

Initial



Model prediction (PBD96)




Prepared




All-node RMSD to Prepared: raw model 4.140 | after PBD96 5.734 | PBD96 Kabsch RMSD 5.192

H130 | 5,974 nucleotides | 621 rigid fragments



All-node RMSD to Prepared: raw model 3.108 | after PBD96 3.917 | PBD96 Kabsch RMSD 3.863

H131 | 9,646 nucleotides | 1,000 rigid fragments



All-node RMSD to Prepared: raw model 3.639 | after PBD96 4.245 | PBD96 Kabsch RMSD 4.073

H132 | 9,668 nucleotides | 999 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 3.864 | after PBD96 4.002 | PBD96 Kabsch RMSD 3.909

H133 | 8,770 nucleotides | 913 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 4.249 | after PBD96 4.574 | PBD96 Kabsch RMSD 4.469

H134 | 6,976 nucleotides | 720 rigid fragments

Initial



Model prediction (PBD96)



Prepared



All-node RMSD to Prepared: raw model 2.931 | after PBD96 3.257 | PBD96 Kabsch RMSD 3.131

H135 | 10,510 nucleotides | 1,082 rigid fragments

Initial | **Model prediction (PBD96)** | **Prepared**



All-node RMSD to Prepared: raw model 4.515 | after PBD96 4.914 | PBD96 Kabsch RMSD 4.819

H136 | 7,100 nucleotides | 738 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 3.106 | after PBD96 3.885 | PBD96 Kabsch RMSD 3.783

H137 | 9,752 nucleotides | 1,012 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 4.264 | after PBD96 5.109 | PBD96 Kabsch RMSD 4.602

H138 | 8,168 nucleotides | 840 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 3.628 | after PBD96 4.365 | PBD96 Kabsch RMSD 4.189

H139 | 8,340 nucleotides | 858 rigid fragments

Initial



Model prediction (PBD96)




Prepared




All-node RMSD to Prepared: raw model 3.735 | after PBD96 4.220 | PBD96 Kabsch RMSD 4.068

H140 | 11,244 nucleotides | 1,161 rigid fragments




All-node RMSD to Prepared: raw model 4.171 | after PBD96 4.749 | PBD96 Kabsch RMSD 4.685

H141 | 10,862 nucleotides | 1,128 rigid fragments




All-node RMSD to Prepared: raw model 7.752 | after PBD96 7.600 | PBD96 Kabsch RMSD 7.513

H142 | 11,876 nucleotides | 1,240 rigid fragments



All-node RMSD to Prepared: raw model 6.604 | after PBD96 7.077 | PBD96 Kabsch RMSD 6.922


H143 | 11,756 nucleotides | 1,212 rigid fragments




All-node RMSD to Prepared: raw model 7.281 | after PBD96 7.216 | PBD96 Kabsch RMSD 7.091

H144 | 9,314 nucleotides | 969 rigid fragments


Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 5.719 | after PBD96 6.445 | PBD96 Kabsch RMSD 6.177


H145 | 11,116 nucleotides | 1,155 rigid fragments




All-node RMSD to Prepared: raw model 7.589 | after PBD96 7.648 | PBD96 Kabsch RMSD 7.586

H146 | 9,162 nucleotides | 950 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 6.085 | after PBD96 6.662 | PBD96 Kabsch RMSD 6.465

H147 | 10,200 nucleotides | 1,062 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 7.699 | after PBD96 7.804 | PBD96 Kabsch RMSD 7.740

H148 | 8,218 nucleotides | 848 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 4.748 | after PBD96 4.716 | PBD96 Kabsch RMSD 4.442


H149 | 11,266 nucleotides | 1,178 rigid fragments




All-node RMSD to Prepared: raw model 8.230 | after PBD96 8.320 | PBD96 Kabsch RMSD 8.175

H150 | 10,774 nucleotides | 1,129 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 6.391 | after PBD96 6.546 | PBD96 Kabsch RMSD 6.359

H151 | 11,940 nucleotides | 1,247 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 6.896 | after PBD96 7.200 | PBD96 Kabsch RMSD 7.133


H152 | 11,740 nucleotides | 1,218 rigid fragments




All-node RMSD to Prepared: raw model 7.589 | after PBD96 7.100 | PBD96 Kabsch RMSD 6.845

H153 | 10,366 nucleotides | 1,078 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 5.755 | after PBD96 5.645 | PBD96 Kabsch RMSD 5.358

H154 | 11,142 nucleotides | 1,164 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 6.242 | after PBD96 6.433 | PBD96 Kabsch RMSD 6.083

H155 | 11,220 nucleotides | 1,172 rigid fragments

Initial



Model prediction (PBD96)




Prepared




All-node RMSD to Prepared: raw model 6.805 | after PBD96 6.967 | PBD96 Kabsch RMSD 6.824

H156 | 12,026 nucleotides | 1,258 rigid fragments

Initial



Model prediction (PBD96)




Prepared




All-node RMSD to Prepared: raw model 7.332 | after PBD96 7.391 | PBD96 Kabsch RMSD 7.036

H157 | 10,888 nucleotides | 1,138 rigid fragments



All-node RMSD to Prepared: raw model 8.547 | after PBD96 8.940 | PBD96 Kabsch RMSD 8.766


H158 | 11,780 nucleotides | 1,217 rigid fragments



All-node RMSD to Prepared: raw model 8.377 | after PBD96 8.583 | PBD96 Kabsch RMSD 8.550

H159 | 11,462 nucleotides | 1,191 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 8.112 | after PBD96 8.086 | PBD96 Kabsch RMSD 7.858


H160 | 12,228 nucleotides | 1,270 rigid fragments




All-node RMSD to Prepared: raw model 8.520 | after PBD96 8.428 | PBD96 Kabsch RMSD 7.920

H161 | 6,244 nucleotides | 655 rigid fragments

Initial



Model prediction (PBD96)




Prepared




All-node RMSD to Prepared: raw model 3.338 | after PBD96 3.914 | PBD96 Kabsch RMSD 3.814

H162 | 8,182 nucleotides | 842 rigid fragments


Initial



Model prediction (PBD96)




Prepared




All-node RMSD to Prepared: raw model 3.617 | after PBD96 4.285 | PBD96 Kabsch RMSD 4.160

H163 | 9,470 nucleotides | 991 rigid fragments

Initial



Model prediction (PBD96)




Prepared



All-node RMSD to Prepared: raw model 4.689 | after PBD96 4.828 | PBD96 Kabsch RMSD 4.759

H164 | 8,518 nucleotides | 892 rigid fragments


Initial



Model prediction (PBD96)



Prepared



All-node RMSD to Prepared: raw model 4.921 | after PBD96 5.175 | PBD96 Kabsch RMSD 4.918