

ExcelTests

Execution time
10/29/2023 7:06:39 AM
Operating system
Windows 10 64bit
Run configuration name
TestRun

Computer name
KAGETSUCHI
Screen dimension
1920x1080
Username
user

Language
en-US
Duration
12.09s



■ 1 x Success

Total warnings
0

Total errors
0

Table of Contents

■ AddFormulaCheckCalculation.....	2
■ ExcelFormulaTests.....	2
■ ModifyExcelFile.....	2

Global Parameters:

AppProcessID:

ExcelPath:

AddFormulaCheckCalculation

AddFormulaCheckCalculation

12.06s 

ExcelFormulaTests

9.25s 

Time	Level	Category	Message
00:00.043	Info	User	START CODE
00:00.092	Info	User	Creating Workbook...
00:02.155	Info	User	Workbook Created.
00:02.180	Info	User	Workbook Path: E:\Ranorex Tests\Excel Tests\ExcelTests\ExcelTests\bin\Debug\TestFile.xlsx
00:04.307	Info	User	Formula Cell to Check: A6
00:08.427	Info	User	Navigating Cell Name: A6
00:08.491	Info	User	CELL FOUND.
00:08.513	Info	User	SELECTING FOUND CELL...
00:09.160	Info	Screenshot	
00:09.162	Info	User	CELL WAS SUCCESSFULLY NAVIGATED.
00:09.186	Info	User	Expected cell value: 114
00:09.212	Info	User	Navigated Cell Value: 114
00:09.236	Info	User	Cell value matches
00:09.260	Info	User	END CODE

ModifyExcelFile

2.78s 

Time	Level	Category	Message
00:09.298	Info	Data	Current variable values: \$ComputedValue = '264'
00:09.325	Info	Mouse	Mouse Left Click item 'Book1Excel.CellA11' at 54;10.
00:10.360	Info	Keyboard	Key sequence '25' with focus on 'Book1Excel.CellA11'.
00:10.909	Info	Keyboard	Key sequence '{Return}' with focus on 'Book1Excel.CellA11'.
00:11.421	Info	Validation	Validating AttributeEqual (Text=\$ComputedValue) on item 'Book1Excel.CellA6'.
00:11.948	Success	Validation	Attribute 'Text' of element for item 'ExcelTestsRepository.Book1Excel.CellA6' does match the specified value.

