

ExcelTests

Execution time
10/29/2023 8:12:03 AM
Operating system
Windows 10 64bit
Run configuration name
TestRun

Computer name
KAGETSUCHI
Screen dimension
1920x1080
Username
user

Language
en-US
Duration
39.33s



■ 1 x Failed

Total warnings
1

Total errors
1

Table of Contents

■ AddFormulaCheckCalculation.....	2
■ CreateExcelWithValueAndFormula.....	2
■ ModifyCellAndValidateCalculation.....	2
■ SaveWhenClosing.....	3

! Warnings occurred. For additional information see the report of the individual modules, please.

Global Parameters:

AppProcessID:

ExcelPath:

AddFormulaCheckCalculation

AddFormulaCheckCalculation

39.3s



CreateExcelWithValueAndFormula

11.66s





Time	Level	Category	Message
00:00.033	Info	User	START CODE
00:00.099	Info	User	Creating Workbook...
00:02.611	Info	User	Workbook Created.
00:02.645	Info	User	Workbook Path: E:\Ranorex Tests\Excel Tests\ExcelTests\ExcelTests\bin\Debug\TestFile.xlsx
00:05.749	Info	User	Formula Cell to Check: A6
00:10.768	Info	User	Navigating Cell Name: A6
00:10.840	Info	User	CELL FOUND.
00:10.863	Info	User	SELECTING FOUND CELL...
00:11.562	Info	Screenshot	
00:11.564	Info	User	CELL WAS SUCCESSFULLY NAVIGATED.
00:11.589	Info	User	Expected cell value: 114
00:11.615	Info	User	Navigated Cell Value: 114
00:11.640	Info	User	Cell value matches
00:11.664	Info	User	END CODE




ModifyCellAndValidateCalculation

7.89s



Time	Level	Category	Message
00:11.699	Info	Data	Current variable values: \$ComputedValue = '193', \$ModifiedCellValue = '25'
00:11.724	Info	Mouse	Mouse Left Click item 'Book1Excel.CellA11' at 54;10.
00:12.892	Info	Keyboard	Key sequence from variable '\$ModifiedCellValue' with focus on 'Book1Excel.CellA11'.
00:13.569	Info	Keyboard	Key sequence '{Return}' with focus on 'Book1Excel.CellA11'.
00:14.237	Info	Invoke action	Invoking Focus() on item 'Book1Excel.CellA6'.
00:14.920	Info	Delay	Waiting for 100ms.

00:15.672	Info	User	Formula Cell Value
00:15.674	Info	User	Expected Value:
00:15.699	Info	User	193
00:15.721	Info	Validation	(Optional Action) Validating AttributeEqual (Text=\$ComputedValue) on item 'Book1Excel.CellA6'.
00:19.366 	Failure	Validation	Attribute 'Text' of element for item 'ExcelTestsRepository.Book1Excel.CellA6' does not match the specified value (actual='264', expected='193').
00:19.505 	Error	Module	The module has failed because one or more actions have failed.

 SaveWhenClosing 19.72s 			
Time	Level	Category	Message
00:19.594	Info	Data	Current variable values: \$CloseAutProcessIDVar = '40336'
00:19.619	Info	Application	Closing application with Process ID bound to variable \$CloseAutProcessIDVar.
00:19.682	Info	Mouse	Mouse Left Click item 'Book1Excel.Save' at 29;7.
00:38.334	Info	User	Item 'Save' was found using Robust path.
00:38.376 	Warn	Click	The mouse action was performed outside the boundaries of the assigned UI element.