ExcelTests

Execution time	Computer name	Language
10/29/2023 8:02:47 AM	KAGETSUCHI	en-US
Operating system	**Screen dimension**	**Duration**
Windows 10 64bit	1920x1080	20.08s
Run configuration name	**Username**	
TestRun	user	

■ 1 x Failed

Total warnings
0

Total errors
1

Table of Contents

Global Parameters:

AppProcessID:

ExcelPath:

AddFormulaCheckCalculatio n

▶ AddFormulaCheckCalculation

20.03s ⤒

📄 CreateExcelWithValueAndFormula

12.26s ⤒

Time	Level	Category	Message
00:00.032	Info	User	START CODE
00:00.115	Info	User	Creating Workbook...
00:02.830	Info	User	Workbook Created.
00:02.866	Info	User	Workbook Path: E:\Ranorex Tests\Excel Tests\ExcelTests\ExcelTests\bin\Debug\TestFile.xlsx
00:06.208	Info	User	Formula Cell to Check: A6
00:11.392	Info	User	Navigating Cell Name: A6
00:11.473	Info	User	CELL FOUND.
00:11.497	Info	User	SELECTING FOUND CELL...
00:12.157	Info	Screenshot	
00:12.160	Info	User	CELL WAS SUCCESSFULLY NAVIGATED.
00:12.185	Info	User	Expected cell value: 114
00:12.210	Info	User	Navigated Cell Value: 114
00:12.235	Info	User	Cell value matches
00:12.260	Info	User	END CODE

🎥 ModifyCellAndValidateCalculation

7.67s ⤒

Time	Level	Category	Message
00:12.295	Info	Data	Current variable values: $ComputedValue = '193', $ModifiedCellValue = '25'
00:12.325	Info	Mouse	Mouse Left Click item 'Book1Excel.CellA11' at 54;10.
00:13.516	Info	Keyboard	Key sequence from variable '$ModifiedCellValue' with focus on 'Book1Excel.CellA11'.
00:14.257	Info	Keyboard	Key sequence '{Return}' with focus on 'Book1Excel.CellA11'.
00:14.878	Info	Invoke action	Invoking Focus() on item 'Book1Excel.CellA6'.
00:15.486	Info	Delay	Waiting for 100ms.
00:16.101	Info	User	Formula Cell Value

00:16.103	Info	User	Expected Value:
00:16.128	Info	User	193
00:16.151	Info	Validation	(Optional Action) Validating AttributeEqual (Text=$ComputedValue) on item 'Book1Excel.CellA6'.
00:19.744 ❌	Failure	Validation	Attribute 'Text' of element for item 'ExcelTestsRepository.Book1Excel.CellA6' does not match the specified value (actual='264', expected='193').
00:19.882 ❌	Error	Module	The module has failed because one or more actions have failed.

▣ CloseAUT

83ms ⬆

Time	Level	Category	Message
00:19.964	Info	Data	Current variable values: $CloseAutProcessIDVar = '45460'
00:19.987	Info	Application	Closing application with Process ID bound to variable $CloseAutProcessIDVar.