

ExcelTests

Execution time
10/29/2023 10:24:46 AM
Operating system
Windows 10 64bit
Run configuration name
TestRun

Computer name
KAGETSUCHI
Screen dimension
1920x1080
Username
user

Language
en-US
Duration
15.92s



■ 1 x Success

Total warnings
0

Total errors
0

Table of Contents

■ AddFormulaCheckCalculation.....	2
■ CreateExcelWithValueAndFormula.....	2
■ ModifyCell.....	2
■ ValidateComputation.....	3

Global Parameters:

AppProcessID:

AddFormulaCheckCalculation



AddFormulaCheckCalculation

15.9s



CreateExcelWithValueAndFormula

10.54s



Time	Level	Category	Message
00:00.035	Info	User	START CODE
00:00.068	Info	User	Excel Filename: TestFile1
00:00.090	Info	User	Computed Value: 114
00:00.148	Info	User	Creating Workbook...
00:02.493	Info	User	Workbook Created.
00:02.524	Info	User	Workbook Path: E:\Ranorex Tests\Excel Tests\ExcelTests\bin\Debug\TestFile1.xlsx
00:04.859	Info	User	Formula Cell to Check: A6
00:09.680	Info	User	Navigating Cell Name: A6
00:09.758	Info	User	CELL FOUND.
00:09.781	Info	User	SELECTING FOUND CELL...
00:10.411	Info	Screenshot	
00:10.412	Info	User	CELL WAS SUCCESSFULLY NAVIGATED.
00:10.439	Info	User	Expected cell value: 114
00:10.463	Info	User	Navigated Cell Value: 114
00:10.489	Success	Validation	
00:10.514	Info	User	Expected Cell Value Matches
00:10.541	Info	User	END CODE





ModifyCell

3.4s



Time	Level	Category	Message
00:10.578	Info	Data	Current variable values: \$ModifiedCellValue = '25'
00:11.167	Info	User	Old Value
00:11.169	Info	Mouse	Mouse Left Click item 'Book1Excel.CellA1' at 54;10.
00:12.190	Info	Keyboard	Key sequence from variable '\$ModifiedCellValue' with focus on 'Book1Excel.CellA1'.

00:12.827	Info	Keyboard	Key sequence '{Return}' with focus on 'Book1Excel.CellA1'.
00:13.973	Info	User	New Value

<div>  ValidateComputation </div> <div>1.94s </div>			
Time	Level	Category	Message
00:13.977	Info	Data	Current variable values: \$NewComputedValue = '264'
00:14.000	Info	Invoke action	Invoking Focus() on item 'Book1Excel.CellA6'.
00:14.548	Info	Delay	Waiting for 100ms.
00:15.221	Info	User	Formula Cell Value
00:15.223	Info	User	Expected Value:
00:15.244	Info	User	264
00:15.267	Info	Validation	(Optional Action) Validating AttributeEqual (Text=\$NewComputedValue) on item 'Book1Excel.CellA6'.
00:15.785	Success	Validation	Attribute 'Text' of element for item 'ExcelTestsRepository.Book1Excel.CellA6' does match the specified value.