Ranorex®

ExcelTests

Execution time	Computer name		Language
10/29/2023 8:24:08 AM	KAGETSUCHI		en-US
Operating system	Screen dimension		Duration
Windows 10 64bit	1920x1080		17.65s
Run configuration name	Username		
TestRun	user		

■ 1 x Failed

Total warnings	Total errors
0	1

Table of Contents

Global Parameters:

AppProcessID:

ExcelPath:

AddFormulaCheckCalculatio n

▶ AddFormulaCheckCalculation

17.62s ⌅

📄 CreateExcelWithValueAndFormula

10.21s ⌅

Time	Level	Category	Message
00:00.041	Info	User	START CODE
00:00.087	Info	User	Creating Workbook...
00:02.312	Info	User	Workbook Created.
00:02.341	Info	User	Workbook Path: E:\Ranorex Tests\Excel Tests\ExcelTests\ExcelTests\bin\Debug\TestFile.xlsx
00:04.604	Info	User	Formula Cell to Check: A6
00:09.326	Info	User	Navigating Cell Name: A6
00:09.396	Info	User	CELL FOUND.
00:09.420	Info	User	SELECTING FOUND CELL...
00:10.108	Info	Screenshot	
00:10.111	Info	User	CELL WAS SUCCESSFULLY NAVIGATED.
00:10.134	Info	User	Expected cell value: 114
00:10.161	Info	User	Navigated Cell Value: 114
00:10.188	Info	User	Cell value matches
00:10.213	Info	User	END CODE

📹 ModifyCellAndValidateCalculation

7.31s ⌅

Time	Level	Category	Message
00:10.250	Info	Data	Current variable values: $ComputedValue = '193', $ModifiedCellValue = '25'
00:10.278	Info	Mouse	Mouse Left Click item 'Book1Excel.CellA11' at 54;10.
00:11.374	Info	Keyboard	Key sequence from variable '$ModifiedCellValue' with focus on 'Book1Excel.CellA11'.
00:11.953	Info	Keyboard	Key sequence '{Return}' with focus on 'Book1Excel.CellA11'.
00:12.528	Info	Invoke action	Invoking Focus() on item 'Book1Excel.CellA6'.
00:13.091	Info	Delay	Waiting for 100ms.
00:13.754	Info	User	Formula Cell Value

00:13.756	Info	User	Expected Value:
00:13.777	Info	User	193
00:13.801	Info	Validation	(Optional Action) Validating AttributeEqual (Text=$ComputedValue) on item 'Book1Excel.CellA6'.
00:17.341 ❌	Failure	Validation	Attribute 'Text' of element for item 'ExcelTestsRepository.Book1Excel.CellA6' does not match the specified value (actual='264', expected='193').
00:17.478 ❌	Error	Module	The module has failed because one or more actions have failed.

◘◖ SaveWhenClosing

88ms   ⌅

Time	Level	Category	Message
00:17.556	Info	Data	Current variable values: $CloseAutProcessIDVar = '51224'
00:17.585	Info	Application	Closing application with Process ID bound to variable $CloseAutProcessIDVar.