ExcelTests

Execution time	Computer name	Language
10/29/2023 8:15:31 AM	KAGETSUCHI	en-US
Operating system	Screen dimension	Duration
Windows 10 64bit	1920x1080	37.41s
Run configuration name	Username	
TestRun	user	

■ 1 x Failed

Total warnings
1

Total errors
1

Table of Contents

> ⚠️ Warnings occurred. For additional information see the report of the individual modules, please.

> ## Global Parameters:
>
> **AppProcessID:**
>
> **ExcelPath:**

AddFormulaCheckCalculatio n

> ## ▶ AddFormulaCheckCalculation
> 37.38s ⤒ ⚠

> ### 📄 CreateExcelWithValueAndFormula
> 10.86s ⤒

Time	Level	Category	Message
00:00.040	Info	User	START CODE
00:00.089	Info	User	Creating Workbook...
00:02.548	Info	User	Workbook Created.
00:02.581	Info	User	Workbook Path: E:\Ranorex Tests\Excel Tests\ExcelTests\ExcelTests\bin\Debug\TestFile.xlsx
00:04.901	Info	User	Formula Cell to Check: A6
00:10.002	Info	User	Navigating Cell Name: A6
00:10.080	Info	User	CELL FOUND.
00:10.106	Info	User	SELECTING FOUND CELL...
00:10.765	Info	Screenshot	
00:10.767	Info	User	CELL WAS SUCCESSFULLY NAVIGATED.
00:10.793	Info	User	Expected cell value: 114
00:10.818	Info	User	Navigated Cell Value: 114
00:10.843	Info	User	Cell value matches
00:10.868	Info	User	END CODE

> ### 📷 ModifyCellAndValidateCalculation
> 7.4s ⤒

Time	Level	Category	Message
00:10.904	Info	Data	Current variable values: $ComputedValue = '193', $ModifiedCellValue = '25'
00:10.933	Info	Mouse	Mouse Left Click item 'Book1Excel.CellA11' at 54;10.
00:12.026	Info	Keyboard	Key sequence from variable '$ModifiedCellValue' with focus on 'Book1Excel.CellA11'.
00:12.631	Info	Keyboard	Key sequence '{Return}' with focus on 'Book1Excel.CellA11'.
00:13.223	Info	Invoke action	Invoking Focus() on item 'Book1Excel.CellA6'.
00:13.808	Info	Delay	Waiting for 100ms.

Time	Level	Category	Message
00:14.443	Info	User	Formula Cell Value
00:14.445	Info	User	Expected Value:
00:14.470	Info	User	193
00:14.494	Info	Validation	(Optional Action) Validating AttributeEqual (Text=$ComputedValue) on item 'Book1Excel.CellA6'.
00:18.082 ❌	Failure	Validation	Attribute 'Text' of element for item 'ExcelTestsRepository.Book1Excel.CellA6' does not match the specified value (actual='264', expected='193').
00:18.222 ❌	Error	Module	The module has failed because one or more actions have failed.

📹 SaveWhenClosing

19.1s ⤒

Time	Level	Category	Message
00:18.301	Info	Data	Current variable values: $CloseAutProcessIDVar = '51468'
00:18.327	Info	Application	Closing application with Process ID bound to variable $CloseAutProcessIDVar.
00:18.381	Info	Mouse	Mouse Left Click item 'Book1Excel.Save' at 29;7.
00:36.694	Info	User	Item 'Save' was found using Robust path.
00:36.737 ⚠	Warn	Click	The mouse action was performed outside the boundaries of the assigned UI element.