ExcelTests

Execution time	Computer name	Language
10/29/2023 7:34:14 AM	KAGETSUCHI	en-US
Operating system	Screen dimension	Duration
Windows 10 64bit	1920x1080	16.69s
Run configuration name	Username	
TestRun	user	

■ 1 x Failed

Total warnings	Total errors
0	2

Table of Contents

Global Parameters:

AppProcessID:

ExcelPath:

AddFormulaCheckCalculatio n

▶ AddFormulaCheckCalculation

16.66s ⬆

📄 CreateExcelWithValueAndFormula

9.48s ⬆

Time	Level	Category	Message
00:00.040	Info	User	START CODE
00:00.092	Info	User	Creating Workbook...
00:02.269	Info	User	Workbook Created.
00:02.299	Info	User	Workbook Path: E:\Ranorex Tests\Excel Tests\ExcelTests\ExcelTests\bin\Debug\TestFile.xlsx
00:04.449	Info	User	Formula Cell to Check: A6
00:08.620	Info	User	Navigating Cell Name: A6
00:08.686	Info	User	CELL FOUND.
00:08.708	Info	User	SELECTING FOUND CELL...
00:09.388	Info	Screenshot	
00:09.390	Info	User	CELL WAS SUCCESSFULLY NAVIGATED.
00:09.414	Info	User	Expected cell value: 114
00:09.441	Info	User	Navigated Cell Value: 114
00:09.464	Info	User	Cell value matches
00:09.489	Info	User	END CODE

📹 ModifyCellAndValidateCalculation

7.03s ⬆

Time	Level	Category	Message
00:09.527	Info	Data	Current variable values: $ComputedValue = '193', $ModifiedCellValue = '25'
00:09.554	Info	Mouse	Mouse Left Click item 'Book1Excel.CellA11' at 54;10.
00:10.626	Info	Keyboard	Key sequence from variable '$ModifiedCellValue' with focus on 'Book1Excel.CellA11'.
00:11.160	Info	Keyboard	Key sequence '{Return}' with focus on 'Book1Excel.CellA11'.
00:11.683	Info	Invoke action	Invoking Focus() on item 'Book1Excel.CellA6'.
00:12.193	Info	Delay	Waiting for 100ms.
00:12.804	Info	User	Formula Cell Value

00:12.806	Info	User	Expected Value:
00:12.829	Info	User	193
00:12.852	Info	Validation	(Optional Action) Validating AttributeEqual (Text=$ComputedValue) on item 'Book1Excel.CellA6'.
00:16.336 ❌	Failure	Validation	Attribute 'Text' of element for item 'ExcelTestsRepository.Book1Excel.CellA6' does not match the specified value (actual='264', expected='193').
00:16.476 ❌	Error	Module	The module has failed because one or more actions have failed.

▣ CloseAUT

132ms ⤒

Time	Level	Category	Message
00:16.553	Info	Data	Current variable values: $CloseAutProcessIDVar = ''
00:16.580	Info	Application	Closing application with Process ID bound to variable $CloseAutProcessIDVar.
00:16.609 ❌	Error	Module	Input string was not in a correct format.