

ExcelTests

Execution time
10/29/2023 7:48:09 AM
Operating system
Windows 10 64bit
Run configuration name
TestRun

Computer name
KAGETSUCHI
Screen dimension
1920x1080
Username
user

Language
en-US
Duration
17.17s



■ 1 x Failed

Total warnings
0

Total errors
2

Table of Contents

■ AddFormulaCheckCalculation.....	2
■ CreateExcelWithValueAndFormula.....	2
■ ModifyCellAndValidateCalculation.....	2
■ CloseAUT.....	3

Global Parameters:

AppProcessID:

ExcelPath:

AddFormulaCheckCalculation



AddFormulaCheckCalculation

17.15s



CreateExcelWithValueAndFormula

9.83s



Time	Level	Category	Message
00:00.040	Info	User	START CODE
00:00.087	Info	User	Creating Workbook...
00:02.364	Info	User	Workbook Created.
00:02.397	Info	User	Workbook Path: E:\Ranorex Tests\Excel Tests\ExcelTests\ExcelTests\bin\Debug\TestFile.xlsx
00:04.609	Info	User	Formula Cell to Check: A6
00:08.989	Info	User	Navigating Cell Name: A6
00:09.057	Info	User	CELL FOUND.
00:09.082	Info	User	SELECTING FOUND CELL...
00:09.731	Info	Screenshot	
00:09.734	Info	User	CELL WAS SUCCESSFULLY NAVIGATED.
00:09.758	Info	User	Expected cell value: 114
00:09.783	Info	User	Navigated Cell Value: 114
00:09.808	Info	User	Cell value matches
00:09.834	Info	User	END CODE








ModifyCellAndValidateCalculation

7.17s



Time	Level	Category	Message
00:09.870	Info	Data	Current variable values: \$ComputedValue = '193', \$ModifiedCellValue = '25'
00:09.898	Info	Mouse	Mouse Left Click item 'Book1Excel.CellA11' at 54;10.
00:10.990	Info	Keyboard	Key sequence from variable '\$ModifiedCellValue' with focus on 'Book1Excel.CellA11'.
00:11.545	Info	Keyboard	Key sequence '{Return}' with focus on 'Book1Excel.CellA11'.
00:12.088	Info	Invoke action	Invoking Focus() on item 'Book1Excel.CellA6'.
00:12.620	Info	Delay	Waiting for 100ms.
00:13.266	Info	User	Formula Cell Value

00:13.268	Info	User	Expected Value:
00:13.292	Info	User	193
00:13.312	Info	Validation	(Optional Action)
			Validating AttributeEqual (Text=\$ComputedValue) on item 'Book1Excel.CellA6'.
00:16.827 	Failure	Validation	Attribute 'Text' of element for item 'ExcelTestsRepository.Book1Excel.CellA6' does not match the specified value (actual='264', expected='193').
00:16.964 	Error	Module	The module has failed because one or more actions have failed.

 CloseAUT			
			127ms 
Time	Level	Category	Message
00:17.041	Info	Data	Current variable values: \$CloseAutProcessIDVar = "
00:17.066	Info	Application	Closing application with Process ID bound to variable \$CloseAutProcessIDVar.
00:17.093 	Error	Module	Input string was not in a correct format.