

ExcelTests

Execution time
10/29/2023 7:25:27 AM
Operating system
Windows 10 64bit
Run configuration name
TestRun

Computer name
KAGETSUCHI
Screen dimension
1920x1080
Username
user

Language
en-US
Duration
16.3s



■ 1 x Failed

Total warnings
0

Total errors
1

Table of Contents

■ AddFormulaCheckCalculation.....	2
■ CreateExcelWithValueAndFormula.....	2
■ ModifyCellAndValidateCalculation.....	2

Global Parameters:

AppProcessID:

ExcelPath:

AddFormulaCheckCalculation



AddFormulaCheckCalculation

16.27s



CreateExcelWithValueAndFormula

9.44s



Time	Level	Category	Message
00:00.039	Info	User	START CODE
00:00.090	Info	User	Creating Workbook...
00:02.228	Info	User	Workbook Created.
00:02.257	Info	User	Workbook Path: E:\Ranorex Tests\Excel Tests\ExcelTests\ExcelTests\bin\Debug\TestFile.xlsx
00:04.351	Info	User	Formula Cell to Check: A6
00:08.588	Info	User	Navigating Cell Name: A6
00:08.652	Info	User	CELL FOUND.
00:08.677	Info	User	SELECTING FOUND CELL...
00:09.339	Info	Screenshot	
00:09.341	Info	User	CELL WAS SUCCESSFULLY NAVIGATED.
00:09.365	Info	User	Expected cell value: 114
00:09.391	Info	User	Navigated Cell Value: 114
00:09.415	Info	User	Cell value matches
00:09.441	Info	User	END CODE





ModifyCellAndValidateCalculation

6.82s



Time	Level	Category	Message
00:09.476	Info	Data	Current variable values: \$ComputedValue = '193', \$ModifiedCellValue = '25'
00:09.501	Info	Mouse	Mouse Left Click item 'Book1Excel.CellA11' at 54;10.
00:10.515	Info	Keyboard	Key sequence from variable '\$ModifiedCellValue' with focus on 'Book1Excel.CellA11'.
00:11.031	Info	Keyboard	Key sequence '{Return}' with focus on 'Book1Excel.CellA11'.
00:11.527	Info	Invoke action	Invoking Focus() on item 'Book1Excel.CellA6'.
00:12.060	Info	Delay	Waiting for 100ms.
00:12.618	Info	User	Formula Cell Value

00:12.620	Info	User	Expected Value:
00:12.641	Info	User	193
00:12.661	Info	Validation	Validating AttributeEqual (Text=\$ComputedValue) on item 'Book1Excel.CellA6'.
00:16.188 	Failure	Validation	Attribute 'Text' of element for item 'ExcelTestsRepository.Book1Excel.CellA6' does not match the specified value (actual='264', expected='193').
00:16.220 	Error	Module	Module execution was aborted because a validation step has failed. Attribute 'Text' of element for item 'ExcelTestsRepository.Book1Excel.CellA6' does not match the specified value (actual='264', expected='193').