

## ExcelTests

Execution time  
10/29/2023 7:36:04 AM  
Operating system  
Windows 10 64bit  
Run configuration name  
TestRun

Computer name  
KAGETSUCHI  
Screen dimension  
1920x1080  
Username  
user

Language  
en-US  
Duration  
17.04s



■ 1 x Failed

Total warnings  
0

Total errors  
2

## Table of Contents

■ AddFormulaCheckCalculation.....	2
■ CreateExcelWithValueAndFormula.....	2
■ ModifyCellAndValidateCalculation.....	2
■ CloseAUT.....	3

## Global Parameters:

AppProcessID:

ExcelPath:

## AddFormulaCheckCalculation



### AddFormulaCheckCalculation

17.02s



### CreateExcelWithValueAndFormula

9.73s



Time	Level	Category	Message
00:00.036	Info	User	START CODE
00:00.083	Info	User	Creating Workbook...
00:02.247	Info	User	Workbook Created.
00:02.275	Info	User	Workbook Path: E:\Ranorex Tests\Excel Tests\ExcelTests\ExcelTests\bin\Debug\TestFile.xlsx
00:04.461	Info	User	Formula Cell to Check: A6
00:08.849	Info	User	Navigating Cell Name: A6
00:08.918	Info	User	CELL FOUND.
00:08.941	Info	User	SELECTING FOUND CELL...
00:09.625	Info	Screenshot	
00:09.628	Info	User	CELL WAS SUCCESSFULLY NAVIGATED.
00:09.651	Info	User	Expected cell value: 114
00:09.677	Info	User	Navigated Cell Value: 114
00:09.701	Info	User	Cell value matches
00:09.726	Info	User	END CODE








### ModifyCellAndValidateCalculation

7.14s



Time	Level	Category	Message
00:09.763	Info	Data	Current variable values:  \$ComputedValue = '193', \$ModifiedCellValue = '25'
00:09.791	Info	Mouse	Mouse Left Click item 'Book1Excel.CellA11' at 54;10.
00:10.884	Info	Keyboard	Key sequence from variable '\$ModifiedCellValue' with focus on 'Book1Excel.CellA11'.
00:11.426	Info	Keyboard	Key sequence '{Return}' with focus on 'Book1Excel.CellA11'.
00:11.973	Info	Invoke action	Invoking Focus() on item 'Book1Excel.CellA6'.
00:12.504	Info	Delay	Waiting for 100ms.
00:13.129	Info	User	Formula Cell Value

00:13.131	Info	User	Expected Value:
00:13.151	Info	User	193
00:13.172	Info	Validation	(Optional Action)
			Validating AttributeEqual (Text=\$ComputedValue) on item 'Book1Excel.CellA6'.
00:16.689 	Failure	Validation	Attribute 'Text' of element for item 'ExcelTestsRepository.Book1Excel.CellA6' does not match the specified value (actual='264', expected='193').
00:16.829 	Error	Module	The module has failed because one or more actions have failed.

 CloseAUT			
			128ms 
Time	Level	Category	Message
00:16.905	Info	Data	Current variable values:  \$CloseAutProcessIDVar = "
00:16.931	Info	Application	Closing application with Process ID bound to variable \$CloseAutProcessIDVar.
00:16.957 	Error	Module	Input string was not in a correct format.