

## ExcelTests

Execution time  
10/29/2023 8:22:42 AM  
Operating system  
Windows 10 64bit  
Run configuration name  
TestRun

Computer name  
KAGETSUCHI  
Screen dimension  
1920x1080  
Username  
user

Language  
en-US  
Duration  
17.55s



■ 1 x Failed

Total warnings  
0

Total errors  
1

## Table of Contents

■ AddFormulaCheckCalculation.....	2
■ CreateExcelWithValueAndFormula.....	2
■ ModifyCellAndValidateCalculation.....	2
■ SaveWhenClosing.....	3

## Global Parameters:

AppProcessID:

ExcelPath:

## AddFormulaCheckCalculation



### AddFormulaCheckCalculation

17.53s



### CreateExcelWithValueAndFormula

10.13s



Time	Level	Category	Message
00:00.039	Info	User	START CODE
00:00.086	Info	User	Creating Workbook...
00:02.343	Info	User	Workbook Created.
00:02.377	Info	User	Workbook Path: E:\Ranorex Tests\Excel Tests\ExcelTests\ExcelTests\bin\Debug\TestFile.xlsx
00:04.664	Info	User	Formula Cell to Check: A6
00:09.267	Info	User	Navigating Cell Name: A6
00:09.335	Info	User	CELL FOUND.
00:09.358	Info	User	SELECTING FOUND CELL...
00:10.037	Info	Screenshot	
00:10.039	Info	User	CELL WAS SUCCESSFULLY NAVIGATED.
00:10.063	Info	User	Expected cell value: 114
00:10.089	Info	User	Navigated Cell Value: 114
00:10.114	Info	User	Cell value matches
00:10.139	Info	User	END CODE







### ModifyCellAndValidateCalculation

7.22s



Time	Level	Category	Message
00:10.175	Info	Data	Current variable values:  \$ComputedValue = '193', \$ModifiedCellValue = '25'
00:10.203	Info	Mouse	Mouse Left Click item 'Book1Excel.CellA11' at 54;10.
00:11.299	Info	Keyboard	Key sequence from variable '\$ModifiedCellValue' with focus on 'Book1Excel.CellA11'.
00:11.851	Info	Keyboard	Key sequence '{Return}' with focus on 'Book1Excel.CellA11'.
00:12.417	Info	Invoke action	Invoking Focus() on item 'Book1Excel.CellA6'.
00:12.958	Info	Delay	Waiting for 100ms.
00:13.604	Info	User	Formula Cell Value

00:13.607	Info	User	Expected Value:
00:13.634	Info	User	193
00:13.659	Info	Validation	(Optional Action)
			Validating AttributeEqual (Text=\$ComputedValue) on item 'Book1Excel.CellA6'.
00:17.188 	Failure	Validation	Attribute 'Text' of element for item 'ExcelTestsRepository.Book1Excel.CellA6' does not match the specified value (actual='264', expected='193').
00:17.323 	Error	Module	The module has failed because one or more actions have failed.

 SaveWhenClosing <span>147ms</span> 			
Time	Level	Category	Message
00:17.401	Info	Data	Current variable values:  \$CloseAutProcessIDVar = '46028'
00:17.490	Info	Application	Closing application with Process ID bound to variable \$CloseAutProcessIDVar.