

04 May 2026

Augmented with AI

- Gemini
- ChatGPT
- Claude
- Meta AI
- Grok
- Deepseek
- NotebookLM
- Copilot
- Gemma
- Canva
- perplexity
- Kiwi
- Base 44
- repl.it
- loveable
- Cursor
- Lelap AI
- Kiro
- DE LLA
- vercel
- Zapier
- Whisper flow
- Smart AT
- Julius ai
- Quilbot
- Genie AI

GPT - Generative Pre-trained transformer

LLM - Large language Model

Machine learning (ML)

AI - Artificial Intelligence

Machine learning

Enables a machine to learn patterns
- Learns pattern from data

Branch of artificial Intelligence
where computers/systems learn
patterns from data to make
predictions.

AI - Artificial Intelligence

For an AI system to exist
It needs to learn patterns from

data.

* For artificial Intelligence to exist
there needs to be data.



Training → learn patterns from data.

draw.io

Medium. Architecture

jupyter


Learning patterns of data



Hallucinating → make things up that are incorrect.

RAG - Retrieval Augmented Generation chatbot.

This was build so as to try :) and make ChatGPT not to lie or hallucinate.



GenAI

MTN
FNB
Standard Bank

- tokens
- Tokenization
- unstructured
- Embeddings
- Similarity search
- Prompts Prompting

GenAI tool requires a prompt
In order to generate what you need.

→ A prompt is an instruction or question you give to an AI tool

→ a guardrail
→ a request
→ clear and detailed instruction.
→ specific instruction

Prompt Engineering → Is a way to construct an effect prompt to ensure clarity to the AI so that it does not give you the wrong answer.

Different ways of prompting

1. Few-shot prompting

→ You give the LLM few examples so that it understands your question

→ Is a way of interacting with an LLM (GenAI) by asking it questions and give it examples as part of the context for it to be able to understand what you want

2. Zero-shot Prompting

→ this is when you ask a question without giving any example
→ Direct

3. Contextual Prompting

→ you give background information

4. Constrained based Prompting

- you limit the Response
- Restriction based
- Controlling the kind of output you want from the LLM.
- Limiting the scope of the output

Homework

- Try out different types of A/s.