

16 April 2026

Logical Operators

- AND Operator

- ↳ all conditions must be met
- ↳ You put as many conditions as you like

SELECT columns

FROM table name

WHERE condition 1 & condition 2 & condition 3 ;

IN Operator

- ↳ Allows us to filter data by specifying multiple values from a column.


```
SELECT column(s)
FROM table-name
WHERE Column IN('value1', 'value2',
                'value3');
```

BETWEEN Operator

↳ Is an operator that allows us to filter data by specifying a range of values in a numeric or date columns.

range $\Rightarrow$ Looks at the minimum and Maximum values

$\Rightarrow$ Looks at the start point and the end point

```
SELECT columns
FROM table-name
WHERE Column BETWEEN min_val
AND max_val;
```

Syntax

Question

write an SQL Script
to give names, marks
for students who got
between 10% and 70%.

```
SELECT Names,  
        Marks  
FROM students_table  
WHERE Marks BETWEEN 10  
        AND 70;
```

↓ output

Name	Marks
Mbali	20
Sipho	60
Naledi	70

→ The between statement
is an Inclusive statement.

NOT operator

↳ It gives you the opposite result

↳ It is a way of filtering data by saying what should be excluded

```
SELECT columns(s)  
FROM table-name  
WHERE NOT condition;
```

↳ NOT BETWEEN
↳ NOT IN

Example

Write an SQL Script to give me names, marks for students who did not get between 10% and 70%.

```
SELECT Names,  
marks  
FROM Students-table  
WHERE NOT marks NOT BETWEEN  
10 AND 70;
```


↓ output

Name	Marks
Rafhiwa	99
Tumi	85
Jabu	71