Context Aware Data Reduction for Highly Automated Driving

Kai Storms

TECHNISCHE
UNIVERSITÄT
DARMSTADT

MASCHINENBAU **FZD**
We engineer future

Motivation

Automated Driving (AD)

- brings …
  - safety
  - efficiency
  - availability
  - comfort

SAE levels for AD

0   1   2   3   4   5

assisted   automated

Challenges

- **Data amounts**
  - ~10 TB/h for AD → ~10 ZB to release

- **Open Context**
  - What is relevant?

Source: Cityscapes

Agenda

State of the art

Research Questions

Relevance   Data Reduction

Method

Evaluation

Results

Outlook

State of the art

Data reduction for AD

- **Lossy or Lossless**

- **Low-Level features**
  - e.g. Pixel
  - Technology far advanced

- **High-Level features**
  - Simple methods (Triggering)
  - Missing use of domain knowledge for AD

Car

Research Questions

1. How can the open context present in automated driving be addressed in data reduction?

2. How can relevance be formally defined to facilitate its use in data reduction?

3. What is the impact of this data reduction method

   on the performance of subsequent use cases?

MASCHINENBAU
We engineer future   **FZD**

Relevance: Method

General Relevance Model (GRM)

- Abstract description using ontologies

Specific Relevance Model (SRM)

- Use Case specific implementation details

Relevance: Method

Proof of Concept

- Perception relevance for collision free driving

- Three principles

  1. Worst-Case assumption

  2. Superposition

  3. Argumentation

Legend:
- Ego (black)
- irrelevant Objects (red)
- relevant Objects (green)

Relevance: Evaluation

Validation Concept

- Reference: human driver
- Compare Ego prediction with different information
- Aggregation of prediction errors
- Cramer-von Mises Test:

MASCHINENBAU
We engineer future

FZD

Data Reduction: Method

Concept

- Reduction by abstraction

- Expansion by "plausible lie"

- Relevant information left unaltered

Data Recording → (A) → Abstraction → Relevance criteria → Relevance selection → Reduction → (B) → Expansion → Data Generation → Fusion → (C)

MASCHINENBAU
We engineer future

FZD

# Data Reduction: Evaluation

- Impact on Neural Nets
  - Inference | Training
  - Object detection | Semantic segmentation
- 5 datasets for evaluation

$\mathbb{D}_{Full}$ $\mathbb{D}_{Synth}$ $\mathbb{D}_{Blackened}$

Data Reduction: Evaluation

Inference

- Proposed method $\mathbb{D}_{Synth}$:
  - Small impact on performance

- Alternative method $\mathbb{D}_{Blackened}$:
  - Large impact on performance

→ „Plausible lie" of irrelevant information essential for inferenz

Semantic segmentation (mIoU)

	$\mathbb{D}_{Full}$		$\mathbb{D}_{Synth}$	$\mathbb{D}_{Blackened}$
Relevant Ø	0,823	≈	0,819	0,37
Irrelevant Ø	0,79	→	0,72	-
Ø	0,81		0,78	-

Object detection (mAP$_{50}$)

	$\mathbb{D}_{Full}$		$\mathbb{D}_{Synth}$	$\mathbb{D}_{Blackened}$
Relevant Ø	0,373	≈	0,369	0,14

MASCHINENBAU
We engineer future

FZD

Data Reduction: Evaluation

Training

- ✗ Semantic segmentation

- ✓ Object detection

→ Dependent on Use Case

→ „Plausible lie" of irrelevant informatio essential for training

Semantic segmentation

Object detection

Legend:
- $\mathbb{D}_{Full}$ (red)
- $\mathbb{D}_{Synth}$ (blue)
- $\mathbb{D}_{Truncated}$ (green)
- $\mathbb{D}_{MixedSynth}$ (magenta)
- $\mathbb{D}_{Blackened}$ (black)

Epochs

Results

1. **Data reduction for open context?**

   Inclusion of domain-specific relevance

   → Control of information losses

   → Effective management of performance losses

2. **Description of relevance?**

   Ontological models

   → Adaptive modeling for different relevance concepts

   → Derivation of relevance from knowledge representation

3. **Impact on performance?**

   → Suitability for inference and training of neural networks
   → Dependence on the use case

Outlook

1. **Relevance-driven data reduction**
   - Common representation of various sensor modalities
   - Enhanced understanding of use case dependency

2. **Relevance modeling**
   - Establishment of differentiated relevance consideration in AD
   - Standardized concepts and nomenclature for relevance in AD

3. **Application**
   - Previously "laboratory conditions"
   - Possible application modes?
   - Transferability/scaling to industrial application?

Thank you for your attention

Kai Storms

Gefördert durch:

Data reduction: Application