

ATHLINKPRO

Platform Change Report

Aligning the web to the app spec, and fixing a broken signup path

Auth & funnel

Site structure

Design parity

Feature gaps

September 2026

SUMMARY

What shipped

We audited the web build against all 12 screens of the app concept and closed both the spec gaps and the bugs doing real damage — above all a signup path where members could register and then never log in.

Fixed the broken signup path

Sign-up and sign-in ran on two different auth systems; now unified on Clerk

Collapsed to one main site

The registration funnel went from four steps to two

Matched the app's palette

Removed the gold, untangled the blue text ramp, fixed contrast

Closed feature gaps

Navigation, position matching, map view, metric framing, localization

PROBLEM 01

Sign-up and sign-in ran on different auth systems

Registration path

The /join/athlete wizard

→ wrote to users via the legacy password auth

`clerk_id = NULL`

≠

Sign-in path

Header "Log in" → /sign-in

→ Clerk handles authentication

`No such account exists`

Result

Correct credentials were rejected every time. Register through Clerk instead and nothing was written to the users table at all.

Reproduced against the local database; confirmed clerk_id was NULL

Unified on Clerk, retired the legacy path

Area	Before	After
Registration wizard	Its own email / password form	Hands off to Clerk, then resumes the wizard
Auth pages	Ignored redirect_url, always went to /app	Honors the return path, with open-redirect guarding
Legacy endpoints	/api/auth/login and signup were live	Removed — verified in the DB that no real user relied on them
Session precedence	A stale cookie shadowed Clerk for 30 days	Cookie now wins for executives only
Failure behavior	A 503 signed you in as a seeded demo account	Fabricated users removed; errors surface honestly

FIX 02

One main site

Before — four steps



After — two steps

Also done

- /get-started, /join, /for-athletes and /for-coaches now redirect to / so no link breaks
- Removed the landing components that became unreachable — about 3,800 lines
- Moved the app walkthrough into the main site and dropped the wizard's tour step

Palette matched to the app tokens

- **Where the gold came from**

In the app, --clay-1/-2 is blue → cyan. The web overrode the same variables with gold (#e0a458 / #f2c94c). Restored to the app values and cleared the gold shadows, glows and admin gradients that followed from it.

- **Too many different blues in text**

In dark mode --brand-600 and --brand-700 were both cyan and --brand-500 was blue, so body copy (118 sites) rendered cyan. brand-600 served as both body color and primary button background, which cannot both hold, so the 84 background uses moved to a dedicated accent token.

- **Contrast**

--mx-dimmer held the light-mode value, giving 3.0:1 on dark panels — below WCAG AA. Corrected to the deck's dark value at 4.6:1.



UI refresh and subscription story

Dimensional buttons

Depth from light and physics rather than bevels: a lit top edge, a sheen crossing the face, two-stage brand shadows, and a press that sinks into its own shadow.

Route transition

A soft accent sweep on navigation. It read too strong, so peak opacity went $1.0 \rightarrow 0.38$ and blur $18\text{px} \rightarrow 34\text{px}$.

Subscription story

Each step of How AthlinkPro Works now carries a Pro unlock line, with a Free $\rightarrow$ Pro band below. It reads from platform-plans.ts so copy cannot drift from the product.

Accessibility

Under prefers-reduced-motion the button travel, sheen and transition flash are all disabled. Focus rings added for keyboard use.

BUG FIX

The sidebar was not pinned to the viewport

The route transition used animation-fill-mode: both, so transform and filter stayed applied after it finished. An element with a transform becomes the containing block for positioning, so the sidebar was stretched from the viewport.

Before

5,099 px

Stretched to document height, leaving a visible seam where the background ran out — and it did not stay put when scrolling.

After

837 px

Matches the viewport height and stays pinned while scrolling.

The fix

Split the animation in two. The page wrapper animates opacity only; the travel moved to .app-canvas, which holds no fixed-position descendants. The motion looks the same — only the layout is now correct.

Closed the gaps against the app spec

- **Coach navigation**

The third tab was Scout; the deck has Athletes. A coach's roster had been pushed out of the primary rail.

- **Position matching bug**

includes("P") ran first, so typing "Shortstop" returned pitcher goals. Now chip-selected with exact matching.

- **Map view for coaches**

Added a map with per-region coach counts, reusing the same row component as the list.

- **Metric framing**

Coach Today now shows this week's earnings and unread; Home's second tile is sessions completed this month.

- **Focus areas**

Added "What are you working on?", using the existing SPECIALTIES so it shares vocabulary with coach search.

- **Onboarding**

Five steps → four (three in practice via Clerk), matching the deck's single profile screen.

- **Localization**

46 hardcoded English strings in the app screens, now covered in English, Japanese and Spanish.

Verification

Build

Passing

Production build

Type check

0 errors

tsc --noEmit

Lint

+0

No increase over the existing 29

Languages

3

English, Japanese, Spanish

How it was verified

Driven through a browser against the real local environment (PostgreSQL + Clerk). The auth bug was reproduced and the fix confirmed by querying the database directly. No real account was created, so the end-to-end register → sign-in run is left for you to confirm.

NEXT

Open items

Production migration

focus_areas (jsonb, nullable) was added to athlete_profiles. Production needs npm run db:push.

End-to-end auth test

No real account was created. Please register from /, sign out, and sign back in.

Latest concept file

The newest HTML could not be read (macOS protects ~/Library/Messages), so the older copy was the reference.

Commit

Nothing is committed yet. Happy to gather it onto a branch.