


- Remove the animation for the scroll down button
- For the tab buttons call it only RAPTOR Mini, RAPTOR, Gallery, Documents.
- Replace all em dashes with just a normal hyphen
- For the Figure 1 caption, remove autonomous decent, maybe add “autonomous” right before “deployment”.
- Make the colors of the RAPTOR Subsystem Portals all the same color NAU blue as the text. (Change the light blue, brown, purple, and red)
- For the timeline remove the **Completed, In Progress** badges
- Remove icons for the button on the top row
- Need co2 ejections before the first launch in the timeline
- For carter name: Team lead, 3D print prototyper and manufacturer. (leading caps for the words)
- For Version 0, replace the image of the ball bearings with the updated nylon washer system.
- Change Version 1 color to the NAU blue text color
- Change Version 2 Color to the NAU blue text color
- Update total wing area to 0.1 m^2 or 0.113 m^2
- Change the VTX to Walksnail version
- V1 is 


- V2 is current cad with vents



- V0 is old thrust bearings, all of these cad images:




- For text say that v0 is proof of concept
- Also I will include raptor mini v2 simulations later so make 2 sections for simulations in the RAPTOR mini section one for v1 and one for v2
- Talk about asa areo From bambu labs


- 

Add an engineering drawing of the rocket so viewers know the height and width
- Change engineering drawing name for RAPTOR Mini from 3 view to “4-View”
    - Make a building progress section in the rocket section with some of the good build photos of use building the rocket
    - Remove the AI hammer and gas pump figures at the beginning of sections
    - Call the rocket RAPTOR for the button on top
    - Add many more photos of us building the fiberglass rocket in carters’ garage 
    - Talk briefly about the building progress

- For the matlab lift and drag change it all to match these graphs



LIFT FORCE_VS_AIRSPEED_Raptor_mini_v1.png



AERODYNAMIC_EFFICIENCY_Raptor_mini_v1.png



DRAG_F

- Also talk about

```
======================================================================
          STABILITY & BATTERY PLACEMENT ANALYSIS (30 mph)
======================================================================
  Lift at 4°:         3.459 N
  Lift at 12°:        4.930 N  (Delta Lift: +1.471 N)
  Pitch Moment 4°:  -0.2278 N*m
  Pitch Moment 12°: -0.3640 N*m (Delta Moment: -0.1362 N*m)
----------------------------------------------------------------------
  Aerodynamic Neutral Point (NP):
    -->  3.64 inches ( 9.26 cm) FORWARD of Onshape origin (+Z)
  Target Center of Gravity (with 10% Static Margin):
    -->  4.24 inches (10.78 cm) FORWARD of Onshape origin (+Z)
----------------------------------------------------------------------
  PRACTICAL ACTION:
  Mount the battery in the NOSE cone until the plane balances
  level at exactly  4.2 inches (10.8 cm) forward of the wing bolt.
======================================================================
```

picth monet

- Also

```
================================================================
         RAPTOR MINI V1: FULL AIRCRAFT DATA (SCALED x2)
================================================================
--- 4 DEGREES (CRUISE) ---
  10 mph | Lift:  0.3572 N (  36 g) | Drag:  0.0900 N | L/D:  3.97
  15 mph | Lift:  0.8278 N (  84 g) | Drag:  0.1886 N | L/D:  4.39
  20 mph | Lift:  1.5062 N ( 154 g) | Drag:  0.3224 N | L/D:  4.67
  25 mph | Lift:  2.3883 N ( 243 g) | Drag:  0.4898 N | L/D:  4.88
  30 mph | Lift:  3.4585 N ( 353 g) | Drag:  0.6893 N | L/D:  5.02
  35 mph | Lift:  4.7946 N ( 489 g) | Drag:  0.9272 N | L/D:  5.17
  40 mph | Lift:  6.2901 N ( 641 g) | Drag:  1.1935 N | L/D:  5.27
  45 mph | Lift:  8.0141 N ( 817 g) | Drag:  1.4945 N | L/D:  5.36
  50 mph | Lift:  9.9541 N (1015 g) | Drag:  1.8289 N | L/D:  5.44
--- 12 DEGREES (PULL-OUT / HIGH LIFT) ---
  10 mph | Lift:  0.4970 N (  51 g) | Drag:  0.1576 N | L/D:  3.15
  15 mph | Lift:  1.1619 N ( 118 g) | Drag:  0.3471 N | L/D:  3.35
  20 mph | Lift:  2.1159 N ( 216 g) | Drag:  0.6092 N | L/D:  3.47
  25 mph | Lift:  3.3708 N ( 344 g) | Drag:  0.9463 N | L/D:  3.56
  30 mph | Lift:  4.9297 N ( 503 g) | Drag:  1.3575 N | L/D:  3.63
  35 mph | Lift:  6.8018 N ( 693 g) | Drag:  1.8447 N | L/D:  3.69
  40 mph | Lift:  8.9811 N ( 916 g) | Drag:  2.4068 N | L/D:  3.73
  45 mph | Lift: 11.4759 N (1170 g) | Drag:  3.0446 N | L/D:  3.77
  50 mph | Lift: 14.2832 N (1456 g) | Drag:  3.7579 N | L/D:  3.80
================================================================
```

  change the current table to match these values and notice this is lift and drag force not coef.
- Include these MATLAB graphs for the simulation for the raptor mini v1
- Make the raptor mini v2 simulation say like coming soon or something and I will simulate this and then add it later
- Also I want to add rocket cad view later instated of the open rocket picture