

# Продвинутое использование git

---

Кайд Омар Мохамад<sup>1</sup>

4 марта, 2024, Москва, Россия

<sup>1</sup>Российский Университет Дружбы Народов

# Цели и задачи работы

---

# Цель лабораторной работы


Получение навыков правильной работы с репозиториями git.

# Задачи лабораторной работы

- 1 Выполнить работу для тестового репозитория.
- 2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

# **Процесс выполнения лабораторной работы**

---



```
omarkaid@omarkaid:~  
omarkaid@omarkaid:~/work/study/2023-2024/Операционные системы/os-intro$ cd  
omarkaid@omarkaid:~$ pnpm setup  
Appended new lines to /home/omarkaid/.bashrc  
  
Next configuration changes were made:  
export PNPM_HOME="/home/omarkaid/.local/share/pnpm"  
case ":$PATH:" in  
  *:$PNPM_HOME:*) ;;  
  *) export PATH="$PNPM_HOME:$PATH" ;;  
esac  
  
To start using pnpm, run:  
source /home/omarkaid/.bashrc  
omarkaid@omarkaid:~$ source ~/.bashrc  
omarkaid@omarkaid:~$
```

Рис. 1: Node.js

```
omarkaid@omarkaid:~$ source ~/.bashrc
omarkaid@omarkaid:~$ pnpm add -g commitizen

Update available! 8.14.0 → 8.15.4.
Changelog: https://github.com/pnpm/pnpm/releases/tag/v8.15.4
Run "pnpm add -g pnpm" to update.

Follow @pnpmjs for updates: https://twitter.com/pnpmjs

Packages: +152
+-----+
Downloading registry.npmjs.org/typescript/5.3.3: 5,76 MB/5,76 MB, done
Progress: resolved 152, reused 0, downloaded 152, added 152, done

/home/omarkaid/.local/share/pnpm/global/5:
+ commitizen 4.3.0

Done in 5.5s
omarkaid@omarkaid:~$
```

Рис. 2: установка commitizen

# standard-changelog


```
omarkaid@omarkaid:~$ pnpm add -g standard-changelog
Packages: +56
+++++
Progress: resolved 208, reused 152, downloaded 56, added 56, done

/home/omarkaid/.local/share/pnpm/global/5:
+ standard-changelog 5.0.0

Done in 4s
omarkaid@omarkaid:~$
```

Рис. 3: установка standard-changelog





**Рис. 4:** package.json

# Использование commitizen

```
"license": "ISC"
}
omarkaid@omarkaid:~/git-extended$ gedit package.json
omarkaid@omarkaid:~/git-extended$ git add .
omarkaid@omarkaid:~/git-extended$ git cz
cz-cli@4.3.0, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore:  Other changes that don't modify src or test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
(1) y
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master 15029da] chore: y
1 file changed, 14 insertions(+)
create mode 100644 package.json
omarkaid@omarkaid:~/git-extended$ git push
Перечисление объектов: 4, готово.
Подсчет объектов: 100% (4/4), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 484 байта | 484.00 КиБ/с, готово.
Всего 2 (изменений 0), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
To github.com:kaidomarmohammad/git-extended.git
 1d05a40..15029da master -> master
omarkaid@omarkaid:~/git-extended$
```

Рис. 5: Отправка

```
omarkaid@omarkaid:~/git-extended$ git flow init
Which branch should be used for bringing forth production releases?
- master
Branch name for production releases: [master]
Branch name for "next release" development: [develop]

How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? []
Hooks and filters directory? [/home/omarkaid/git-extended/.git/hooks]
omarkaid@omarkaid:~/git-extended$ git branch
* develop
  master
omarkaid@omarkaid:~/git-extended$ git push --all
Всего 0 (изменений 0), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:   https://github.com/kaidomarmohammad/git-extended/pull/new/develop
remote:
To github.com:kaidomarmohammad/git-extended.git
 * [new branch]    develop -> develop
omarkaid@omarkaid:~/git-extended$
```

**Рис. 6:** Инициализация и загрузка изменений

```
omarkaid@omarkaid:~/git-extended$ git branch --set-upstream-to=origin/develop develop
branch 'develop' set up to track 'origin/develop'.
omarkaid@omarkaid:~/git-extended$ git flow release start 1.0.0
Переключились на новую ветку «release/1.0.0»

Summary of actions:
- A new branch 'release/1.0.0' was created, based on 'develop'
- You are now on branch 'release/1.0.0'

Follow-up actions:
- Bump the version number now!
- Start committing last-minute fixes in preparing your release
- When done, run:

    git flow release finish '1.0.0'

omarkaid@omarkaid:~/git-extended$ standard-changelog --first-release
✓ created CHANGELOG.md
✓ output changes to CHANGELOG.md
omarkaid@omarkaid:~/git-extended$ git add CHANGELOG.md
omarkaid@omarkaid:~/git-extended$ git commit -m 'chore(site): add changelog'
[release/1.0.0 b0d7ee0] chore(site): add changelog
1 file changed, 4 insertions(+)
 create mode 100644 CHANGELOG.md
omarkaid@omarkaid:~/git-extended$ git flow release finish 1.0.0
Переключились на ветку «master»
```

Рис. 7: Завершение релиза

# Отправим данные на github

```
omarkaid@omarkaid:~/git-extended$ git push --all
Перечисление объектов: 6, готово.
Подсчет объектов: 100% (6/6), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (4/4), готово.
Запись объектов: 100% (5/5), 554 байта | 554.00 КиБ/с, готово.
Всего 5 (изменений 2), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
remote: Resolving deltas: 100% (2/2), done.
To github.com:kaidomarmohammad/git-extended.git
  15029da..f9b531c develop -> develop
  15029da..f61009c master -> master
omarkaid@omarkaid:~/git-extended$ git push --tags
Перечисление объектов: 1, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 159 байтов | 159.00 КиБ/с, готово.
Всего 1 (изменений 0), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
To github.com:kaidomarmohammad/git-extended.git
 * [new tag]          1.0.0 -> 1.0.0
omarkaid@omarkaid:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md
https://github.com/kaidomarmohammad/git-extended/releases/tag/v1.0.0
omarkaid@omarkaid:~/git-extended$
```

Рис. 8: Отправка

# Объединение веток

```
omarkaid@omarkaid:~/git-extended$ git flow feature start feature_branch
Переключились на новую ветку «feature/feature_branch»

Summary of actions:
- A new branch 'feature/feature_branch' was created, based on 'develop'
- You are now on branch 'feature/feature_branch'

Now, start committing on your feature. When done, use:

    git flow feature finish feature_branch

omarkaid@omarkaid:~/git-extended$ touch test2
omarkaid@omarkaid:~/git-extended$ git flow feature finish feature_branch
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Уже актуально.
Ветка feature/feature_branch удалена (была f9b531c).

Summary of actions:
- The feature branch 'feature/feature_branch' was merged into 'develop'
- Feature branch 'feature/feature_branch' has been locally deleted
- You are now on branch 'develop'

omarkaid@omarkaid:~/git-extended$
```

Рис. 9: Объединение веток

```
omarkaid@omarkaid:~/git-extended
(используйте «git push», чтобы опубликовать ваши локальные коммиты)
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Merge made by the 'ort' strategy.
  CHANGELOG.md | 4 ++++
  package.json | 2 --
  2 files changed, 5 insertions(+), 1 deletion(-)
Ветка release/1.2.3 удалена (была 12a6b5d).

Summary of actions:
- Release branch 'release/1.2.3' has been merged into 'master'
- The release was tagged '1.2.3'
- Release tag '1.2.3' has been back-merged into 'develop'
- Release branch 'release/1.2.3' has been locally deleted
- You are now on branch 'develop'

omarkaid@omarkaid:~/git-extended$ git push --all
Перечисление объектов: 9, готово.
Подсчет объектов: 100% (9/9), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (6/6), готово.
Запись объектов: 100% (6/6), 767 байтов | 191.00 КиБ/с, готово.
Всего 6 (изменений 2), повторно использовано 0 (изменения 0), повторно использовано пакетов 0
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
To github.com:kaidomarmohammad/git-extended.git
   f9b531c..8c7d94  develop -> develop
   f61009c..b58134c  master -> master
omarkaid@omarkaid:~/git-extended$ git push --tags
Перечисление объектов: 1, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 160 байтов | 160.00 КиБ/с, готово.
Всего 1 (изменений 0), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
To github.com:kaidomarmohammad/git-extended.git
 * [new tag]         1.2.3 -> 1.2.3
omarkaid@omarkaid:~/git-extended$ gh release create v1.2.3 -F CHANGELOG.md
https://github.com/kaidomarmohammad/git-extended/releases/tag/v1.2.3
omarkaid@omarkaid:~/git-extended$
```

Рис. 10: Завершение релиза

# Подготовка рабочего репозитория

```
"test": "echo \"Error: no test specified\" && exit 1"
},
"keywords": [],
"author": "",
"license": "ISC"
}


markaid@markaid:~/work/study/2023-2024/Операционные системы/os-intro$ gedit package.json
markaid@markaid:~/work/study/2023-2024/Операционные системы/os-intro$ git add .
markaid@markaid:~/work/study/2023-2024/Операционные системы/os-intro$ git cz
cz-cli@4.3.0, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore:  Other changes that don't modify src or test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
(1) y
? Provide a longer description of the change: (press enter to skip)
? Are there any breaking changes? No
? Does this change affect any open issues? No
[master 3d10f87] chore: y
1 file changed, 15 insertions(+)
create mode 100644 package.json
markaid@markaid:~/work/study/2023-2024/Операционные системы/os-intro$
markaid@markaid:~/work/study/2023-2024/Операционные системы/os-intro$ git push
Перечисление объектов: 4, готово.
Подсчет объектов: 100% (4/4), готово.
```

Рис. 11: package.json и коммит



# Подготовка рабочего репозитория



```
omarkaid@omarkaid:~/work/study/2023-2024/Операционные системы/os-intro$
Всего 0 (изменений 0), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:   https://github.com/kaidomarmohammad/os-intro/pull/new/develop
remote:
To github.com:kaidomarmohammad/os-intro.git
 * [new branch]      develop -> develop
omarkaid@omarkaid:~/work/study/2023-2024/Операционные системы/os-intro$ git branch --set-upstream-to=origin/develop
branch 'develop' set up to track 'origin/develop'.
omarkaid@omarkaid:~/work/study/2023-2024/Операционные системы/os-intro$ git flow release start 1.0.0
Переключились на новую ветку «release/1.0.0»

Summary of actions:
- A new branch 'release/1.0.0' was created, based on 'develop'
- You are now on branch 'release/1.0.0'

Follow-up actions:
- Bump the version number now!
- Start committing last-minute fixes in preparing your release
- When done, run:

    git flow release finish '1.0.0'

omarkaid@omarkaid:~/work/study/2023-2024/Операционные системы/os-intro$ standard-changelog --first-release
✓ output changes to CHANGELOG.md
omarkaid@omarkaid:~/work/study/2023-2024/Операционные системы/os-intro$ git add CHANGELOG.md
omarkaid@omarkaid:~/work/study/2023-2024/Операционные системы/os-intro$ git commit -am 'chore(site): add changelog'
[release/1.0.0 7d959c8] chore(site): add changelog
 1 file changed, 2 insertions(+), 91 deletions(-)
omarkaid@omarkaid:~/work/study/2023-2024/Операционные системы/os-intro$ git flow release finish 1.0.0
Переключились на ветку «master»
Эта ветка соответствует «origin/master».
Merge made by the 'ort' strategy.
  CHANGELOG.md | 93 ++-----
 1 file changed, 2 insertions(+), 91 deletions(-)
```

Рис. 12: Завершение релиза

## **Выводы по проделанной работе**

---

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.