COBALT WINDFIELDS


A visual catalogue of a wind-shaped world

Peach sand. Fractured blue stone. Ivory sails, red coral and small lives carried by the breeze.

36 specimen forms

20 scene views, including 6 planet angles


2 NOVEMBER 2026




Current white clouds with a faint yellow tint. Actual scene render; seed 412, radius about 128 m.

A world, six viewpoints


Six camera directions around the same seed and growth state. Labels are relative to the first view, rather than geographic compass bearings.




01 User-facing hemisphere




02 Opposite hemisphere




03 Quarter turn east



04 Quarter turn west




05 Upper hemisphere




06 Lower hemisphere

The inhabited windfields

The same materials and planting read differently at walking height, across the valley and over the settlement.




Wind Window valley



Sails and coral colonies



Cobalt bedrock and ledges



Settlement from above

Ground, grain and material

Dry, continuous sand relief forms the planet. Cobalt rocks are solid angular meshes, distinct from the sand surface.



- Peach sand
- Cobalt mineral
- Ivory membrane
- Red coral
- Pale butter sky




Close wind ripples emerge from the matte peach surface; distant grain softens to preserve a quiet silhouette.


Continuous dune shoulders and wind-laid banks frame the opening corridor. A flattened dry plateau supports the home, lookout and resident routes.


All supported worlds remain dry. The planet supports radii of 40-400 m; the catalogue uses the default ~128 m.


Slate shelter and canvas porch

A low refuge of chipped stone, timber and suspended cloth. The two source-model views reveal its construction from opposing sides.









Rough three-slab roof
Coral-brown canvas and rope hems
Recessed door and slatted screen
Timber windbreak
Stone lookout, guard and steps
Bench, chair and hanging lantern

Cobalt geology / 01

Thirteen source prototypes, shown under fixed studio light. Two angles per form; each object is fitted independently.

Notched exposed bed






A low, broad cobalt bed divided by two open crooked joints, with peach sand resting on its upper planes.

VIEW A / VIEW B

Broken terraced reef





Three irregular stepped tiers form broad sloping ledges, with peach sand settled on two shelves.

VIEW A / VIEW B

Interrupted long ledge







Two separated low ledge segments sit beneath a smaller raised shelf and a narrow sand deposit.

VIEW A / VIEW B

Blunt jointed outcrop






A large block with clipped planar corners stands beside a smaller, lower block.

VIEW A / VIEW B

Cobalt geology / 02

Thirteen source prototypes, shown under fixed studio light. Two angles per form; each object is fitted independently.


Detached split blocks



Two unequal clipped blocks form a broken pair, with the smaller fragment offset to one side.

VIEW A / VIEW B

Inclined fractured wall



Two inclined slabs have jagged sloping crests above a broad low foot and a peach sand seam.

VIEW A / VIEW B


Broken cliff buttress



Three unequal rising masses form a broken cliff, with a chipped tall crown and sand along the irregular foot.

VIEW A / VIEW B

Blunt fallen stone




A small flattened boulder with blunt clipped faces and a low profile.

VIEW A / VIEW B

Cobalt geology / 03

Thirteen source prototypes, shown under fixed studio light. Two angles per form; each object is fitted independently.


Broad windward fin



A broad inclined stone sheet rises beside a lower profile, with a narrow sloping shelf carrying sand.

VIEW A / VIEW B

Wind-carved shoulder



A broad squat mass has a faceted shoulder and an uneven jagged crest.

VIEW A / VIEW B


Narrow leaning blade



A thin tall slab leans above a narrow footprint, ending in an uneven high crest.

VIEW A / VIEW B

Eroded low peninsula




A broad asymmetric low bed has a gently sloping top and an inset patch of peach sand.

VIEW A / VIEW B

Cobalt geology / 04

Thirteen source prototypes, shown under fixed studio light. Two angles per form; each object is fitted independently.

Chipped mineral boulder




A chunky cobalt boulder has irregular clipped planes and a chipped sloping crown.

VIEW A / VIEW B

A shared material language

Clipped planes, crooked joints and selected dark structural edges make the rocks read as mineral. Several forms carry peach sand veneers on their upper ledges. Repeated forms are rotated, scaled and combined into larger deposits.



The Wind Window is formed by two separate slabs with an open top. It is a passage between stones, rather than a closed arch or cave.

Ivory seed sails

One main plant family, three authored habits. Thin cupped membranes, branching stems and fine veins respond to the wind.



Paired kite

A curved branching tan stem carries two cupped ivory membranes with kite-shaped shoulders and fine midribs.

SOURCE FORM / TWO ANGLES



Tall fork

A tall curved stem carries three ivory blades: a slender crown, a branching side sail and a small lower leaf.

SOURCE FORM / TWO ANGLES




Broad wind flag

A lower leaning stem supports a broad asymmetric ivory membrane and a smaller side leaf, both cupped and twisted.

SOURCE FORM / TWO ANGLES

Red coral

One coral family, three growth habits. Joined rounded branches form open fans; sheltered colonies gather along rock edges and sand pockets.



Spreading fan

A broad red fan has smooth joined branches, rounded blunt tips and open gaps between its forks.


SOURCE FORM / TWO ANGLES



Narrow upright crown

A taller, narrower red crown sends rounded branches upward through open rising forks.

SOURCE FORM / TWO ANGLES



Low windswept fan


A low wide red fan spreads through leaning branches with joined rounded forks and shallow physical depth.

SOURCE FORM / TWO ANGLES

Living landing places

Three distinct seed-cup perch forms support the Kitelets. These are separate habitat plants, with an ivory cup and additional sail leaves.





Seed-cup perch A

A broad ivory cup rises on a crooked stem, with a strong midrib and a side sail. Its centre provides a landing point for a Kitelet.

SOURCE FORM / TWO ANGLES






Seed-cup perch B

A longer, narrower cup turns upward more steeply. A tall side sail and small lower leaf vary the silhouette.

SOURCE FORM / TWO ANGLES





Seed-cup perch C

A wider, shorter cup twists across its stem, accompanied by offset side leaves. Five perch instances draw from these three forms.

SOURCE FORM / TWO ANGLES

Seeds, litter and distant coral

Supporting forms complete the scene. The distant coral mesh represents existing plants at smaller screen sizes; it is not an additional species.


Windborne seed



Two crossing slender ivory diamonds form a tiny airborne seed carried through the scenery.

VIEW A / VIEW B


Gathered dry stems



Loose tan twigs lie low in sheltered sand pockets. A Sand Stitcher's carried stem appears in the pile during its placement sequence.

VIEW A / VIEW B

Distant branching coral



Four simple angular branch tubes with blunt caps preserve the coral silhouette at a distance; this is a level-of-detail model of the existing coral.


VIEW A / VIEW B


The windfield at a glance


Two main botanical families
Three sail habits + three coral habits
Three Kitelet perch variants
Drifting ivory seeds
Gathered dry stems
A simpler coral shape for distant views

Sailback

3 local animals / Wind Ribs








A cobalt-plated quadruped with a peach underside, four padded feet and two ivory back sails. It walks between stones, unfolds its sails, briefly skims and folds them again.


Live habitat view at left. Source geometry in a neutral rest pose at right. Animals use 3x their authored scale in the live scene.

Kitelet

5 local animals / Seed Flats







A tiny ivory body carries four coral diamond-shaped wings. The Kitelet flutters between plants, glides briefly and lands on a cupped seed perch.

Live habitat view at left. Source geometry in a neutral rest pose at right. Animals use 3x their authored scale in the live scene.

Sand Stitcher

3 local animals / Coral Lee Garden







A peach body sits beneath two curved cobalt shell panels. Four feet carry it across the sand while it transports one straight dry stem, lowers it into a lee pocket and returns.

Live habitat view at left. Source geometry in a neutral rest pose at right. Animals use 3x their authored scale in the live scene.

The neighbours

Pip, Juniper and Marlo share the Muse body family, with different coats and local identities. Their safe walking routes remain close to the settlement.



Pip

Sail gardener / peach coat



Juniper

Wind listener / mint coat



Marlo

Cloud watcher / pale-blue coat

Neighbours can greet, be petted, followed and renamed locally. The role labels give them character; they are not separate work simulations or account-backed visitors.

A small domestic world

The host Muse shares the scene with its neighbours, the shelter and a small set of familiar belongings.



The host Muse

A cream plush resident, about 1.65 m high, with cooking, resting, sleeping and humming routines. The close view shows the current character beside the supported porch.

Porch objects


A small iron stove stands on short legs, with a warm fire window, pipe and soup pot. The host uses a ladle during cooking. Seating and the nearby lookout provide places to rest.


Conditional accents

Cooking steam, humming notes, sleep symbols and petting hearts appear during their relevant activities. They are documented here as conditional effects, rather than permanent objects in the landscape.

Wind, sky and white cirrus

Long background wisps and 18 physical ribbons work at different scales. The current cloud colour is white with a faint pale-yellow tint.





Around the planet


Tapered, wandering cloud ribbons wrap a spherical shell. They drift gradually and fade as the camera nears the ground, allowing the plants and rocks to stay legible.

Across the sky

Three families of painted wisps cross a pale butter sky. Blue-grey aerial perspective softens distant geology; restrained toon lighting and paper grain give the scene its illustrated finish.

Garden finds / central forms

Saved-find geometry uses native coral, ivory sails and cobalt fragments. These are representative source samples, separate from the ambient scenery.



Coral find specimen

A compact rounded fan of branching coral marks a saved find, with its own scale, lean and orientation.


SOURCE FORM / TWO ANGLES



Ivory sail find specimen

A small branched stem carries two asymmetric ivory sails, echoing the taller plants of the windfields.

SOURCE FORM / TWO ANGLES



Cobalt fragment specimen


A compact angular stone with an uneven crown represents a saved find in the stone family.


SOURCE FORM / TWO ANGLES

Garden finds / companion beds

Four bed channels: mature and young coral, mature and young sails. Example-gallery content is used unless an explicit backend is connected.

Coral root bed







Low coral fans cluster around a central specimen, leaving its middle clear and readable.

VIEW A / VIEW B

Ivory seed-sail bed






Small ivory sails form companion planting around a saved specimen.

VIEW A / VIEW B

Young coral root bed







A second coral bed variant repeats the rounded branching habit at the small garden scale.

VIEW A / VIEW B

Young seed-sail bed





A second seed-sail bed variant keeps the same native leaf language in the planted garden records.

VIEW A / VIEW B

What the catalogue includes

A catalogue of the active visual vocabulary and its variants, rather than a list of every procedurally placed instance.

13 ROCK PROTOTYPES	6 MAIN PLANT HABITS	3 ANIMAL SPECIES
3 LOCAL NEIGHBOURS	18 PHYSICAL CLOUD RIBBONS	36 ISOLATED SOURCE FORMS

Also included

Six planet angles, terrain and material views, the shelter and its props, perch plants, seed and litter forms, the host Muse, saved-find examples and companion beds, plus the distant coral representation.

Conditional navigation graphics

Saved finds can become glowing points at altitude. Liked-find pins and Muse-location pins are optional navigation markers. Their appearance depends on garden data and UI state.

Inactive legacy content

Conventional grass and flowers, birds, butterflies, water, snow and puffy cloud meshes are not part of the current default scene. Compatibility files and old labels are not treated as catalogue entries.

Capture record and source index

All pictured assets are rendered from the current local implementation. No generated concept art is presented as an application screenshot.

Snapshot: environment_blue_rocks, base commit 782075f plus existing local refinements.
Seed 412; growth 0.1886; radius about 127.975 m; frozen scene time 12.
World views: 1600 x 1000; close portraits: 1200 x 1000; source plates: 900 x 750.
Windows, NVIDIA GeForce RTX 4070 SUPER, ANGLE Direct3D11; high quality, DPR 1, scene render scale 1.
All capture batches completed with no collected page/console errors. World and studio WebGL error: zero.

Reading the plates

World and portrait views retain the actual scene rendering. Studio views use source geometry with production material formulas under fixed light, without haze, post-processing, growth deformation or live articulation. Model frames are independently fitted, not a scale comparison. The captured saved-find shapes are nominal examples.

Source map

Rocks: life/windGeology.ts
Sails, coral, seeds: life/windGeometry.ts
Distribution: life/windfieldScenery.ts; windfieldEcology.ts
Wildlife / perches: life/wildlifeGeometry.ts; windWildlife.ts
Shelter: life/props.ts; Muse props: life/musePropsts
Residents: life/residents.ts; residentLife.ts; muse.ts
Ground: planet/terrain.ts; fields.ts; meadow.glsl
Clouds: life/windCloudRibbons.ts; render/sky.frag.glsl
Saved finds: life/nativeFindFlora.ts; findForms.ts; findBeds.ts

Full per-item sources, dimensions and capture settings are retained beside the browsable catalogue in its JSON manifests. Counts identify forms and authored populations, not a guaranteed visible-instance total or a performance benchmark.