

 [sindresorhus](#) / [string-width](#)

Get the visual width of a string - the number of columns required to display it

 MIT License


☆ 229 stars     19 forks

☆ Star

 Watch ▼

< > Code

! Issues 3

 Pull requests

▶ Actions

🛡 Security

📊 Insights

 main ▼

...



sindresorhus 5.0.0 ...

✓ on 16 Apr ⌚ 42

[View code](#)

# string-width

Get the visual width of a string - the number of columns required to display it

Some Unicode characters are [fullwidth](#) and use double the normal width. [ANSI escape codes](#) are stripped and doesn't affect the width.

Useful to be able to measure the actual width of command-line output.

## Install

```
$ npm install string-width
```

## Usage

```
import stringWidth from 'string-width';

stringWidth('a');
```

```
//=> 1

stringWidth('古');
//=> 2

stringWidth('\u001B[1m古\u001B[22m');
//=> 2
```

## Related

- [string-width-cli](#) - CLI for this module
- [string-length](#) - Get the real length of a string

☰ [readme.md](#)

### Get professional support for this package with a Tidelift subscription

Tidelift helps make open source sustainable for maintainers while giving companies assurances about security, maintenance, and licensing for their dependencies.

## Releases 14

 **v5.0.0** Latest  
on 16 Apr

[+ 13 releases](#)

## Sponsor this project



**sindresorhus** Sindre Sorhus



[opencollective.com/sindresorhus](https://opencollective.com/sindresorhus)



[tidelift.com/funding/github/npm/string-width](https://tidelift.com/funding/github/npm/string-width)



<https://sindresorhus.com/donate>

[Learn more about GitHub Sponsors](#)

## Packages

No packages published

no packages published

---

Used by 9.4m



Contributors 10



Languages

● JavaScript 95.1% ● TypeScript 4.9%