deeplearning.ai

Deep Neural Networks

Deep L-layer Neural network

What is a deep neural network?

"1 layer NN"



"shallow"

logistic regression

"2 layer" NN



1 hidden layer



2 hidden layers



"deep"

5 hidden layers

Andrew N

Deep neural network notation

4 layer NN



$X = a^{[0]}$

$L = 4$ (#layers)

$n^{[l]}$ = #units in layer l

$n^{[1]} = 5$, $n^{[2]} = 5$, $n^{[3]} = 3$, $n^{[4]} = n^{[L]} = 1$

$n^{[0]} = n_x = 3$

$a^{[l]}$ = activations in layer l

$a^{[l]} = g^{[l]}(z^{[l]})$, $W^{[l]}$ = weights for $z^{[l]}$

$b^{[l]}$

deeplearning.ai

Deep Neural Networks

Forward Propagation in a Deep Network

Forward propagation in a deep network



$$\boxed{\begin{aligned} Z^{[l]} &= W^{[l]} A^{[l-1]} + b^{[l]} \\ A^{[l]} &= g^{[l]}(Z^{[l]}) \end{aligned}}$$

$A^{[0]} = X$

X: $z^{[1]} = W^{[1]} a^{[0]} + b^{[1]}$

$a^{[1]} = g^{[1]}(z^{[1]})$

$z^{[2]} = W^{[2]} a^{[1]} + b^{[2]}$

$a^{[2]} = g^{[2]}(z^{[2]})$

$\ldots$

$z^{[4]} = W^{[4]} a^{[3]} + b^{[4]}$, $a^{[4]} = g^{[4]}(z^{[4]}) = \hat{y}$

$$\begin{bmatrix} | & | & & | \\ z^{[1](1)} & z^{[1](2)} & \ldots & z^{[1](m)} \\ | & | & & | \end{bmatrix}$$

Vectorized:

$Z^{[1]} = W^{[1]} A^{[0]} + b^{[1]}$

$A^{[1]} = g^{[1]}(Z^{[1]})$

$Z^{[2]} = W^{[2]} A^{[1]} + b^{[2]}$

$A^{[2]} = g^{[2]}(Z^{[2]})$

$\hat{Y} = g(Z^{[4]}) = A^{[4]}$

$X = A^{[0]}$

for $l = 1..4$

Andrew N

deeplearning.ai

Deep Neural Networks

Getting your matrix dimensions right

Parameters $W^{[l]}$ and $b^{[l]}$

$L = 5$



$n^{[0]} = n_x = 2$, $n^{[1]} = 3$, $n^{[2]} = 5$, $n^{[3]} = 4$, $n^{[4]} = 2$, $n^{[5]} = 1$

$z^{[l]} = g^{[l]}(a^{[l]})$

$a^{[l]}$

$$z^{[1]} = \boxed{W^{[1]} \cdot x} + \boxed{b^{[1]}}$$

$(3,1) \leftarrow (3,2) \quad (2,1) \quad (3,1)$

$(n^{[1]},1) \quad (n^{[1]},n^{[0]}) \quad (n^{[0]},1) \quad (n^{[1]},1)$

$W^{[1]} : (n^{[1]}, n^{[0]})$

$W^{[2]} : (5,3) \quad (n^{[2]}, n^{[1]})$

$$z^{[2]} = \boxed{W^{[2]} \cdot a^{[1]}} + \boxed{b^{[2]}}$$

$(5,1) \quad (5,3) \quad (3,1) \quad (5,1)$

$(n^{[2]},1)$

$W^{[3]} : (4,5)$

$W^{[4]} : (2,4)$, $W^{[5]} : (1,2)$

$W^{[l]} : (n^{[l]}, n^{[l-1]})$

$b^{[l]} : (n^{[l]}, 1)$

$dW^{[l]} : (n^{[l]}, n^{[l-1]})$

$db^{[l]} : (n^{[l]}, 1)$

Andrew Ng

Vectorized implementation



$$z^{[1]} = W^{[1]} \cdot x + b^{[1]}$$

$(n^{[1]}, 1) \quad (n^{[1]}, n^{[0]}) \quad (n^{[0]}, 1) \quad (n^{[1]}, 1)$

$$\begin{bmatrix} z^{[1](1)} & z^{[1](2)} & \cdots & z^{[1](m)} \end{bmatrix}$$

$$Z^{[1]} = W^{[1]} \cdot X + b^{[1]}$$

$(n^{[1]}, m) \quad (n^{[1]}, n^{[0]}) \quad (n^{[0]}, m) \quad (n^{[1]}, 1)$

$(n^{[1]}, m)$

$z^{[l]}, a^{[l]} : (n^{[l]}, 1)$

$Z^{[l]}, A^{[l]} : (n^{[l]}, m)$

$l = 0 \quad A^{[0]} = X = (n^{[0]}, m)$

$dZ^{[l]}, dA^{[l]} : (n^{[l]}, m)$

deeplearning.ai

Deep Neural Networks

Why deep representations?

Intuition about deep representation



Audio → low level audio waveform → Phonemes C A T → Words → Sentence phrase

Circuit theory and deep learning

Informally: There are functions you can compute with a "small" L-layer deep neural network that shallower networks require exponentially more hidden units to compute.



Andrew Ng

deeplearning.ai

Deep Neural Networks

Building blocks of deep neural networks

Forward and backward functions



layer l: $W^{[l]}, b^{[l]}$

→ Forward: Input $a^{[l-1]}$, output $a^{[l]}$

$\underline{z^{[l]}} = W^{[l]} \underline{a^{[l-1]}} + b^{[l]}$ cache $\underline{z^{[l]}}$

$\underline{a^{[l]}} = g^{[l]}(z^{[l]})$

→ Backward: Input $da^{[l]}$, cache($z^{[l]}$) output $\underline{da^{[l-1]}}$, $dW^{[l]}$, $db^{[l]}$



Forward and backward functions



$$W^{[l]} := W^{[l]} - \alpha \, dW^{[l]}$$
$$b^{[l]} := b^{[l]} - \alpha \, db^{[l]}$$

Andrew Ng

deeplearning.ai

Deep Neural Networks

Forward and backward propagation

Forward propagation for layer l

→ Input $a^{[l-1]}$ ←

$W^{[l]}, b^{[l]}$

→ Output $a^{[l]}$, cache $(\underline{z^{[l]}})$

$$z^{[l]} = W^{[l]} \cdot a^{[l-1]} + b^{[l]}$$

$$a^{[l]} = g^{[l]}(z^{[l]})$$

Vectorized:

$$Z^{[l]} = W^{[l]} \cdot A^{[l-1]} + b^{[l]}$$

$$A^{[l]} = g^{[l]}(Z^{[l]})$$

$a^{[0]}$

$A^{[0]}$

$X = A^{[0]} \rightarrow \square \rightarrow \square \rightarrow \square \rightarrow$

Backward propagation for layer l

- Input $da^{[l]}$
- Output $\boxed{da^{[l-1]}}, dW^{[l]}, db^{[l]}$

$$dz^{[l]} = da^{[l]} * g^{[l]'}(z^{[l]})$$

$$dW^{[l]} = dz^{[l]} \cdot a^{[l-1]}$$

$$db^{[l]} = dz^{[l]}$$

$$\boxed{da^{[l-1]}} = W^{[l]T} \cdot dz^{[l]}$$

$$dz^{[l]} = W^{[l+1]T} dz^{[l+1]} * g^{[l]'}(z^{[l]})$$

$$dZ^{[l]} = dA^{[l]} * g^{[l]'}(Z^{[l]})$$

$$dW^{[l]} = \frac{1}{m} dZ^{[l]} \cdot A^{[l-1]T}$$

$$db^{[l]} = \frac{1}{m} np.sum(dZ^{[l]}, axis=1, keepdims=True)$$

$$\boxed{dA^{[l-1]}} = W^{[l]T} \cdot dZ^{[l]}$$

Andrew Ng

Summary



Andrew Ng

deeplearning.ai

Deep Neural Networks

Forward and backward propagation

Forward propagation for layer l

$W^{[l]}, b^{[l]}$

$$z^{[l]} = W^{[l]} \cdot a^{[l-1]} + b^{[l]}$$

$$a^{[l]} = g^{[l]}(z^{[l]})$$

Vectorized:

$$Z^{[l]} = W^{[l]} \cdot A^{[l-1]} + b^{[l]}$$

$$A^{[l]} = g^{[l]}(Z^{[l]})$$

$a^{[0]}$

$A^{[0]}$

$X = A^{[0]} \rightarrow \square \rightarrow \square \rightarrow \square \rightarrow$

Backward propagation for layer l

$$dz^{[l]} = da^{[l]} * g^{[l]\prime}(z^{[l]})$$

$$dW^{[l]} = dz^{[l]} \cdot a^{[l-1]}$$

$$db^{[l]} = dz^{[l]}$$

$$\boxed{da^{[l-1]}} = W^{[l]T} \cdot dz^{[l]}$$

$$dz^{[l]} = W^{[l+1]T} dz^{[l+1]} * g^{[l]\prime}(z^{[l]})$$

$$dZ^{[l]} = dA^{[l]} * g^{[l]\prime}(Z^{[l]})$$

$$dW^{[l]} = \frac{1}{m} dZ^{[l]} \cdot A^{[l-1]T}$$

$$db^{[l]} = \frac{1}{m} np.sum(dZ^{[l]}, axis=1, keepdims=True)$$

$$\boxed{dA^{[l-1]}} = W^{[l]T} \cdot dZ^{[l]}$$

Summary



$$da^{[l]} = -\frac{y}{a} + \frac{(1-y)}{(1-a)}$$

$$dA^{[l]} = \left(-\frac{y^{(1)}}{a^{(1)}} + \frac{(1-y^{(1)})}{(1-a^{(1)})} \cdots \cdots -\frac{y^{(m)}}{a^{(m)}} + \frac{(1-y^{(m)})}{(1-a^{(m)})}\right)$$

deeplearning.ai

Deep Neural Networks

Parameters vs Hyperparameters

What are hyperparameters?

Parameters: $W^{[1]}, b^{[1]}, W^{[2]}, b^{[2]}, W^{[3]}, b^{[3]}$ ...

Hyperparameters: learning rate α

#iterations

#hidden layers L

#hidden units $n^{[1]}, n^{[2]}, \ldots$

choice of activation function

Later: Momentum, mini-batch size, regularizations, ...

Andrew Ng

Applied deep learning is a very empirical process





Vision, Speech, NLP, Ads, Search, Recommendation.

deeplearning.ai

Deep Neural Networks

What does this have to do with the brain?

Forward and backward propagation

$$Z^{[1]} = W^{[1]}X + b^{[1]}$$
$$A^{[1]} = g^{[1]}(Z^{[1]})$$
$$Z^{[2]} = W^{[2]}A^{[1]} + b^{[2]}$$
$$A^{[2]} = g^{[2]}(Z^{[2]})$$
$$\vdots$$
$$A^{[L]} = g^{[L]}\left(Z^{[L]}\right) = \hat{Y}$$

$$dZ^{[L]} = A^{[L]} - Y$$
$$dW^{[L]} = \frac{1}{m} dZ^{[L]} A^{[L]^T}$$
$$db^{[L]} = \frac{1}{m} np.\mathrm{sum}(\mathrm{d}Z^{[L]}, axis = 1, keepdims = True)$$
$$dZ^{[L-1]} = dW^{[L]^T} dZ^{[L]} g'^{[L]}(Z^{[L-1]})$$
$$\vdots$$
$$dZ^{[1]} = dW^{[L]^T} dZ^{[2]} g'^{[1]}(Z^{[1]})$$
$$dW^{[1]} = \frac{1}{m} dZ^{[1]} A^{[1]^T}$$
$$db^{[1]} = \frac{1}{m} np.\mathrm{sum}(\mathrm{d}Z^{[1]}, axis = 1, keepdims = True)$$

"It's like the brain"





$X \longrightarrow y$

Andrew Ng