

Postman collection: golang vs node  
Report exported on: Apr 27, 2025, 18:46:28 (GMT-3)

Test setup


Virtual users	Start time	Load profile
100 VU	Apr 27, 18:44:39 (GMT-3)	Fixed
Duration	End time	Environment
1 minute	Apr 27, 18:45:46 (GMT-3)	last message

1. Summary

Total requests sent	Throughput	Average response time	Error rate
6,133	91.92 requests/second	6 ms	0.00 %


1.1 Response time

Response time trends during the test duration.



1.2 Throughput

Rate of requests sent per second during the test duration.



### 1.3 Requests with slowest response times

Top 5 slowest requests based on their average response times.

Request	Resp. time (Avg ms)	90th (ms)	95th (ms)	99th (ms)	Min (ms)	Max (ms)
<code>POST</code> fibonacci node localhost:8090/fibonacci	6	6	7	29	3	236

## 2. Metrics for each request

The requests are shown in the order they were sent by virtual users.

Request	Total requests	Requests/s	Min (ms)	Avg (ms)	90th (ms)	Max (ms)	Error %
<a href="#">POST</a> fibonacci node localhost:8090/fibonacci	6,133	91.92	3	6	6	236	0

### 3. Errors

**This run has no errors**

All requests were sent successfully and returned a 2xx response code.



## Testing API performance on Postman

Postman enables you to simulate user traffic and observe how your API behaves under load. It also helps you identify any issues or bottlenecks that affect performance.

Learn more about [testing API performance](#).