



Private User API

Don't share this documentation with affiliates.

It contains unique endpoints for admins that need to remain confidential. To review the public API documentation, visit [this page](#).

Table of Contents

[Conversions](#)

[Risk Management for Affiliates](#)

[Risk Management for Offers](#)

[Offer Goals](#)

[Qualification for Affiliates](#)

[Qualification for Offers](#)

Conversions

This section describes API endpoints for viewing, editing, and creating conversions.

View Conversions

GET /backend/open-api/v1/users/conversions

Get a list of all conversions and their properties. Additionally, you can filter the list of conversion using the {conversion_id} path parameter or some of these query parameters: {affiliate_id}, {offer_id}, {goal_type_id}, {hash}, {created_at_from}, {created_at_to}, {afm_date_from}, {afm_date_to}.

Headers

Name	Value
Authorization	Bearer <token>

Path parameters

Name	Type	Description	Required	Example
id	Integer	Add it to get information only about a selected conversion	No	346

Query Parameters

Name	Type	Description	Required	Example
affiliate_id	Integer	ID of the affiliate related	No	3011

		to the conversion.		
offer_id	Integer	ID of the related offer	No	78
goal_type_id	Integer	ID of conversion's goal type	No	3
hash	String, array	Hash of conversion's click, comma separated for multiple values	No	325b92e664a18228d741b12bb41e6718
created_at_from	Date	The start of the time period when the conversion was recorded.	No	2024-07-08 13:40:00
created_at_to	Date	The end of the time period when the conversion was recorded.	No	2024-07-08 13:40:00
afm_date_from	Date	The start of the time period when the conversion was approved.	No	2024-07-08 13:40:00
afm_date_to	Date	The end of the time period when the conversion was approved.	No	2024-07-08 13:40:00

Response 200

```
{
  "data": [
    {
      "id": 41524,
      "goal_id": 1,
      "offer_id": 1,
      "offer_name": "test offer",
      "goal_type_id": 1,
      "payout_model_id": 2,
      "payout": -8,
      "revenue_model_id": null,
      "revenue": 0,
      "sale_amount": 0,
      "deposit_amount": 1,
      "withdrawal_amount": 0,
      "net_gaming_amount": 0,
      "win_amount": 0,
      "bet_amount": 0,
      "charge_back_amount": 0,
      "wagered_bonus": 0,
      "bonus_cash": 0,
      "net_gaming_cash": 0,
      "unique": "",
      "baseline_field_table": null,
      "baseline_amount": 0,
      "satisfied": true,
      "sale_status": "New",
      "click_id": 184320,
      "ip": "38.180.213.63",
      "country_code": "NL",
      "region_code": "DR",
      "hash": "780da450d751f8a85ca7e847f605ab68",
      "user_agent": "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/128.0.0.0 Safari/537.36",
      "affiliate_source": "",
      "aff_sub": "20",
      "aff_sub2": "both",
      "aff_sub3": "news_feed",
      "aff_sub4": "",
      "aff_sub5": "",
      "aff_sub6": "",
      "aff_sub7": "",
      "aff_sub8": "",
      "aff_sub9": "",
      "aff_sub10": "",
      "aff_sub11": "",
      "aff_sub12": "",
      "aff_sub13": "",
      "aff_sub14": "",
      "aff_sub15": "",
      "aff_sub16": ""
    }
  ]
}
```

```
        "aff_sub17": "",
        "aff_sub18": "",
        "aff_sub19": "",
        "aff_sub20": "",
        "adv_sub": null,
        "adv_sub2": null,
        "adv_sub3": null,
        "adv_sub4": null,
        "adv_sub5": null,
        "advertiser_external_id": null,
        "device_brand": "",
        "device_model": "",
        "device_os": "Windows",
        "device_os_version": "10",
        "platform": null,
        "browser": "Chrome",
        "affiliate_id": 405,
        "affiliate_group": null,
        "advertiser_id": 1,
        "brand_id": 1,
        "offer_url_id": 1,
        "is_test": false,
        "skipping_count": 0,
        "manual_created": false,
        "is_approved": false,
        "unapproved_source_type": "Goal Risk Management",
        "external_id": "",
        "source_type": "Goal Postback",
        "fee_amount": 10,
        "master_affiliate_fee": 0,
        "click_created_at": "2024-09-12 11:41:51",
        "created_at": "2024-10-10 19:05:27",
        "afm_date": null,
        "payout_currency_code": "EUR",
        "comment": null,
        "deposit_fee": 0.05
    },
    ],
    "total": 41168,
    "per_page": 200,
    "page": 1,
    "pages": 206
}
```

Create Conversions

POST /backend/open-api/v1/users/conversions

Create one or several conversions.

Headers

Name	Value
Authorization	Bearer <token>
Content-Type	application/json

Body parameters

In order to add these attributes to conversions, they must be passed as the raw body format according to the structure given below.

Name	Type	Description	Required	Example	Limitations
conversions:[]	Array of objects	The parameter is required for the structure of the request body when you create one or several conversions .	Yes	The correct body structure is given below in the request example.	

hash	String	Unique value which is used to match a click to a conversion. It's necessary for conversion registration.	Yes	785d54039f71e100e67334e3a9cc8c3f	32 characters. No special symbols, capital letters, or spaces. In case it doesn't match the hash of any recorded click, the response will be code 400.
goal_type_id	int	ID of the Goal Type.	Yes	3	
unique	String	The value of the Unique parameter of the conversion.	No	super1234done	No spaces
created_at	date	Creation Date.	No	2024-09-18 12:00:00	When it's not specified, the date of the request in GMT +0 is taken as the value.
payout	Integer	Payout amount	No	100.25	
revenue	Integer	Revenue amount	No	100.25	

sale_amount	Integer	Sale amount	No	100.25	
withdrawal_amount	Integer	Withdrawal amount	No	100.25	
deposit_amount	Integer	Deposit amount	No	100.25	
net_gaming_amount	Integer	Net gaming amount	No	100.25	
win_amount	Integer	Win amount	No	100.25	
bet_amount	Integer	Bet amount	No	100.25	
charge_back_amount	Integer	Chargeback amount	No	100.25	
wagered_bonus	Integer	Wagered bonus amount	No	100.25	
bonus_cash	Integer	Bonus cash amount	No	100.25	
net_gaming_cash	Integer	Net gaming cash amount	No	100.25	

custom_text_profile	string	Text format conversion profile	No	Best Choice	
custom_number_profile	number	Integer format conversion profile	No	115	
custom_email_profile	string	Email format conversion profile	No	user@domain.code	
custom_date_profile	string	Date format conversion profile	No	2024-10-09 00:00:00	
custom_money_profile	number	Money format conversion profile	No	-20.99	
custom_boolean_profile	boolean	Boolean format conversion profile	No	true	

Request body example

This body example leads to creation of 2 conversions in a single API request.

The “Conversions” array keeps objects with conversion attributes. Each object is devoted to the creation of a single conversion.

The maximum amount of conversions that can be created in a single request is limited to 100.

```
{
  "conversions": [
    {
      "hash": "3016e7b26ai7782632d4bbe955136ion",
      "goal_type_id": 3,
```

```
    "unique": "API",
    "deposit_amount": 12
  },
  {
    "hash": "zf66e7b2686878asal6d4bbe955136a57",
    "goal_type_id": 3,
    "unique": "API",
    "deposit_amount": 30
  }
]
```

Response 200

The response contains all fields of the recently created conversions, except for those which are pulled from the related click.

```
{
  "conversions": [
    {
      "payout_model_id": 1,
      "country_code": "NL",
      "revenue_model_id": "1",
      "source": "user_api",
      "goal_id": 421,
      "click_id": 184573,
      "is_test": false,
      "payout": 10,
      "revenue": 22,
      "net_gaming_amount": 0,
      "withdrawal_amount": 0,
      "deposit_amount": 12,
      "sale_amount": 0,
      "bet_amount": 0,
      "win_amount": 0,
      "charge_back_amount": 0,
      "bonus_cash": 0,
      "net_gaming_cash": 0,
      "wagered_bonus": 0,
      "is_approved": true,
      "affiliate_id": 227,
      "advertiser_id": 1,
```

```
"satisfied": false,
"skipping_count": 0,
"baseline_amount": 20,
"unapproved_source": null,
"goal_type_id": 3,
"unique": "API",
"external_id": "",
"created_at": "2024-10-11 05:45:24",
"payout_currency_code": "EUR",
"fee_amount": 10,
"afm_date": "2024-10-11 05:45:24",
"id": 41529
},
{
  "payout_model_id": 1,
  "country_code": "NL",
  "revenue_model_id": "1",
  "source": "user_api",
  "goal_id": 421,
  "click_id": 184573,
  "is_test": false,
  "payout": 10,
  "revenue": 22,
  "net_gaming_amount": 0,
  "withdrawal_amount": 0,
  "deposit_amount": 12,
  "sale_amount": 0,
  "bet_amount": 0,
  "win_amount": 0,
  "charge_back_amount": 0,
  "bonus_cash": 0,
  "net_gaming_cash": 0,
  "wagered_bonus": 0,
  "is_approved": true,
  "affiliate_id": 227,
  "advertiser_id": 1,
  "satisfied": false,
  "skipping_count": 0,
  "baseline_amount": 20,
  "unapproved_source": null,
  "goal_type_id": 3,
  "unique": "API",
  "external_id": "",
  "created_at": "2024-10-11 05:45:24",
  "payout_currency_code": "EUR",
  "fee_amount": 10,
  "afm_date": "2024-10-11 05:45:24",
```

```
    "id": 41530
  }

]

}
```

Edit Conversions

POST backend/open-api/v1/users/conversions_update

Change attributes of one or several conversions. Only the attributes given in the table below can be changed.

Headers

Name	Value
Authorization	Bearer <token>

Body parameters

In order to change these parameters for a selected conversion, they must be passed as the raw body format according to the structure given below.

Name	Type	Description	Required	Example
id	Integer	The ID value of a conversion	Yes	453871
created_at	Date	Creation Date	No	2024-09-18 12:00:00
payout	Integer	Payout amount.	No	100

revenue	Integer	Revenue amount	No	100.25
sale_amount	Integer	Sale amount	No	100.25
withdrawal_amount	Integer	Withdrawal amount	No	100.25
deposit_amount	Integer	Deposit amount	No	100.25
net_gaming_amount	Integer	Net gaming amount	No	100.25
win_amount	Integer	Win amount	No	100.25
bet_amount	Integer	Bet amount	No	100.25
charge_back_amount	Integer	Chargeback amount	No	100.25
wagered_bonuses	Integer	Wagered bonus amount	No	100.25
bonus_cash	Integer	Bonus cash amount	No	100.25

net_gaming_cash	Integer	Net gaming cash amount	No	100.25
text_profile	String	Text format conversion profile	No	1q2w3e4r
number_profile	Integer	Integer format conversion profile	No	2000
email_profile	String	Email format conversion profile	No	test@test.test
date_profile	String	Date format conversion profile	No	2024-09-01 00:00:00
money_profile	Integer	Money format conversion profile	No	-100.25
boolean_profile	Boolean	Boolean format conversion profile	No	true
is_test	Boolean	Mark conversion as "For test"	No	true

Request Example

```
{
  "conversions": [
    {
      "id": "41527",
      "deposit_amount": 12,
      "payout": 15
    }
  ]
}
```

```
    },
    {
      "id": "41528",
      "deposit_amount": 12,
      "payout": 150
    }
  ]
}
```

Response 200

```
{
  "data": [
    {
      "payout_model_id": 2,
      "country_code": "NL",
      "revenue_model_id": 1,
      "source": "user_api",
      "goal_id": 132,
      "click_id": 184557,
      "is_test": false,
      "payout": 15,
      "revenue": "22",
      "net_gaming_amount": "0",
      "withdrawal_amount": "0",
      "deposit_amount": 12,
      "sale_amount": "0",
      "bet_amount": "0",
      "win_amount": "0",
      "charge_back_amount": "0",
      "bonus_cash": "0",
      "net_gaming_cash": "0",
      "wagered_bonus": "0",
      "is_approved": true,
      "affiliate_id": 227,
      "advertiser_id": 1,
      "satisfied": true,
      "skipping_count": 0,
      "baseline_amount": null,
      "unapproved_source": null,
      "goal_type_id": 2,
      "unique": ""
    }
  ]
}
```

```
"external_id": "",
"created_at": "2024-10-14 03:32:13",
"payout_currency_code": "EUR",
"fee_amount": "10",
"afm_date": "2024-10-14 03:32:13",
"id": 41527,
"comment": null,
"deposit_fee": "0.6"
},
{
  "payout_model_id": 2,
  "country_code": "NL",
  "revenue_model_id": 1,
  "source": "user_api",
  "goal_id": 90,
  "click_id": 184569,
  "is_test": false,
  "payout": 150,
  "revenue": "22",
  "net_gaming_amount": "0",
  "withdrawal_amount": "0",
  "deposit_amount": 12,
  "sale_amount": "0",
  "bet_amount": "0",
  "win_amount": "0",
  "charge_back_amount": "0",
  "bonus_cash": "0",
  "net_gaming_cash": "0",
  "wagered_bonus": "0",
  "is_approved": true,
  "affiliate_id": 227,
  "advertiser_id": 1,
  "satisfied": false,
  "skipping_count": 0,
  "baseline_amount": 20,
  "unapproved_source": null,
  "goal_type_id": 3,
  "unique": "API",
  "external_id": "",
  "created_at": "2024-10-14 05:48:01",
  "payout_currency_code": "USD",
  "fee_amount": "10",
  "afm_date": "2024-10-14 05:48:01",
  "id": 41528,
  "comment": null,
  "deposit_fee": "0.6"
}
```



```
]
}
```

Risk Management for Affiliates

This section describes API endpoints for viewing, editing, and creating Risk Management rules for Affiliates.

View Risk Management rules

GET `/backend/open-api/v1/users/affiliates/{affiliate_id}/risks`

Review all Risk Management rules for a selected affiliate.

Risk Management rules that are not directly attached to the selected affiliate but still applied to it—default, custom or offer-related rules—aren't displayed.

Headers

Name	Value
Authorization	Bearer <token>

Path parameters

Name	Type	Description	Required
affiliate_id	Integer	ID of an affiliate.	Yes

Response 200

```
{
  "data": [
    {
      "id": 3847,
      "name": "Copy local",
      "description": "Generated by User API",
      "pql": "true",
      "is_active": true,
      "payload": {
        "skip_first": 1,
        "skipping_count": "110101",
        "annulate_money_calculation": false
      }
    },
    {
      "id": 3845,
      "name": "Risk",
      "description": "Generated by User API",
      "pql": "true",
      "is_active": true,
      "payload": {
        "skip_first": "1",
        "skipping_count": "1",
        "annulate_money_calculation": false
      }
    }
  ],
  "total": 2,
  "per_page": 200,
  "page": 1,
  "pages": 1,
  "source": [
    {
      "id": 449,
      "name": "API Risk management"
    }
  ]
}
```

Create a new Risk Management rule

POST backend/open-api/v1/users/affiliates/{affiliate_id}/risks

Create a new Risk Management rule for a selected affiliate.

Headers

Name	Value
Content-Type	application/json
Authorization	Bearer <token>

Path parameters

Name	Type	Description	Required
affiliate_id	Integer	ID of an affiliate.	Yes

There are 4 distinctive types of Risk Management rules and each has a unique set of parameters. Examine them in these 4 separate tables.

Local Conversion Risk

Body parameters

Parameter	Type	Description	Required	Example
name	string	A custom name for the risk management rule.	No	Test RM for new affiliates.

type	string	Set a time limit for conversion in seconds.	Yes	Local Conversions Risk
skip first	Boolean		Yes	true
skipping count	Integer	Define what share of conversions with the same Click ID gets skipped: every 2nd, 3rd, 5th, and so on.	Yes	15
annulate money calculation	Boolean	Refresh all related financial fields (charge amount, win amount and so on), when a conversion gets skipped.	Yes	

Request body

```
{
  "type": "Local Conversions Risk",
  "skip_first":1,
  "skipping_count": 5,
  "annulate_money_calculation": false,
  "name" : "Local rule"
}
```

Global Conversion Risk

Body parameters

Parameter	Type	Description	Required	Example	Limitations
type	string	Set a time limit for conversion in seconds.	Yes	Late Conversion Risk	
goal_type	Integer	ID of the Goal Type. The rule is applied to conversions with this Goal Type.	Yes	1	
skipper_count	Integer	a sequence of 0 and 1, where 1 means that a conversion is skipped, and 0 means that a conversion is approved.	Yes	1000101	Only "1" and "0" are allowed.
goal_types	Array of Integers	The number represents the ID of a Goal Type. Goal Type and their IDs are collected in Settings Navigation>Goal Types .	No	2	

Request body

```
{  
  "type": "Global Conversions Risk",  
  "goal_type":1,  
  "skipper_count": "110101",
```

```
"goal_types": [2,3],  
"name": "testing"  
}
```

Relative Conversion Risk

Body parameters

parameter	Type	Description	Required	Example	Limitations
type	string	Set a time limit for conversion in seconds.	Yes	Relative Conversion Risk	
difference_relative_type	string	Choose a time period in which both a click and the related conversion should happen.	Yes	Day	Only these values are allowed: day week month quarter year
difference_relative_offset	Integer	Adjust the difference_relative_type value. You can make it longer or shorter (negative values accepted) by adding time in seconds.	Yes	-324566	

skip_also_goal_types	Integer	The number represents the ID of a Goal Type. Goal Type and their IDs are collected in Settings Navigation >Goal Types.	No	2	
----------------------	---------	--	----	---	--

Request body

```
{
  "type": "Relative Conversions Risk",
  "difference_relative_type": "day",
  "difference_relative_offset": 233,
  "skip_also_goal_types": [2,3],
  "name": "Relative CR"
}
```

Late Conversion Risk

Body parameters

Parameter	Type	Description	Required	Example
type	String	Set a time limit for conversion in seconds.	Yes	Late Conversions Risk
goal_absolute_session_lifespan	Integer	Time in seconds.	Yes	32456666

skip_also_goal_types	Array of integers	The number represents the ID of a Goal Type. Goal Type and their IDs are collected in Settings Navigation>Goal Types.	No	2
----------------------	-------------------	---	----	---

Request body

```
{
  "type": "Late Conversions Risk",
  "goal_absolute_session_lifespan": 13000,
  "skip_also_goal_types": [2,3],
  "name": "Late CR"
}
```

Response 200

```
{
  "source_type": "affiliate",
  "source": [
    {
      "id": 24,
      "name": "John Bright"
    }
  ],
  "data": {
    "id": 4089,
    "name": "Local Conversions Risk",
    "description": "Generated by User API",
    "pql": "true",
    "is_active": true,
    "payload": {
      "skip_first": "1",
      "skipping_count": "1",
      "annulate_money_calculation": false
    }
  }
}
```



```
}
```

Edit a Risk Management rule

PUT

```
backend/open-api/v1/users/affiliates/{affiliate_id}/risks/{risk_management_rule_id}/
```

Edit an existing Risk Management rule of any type.

Headers

Name	Value
Content-Type	application/json
Authorization	Bearer <token>

Path parameters

Name	Type	Description	Required
affiliate_id	Integer	ID of an affiliate.	Yes
risk_management_rule_id	Integer	Id of a Risk Management rule.	Yes

Body parameters

As each type has its unique parameters, look at them in their special body parameter tables above. Neither of them would have a required status.

Response 200

```
"source_type": "offer",
"source": [
  {
    "id": 446,
    "name": "Testing risk and desc"
  }
],
"data": {
  "id": 3252,
  "name": "New Local Conversions Risk",
  "description": "A common rule",
  "pql": "affiliateUUID IN ['227']",
  "is_active": true,
  "payload": {
    "skip_first": 0,
    "skipping_count": 11011,
    "annulate_money_calculation": false
  }
}
```

Risk Management for Offers

This section describes API endpoints for viewing, editing, and creating Risk Management rules for Offers.

View Risk Management rules

GET `/backend/open-api/v1/users/offers/{offer_id}/risks`

Review all Risk Management rules for a selected offer.

Risk Management rules that are not directly attached to the selected offer but still applied to it—default, custom or affiliate-related rules—aren't displayed.

Headers

Name	Value
Authorization	Bearer <token>

Path parameters

Name	Type	Description	Required
offer_id	Integer	ID of an affiliate.	Yes

Response 200

```
{
  "data":
  [
    {
      "id": 3362,
      "name": "Relative Conversions Risk",
      "description": "Created by Worker at 06/11/24, 2:38 PM",
      "pql": "true",
      "is_active": true,
      "payload": {
        "difference_relative_type": "day",
        "difference_relative_offset": 3600,
        "skip_also_goal_types": [
          "3"
        ]
      }
    },
    {
      "id": 3361,
      "name": "Global Conversions Risk",
      "description": "Created by Worker K at 06/11/24, 2:11 PM",
      "pql": "true",
      "is_active": true,
```

```
    "payload": {
      "skip_also_goal_types": 2,
      "difference_relative_type": null,
      "difference_relative_offset": null
    },
    "page": 1,
    "total": 9,
    "per_page": 200,
    "source": [
      {
        "id": 446,
        "name": "Favorite offer"
      }
    ]
  }
}
```

Create a new Risk Management rule

POST `backend/open-api/v1/users/offers/{offer_id}/risks`

Create a new Risk Management rule for a selected offer.

Headers

Name	Value
Content-Type	application/json
Authorization	Bearer <token>

Path parameters

Name	Type	Description	Required
offer_id	Integer	ID of an offer.	Yes

There are 4 distinctive types of Risk Management rules and each has a unique set of parameters. Examine them in these 4 separate tables.

Local Conversion Risk

Body parameters

Parameter	Type	Description	Required	Example
name	string	A custom name for the risk management rule.	No	Test RM for new affiliates.
type	string	Set a time limit for conversion in seconds.	Yes	Local Conversions Risk
skip first	Boolean		Yes	true
skipping count	Integer	Define what share of conversions with the same Click ID gets skipped: every 2nd, 3rd, 5th, and so on.	Yes	15
annulate money calculation	Boolean	Refresh all related financial fields (charge amount, win amount and so on), when a conversion gets skipped.	Yes	

Request body

```
{
  "type": "Local Conversions Risk",
  "skip_first":1,
  "skipping_count": 5,
  "annulate_money_calculation": false,
  "name" : "Copy local"
}
```

Global Conversion Risk

Body parameters

parameter	Type	Description	Required	Example	Limitations
type	string	Set a time limit for conversion in seconds.	Yes	Late Conversion Risk	
goal_type	Integer	ID of the Goal Type. The rule is applied to conversions with this Goal Type.	Yes	1	
skipper_count	Integer	a sequence of 0 and 1, where 1 means that a conversion is skipped, and 0 means that a conversion is approved.	Yes	1000101	Only "1" and "0" are allowed.

goal_types	Array of Integers	The number represents the ID of a Goal Type. Goal Type and their IDs are collected in Settings Navigation>Goal Types.	No	2	
------------	-------------------	---	----	---	--

Request body

```
{
  "type": "Global Conversions Risk",
  "goal_type":1,
  "skipper_count": "110101",
  "goal_types": [2,3],
  "name" : "testing"
}
```

Relative Conversion Risk

Body parameters

Parameter	Type	Description	Required	Example	Limitations
type	string	Set a time limit for conversion in seconds.	Yes	Relative Conversion Risk	
difference_relative_type	string	Choose a time period in which both a click and the related conversion should happen.	Yes	Day	Only these values are allowed: day week month quarter year
difference_relative_offset	Integer	Adjust the difference_relative_type value. You can make it longer or shorter (negative values accepted) by adding time in seconds.	Yes	-324566	

skip_also_goal_types	Integer	The number represents the ID of a Goal Type. Goal Type and their IDs are collected in Settings Navigation >Goal Types.	No	2	
----------------------	---------	--	----	---	--

Request body

```
{
  "type": "Relative Conversions Risk",
  "name": "test offset",
  "difference_relative_type": "day",
  "difference_relative_offset": -10,
  "skip_also_goal_types": [1,5]
}
```

Late Conversion Risk

Body parameters

parameter	Type	Description	Required	Example
type	String	Set a time limit for conversion in seconds.	Yes	Late Conversions Risk
goal_absolute_session_lifespan	Integer	Time in seconds.	Yes	32456666

skip_also_goal_types	Array of integers	The number represents the ID of a Goal Type. Goal Type and their IDs are collected in Settings Navigation>Goal Types.	No	2
----------------------	-------------------	---	----	---

Request body

```
{
  "type": "Late Conversions Risk",
  "goal_absolute_session_lifespan": 1,
  "skip_also_goal_types": [1,6]
}
```

Response 200

```
{
  "source_type": "affiliate",
  "source": [
    {
      "id": 504,
      "name": "John Doe"
    }
  ],
  "data": {
    "id": 4089,
    "name": "Local Conversions Risk",
    "description": "Generated by User API",
    "pql": "true",
    "is_active": true,
    "payload": {
      "skip_first": "1",
      "skipping_count": "1",
      "annulate_money_calculation": false
    }
  }
}
```

Edit a Risk Management rule

PUT

```
backend/open-api/v1/users/offers/{offer_id}/risks/{risk_management_rule_id}/
```

Edit an existing Risk Management rule of any type.

Headers

Name	Value
Content-Type	application/json
Authorization	Bearer <token>

Path parameters

Name	Type	Description	Required
affiliate_id	Integer	ID of an affiliate.	Yes
risk_management_rule_id	Integer	Id of a Risk Management rule.	Yes

Query parameters

As each type has its unique parameters, look at them in their special body parameter tables above. Neither of them would have a required status.

Response 200

```
"source_type": "affiliate",
  "source": [
    {
      "id": 446,
      "name": "John Doe"
    }
  ],
  "data": {
    "id": 3252,
    "name": "New Local Conversions Risk",
    "description": "A common rule",
    "pql": "affiliateUUID IN ['227']",
    "is_active": true,
    "payload": {
      "skip_first": 0,
      "skipping_count": 11011,
      "annulate_money_calculation": false
    }
  }
}
```

Offer Goals

This section describes API endpoints for viewing, editing, and creating Goals rules for Offers.

View Goals

GET `/backend/open-api/v1/users/offers/{offer_id}/goals/{goal_id}`

Get a list of all goals and their properties for a selected offer.

Headers

Name	Value
Authorization	Bearer <token>

Path parameters

Name	Type	Description	Required
offer_id	Integer	ID of an offer.	
goal_id	Integer	ID of a Goal. Add to view details only for a specific URL.	

Response 200

```
{
```

```

"data": [
  {
    "id": 522,
    "name": "1st goal",
    "enable_extra_payout": true,
    "hide_from_affiliates": false,
    "conversion_auto_approve": true,
    "is_active": true,
    "is_multiple_conversion": false,
    "is_unique": true,
    "is_unique_non_empty": false,
    "type_id": 5
  },
  {
    "id": 523,
    "name": "2nd goal",
    "enable_extra_payout": true,
    "hide_from_affiliates": false,
    "conversion_auto_approve": true,
    "is_active": true,
    "is_multiple_conversion": false,
    "is_unique": true,
    "is_unique_non_empty": false,
    "type_id": 1
  }
],
"total": 2,
"per_page": 200,
"page": 1,
"pages": 1,
"source": [
  {
    "id": 474,
    "name": "E-commerce"
  }
]
}

```

Create a Goal

POST /backend/open-api/v1/users/offers/{offer_id}/goals

Create a new Goal for a selected offer.

Headers

Name	Value
Content-Type	application/json
Authorization	Bearer <token>

Path parameters

Name	Type	Description	Required
offer_id	Integer	ID of an offer.	Yes

Body parameters

Parameter	Type	Description	Required	Example
name	String	Give a unique name to the goal.	Yes	
enable_extra_payout	Boolean	Use parameters of postback URLs to change Revenue and Payout values. The URL parameters will have a higher priority than rules in Payout and Revenue tabs in the Main Tree.	Yes	true

hide_from_affiliates	Boolean	Conceal this goal from the affiliates, so that they can't generate conversions with this goal.	Yes	false
conversion_auto_approve	Boolean	Each generated conversion gets approved automatically.	Yes	true
is_active	Boolean	Enable or disable the goal.	Yes	true
is_multiple_conversion	Boolean	Select if each affiliate can generate only one or several conversions with this goal.	Yes	false
is_unique	Boolean	If multiple conversions are sent with the identical value of a unique parameter, only the first conversion gets recorded.	Yes	true
is_unique_not_empty		When it's turned on, only one conversion with an empty value of the unique parameter can be created.	Yes	true
type_id	Integer	ID of a Goal Type, which are listed in Settings Navigation>Goal Types	Yes	1

Request body

```
{
  "name": "New goal:request body",
  "enable_extra_payout": true,
  "hide_from_affiliates": false,
  "conversion_auto_approve": true,
  "is_active": true,
  "is_multiple_conversion": false,
  "is_unique": true,
  "is_unique_non_empty": false,
  "type_id": 1
}
```

Response

```
{
  "source_type": "offer",
  "source": [
    {
      "id": 474,
      "name": "GOALS API"
    }
  ],
  "data": {
    "id": 582,
    "name": "New goal",
    "enable_extra_payout": true,
    "hide_from_affiliates": false,
    "conversion_auto_approve": true,
    "is_active": true,
    "is_multiple_conversion": false,
    "is_unique": true,
    "is_unique_non_empty": false,
    "type_id": 1
  }
}
```

Edit a Goal

PUT /backend/open-api/v1/users/offers/{offer_id}/goals/{goal_id}

Edit properties of a goal.

Headers

Name	Value
Content-Type	application/json
Authorization	Bearer <token>

Path parameters

Name	Type	Description	Required
offer_id	Integer	ID of an offer.	Yes
goal_id	Integer	ID of a goal.	Yes

Body parameters

Parameter	Type	Description	Required	Example
name	String	Give a unique name to the goal.	No	
enable_extra_payout	Boolean	Use parameters of postback URLs to change Revenue and Payout values. The URL parameters will have a higher priority than rules in Payout and Revenue tabs in the Main Tree.	No	true

hide_from_affiliates	Boolean	Conceal this goal from the affiliates, so that they can't generate conversions with this goal.	No	false
conversion_auto_approve	Boolean	Each generated conversion gets approved automatically.	No	true
is_active	Boolean	Enable or disable the goal.	No	true
is_multiple_conversion	Boolean	Select if each affiliate can generate only one or several conversions with this goal.	No	false
is_unique	Boolean	If multiple conversions are sent with the identical value of a unique parameter, only the first conversion gets recorded.	No	true
is_unique_not_empty		When it's turned on, only one conversion with an empty value of the unique parameter can be created.	No	true
type_id	Integer	ID of a Goal Type, which are listed in Settings Navigation>Goal Types	No	1

Request body

```
{
  "name": "New goal:request body",
  "enable_extra_payout": true,
  "hide_from_affiliates": false,
  "conversion_auto_approve": true,
  "is_active": true,
  "is_multiple_conversion": false,
  "is_unique": true,
  "is_unique_non_empty": false,
  "type_id": 1
}
```

Response 200

```
{
  "source_type": "offer",
  "source": [
    {
      "id": 474,
      "name": "GOALS API"
    }
  ],
  "data": {
    "id": 523,
    "name": "2nd goal",
    "enable_extra_payout": false,
    "hide_from_affiliates": false,
    "conversion_auto_approve": true,
    "is_active": true,
    "is_multiple_conversion": false,
    "is_unique": true,
    "is_unique_non_empty": false,
    "type_id": 1
  }
}
```

Qualifications for Affiliates

There are two types of qualification rules:

- Baseline – conversion gets qualified, if its value is equal to or higher than the Baseline Amount.
- Required Goal – conversion qualification depends on receiving another conversion with a different Goal Type.

View Qualification rules

GET /backend/open-api/v1/users/affiliates/{affiliate_id}/qualifications

Review all Qualification rules of a selected offer.

Headers

Name	Value
Authorization	Bearer <token>

Path parameters

Name	Type	Description	Required
affiliate_id	Integer	ID of an affiliate.	Yes

Response 200

```
{  
  "data": [  

```

```

{
  "id": 3156,
  "name": "Required Goal Qualification",
  "description": "Generated by User API",
  "pql": "true",
  "is_active": true,
  "payload": {
    "skip_unsatisfied": true,
    "goal_type": 56,
    "tracking_goal_types": [
      "4",
      "7"
    ]
  }
},
{
  "id": 3144,
  "name": "Baseline Qualification",
  "description": "Generated by User API",
  "pql": "true",
  "is_active": true,
  "payload": {
    "goal_type": 56,
    "baseline_field": "charge_back_amount",
    "amount": 1200,
    "skip_unsatisfied": true,
    "tracking_goal_types": [
      {
        "goal_type": 1,
        "baseline_field": "sale_amount"
      }
    ]
  }
}
],
"total": 3,
"per_page": 200,
"page": 1,
"pages": 1,
"source": [
  {
    "id": 216,
    "name": "John Doe"
  }
]
}

```

Create a new Qualification rule

POST /backend/open-api/v1/users/affiliates/{affiliate_id}/qualifications

Create a new Qualification rule.

Headers

Name	Value
Content-Type	application/json
Authorization	Bearer <token>

Path parameters

Name	Type	Description	Required
affiliate_id	Integer	ID of an affiliate.	Yes

As there are two distinct types with unique parameters, they have different body parameter tables.

Baseline type

Body parameters

Parameter	Type	Description	Required	Example	Limitations
name	String	Give a unique name for the rule.	No	Basic baseline rule.	
type	String	Select the type of the Qualification rule.	Yes	Baseline	Only one option is allowed: Baseline

description	String	Make notes for yourself and colleagues.	No	Created on 12/04/2021	
PQL	String	Add a condition that triggers the rule.	No	country IN ['US'] AND regions IN ['DC']	
goal_type	Integer	The rule applies to conversions of this goal type. Pass a goal type ID.	Yes	2	
baseline_field	string	select a conversion attribute by which to qualify conversions.	Yes	bet_amount	Only these values are allowed: sale_amount , deposit_amount, withdrawal_amount, net_gaming_amount, win_amount, bet_amount, net_gaming_cash, wagered_bonus, bonus_cash, charge_back_amount

amount	Integer	This value must be reached in the selected conversion attribute by one or several conversions to get qualified.	Yes	500	Negative values are not allowed.
skip_unsatisfied	Boolean	Select "true" to hide unqualified conversions from the affiliate	Yes		false - don't hide. true - hide from affiliates.
tracking_goal_types	Array of integers	Additional goal types, to which the rule is also applied.	No	[1,2,5,7]	

Request body

```
{
  "name": "Baseline request body",
  "type": "Baseline",
  "description": "Check array tracking goal types API",
  "pql": "true",
  "goal_type": 1,
  "baseline_field": "deposit_amount",
  "amount": 100,
  "skip_unsatisfied": false,
  "tracking_goal_types": [1,2,3],
  "is_active": true
}
```

Response

Response 200

```
{
  "source_type": "affiliate",
  "source": [
    {
      "id": 216,
      "name": "John Doe"
    }
  ],
  "data": {
    "id": 3157,
    "name": "Baseline Qualification",
    "description": "Generated by User API",
    "pql": "true",
    "is_active": true,
    "payload": {
      "goal_type": 56,
      "baseline_field": "deposit_amount",
      "amount": 1200,
      "skip_unsatisfied": true,
      "tracking_goal_types": [
        {
          "goal_type": "1",
          "baseline_field": "sale_amount"
        }
      ]
    }
  }
}
```

Required Goals Type

Body parameters

Parameter	Type	Description	Required	Example	Limitations
name	String	Give a unique name for the rule.	No	Basic rule.	

type	String	Select the type of the Qualification rule.	Yes	Required Goal	Only one option is allowed: Required Goal
description	String	Make notes for yourself and colleagues.	No	Created on 12/04/2021	
PQL	String	Add a condition that triggers the rule.	No	country IN ['US'] AND regions IN ['DC']	
goal_type	Integer	The rule applies to conversions of this goal type. Pass a goal type ID.	Yes	2	
skip_unsatisfied	Integer	Select "1" to hide unqualified conversions from the affiliate	Yes		0 - don't hide. 1 - hide from affiliates.
tracking_goal_types	Array of integers	State of the conversion with the goal_type depends on the presence of at least one conversion with one of these goal types.	Yes	[1,2,10]	

		Provide IDs of such goal types.			
is_active	Boolean	Enable or disable the rule.	No	true	

Request body

```
{
  "name": "Required Goal type request body",
  "type": "Required Goal",
  "description": "Check request body",
  "pql": "true",
  "goal_type": 1,
  "skip_unsatisfied": true,
  "tracking_goal_types": [1,2,3],
  "is_active": true
}
```

Response 200

```
{
  "source_type": "affiliate",
  "source": [
    {
      "id": 216,
      "name": "John Doe"
    }
  ],
  "data": {
    "id": 3156,
    "name": "Required Goal Qualification",
    "description": "Generated by User API",
    "pql": "true",
    "is_active": true,
    "payload": {
      "skip_unsatisfied": true,
      "goal_type": 56,
      "tracking_goal_types": [
        "4",
        "7"
      ]
    }
  }
}
```

```
}  
}  
}  
}
```

Edit a Qualification rule

PUT /backend/open-api/v1/users/affiliates/{affiliate_id}/qualifications/{qualification_rule_id}

Edit some or all properties of a Qualification rule, except for the type parameter.

Headers

Name	Value
Content-Type	application/json
Authorization	Bearer <token>

Path parameters

Name	Type	Description	Required
affiliate_id	Integer	ID of an affiliate.	Yes
qualification_rule_id	Integer	ID of a qualification rule.	Yes

Body parameters

Parameter	Type	Description	Required	Example	Limitations
name	String	Give a unique name for the rule.	No	Basic baseline rule.	
description	String	Make notes for yourself and colleagues.	No	Created on 12/04/2021	
PQL	String	Add a condition that triggers the rule.	No	country IN ['US'] AND regions IN ['DC']	

goal_type	Integer	The rule applies to conversions of this goal type. Pass a goal type ID.	No	2	
baseline_field	String	select a conversion attribute by which to qualify conversions.	No	sale_amount	Only for the Baseline type. Only these values are allowed: sale_amount, deposit_amount, withdrawal_amount, net_gaming_amount, win_amount, bet_amount, net_gaming_cash, wagered_bonus, bonus_cash, charge_back_amount
amount	Integer	This value must be reached in the selected conversion attribute by one or several conversions to get qualified.	No	500	Negative values are not allowed. Only for the Required Goal type.

skip_unsatisfied	Integer	Select "1" to hide unqualified conversions from the affiliate	No		0 - don't hide. 1 - hide from affiliates.
baseline_cumulative_goal_types	Array of integers	Additional goal types, to which the rule is also applied.		[1,2,3]	Only for the Baseline type.
tracking_goal_types	Array of integers	State of the conversion with the goal_type depends on the presence of at least one conversion with one of these goal types. Provide IDs of such goal types.	No	[1,2,10]	Only for the Required Goal type.

Request body

```
{
  "name": "Baseline request body",
  "type": "Baseline",
  "description": "Check array tracking goal types API",
  "pql": "true",
  "goal_type": 1,
  "baseline_field": "deposit_amount",
  "amount": 100,
  "skip_unsatisfied": false,
  "tracking_goal_types": [1,2,3],
  "is_active": true
}
```



```
}
```

Qualifications for Offers

There are two types of qualification rules:

- Baseline – conversion gets qualified, if its value is equal to or higher than the Baseline Amount.
- Required Goal – conversion qualification depends on receiving another conversion with a different Goal Type.

View Qualification rules

GET /backend/open-api/v1/users/offers/{offer_id}/qualifications

Review all Qualification rules of a selected offer.

Headers

Name	Value
Authorization	Bearer <token>

Path parameters

Name	Type	Description	Required
offer_id	Integer	ID of an offer.	Yes

Response 200

```
{  
  "data": [  

```

```
{
  "id": 3156,
  "name": "Required Goal Qualification",
  "description": "Generated by User API",
  "pql": "true",
  "is_active": true,
  "payload": {
    "skip_unsatisfied": true,
    "goal_type": 56,
    "tracking_goal_types": [
      "4",
      "7"
    ]
  }
},
{
  "id": 3144,
  "name": "Baseline Qualification",
  "description": "Generated by User API",
  "pql": "true",
  "is_active": true,
  "payload": {
    "goal_type": 56,
    "baseline_field": "charge_back_amount",
    "amount": 1200,
    "skip_unsatisfied": true,
    "tracking_goal_types": [
      {
        "goal_type": 1,
        "baseline_field": "sale_amount"
      }
    ]
  }
}
],
"total": 3,
"per_page": 200,
"page": 1,
"pages": 1,
"source": [
  {
    "id": 216,
    "name": "Test offer"
  }
]
}
```

Create a new Qualification rule

POST /backend/open-api/v1/users/offers/{offer_id}/qualifications

Create a new Qualification rule.

Headers

Name	Value
Content-Type	application/json
Authorization	Bearer <token>

Path parameters

Name	Type	Description	Required
offer_id	Integer	ID of an offer.	Yes

As there are two distinct types with unique parameters, they have different body parameter tables.

Baseline type

Body parameters

Parameter	Type	Description	Required	Example	Limitations
name	String	Give a unique name for the rule.	No	Basic baseline rule.	
type	String	Select the type of the	Yes	Baseline	Only one option is

		Qualification rule.			allowed: Baseline
description	String	Make notes for yourself and colleagues.	No	Created on 12/04/2021	
PQL	String	Add a condition that triggers the rule.	No	country IN ['US'] AND regions IN ['DC']	
goal_type	Integer	The rule applies to conversions of this goal type. Pass a goal type ID.	Yes	2	
baseline_field	string	select a conversion attribute by which to qualify conversions.	Yes	bet_amount	Only these values are allowed: sale_amount, deposit_amount, withdrawal_amount, net_gaming_amount, win_amount, bet_amount, net_gaming_cash, wagered_bonus, bonus_cash, charge_back_amount

amount	Integer	This value must be reached in the selected conversion attribute by one or several conversions to get qualified.	Yes	500	Negative values are not allowed.
skip_unsatisfied	Boolean	Select "true" to hide unqualified conversions from the affiliate	Yes		false - don't hide. true - hide from affiliates.
tracking_goal_types	Array of integers	Additional goal types, to which the rule is also applied.	No	[1,2,5,7]	
is_active	Boolean	Enable or disable the rule.	No	true	

Request body

```
{
  "name": "Baseline request body",
  "type": "Baseline",
  "description": "Check array tracking goal types API",
  "pql": "true",
  "goal_type": 1,
  "baseline_field": "deposit_amount",
  "amount": 100,
  "skip_unsatisfied": false,
  "tracking_goal_types": [1,2,3],
```

```
"is_active": true
}
```

Response 200

```
{
  "source_type": "offer",
  "source": [
    {
      "id": 216,
      "name": "Test offer"
    }
  ],
  "data": {
    "id": 3157,
    "name": "Baseline Qualification",
    "description": "Generated by User API",
    "pql": "true",
    "is_active": true,
    "payload": {
      "goal_type": 56,
      "baseline_field": "deposit_amount",
      "amount": 1200,
      "skip_unsatisfied": true,
      "tracking_goal_types": [
        {
          "goal_type": 1,
          "baseline_field": "sale_amount"
        }
      ]
    }
  }
}
```

Required Goals Type

Body parameters

Parameter	Type	Description	Required	Example	Limitations
-----------	------	-------------	----------	---------	-------------

name	String	Give a unique name for the rule.	No	Basic rule.	
type	String	Select the type of the Qualification rule.	Yes	Required Goal	Only one option is allowed: Required Goal
description	String	Make notes for yourself and colleagues.	No	Created on 12/04/2021	
PQL	String	Add a condition that triggers the rule.	No	country IN ['US'] AND regions IN ['DC']	
goal_type	Integer	The rule applies to conversions of this goal type. Pass a goal type ID.	Yes	2	
skip_unsatisfied	Integer	Select "1" to hide unqualified conversions from the affiliate	Yes		0 - don't hide. 1 - hide from affiliates.
tracking_goal_types	Array of integers	State of the conversion with the goal_type depends on the presence of at least one conversion	Yes	[1,2,10]	

		with one of these goal types. Provide IDs of such goal types.			
--	--	--	--	--	--

Request body

```
{
  "name": "Required Goal type request body",
  "type": "Required Goal",
  "description": "Check request body",
  "pql": "true",
  "goal_type": 1,
  "skip_unsatisfied": false,
  "tracking_goal_types": [1,2,3],
  "is_active": true
}
```

Response 200

```
{
  "source_type": "offer",
  "source": [
    {
      "id": 216,
      "name": "Test offer"
    }
  ],
  "data": {
    "id": 3156,
    "name": "Required Goal Qualification",
    "description": "Generated by User API",
    "pql": "true",
    "is_active": true,
    "payload": {
      "skip_unsatisfied": true,
      "goal_type": 56,
      "tracking_goal_types": [
        "4",

```



```
}
  }
}
  ]
  "7"
```

Edit a Qualification rule

PUT

/backend/open-api/v1/users/offers/{offer_id}/qualifications/{qualification_rule_id}

Edit some or all properties of a Qualification rule, except for the type parameter.

Headers

Name	Value
Content-Type	application/json
Authorization	Bearer <token>

Path parameters

Name	Type	Description	Required
offer_id	Integer	ID of an offer.	Yes
qualification_rule_id	Integer	ID of a qualification rule.	Yes

Query parameters

Parameter	Type	Description	Required	Example	Limitations
-----------	------	-------------	----------	---------	-------------

name	String	Give a unique name for the rule.	No	Basic baseline rule.	
description	String	Make notes for yourself and colleagues.	No	Created on 12/04/2021	
PQL	String	Add a condition that triggers the rule.	No	country IN ['US'] AND regions IN ['DC']	
goal_type	Integer	The rule applies to conversions of this goal type. Pass a goal type ID.	No	2	
baseline_field	String	Select a conversion attribute by which to qualify conversions.	No	sale_amount	Only for the Baseline type. Only these values are allowed: sale_amount, deposit_amount, withdrawal_amount, net_gaming_amount, win_amount, bet_amount, net_gaming_cash, wagered_bonus, bonus_cash,

					charge_back_amount
amount	Integer	This value must be reached in the selected conversion attribute by one or several conversions to get qualified.	No	500	Negative values are not allowed. Only for the Required Goal type.
skip_unsatisfied	Integer	Select "1" to hide unqualified conversions from the affiliate.	No		0 - don't hide. 1 - hide from affiliates.
baseline_cumulative_goal_types	Array of integers	Additional goal types, to which the rule is also applied.		[1,2,3]	Only for the Baseline type.
tracking_goal_types	Array of integers	State of the conversion with the goal_type depends on the presence of at least one conversion with one of these goal types. Provide IDs	No	[1,2,10]	Only for the Required Goal type.

		of such goal types.			
--	--	---------------------	--	--	--

Response 200

```
{
  "source_type": "offer",
  "source": [
    {
      "id": 216,
      "name": "Test offer"
    }
  ],
  "data": {
    "id": 3156,
    "name": "Required Goal Qualification",
    "description": "Generated by User API",
    "pql": "true",
    "is_active": true,
    "payload": {
      "skip_unsatisfied": true,
      "goal_type": 56,
      "tracking_goal_types": [
        "4",
        "7"
      ]
    }
  }
}
```