

## Jobs

## Generated by Talend Data Integration

Project Name	oss	GENERATION DATE	Dec 11, 2017 5:30:23 PM
AUTHOR	Reddy, Navya	Talend Data Integration VERSION	6.4.1.20170623_1246

### **Summary**

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


### **Project Description**

Properties	Values
Name	oss
Language	java
Description	

## **Description**

Properties	Values
Name	Fifth
Author	Reddy, Navya
Version	0.1
Purpose	
Status	
Description	
Creation	Sep 27, 2017 6:45:55 PM
Modification	Dec 11, 2017 5:30:14 PM

### **Preview Picture**



## **Settings**

#### **Extra settings**

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

#### Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

### **Context List**

#### ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source
filepath	filepath?	false	id_String	xyz	
NoOfDays	NoOfDays?	false	id_String	15	
Sure_to_delete	Sure_to_delete?	false	id_String	Yes	

## **Component List**

Component Name	Component Type
----------------	----------------

tFileDelete_1	tFileDelete
tFileList_1	tFileList
tFileProperties_1	tFileProperties
tJava_1	tJava
tJava_2	tJava
tMap_1	tMap
tMsgBox_1	tMsgBox

## **Components Description**

#### Component tFileDelete

 UNIQUE NAME	tFileDelete_1	INPUT(S)	tJava_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tJava_2

Properties	Values	
Unique Name	tFileDelete_1	
Component Name	tFileDelete	
Version	0.102 (ALPHA)	
Family	File/Management	

Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileDelete
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\6.4.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
File Name	((String)globalMap.get("tFileList_1_CURRENT_FILEPATH"))

Directory	"C:/Users/Kailash/workspace2/delete_folder"
File or Directory to delete	"C:/Users/Kailash/workspace2/delete_folder or delete_file"
Fail on error	true
Delete Folder	false
Delete File Or Folder	false
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for tFileDelete\_1 :

Column Key Type Length Precision Nullable Comme	nt
---	----

# Original Function Parameters: Component tFileList

	UNIQUE NAME	tFileList_1	INPUT(S)	none	
	LABEL	UNIQUE_NAME	OUTPUT(S)	tFileProperties_1	

mnonent Da

Component Parameters:			
Properties	Values		
Unique Name	tFileList_1		
Component Name	tFileList		
Version	0.102 (ALPHA)		
Family	File/Management Orchestration		
Start	true		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tFileList		
Update components	true		

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\6.4.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Directory	"C:/Users/Kailash/Files"
FileList Type	FILES
Includes subdirectories	false
Case Sensitive	YES
Generate Error if no file found	false
Use Glob Expressions as Filemask (Unchecked means Perl5 Regex Expressions)	true
Files	[{FILEMASK="*.*"}]
By default	false

By file name	false
By file size	false
By modified date	true
ASC	true
DESC	false
Use Exclude Filemask	false
Exclude Filemask	"*.txt"
Format file path to slash(/) style (useful on Windows)	false
Label format	UNIQUE_NAME
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

# Original Function Parameters: Component tFileProperties

	UNIQUE NAME	tFileProperties_1	INPUT(S)	tFileList_1	
	LABEL	UNIQUE_NAME	OUTPUT(S)	tMap_1	

Component Parameters:				
Properties	Values			
Unique Name	tFileProperties_1			
Component Name	tFileProperties			
Version	0.102 (ALPHA)			
Family	File/Management			
Start	false			
Startable	true			
SUBTREE_START	false			
END_OF_FLOW	false			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tFileProperties			
Update components	true			

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\6.4.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
File	((String)globalMap.get("tFileList_1_CURRENT_FILEPATH
Calculate MD5 Hash	false
Label format	UNIQUE_NAME
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	
----------------------	--

Schema for tFileProperties\_1 :

Scriema for	ti lici i opci	100_1.				
Column	Key	Туре	Length	Precision	Nullable	Comment
abs_path	false	String	255		true	
dirname	false	String	255		true	
basename	false	String	255		true	
mode_string	false	String	10		true	
size	false	Long	20		true	
mtime	false	Long	20		true	
mtime_string	false	String	20		true	

# Original Function Parameters: Component tJava

	UNIQUE NAME	tJava_1	INPUT(S)	tMsgBox_1	
	LABEL	UNIQUE_NAME	OUTPUT(S)	tFileDelete_1	

Properties	Values
Unique Name	tJava_1
Component Name	tJava

Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\6.4.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false

Number of parallel executions	2
	false
Code	System.out.println(((String)globalMap.get("tMsgBox_1_RESULT")));
Import	//import java.util.List;
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for tJava\_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment
abs_path	false	String	255		true	
dirname	false	String	255		true	
basename	false	String	255		true	

mode_string	false	String	10	true	
size	false	Long	20	true	
mtime	false	Long	20	true	
mtime_string	false	String	20	true	

# Original Function Parameters: Component tJava

_ 400	UNIQUE NAME	tJava_2	INPUT(S)	tFileDelete_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:			
Properties	Values		
Unique Name	tJava_2		
Component Name	tJava		
Version	0.101 (ALPHA)		
Family	Custom_Code		
Start	false		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	true		

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\6.4.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Code	globalMap.put("tMsgBox_1_RESULT",null);
Import	//import java.util.List;
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	<b>UNIQUE_NAME</b> COMMENT

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava\_2:

Column	Key	Туре	Length	Precision	Nullable	Comment

# Original Function Parameters: Component tMsgBox

UNIQUE NAME	tMsgBox_1	INPUT(S)	tMap_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tJava_1

oomponent i arameters.	Component i arameters.			
Properties	Values			
Unique Name	tMsgBox_1			
Component Name	tMsgBox			
Version	0.101 (ALPHA)			
Family	Misc			
Start	false			

Startable	true
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMsgBox
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\6.4.1\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Title	"Talend Open Studio"
Buttons	4


Icon	INFORMATION_MESSAGE
Mask Answer	false
Question	"File Name:" + ((String)globalMap.get("row1.basename")) +"\n"+ "Last Modified Date:" + ((String)globalMap.get("row1.mtime_string"))+"\n"+ "Are you sure to delete this file"
Message	"File Name:" + row1.basename +"\n"+ "Last Modified Date:" +row1.mtime_string+"\n"+ "Are you sure to delete this file?"
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


Schema for tMsgBox\_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment
abs_path	false	String	255		true	
dirname	false	String	255		true	

basename	false	String	255	true	
mode_string	false	String	10	true	
size	false	Long	20	true	
mtime	false	Long	20	true	
mtime_string	false	String	20	true	

# Original Function Parameters: Component tMap





Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false

Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	200000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap\_1 (input):
Mapper table Properties(row21):

mapper table i reperties (rewrit).			
Properties	Values		
Name	row21		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries( row21 ):

Metadata Table Liit	iles lower j.		
Name	Туре	Expression	isNullable
abs_path	String		true
dirname	String		true
basename	String		true
mode_string	String		true
size	Long		true
mtime	Long		true
mtime_string	String		true

Constraint Table Entries( row21 ):

Name Type Expression isNullable	
---------------------------------	--

Mapper table for tMap\_1 ( output ): Mapper table Properties( row1 ):

Properties	Values
Name	row1
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
	(TalendDate.compareDate( TalendDate.parseDate("yyyy-MM-dd", TalendDate.addDate(TalendDate.getDate("yyyy-MM-dd") ,"yyyy-MM-dd",-15,"DD")),TalendDate.parseDate("EEE MMM dd HH:mm:ss z yyyy",row21.mtime_string))==1)?true:false

### Metadata Table Entries( row1 ):

Name	Туре	Expression	isNullable
abs_path	String	row21.abs_path	true
dirname	String	row21.dirname	true
basename	String	row21.basename	true
mode_string	String	row21.mode_string	true
size	Long	row21.size	true
mtime	Long	row21.mtime	true
mtime_string	String	row21.mtime_string	true

Constraint Table Entries( row1 ):

Name	Туре	Expression	isNullable
------	------	------------	------------

#### Mapper table for tMap\_1 ( var ):

**Mapper table Properties (Var):** 

mapper table i reperties ( tai ):				
Properties	Values			
Name	Var			
Matching-mode				
isMinimized	true			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter	null			

Metadata Table Entries( Var ):

me	Туре	Expression	isNullable	
----	------	------------	------------	--

**Constraint Table Entries(Var):** 

Name	Туре	Expression	isNullable