

NAME : KAILASH.P

TASK 4

```
kali@kali: ~/Desktop/Task4
Session Actions Edit View Help

kali@kali:~$ sudo apt update
[sudo] password for kali:
Get:1 http://kali.download/kali kali-rolling InRelease [34.0 kB]
Get:2 http://kali.download/kali kali-rolling/main amd64 Packages [21.2 MB]
Get:3 http://kali.download/kali kali-rolling/main amd64 Contents (deb) [53.3 MB]
Get:4 http://kali.download/kali kali-rolling/contrib amd64 Packages [104 kB]
Get:5 http://kali.download/kali kali-rolling/contrib amd64 Contents (deb) [188 kB]
Get:6 http://kali.download/kali kali-rolling/non-free amd64 Packages [175 kB]
Get:7 http://kali.download/kali kali-rolling/non-free amd64 Contents (deb) [891 kB]
Get:8 http://kali.download/kali kali-rolling/non-free-firmware amd64 Packages [15.8 kB]
Get:9 http://kali.download/kali kali-rolling/non-free-firmware amd64 Contents (deb) [38.9 kB]
Fetched 76.8 MB in 15s (4,642 kB/s)
2418 packages can be upgraded. Run 'apt list --upgradable' to see them.

kali@kali:~$ sudo apt install john -y
John is already the newest version (1.9.0-jumbo-1-g1t20211102-0kali10).
The following packages were automatically installed and are no longer required:
libblury2 libgeo3.13.1 libplacebo349 libsigsegv2 libtheoraec1 libyelp0
libgda16 libhdf4-0-alt libportmidi0 libsoup-2.4-1 libtheoraenc1 python3-packaging-whl
libgdata-common libjs-underscore libqt5ct-common1.8 libsoup-2.4-common libudfread0 python3-wheel-whl
libgdata22 libgdi4.1 libframe1 libtheora0 libvpx9
Use 'sudo apt autoremove' to remove them.

Summary:
Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 2418

kali@kali:~$ john --version
Unknown option: "--version"

kali@kali:~$ sudo apt install john -y
John is already the newest version (1.9.0-jumbo-1-g1t20211102-0kali10).
The following packages were automatically installed and are no longer required:
libblury2 libgeo3.13.1 libplacebo349 libsigsegv2 libtheoraec1 libyelp0
libgda16 libhdf4-0-alt libportmidi0 libsoup-2.4-1 libtheoraenc1 python3-packaging-whl
libgdata-common libjs-underscore libqt5ct-common1.8 libsoup-2.4-common libudfread0 python3-wheel-whl
libgdata22 libgdi4.1 libframe1 libtheora0 libvpx9
Use 'sudo apt autoremove' to remove them.

Summary:
Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 2418

kali@kali:~$ john
John the Ripper 1.9.0-jumbo-1-bleeding-aec1328d5c 2021-11-02 10:45:52 +0100 OMP [linux-gnu 64-bit x86_64 AVX2 AC]
Copyright (c) 1996-2021 by Solar Designer and others
Homepage: https://www.openwall.com/john/
Usage: john [OPTIONS] [PASSWORD-FILES]
```

```
kali@kali: ~/Desktop/Task4
Session Actions Edit View Help

Use --help to list all available options.

kali@kali:~$ cd Desktop
kali@kali:~/Desktop$ mkdir Task4
kali@kali:~/Desktop$ cd Task4
kali@kali:~/Desktop/Task4$ pwd
/home/kali/Desktop/Task4
kali@kali:~/Desktop/Task4$ echo -n "password123" | md5sum
482c811da5d5b4bc64497ffa98491e38 -
kali@kali:~/Desktop/Task4$ nano hashes.txt
kali@kali:~/Desktop/Task4$ cat hashes.txt

kali@kali:~/Desktop/Task4$ cat passwords.txt
cat: passwords.txt: No such file or directory

kali@kali:~/Desktop/Task4$ nano passwords.txt
kali@kali:~/Desktop/Task4$ cat passwords.txt
123456
admin
welcome
password123
qwerty

kali@kali:~/Desktop/Task4$ john --format=raw-md5 --wordlist=passwords.txt hashes.txt
Using default input encoding: UTF-8
No password hashes loaded (see FAQ)

kali@kali:~/Desktop/Task4$ john --format=raw-md5 --wordlist=passwords.txt hashes.txt
Using default input encoding: UTF-8
No password hashes loaded (see FAQ)
```

```
kali@kali: ~/Desktop/Task4
Session Actions Edit View Help

(kali@kali)~/Desktop/Task4
$ john --format=raw-md5 --wordlist=passwords.txt hashes.txt
Using default input encoding: UTF-8
No password hashes loaded (see FAQ)

(kali@kali)~/Desktop/Task4
$ john --show hashes.txt
0 password hashes cracked, 0 left

(kali@kali)~/Desktop/Task4
$ cat hashes.txt

(kali@kali)~/Desktop/Task4
$ cat hashes.txt

(kali@kali)~/Desktop/Task4
$ nano hashes.txt

(kali@kali)~/Desktop/Task4
$ cat hashes.txt
482c811da5d5b4bc6d497ffa98491e38

(kali@kali)~/Desktop/Task4
$ cat passwords.txt
123456
admin
welcome
password123
qwerty

(kali@kali)~/Desktop/Task4
$ john --wordlist=passwords.txt hashes.txt
Warning: detected hash type "LM", but the string is also recognized as "dynamic-md5($p)"
Use the "--format=dynamic-md5($p)" option to force loading these as that type instead
Warning: detected hash type "LM", but the string is also recognized as "HAVAL-128-4"
Use the "--format=HAVAL-128-4" option to force loading these as that type instead
Warning: detected hash type "LM", but the string is also recognized as "MD2"
Use the "--format=MD2" option to force loading these as that type instead
Warning: detected hash type "LM", but the string is also recognized as "mdc2"
Use the "--format=mdc2" option to force loading these as that type instead
Warning: detected hash type "LM", but the string is also recognized as "mcsash"
Use the "--format=mcsash" option to force loading these as that type instead
Warning: detected hash type "LM", but the string is also recognized as "mcsash2"
Use the "--format=mcsash2" option to force loading these as that type instead
Warning: detected hash type "LM", but the string is also recognized as "NT"
Use the "--format=NT" option to force loading these as that type instead
Warning: detected hash type "LM", but the string is also recognized as "Raw-MD4"
Use the "--format=Raw-MD4" option to force loading these as that type instead
Warning: detected hash type "LM", but the string is also recognized as "Raw-MD5"
```

```
kali@kali: ~/Desktop/Task4
Session Actions Edit View Help

Use the "--format=Snrfu-128" option to force loading these as that type instead
Warning: detected hash type "LM", but the string is also recognized as "ZipMonster"
Use the "--format=ZipMonster" option to force loading these as that type instead
Using default input encoding: UTF-8
Using default target encoding: CP850
Loaded 2 password hashes with no different salts (LM [DES 256/256 AVX2])
Warning: poor OpenMP scalability for this hash type, consider --fork=3
Will run 3 OpenMP threads
Press 'q' or Ctrl-C to abort, almost any other key for status
Warning: Only 5 candidates left, minimum 768 needed for performance.
0g 0:00:00:00 DONE (2026-06-21 03:23) 0g/s 166.6p/s 166.6c/s 333.3C/s 123456..QWERTY
Session completed.

(kali@kali)~/Desktop/Task4
$ john --show hashes.txt
0 password hashes cracked, 2 left

(kali@kali)~/Desktop/Task4
$ cat hashes.txt
482c811da5d5b4bc6d497ffa98491e38

(kali@kali)~/Desktop/Task4
$ wc -l hashes.txt
1 hashes.txt

(kali@kali)~/Desktop/Task4
$ cat passwords.txt
123456
admin
welcome
password123
qwerty

(kali@kali)~/Desktop/Task4
$

(kali@kali)~/Desktop/Task4
$ nano passwords.txt

(kali@kali)~/Desktop/Task4
$ nano hashes.txt

(kali@kali)~/Desktop/Task4
$ cat hashes.txt
482c811da5d5b4bc6d497ffa98491e38

(kali@kali)~/Desktop/Task4
$ cat passwords.txt
123456
admin
welcome
password123
```

```
kali@kali: ~/Desktop/Task4
Session Actions Edit View Help
(kali@kali)~$ john --format=raw-md5 --wordlist=passwords.txt hashes.txt
Using default input encoding: UTF-8
Loaded 1 password hash (Raw-MD5 [MD5 256/256 AVX2 8x3])
Warning: no OpenMP support for this hash type, consider --fork=3
Press 'q' or Ctrl-C to abort, almost any other key for status
Warning: Only 5 candidates left, minimum 24 needed for performance.
password123 (?)
1g 0:00:00:00 DONE (2024-06-21 04:28) 33.33g/s 166.6p/s 166.6c/s 166.6/s 123456..qwerty
Use the "--show --format=raw-md5" options to display all of the cracked passwords reliably
Session completed.

(kali@kali)~$ john --show hashes.txt
0 password hashes cracked, 2 left

(kali@kali)~$ cat hashes.txt
482c811da5d5b4bcd497ffa98491e38

(kali@kali)~$ nano hashes.txt

(kali@kali)~$ cat hashes.txt
482c811da5d5b4bcd497ffa98491e38

(kali@kali)~$ wc -l hashes.txt
1 hashes.txt

(kali@kali)~$ cat passwords.txt
123456
admin
welcome
password123
qwerty

(kali@kali)~$ john --format=raw-md5 --wordlist=passwords.txt hashes.txt
Using default input encoding: UTF-8
Loaded 1 password hash (Raw-MD5 [MD5 256/256 AVX2 8x3])
No password hashes left to crack (see FAQ)

(kali@kali)~$ john --show hashes.txt
0 password hashes cracked, 2 left

(kali@kali)~$ wc -l hashes.txt
1 hashes.txt
```

```
kali@kali: ~/Desktop/Task4
Session Actions Edit View Help
(kali@kali)~$ cat hashes.txt
482c811da5d5b4bcd497ffa98491e38

(kali@kali)~$ wc -l hashes.txt
1 hashes.txt

(kali@kali)~$ cat passwords.txt
123456
admin
welcome
password123
qwerty

(kali@kali)~$ john --format=raw-md5 --wordlist=passwords.txt hashes.txt
Using default input encoding: UTF-8
Loaded 1 password hash (Raw-MD5 [MD5 256/256 AVX2 8x3])
No password hashes left to crack (see FAQ)

(kali@kali)~$ john --show hashes.txt
0 password hashes cracked, 2 left

(kali@kali)~$ wc -l hashes.txt
1 hashes.txt

(kali@kali)~$ john --show hashes.txt
0 password hashes cracked, 2 left

(kali@kali)~$ john --format=raw-md5 --wordlist=passwords.txt hashes.txt
Using default input encoding: UTF-8
Loaded 1 password hash (Raw-MD5 [MD5 256/256 AVX2 8x3])
No password hashes left to crack (see FAQ)

(kali@kali)~$ john --show hashes.txt
0 password hashes cracked, 2 left

(kali@kali)~$ john --show --format=raw-md5 hashes.txt
?password123

1 password hash cracked, 0 left

(kali@kali)~$ john --show --format=raw-md5 hashes.txt
```