



Implementation of JavaScript in an Online Concert E-Ticketing System

Group 8

Name : 1. Antonio Benedictus Harianja
2. Kaila Whyli Titani

Class : 4ISA1

CEP CCIT
FAKULTAS TEKNIK UNIVERSITAS INDONESIA
TAHUN 2026

PROJECT ON

Implementation of JavaScript in an Online Concert E-Ticketing System

Developed by

- 1. Antonio Benedictus Harianja**
- 2. Kaila Whyli Titani**

Implementation of JavaScript in an Online Concert E-Ticketing System

Batch Code : 4ISA1

Start Date : February 20, 2026


End Date : March 03, 2026

Name of Faculty : Feri Nugroho S.ST, M.IT.

Names of Developer:

1. Antonio Benedictus Harianja
2. Kaila Whyli Titani

Date of Submission : March 03, 2025



CERTIFICATE

This is to certify that this report titled “Implementation of JavaScript in an Online Concert E-Ticketing System” embodies the original work done by Antonio Benedictus Harianja and Kaila Whyli Titani. Project in partial fulfillment of their course requirement at NIIT.

Coordinator:

Feri Nugroho S.ST, M.IT.

ACKNOWLEDGEMENT

Authors would like to praise to God Almighty bless and so Authors can finish this Project 1 entitled “Implementation of JavaScript in an Online Concert E-Ticketing System”. Author would like to thanks to Mr. Feri, as our faculty who has given useful suggestion which are help Author in writing this paper.

The Author realized that this paper far from perfection, then the Author will be very unfettered the chest and was encouraged, if colleagues and the guide's agreeing lecturer gave the suggestion & criticism for this paper perfection.

SYSTEM ANALYSIS

System Summary:

The Online Concert E-Ticketing System is a project intended to efficiently manage the entire process of managing concert events, the inventory of the event tickets, the bookings and payments made by the users/customers, and the authentication mechanism in a most efficient and organized manner. This project combines a well-structured MySQL database and a user-friendly Java-based Graphical User Interface using Apache NetBeans IDE, Laragon, and phpMyAdmin.

The Online Concert E-Ticketing System comprises the following modules: user authentication using a username/password combination and email validation, user bookings where the user can select the dates and the quantity of the seats, and payment using a QR code. Additional features include the ability to view the history of the bookings and the e-ticketing facility.

By integrating secure authentication, real-time inventory tracking, QR-based payments, and automated e-ticket generation, the system optimizes online ticketing processes, minimizes errors, enhances user experience, and ensures scalability for multiple events. This makes it a valuable tool for concert organizers seeking efficient, modern digital solutions for ticketing operations

SOFTWARE

1. Apache Netbeans

Apache NetBeans is a free, open-source integrated development environment (IDE) mainly utilized for developing Java applications, but it also accommodates PHP, C++, and other languages. It offers robust tools for code editing, debugging, and version control, enhancing the efficiency of the development process. The IDE includes intelligent code completion, syntax highlighting, and built-in project templates that assist developers in writing cleaner and quicker code. With its modular architecture, NetBeans enables users to install and customize plugins based on their requirements. Furthermore, it supports various platforms such as Windows, macOS, and Linux, making it a flexible option for developers.



2. Laragon

Laragon is software that assists in the creation of local servers on personal computers. The software helps developers in the management of web projects in a more organized and efficient manner. The software supports various technologies, such as PHP, MySQL, Apache, Nginx, among other vital tools required for the development process. It provides a reliable environment for the operation of the software.

The main idea behind the creation of Laragon software is to improve the management of vital services such as databases, web servers, and programming languages. The software allows users to start, stop, or modify the services using the integrated platform, thus improving the effectiveness of the application development process.



SOFTWARE

3. phpMyAdmin

phpMyAdmin is a web-based tool for managing databases, aimed at simplifying the administration of MySQL and MariaDB databases. It offers an easy-to-use graphical interface that enables users to create, modify, and remove databases, tables, and records without requiring knowledge of SQL command-line. The tool facilitates database import and export, allowing for straightforward data backup and migration across various environments. Furthermore, phpMyAdmin features user management, query execution, and database optimization, improving the overall experience of database management. Since it operates in a web browser, it can be accessed from any location, making it a practical option for developers and database administrators.



SOURCE CODE

1. LOGIN FORM CODE

```
package ticketing;

import ticketing.Register;
import java.sql.Connection;
import java.sql.ResultSet;
import java.sql.Statement;
import javax.swing.JOptionPane;
import backend.sesionLogin;
import java.sql.PreparedStatement;
import database.dbconnection;

public class Login extends javax.swing.JFrame {
    Connection conn;
    Statement stmt;
    ResultSet rs;

    dbconnection koneksi;
    public static int currentUserId = 0;

    public static String currentUsername = "";

    private static final java.util.logging.Logger logger =
        java.util.logging.Logger.getLogger(Login.class.getName());
    public Login() {

        initComponents();

        this.setLocationRelativeTo(null);

        koneksi = new dbconnection();

        conn = koneksi.getconnection();
    }
}
```

SOURCE CODE

```
private void lblRegisterMouseClicked(java.awt.event.MouseEvent evt)
{
    Register reg = new Register();
    reg.setVisible(true);
    this.dispose();
}

private void
btnLoginActionPerformed(java.awt.event.ActionEvent evt)
{
    String user = txtUsername.getText();

    String pass = String.valueOf(txtPassword.getPassword());

    if(user.isEmpty() || pass.isEmpty()){

        javax.swing.JOptionPane.showMessageDialog(null, "Silahkan
di isi terlebih dahulu");

        return;
    }

    try {

        Connection conn = koneksi.getconnection();

        String sql = "SELECT \* FROM users WHERE username=? AND
password=?";

        PreparedStatement pst = conn.prepareStatement(sql);

        pst.setString(1, user);

        pst.setString(2, pass);

        ResultSet rs = pst.executeQuery();
```

SOURCE CODE

```
if(rs.next()){

    sesionLogin.isLogin = true;

    sesionLogin.idLogin = rs.getInt("id\_user");

    sesionLogin.username = rs.getString("username");

    JOptionPane.showMessageDialog(null, "Login Berhasil");

    new Dashboard().setVisible(true);
    this.dispose();

}

else {

    javax.swing.JOptionPane.showMessageDialog(null, "Username
atau Password tidak valid");

    txtPassword.setText("");

    txtPassword.requestFocus();

}

rs.close();

pst.close();

conn.close();

} catch (Exception e) {

    javax.swing.JOptionPane.showMessageDialog(null, "Error: " +
e.getMessage());

}

}
```

SOURCE CODE

```
        try {

            for (javax.swing.UIManager.LookAndFeelInfo info :
                javax.swing.UIManager.getInstalledLookAndFeels()) {

                if ("Nimbus".equals(info.getName())) {

                    javax.swing.UIManager.setLookAndFeel(info.getClassName()
me());

                    break;

                }

            }

        } catch (ReflectiveOperationException |
                javax.swing.UnsupportedLookAndFeelException ex) {

            logger.log(java.util.logging.Level.SEVERE, null, ex);

        }

        java.awt.EventQueue.invokeLater(() -> new
        Login().setVisible(true));

    }
```

SOURCE CODE

2. REGISTER FORM CODE

```
package ticketing;

import java.sql.Connection;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import javax.swing.JOptionPane;
import database.dbconnection;

public class Register extends javax.swing.JFrame {

    private static final java.util.logging.Logger logger =
        java.util.logging.Logger.getLogger(Register.class.getName());

    public Register() {

        initComponents();

    }

    private void btnRegisterActionPerformed(java.awt.event.ActionEvent
    evt) {
        String user = txtUsername.getText().trim();

        String pass = String.valueOf(txtPassword.getPassword());

        String confirm = String.valueOf(txtConfirmPassword.getPassword());

        String email = txtemail.getText().trim();
```

SOURCE CODE

```
        if(user.isEmpty() || pass.isEmpty() || confirm.isEmpty() || email.isEmpty()){

            JOptionPane.showMessageDialog(null, "Semua wajib diisi!");

            return;

        }

        if(!email.matches("^[A-Za-z0-9._%+-]+@[A-Za-z0-9.-]+\\\\\\\\.\\\\[A-Za-z]{2,6}$")){

            JOptionPane.showMessageDialog(null, "Format email tidak valid!");

            txtemail.requestFocus();

            return;

        }

        if(!pass.equals(confirm)){

            JOptionPane.showMessageDialog(null, "Password belum sesuai!");

            txtConfirmPassword.setText("");

            txtConfirmPassword.requestFocus();

            return;

        }

        try {

            dbconnection db = new dbconnection();

            Connection conn = db.getconnection();

            String cekUserSql = "SELECT id\\_user FROM users WHERE username = ?";

            PreparedStatement cekUserPst = conn.prepareStatement(cekUserSql);

            cekUserPst.setString(1, user);

            ResultSet rsUser = cekUserPst.executeQuery();
```

SOURCE CODE

```
        if (rsUser.next()) {

            JOptionPane.showMessageDialog(null, "Username sudah
dipakai!");

            return;

        }

        String cekEmailSql = "SELECT id\_user FROM users WHERE email =
?";

        PreparedStatement cekEmailPst =
conn.prepareStatement(cekEmailSql);

        cekEmailPst.setString(1, email);

        ResultSet rsEmail = cekEmailPst.executeQuery();

        if (rsEmail.next()) {

            JOptionPane.showMessageDialog(null, "Email sudah
terdaftar!");

            return;

        }

        String sql = "INSERT INTO users (username, password, role,
email) VALUES (?, ?, ?, ?)";

        PreparedStatement pst = conn.prepareStatement(sql);

        pst.setString(1, user);

        pst.setString(2, pass);

        pst.setString(3, "user");

        pst.setString(4, email);

        pst.executeUpdate();
```

SOURCE CODE

```
JOptionPane.showMessageDialog(null, "Akun berhasil dibuat!");

    new Login().setVisible(true);

    this.dispose();

} catch (Exception e) {

    JOptionPane.showMessageDialog(null, "Terjadi kesalahan: " +
e.getMessage());

}
}

private void btnBackActionPerformed(java.awt.event.ActionEvent evt)
{
    Login login = new Login();

    login.setVisible(true);

    this.dispose();

}
try {

    for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {

        if ("Nimbus".equals(info.getName())) {

            javax.swing.UIManager.setLookAndFeel(info.getClassNa
me());

            break;

        }

    } catch (ReflectiveOperationException |
javax.swing.UnsupportedLookAndFeelException ex) {

        logger.log(java.util.logging.Level.SEVERE, null, ex);

    }

    java.awt.EventQueue.invokeLater(() -> new
Register().setVisible(true));

}
```


SOURCE CODE

3. DASHBOARD FORM CODE

```
package ticketing;

import javax.swing.JOptionPane;
import backend.sesionLogin;

public class Dashboard extends javax.swing.JFrame {

    public static int currentUserId = 0; // ID user yang login
    public static String currentUsername = "";

    private static final java.util.logging.Logger logger =
        java.util.logging.Logger.getLogger(Dashboard.class.getName());

    public Dashboard() {

        if (!sesionLogin.isLogin) {

            javax.swing.JOptionPane.showMessageDialog(this, "silahkan
            login dulu");

            new Login().setVisible(true);

            dispose();

            return;

        }

        initComponents();

    }

    private void btnBookNowActionPerformed(java.awt.event.ActionEvent evt)
    {

        new Bookings().setVisible(true);

        this.dispose();

    }

}
```

SOURCE CODE

```
private void btnHomeActionPerformed(java.awt.event.ActionEvent evt)
{
    new Dashboard().setVisible(true);
    this.dispose(); // tutup form sekarang
}

private void btnBookingActionPerformed(java.awt.event.ActionEvent
evt) {
    new Bookings().setVisible(true);
    this.dispose();
}

private void btnLogoutActionPerformed(java.awt.event.ActionEvent
evt) {
    int confirm = JOptionPane.showConfirmDialog(
        this,
        "Are you sure you want to logout?",
        "Logout",
        JOptionPane.YES\ _NO\ _OPTION
;    );
    if (confirm == JOptionPane.YES\ _OPTION) {
        new Login().setVisible(true);
        this.dispose();
    }
}

private void btnHistoryActionPerformed(java.awt.event.ActionEvent
evt) {
    new History().setVisible(true);
    this.dispose();
}
```

SOURCE CODE

```
public static void main(String args[]) {  
    try {  
        for (javax.swing.UIManager.LookAndFeelInfo info :  
            javax.swing.UIManager.getInstalledLookAndFeels()) {  
            if ("Nimbus".equals(info.getName())) {  
                javax.swing.UIManager.setLookAndFeel(info.getClassName()  
me());  
                break;  
            }  
        }  
    } catch (ReflectiveOperationException |  
        javax.swing.UnsupportedLookAndFeelException ex) {  
        logger.log(java.util.logging.Level.SEVERE, null, ex);  
    }  
    java.awt.EventQueue.invokeLater(() -> new  
        Dashboard().setVisible(true));  
}
```

SOURCE CODE

```
}
```

4. BOOKINGS FORM CODE

```
package ticketing;

import java.sql.Connection;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import javax.swing.JOptionPane;
import database.dbconnection;
import backend.sesionLogin;

public class Bookings extends javax.swing.JFrame {

    private static final java.util.logging.Logger logger =
        java.util.logging.Logger.getLogger(Bookings.class.getName());
    private int idBooking;

    public Bookings() {
        if (!sesionLogin.isLogin) {
            javax.swing.JOptionPane.showMessageDialog(this, "silahkan
login dulu");
            new Login().setVisible(true);
            dispose();
            return;
        }
        initComponents();
        txtQuantity.addKeyListener(new java.awt.event.KeyAdapter() {
            public void keyReleased(java.awt.event.KeyEvent evt) {
                hitungTotal();
            }
        });
    }

    private void menuDashboardActionPerformed(java.awt.event.ActionEvent
evt) {
        dispose();
        Dashboard formDashboard = new Dashboard();
        formDashboard.setVisible(true);
    }

    private void
menuLogoutActionPerformed(java.awt.event.ActionEvent evt) {

        dispose();
    }

    private void menuDataUserActionPerformed(java.awt.event.ActionEvent
evt) {}
}
```

SOURCE CODE

```
private void btnHomeActionPerformed(java.awt.event.ActionEvent evt)
{
    new Dashboard().setVisible(true);
    this.dispose(); // tutup form sekarang
}

private void btnBookingActionPerformed(java.awt.event.ActionEvent
evt) {
    new Bookings().setVisible(true);
    this.dispose();
}

private void btnHistoryActionPerformed(java.awt.event.ActionEvent
evt) {
    new History().setVisible(true);
    this.dispose();
}

private void btnLogoutActionPerformed(java.awt.event.ActionEvent
evt) {
    int confirm = JOptionPane.showConfirmDialog(
this,
"Are you sure you want to logout?",
"Logout",
JOptionPane.YES_NO_OPTION
);

    if(confirm == JOptionPane.YES_OPTION){
        new Login().setVisible(true);
        this.dispose();
    }
}

private void cmbDateActionPerformed(java.awt.event.ActionEvent evt)
{}

private void cmbSeatActionPerformed(java.awt.event.ActionEvent evt)
{
    String tipe = cmbSeat.getSelectedItem().toString();
    int price = 0;
    int available = 0;
```

SOURCE CODE

```
try {
    dbconnection db = new dbconnection();
    Connection conn = db.getconnection();

    String sql = "SELECT harga, kapasitas FROM ticket_type
WHERE nama_type = ?";
    PreparedStatement ps = conn.prepareStatement(sql);
    ps.setString(1, tipe);
    ResultSet rs = ps.executeQuery();

    if(rs.next()){
        price = rs.getInt("harga");
        int kapasitas = rs.getInt("kapasitas")

        String idSql = "SELECT id_ticket FROM ticket_type WHERE
nama_type = ?";
        PreparedStatement idPs = conn.prepareStatement(idSql);
        idPs.setString(1, tipe);
        ResultSet idRs = idPs.executeQuery();
        int idTiket = 0;
        if(idRs.next()){
            idTiket = idRs.getInt("id_ticket");
        }
        idRs.close();
        idPs.close();

        String seatSql = "SELECT IFNULL(SUM(jumlah_seats), 0)
as booked FROM bookings WHERE id_tiket = ?";
        PreparedStatement seatPs = conn.prepareStatement(seatSql);
        seatPs.setInt(1, idTiket);
        ResultSet seatRs = seatPs.executeQuery();
        if(seatRs.next()){
            int booked = seatRs.getInt("booked");
            available = kapasitas - booked;
        }
        seatRs.close();
        seatPs.close();
    }
    rs.close();
    ps.close();
    conn.close();
} catch (Exception e) {
    JOptionPane.showMessageDialog(this, "Error: " +
e.getMessage());
}

txtPrice.setText("Rp. " + price);
txtAvaiSeat.setText("Sisa seat: " + available);
hitungTotal();
}
```

SOURCE CODE

```
private void txtQuantityActionPerformed(java.awt.event.ActionEvent
evt) {

    hitungTotal();

}

private void btnConfirmActionPerformed(java.awt.event.ActionEvent
evt) {

    if(txtQuantity.getText().isEmpty()){
        JOptionPane.showMessageDialog(this, "Please input quantity!");
        return;
    }

    int qty = Integer.parseInt(txtQuantity.getText());

    String availableText = txtAvaiSeat.getText()
        .replace("Sisa seat: ", "")
        .trim();

    int available = Integer.parseInt(availableText);

    if(qty > available){
        JOptionPane.showMessageDialog(this, "Not enough seats available!");
        return;
    }

    try {
        dbconnection db = new dbconnection();
        Connection conn = db.getconnection();

        int idUser = 4;

        String tipe = cmbSeat.getSelectedItem().toString();
        int idTiket = 0;

        String idSql = "SELECT id_ticket FROM ticket_type WHERE nama_type =
?";
        PreparedStatement idPs = conn.prepareStatement(idSql);
        idPs.setString(1, tipe);
        ResultSet idRs = idPs.executeQuery();
        if(idRs.next()){
            idTiket = idRs.getInt("id_ticket");
        }
        idRs.close();
        idPs.close();
    }
```

SOURCE CODE

```
String totalText = txtTotal.getText()

        .replace("Rp. ", "")

        .trim();

double totalHarga = Double.parseDouble(totalText);

String sql = "INSERT INTO bookings (id_user, id_tiket,
jumlah_seats, total_harga, status) VALUES (?, ?, ?, ?, ?)";

PreparedStatement pst = conn.prepareStatement(sql,
PreparedStatement.RETURN_GENERATED_KEYS);

pst.setInt(1, idUser);

pst.setInt(2, idTiket);

pst.setInt(3, qty);

pst.setDouble(4, totalHarga);

pst.setString(5, "pending");

pst.executeUpdate();


ResultSet rs = pst.getGeneratedKeys();

if (rs.next()) {

    idBooking = rs.getInt(1);

}

rs.close();

pst.close();

conn.close();

JOptionPane.showMessageDialog(this, "Booking berhasil
disimpan");
```


SOURCE CODE

```
} catch (Exception e) {  
    JOptionPane.showMessageDialog(this, "Error: " + e.getMessage());  
    return;  
}  
  
String date = cmbDate.getSelectedItem().toString();  
String seat = cmbSeat.getSelectedItem().toString();  
String total = txtTotal.getText();  
  
Payment payment = new Payment(date, seat, total, idBooking);  
payment.setVisible(true);  
this.dispose();  
}  
  
private void txtPriceActionPerformed(java.awt.event.ActionEvent  
evt) {  
    txtPrice.setEditable(true);  
}  
  
private void txtTotalActionPerformed(java.awt.event.ActionEvent  
evt) {  
    txtTotal.setEditable(true);  
}  
  
private void txtAvaiSeatActionPerformed(java.awt.event.ActionEvent  
evt) {  
    txtAvaiSeat.setEditable(true);  
    txtAvaiSeat.setText("300");  
}
```

SOURCE CODE

```
private void btnCancelActionPerformed(java.awt.event.ActionEvent
evt) {
    int confirm = JOptionPane.showConfirmDialog(
        this,
        "Are you sure you want to cancel booking?",
        "Cancel Confirmation",
        JOptionPane.YES_NO_OPTION
    );

    if(confirm == JOptionPane.YES_OPTION){
        new Dashboard().setVisible(true);
        this.dispose();
    }
}

private void hitungTotal(){
    try{
        String hargaText = txtPrice.getText().replace("Rp. ",
        "").trim();
        int price = hargaText.isEmpty() ? 0 :
        Integer.parseInt(hargaText);

        String qtyText = txtQuantity.getText().trim();
        int qty = qtyText.isEmpty() ? 0 : Integer.parseInt(qtyText);

        int total = price * qty;

        txtTotal.setText("Rp. " + total);
    } catch(Exception e){
        txtTotal.setText("Rp. 0");
    }
}

try {
    for (javax.swing.UIManager.LookAndFeelInfo info :
    javax.swing.UIManager.getInstalledLookAndFeels()) {
        if ("Nimbus".equals(info.getName())) {

            javax.swing.UIManager.setLookAndFeel(info.getClassName());
            break;

        }
    }
} catch (ReflectiveOperationException |
javax.swing.UnsupportedLookAndFeelException ex) {
    logger.log(java.util.logging.Level.SEVERE, null, ex);
}

    java.awt.EventQueue.invokeLater(() -> new
    Bookings().setVisible(true));
}
```

SOURCE CODE

5. PAYMENT FORM CODE

```
package ticketing;

import backend.QRCode;
import javax.swing.ImageIcon;
import javax.swing.JOptionPane;
import java.sql.Connection;
import java.sql.PreparedStatement;
import database.dbconnection;
import java.awt.image.BufferedImage;
import java.io.File;
import javax.swing.JFileChooser;
import javax.swing.filechooser.FileNameExtensionFilter;
import java.sql.SQLException;
import java.sql.ResultSet;
import java.awt.Image;
import java.awt.Graphics2D;
import java.time.LocalDateTime;
import java.time.format.DateTimeFormatter;
import javax.imageio.ImageIO;

public class Payment extends javax.swing.JFrame {

    private BufferedImage lastQrImage;

    private String date;

    private String seat;
```

SOURCE CODE

```
private String total;

private int idBooking;

public Payment(String date, String seat, String total, int idBooking)
{
    if (!sesionLogin.isLogin) {
        javax.swing.JOptionPane.showMessageDialog(this, "silahkan
login dulu");

        new Login().setVisible(true);

        dispose();

        return;
    }

    initComponents();

    this.date = date;

    this.seat = seat;

    this.total = total;

    this.idBooking = idBooking;

    lblUsername1.setText(History.currentUsername); // Tampilkan username

    txtTotalBayar2.setText(total);

    try {

        String isiQR =

            "ColorPop Live Concert\\n" +

            "Date: " + date + "\\n" +

            "Seat: " + seat + "\\n" +

            "Total: " + total;
```

SOURCE CODE

```
        ImageIcon qr = QRCode.generate(isiQR, 200);

lblQRCode.setIcon(qr);

Image img = qr.getImage();

lastQrImage = new BufferedImage(

    img.getWidth(null),

    img.getHeight(null),

    BufferedImage.TYPE\_INT\_ARGB

);

Graphics2D g2 = lastQrImage.createGraphics();

g2.drawImage(img, 0, 0, null);

g2.dispose();

    } catch (Exception e) {

        JOptionPane.showMessageDialog(this, "Failed to generate QR

Code");

    }

}

    private static final java.util.logging.Logger logger =

java.util.logging.Logger.getLogger(Payment.class.getName());

    public Payment() {

        initComponents();

    }

    private void btnLogoutActionPerformed(java.awt.event.ActionEvent evt) {

        int confirm = JOptionPane.showConfirmDialog(

            this,

            "Are you sure you want to logout?",
```

SOURCE CODE

```
        "Logout",
        JOptionPane.YES\ _NO\ _OPTION
    );

    if(confirm == JOptionPane.YES\ _OPTION) {
        new Login().setVisible(true);
        this.dispose();
    }
}

private void btnHome4ActionPerformed(java.awt.event.ActionEvent evt)
{
    new Dashboard().setVisible(true);
    this.dispose();
}

private void btnBooking4ActionPerformed(java.awt.event.ActionEvent
evt) {
    new Bookings().setVisible(true);
    this.dispose();
}

private void btnHistory4ActionPerformed(java.awt.event.ActionEvent
evt) {
    new History().setVisible(true);
    this.dispose();
}

private void btnLogout6ActionPerformed(java.awt.event.ActionEvent evt)
{
```

SOURCE CODE

```
        int confirm = JOptionPane.showConfirmDialog(this, "Are you sure  
you want to logout?", "Logout", JOptionPane.YES\ _NO\ _OPTION);  
  
        if (confirm == JOptionPane.YES\ _OPTION) {  
  
            History.currentUserId = 0;  
  
            History.currentUsername = "";  
  
            new Login().setVisible(true);  
  
            this.dispose();  
  
        }  
  
    }  
  
    private void btnconfirmActionPerformed(java.awt.event.ActionEvent  
    evt) {  
  
        try {  
  
            dbconnection db = new dbconnection();  
  
            Connection conn = db.getconnection();  
  
  
            String updateBooking = "UPDATE bookings SET status = ? WHERE  
id\_booking = ?";  
  
            PreparedStatement pstUpdate =  
            conn.prepareStatement(updateBooking);  
  
            pstUpdate.setString(1, "sudah di bayar");  
  
            pstUpdate.setInt(2, idBooking);  
  
            int rowsUpdated = pstUpdate.executeUpdate();  
  
            pstUpdate.close();  
  
  
            if (rowsUpdated > 0) {  
  
                String insertPayment = "INSERT INTO payment (id\_booking,  
metode\_permbayaran, jumlah\_bayar, tanggal\_bayar, status) VALUES (?,  
?, ?, NOW(), ?)";
```

SOURCE CODE

```
        PreparedStatement pstPayment =
conn.prepareStatement(insertPayment);

        pstPayment.setInt(1, idBooking);

        pstPayment.setString(2, "QRIS");

        String totalText = total.replace("Rp. ", "").replace(",","")
        .trim();

        pstPayment.setDouble(3, Double.parseDouble(totalText));

        pstPayment.setString(4, "success");

        pstPayment.executeUpdate();

        pstPayment.close();

        JOptionPane.showMessageDialog(this, "Pembayaran berhasil
disimpan!");

    } else {

        JOptionPane.showMessageDialog(this, "Booking ID " +
idBooking + " tidak ditemukan!");

        return;

    }

    conn.close();

    new History().setVisible(true);

    this.dispose();

} catch (Exception e) {

    JOptionPane.showMessageDialog(this, "Error: " + e.getMessage());

    e.printStackTrace();

}

}
```


SOURCE CODE

```
private void
btnUnduhActionPerformed(java.awt.event.ActionEvent evt)
{
    if (lastQrImage == null) {
        JOptionPane.showMessageDialog(this, "QR Code belum
tersedia!");
        return;
    }

    JFileChooser chooser = new JFileChooser();

    chooser.setDialogTitle("Simpan QR Code");

    chooser.setFileFilter(new FileNameExtensionFilter("PNG
Image (*.png)", "png"));

    String user = (sesionLogin.username == null ||
sesionLogin.username.isBlank())

        ? "user"

        : sesionLogin.username;

    String ts = LocalDateTime.now()

        .format(DateTimeFormatter.ofPattern("yyyyMMdd\\_HH
mmss"));

    chooser.setSelectedFile(new File("QR\\" + user + "\\" +
ts + ".png"));

    int result = chooser.showSaveDialog(this);

    if (result != JFileChooser.APPROVE_OPTION) return;

    File file = chooser.getSelectedFile();

    if (!file.getName().toLowerCase().endsWith(".png")) {

        file = new File(file.getAbsolutePath() + ".png");

    }
}
```

SOURCE CODE

```
try {
    ImageIO.write(lastQrImage, "png", file);

    JOptionPane.showMessageDialog(this,
        "QR berhasil disimpan:\\n" + file.getAbsolutePath());
} catch (Exception e) {
    JOptionPane.showMessageDialog(this,
        "Gagal menyimpan QR: " + e.getMessage());
}

try {
    for (javax.swing.UIManager.LookAndFeelInfo info :
        javax.swing.UIManager.getInstalledLookAndFeels()) {
        if ("Nimbus".equals(info.getName())) {
            javax.swing.UIManager.setLookAndFeel(info.getClassName());
            break;
        }
    }
} catch (ReflectiveOperationException |
    javax.swing.UnsupportedLookAndFeelException ex) {
    logger.log(java.util.logging.Level.SEVERE, null, ex);
}

java.awt.EventQueue.invokeLater(() -> new
    Payment().setVisible(true));
}
```

SOURCE CODE

6. HISTORY FORM CODE

```
package ticketing;

import backend.sesionLogin;
import javax.swing.JOptionPane;
import java.io.*;
import java.util.ArrayList;
import javax.swing.table.DefaultTableModel;

import java.sql.Connection;
import database.dbconnection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import java.sql.SQLException;
import java.sql.Statement;
import javax.swing.JOptionPane;
import javax.swing.table.DefaultTableModel;

public class History extends javax.swing.JFrame {

    public static int currentUserId = 0;

    public static String currentUsername = "";

    private static final java.util.logging.Logger logger =
        java.util.logging.Logger.getLogger(History.class.getName());

    public History() {

        if (!sesionLogin.isLogin) {
```

SOURCE CODE

```
        javax.swing.JOptionPane.showMessageDialog(this, "silahkan
login dulu");

        new Login().setVisible(true);

        dispose();

        return;

    }

    initComponents();

    lblUsername.setText(History.currentUsername);

    loadHistoryData();
}

private void loadHistoryData() {
DefaultTableModel model = (DefaultTableModel) jTable1.getModel();

    model.setRowCount(0);

    if (History.currentUserId == 0) {

        System.out.println("Belum login atau session hilang");

        return;

    }

    try {

        database.dbconnection koneksi = new database.dbconnection();

        Connection conn = koneksi.getConnection();

        String query = ""

            SELECT

                DATE(b.tanggal\_booking) as tanggal,

                tt.nama\_type as seat\_type,

                b.jumlah\_seats as quantity,

                b.total\_harga as total,
```

SOURCE CODE

```
        b.status

    FROM bookings b

    JOIN ticket\_type tt ON b.id\_tiket = tt.id\_ticket

    WHERE b.id\_user = ?

    ORDER BY b.tanggal\_booking DESC

    """;

PreparedStatement pstmt = conn.prepareStatement(query);

pstmt.setInt(1, History.currentUserId);

ResultSet rs = pstmt.executeQuery();

while (rs.next()) {

    model.addRow(new Object[]{

        rs.getString("tanggal"),

        rs.getString("seat\_type"),

        rs.getInt("quantity"),

        "Rp " + rs.getString("total"),

        rs.getString("status")

    });

}

rs.close();

pstmt.close();

conn.close();

} catch (Exception e) {

    JOptionPane.showMessageDialog(this, "Error: " + e.getMessage());

    e.printStackTrace();

}
```

SOURCE CODE

```
}

private void btnHomeActionPerformed(java.awt.event.ActionEvent evt)
{
    new Dashboard().setVisible(true);

    this.dispose();
}

private void btnBookingActionPerformed(java.awt.event.ActionEvent
evt) {
    new Bookings().setVisible(true);

    this.dispose();
}

private void btnHistoryActionPerformed(java.awt.event.ActionEvent
evt) {
    this.loadHistoryData();
}

private void btnLogoutActionPerformed(java.awt.event.ActionEvent
evt) {
    int confirm = JOptionPane.showConfirmDialog(this, "Are you sure you
want to logout?", "Logout", JOptionPane.YES\ _NO\ _OPTION);

    if(confirm == JOptionPane.YES\ _OPTION){
        History.currentUserId = 0;
    }
}
```

SOURCE CODE

```
        History.currentUsername = "";

        new Login().setVisible(true);

        this.dispose();
    }

    }

    private void btnetiketActionPerformed(java.awt.event.ActionEvent
    evt) {
        new ETicketing().setVisible(true);

        this.dispose();
    }

    public static void main(String args[]) {
        try {
            for (javax.swing.UIManager.LookAndFeelInfo info :
            javax.swing.UIManager.getInstalledLookAndFeels()) {

                if ("Nimbus".equals(info.getName())) {

                    javax.swing.UIManager.setLookAndFeel(info.getClassNa
                    me());

                    break;
                }
            }

        } catch (ReflectiveOperationException |
        javax.swing.UnsupportedLookAndFeelException ex) {

            logger.log(java.util.logging.Level.SEVERE, null, ex);
        }

        java.awt.EventQueue.invokeLater(() -> new
        History().setVisible(true));
    }
}
```

SOURCE CODE

7. E-TICKETING FORM CODE

```
package ticketing;

import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import javax.swing.JOptionPane;
import javax.swing.ImageIcon;
import com.google.zxing.BarcodeFormat;
import com.google.zxing.MultiFormatWriter;
import com.google.zxing.common.BitMatrix;
import com.google.zxing.client.j2se.MatrixToImageWriter;
import java.awt.image.BufferedImage;
import javax.swing.JFileChooser;
import javax.swing.filechooser.FileNameExtensionFilter;
import java.io.File;
import javax.imageio.ImageIO;
import java.time.LocalDateTime;
import java.time.format.DateTimeFormatter;

public class ETicketing extends javax.swing.JFrame {

    private static final java.util.logging.Logger logger =
        java.util.logging.Logger.getLogger(ETicketing.class.getName());

    private BufferedImage lastQrImage;

    private int idBooking;

    public ETicketing() {
```


SOURCE CODE

```
        initComponents();
    }

    public ETicketing(int idBooking) {
        initComponents();
        this.idBooking = idBooking;
        loadDataTicket();
    }

    private void loadDataTicket() {
        try {
            Connection conn = DriverManager.getConnection(
                "jdbc:mysql://localhost:3306/tiketing",
                "root",
                ""

            );

            String sql = "SELECT b.id\_booking, u.username, tt.nama\_type, "
+
                "b.jumlah\_seats, b.tanggal\_booking, b.status " +
                "FROM bookings b " +
                "JOIN users u ON b.id\_user = u.id\_user " +
                "JOIN ticket\_type tt ON b.id\_tiket =
tt.id\_ticket " +
                "WHERE b.id\_booking = ? AND b.status = 'sudah di
bayar'";

            PreparedStatement pst = conn.prepareStatement(sql);
            pst.setInt(1, idBooking);
```

SOURCE CODE

```
ResultSet rs = pst.executeQuery();

if (rs.next()) {

    txtUserName.setText(rs.getString("username"));

    txtDate.setText(rs.getString("tanggal\_booking"));

    txtSeat.setText(rs.getString("nama\_type"));

    txtGate.setText("Gate A");

    txtIDTicket.setText("TCK-" + rs.getInt("id\_booking"));

    generateQRCode("TCK-" + rs.getInt("id\_booking"));

} else {

    JOptionPane.showMessageDialog(this, "Ticket tidak ditemukan
atau belum dibayar.");

}

conn.close();

} catch (Exception e) {

    JOptionPane.showMessageDialog(this, e.getMessage());

}

}

private void txtIDTicketActionPerformed(java.awt.event.ActionEvent
evt) {

    String IDticket = "TCK-" + System.currentTimeMillis();

}

private void generateQRCode(String data) {
```

SOURCE CODE

```
try {

    BitMatrix matrix = new MultiFormatWriter().encode(
        data,
        BarcodeFormat.QR\ _CODE,
        135,
        135

    );

    lastQrImage = MatrixToImageWriter.toBufferedImage(matrix);
    lblQRCodeTicket.setIcon(new ImageIcon(lastQrImage));

} catch (Exception e) {

    JOptionPane.showMessageDialog(this, e.getMessage());

}

}

private void saveQRCodeToFile() {

    if (lastQrImage == null) {

        JOptionPane.showMessageDialog(this, "QR belum tersedia.");
        return;

    }

    JFileChooser chooser = new JFileChooser();
    chooser.setDialogTitle("Simpan QR Code");

    chooser.setFileFilter(new
    javax.swing.filechooser.FileNameExtensionFilter("PNG Image (*.png)",
    "png"));
```

SOURCE CODE

```
String user = txtUserName.getText().isBlank()
    ? "user"
    : txtUserName.getText();

String ts = java.time.LocalDateTime.now()
    .format(java.time.format.DateTimeFormatter.ofPattern("yyyyMM
dd\ _HHmmss"));

chooser.setSelectedFile(new java.io.File("QR\_ " + user + "\_ " + ts +
".png"));

int result = chooser.showSaveDialog(this);
if (result != JFileChooser.APPROVE\_OPTION) return;

java.io.File file = chooser.getSelectedFile();

if (!file.getName().toLowerCase().endsWith(".png")) {
    file = new java.io.File(file.getAbsolutePath() + ".png");
}

try {
    javax.imageio.ImageIO.write(lastQrImage, "png", file);
    JOptionPane.showMessageDialog(this,
        "QR berhasil disimpan:\n" + file.getAbsolutePath());
} catch (Exception e) {
    JOptionPane.showMessageDialog(this,
        "Gagal menyimpan QR: " + e.getMessage());
}

public static void main(String args[]) {
```

SOURCE CODE

```
        try {

            for (javax.swing.UIManager.LookAndFeelInfo info :
                javax.swing.UIManager.getInstalledLookAndFeels()) {

                if ("Nimbus".equals(info.getName())) {

                    javax.swing.UIManager.setLookAndFeel(info.getClassName()
me());

                    break;

                }

            }

        } catch (ReflectiveOperationException |
                javax.swing.UnsupportedLookAndFeelException ex) {

            logger.log(java.util.logging.Level.SEVERE, null, ex);


        }

        java.awt.EventQueue.invokeLater(() -> new
ETicketing(16).setVisible(true));

    }
```

SOURCE CODE

1. LOGIN FORM



A login form titled "LOGIN SYSTEM" with a yellow background. It contains two input fields for "Username" and "Password", both with yellow borders. Below the password field, there is a link "Belum punya akun? Daftar di sini ajaa" and a yellow "LOGIN" button.


LOGIN SYSTEM

Username :

Password :

Belum punya akun? Daftar di sini ajaa

2. REGISTER FORM



A register form titled "Register" with a yellow background. It contains four input fields for "Username", "Password", "Confirm Password", and "Email", all with yellow borders. At the bottom, there are two yellow buttons: "Register" and "Back".

Register

Username :


Password :

Confirm Password :

Email :

OUTPUT

3. DASHBOARD FORM



The dashboard form features a yellow sidebar on the left with a cartoon character icon at the top. The sidebar contains buttons for 'Home', 'Bookings', 'History', and 'Logout'. The main content area has a 'Welcome !' header with a 'Username' label. Below the header is a large image of three yellow cartoon characters on a stage. Under the image, the text reads: 'ColorPop Live Concert', '30 & 31 May 2026', 'At Gelora Bung Karno', and 'Starting from Rp. 100.000'. A light orange box contains the text 'Events starts in 88 Days' and '300 Seats Left'. A yellow 'Book Now !' button is at the bottom right.

Welcome ! Username

Home
Bookings
History
Logout



ColorPop Live Concert
30 & 31 May 2026
At Gelora Bung Karno
Starting from Rp. 100.000

Events starts in 88 Days
300 Seats Left

Book Now !

4. BOOKINGS FORM



The bookings form has a yellow sidebar with a cartoon character icon and buttons for 'Home', 'Bookings', 'History', and 'Logout'. The main content area is titled 'BOOK EVENT' with a 'Username' label. It displays event details: 'ColorPop Live Concert', '30 & 31 May 2026', and 'at Gelora Bung Karno'. Below this are form fields for 'Date' (set to '30 May 2026'), 'Seat Type' (set to 'Regular'), and 'Price' (set to 'Rp.'). There are also input fields for 'Available Seats', 'Quantity', and 'Total' (set to 'Rp.'). At the bottom right are 'Confirm' and 'Cancel' buttons.

BOOK EVENT Username

ColorPop Live Concert
30 & 31 May 2026
at Gelora Bung Karno

Date: 30 May 2026
Seat Type: Regular
Price: Rp.

Available Seats:
Quantity:
Total: Rp.

Home
Bookings
History
Logout

Confirm Cancel

OUTPUT

5. PAYMENT FORM

Let's Pay ! Username

Silakan scan QR di bawah ini

Total Bayar : Rp.

Unduh Confirm

6. HISTORY FORM

Your History ! beni

tanggal	nama...	jumlah...	total_h...	status
2026-...	Regular	1	175000	sudah...
2026-...	festival	1	100000	sudah...
2026-...	Regular	1	175000	sudah...
2026-...	festival	3	300000	sudah...
2026-...	VIP	1	250000	sudah...
2026-...	festival	3	300000	sudah...
2026-...	VIP	1	250000	sudah...
2026-...	Regular	2	350000	sudah...
2026-...	festival	2	200000	sudah...
2026-...	Regular	1	175000	sudah...

E-TIKET

OUTPUT

7. ETICKETING FORM

Username

OFFICIAL E-TICKET

ColorPop Live Concert

Name :

Date :

Time :

17.30 WIB

Venue :

Jakarta Convention Center

Gate :

Seat :

Print

Back

ERD

