1 C:\Users\godar\.jdks\openjdk-22.0.1\bin\java.exe javaagent:C:\Program Files\JetBrains\IntelliJ IDEA Community Edition 2024.1.1\lib\idea\_rt.jar=54224:C:\ Program Files\JetBrains\IntelliJ IDEA Community Edition 2024.1.1\bin" -Dfile.encoding=UTF-8 -Dsun. stdout.encoding=UTF-8 -Dsun.stderr.encoding=UTF-8 classpath "C:\Users\godar\OneDrive\Desktop\Cognizant Deep Skilling\Week-3-SpringCore\_Maven\_and\_Springdata\_jpa\Spring\_Data\_JPA\_with\_Hibernate\Hands-on-1\ Code\orm-learn\target\classes;C:\Users\godar\.m2\ repository\org\springframework\boot\spring-bootstarter-data-jpa\3.5.3\spring-boot-starter-data-jpa-3 .5.3.jar;C:\Users\godar\.m2\repository\org\ springframework\boot\spring-boot-starter\3.5.3\spring -boot-starter-3.5.3.jar;C:\Users\godar\.m2\repository \org\springframework\boot\spring-boot-starter-logging \3.5.3\spring-boot-starter-logging-3.5.3.jar;C:\Users \godar\.m2\repository\ch\qos\logback\logback-classic\ 1.5.18\logback-classic-1.5.18.jar;C:\Users\godar\.m2\ repository\ch\qos\logback\logback-core\1.5.18\logback -core-1.5.18.jar;C:\Users\godar\.m2\repository\org\ apache\logging\log4j\log4j-to-slf4j\2.24.3\log4j-toslf4j-2.24.3.jar;C:\Users\godar\.m2\repository\org\ apache\logging\log4j\log4j-api\2.24.3\log4j-api-2.24. 3.jar;C:\Users\godar\.m2\repository\org\slf4j\jul-toslf4j\2.0.17\jul-to-slf4j-2.0.17.jar;C:\Users\godar\. m2\repository\jakarta\annotation\jakarta.annotationapi\2.1.1\jakarta.annotation-api-2.1.1.jar;C:\Users\ godar\.m2\repository\org\yaml\snakeyaml\2.4\snakeyaml -2.4.jar;C:\Users\godar\.m2\repository\org\ springframework\boot\spring-boot-starter-jdbc\3.5.3\ spring-boot-starter-jdbc-3.5.3.jar;C:\Users\godar\.m2 \repository\com\zaxxer\HikariCP\6.3.0\HikariCP-6.3.0. jar;C:\Users\godar\.m2\repository\org\springframework \spring-jdbc\6.2.8\spring-jdbc-6.2.8.jar;C:\Users\ godar\.m2\repository\org\hibernate\orm\hibernate-core \6.6.18.Final\hibernate-core-6.6.18.Final.jar;C:\ Users\godar\.m2\repository\jakarta\persistence\ jakarta.persistence-api\3.1.0\jakarta.persistence-api -3.1.0.jar;C:\Users\godar\.m2\repository\jakarta\ transaction\jakarta.transaction-api\2.0.1\jakarta.

1 transaction-api-2.0.1.jar;C:\Users\godar\.m2\ repository\org\jboss\logging\jboss-logging\3.6.1. Final\jboss-logging-3.6.1.Final.jar;C:\Users\godar\. m2\repository\org\hibernate\common\hibernate-commonsannotations\7.0.3.Final\hibernate-commons-annotations -7.0.3.Final.jar;C:\Users\godar\.m2\repository\io\ smallrye\jandex\3.2.0\jandex-3.2.0.jar;C:\Users\qodar \.m2\repository\com\fasterxml\classmate\1.7.0\ classmate-1.7.0.jar;C:\Users\godar\.m2\repository\net \bytebuddy\byte-buddy\1.17.6\byte-buddy-1.17.6.jar;C :\Users\godar\.m2\repository\org\glassfish\jaxb\jaxbruntime\4.0.5\jaxb-runtime-4.0.5.jar;C:\Users\godar\. m2\repository\org\glassfish\jaxb\jaxb-core\4.0.5\jaxb -core-4.0.5.jar;C:\Users\godar\.m2\repository\org\ eclipse\angus\angus-activation\2.0.2\angus-activation -2.0.2.jar;C:\Users\godar\.m2\repository\org\ glassfish\jaxb\txw2\4.0.5\txw2-4.0.5.jar;C:\Users\ godar\.m2\repository\com\sun\istack\istack-commonsruntime\4.1.2\istack-commons-runtime-4.1.2.jar;C:\ Users\godar\.m2\repository\jakarta\inject\jakarta. inject-api\2.0.1\jakarta.inject-api-2.0.1.jar;C:\ Users\godar\.m2\repository\org\antlr\antlr4-runtime\4 .13.0\antlr4-runtime-4.13.0.jar;C:\Users\godar\.m2\ repository\org\springframework\data\spring-data-jpa\3 .5.1\spring-data-jpa-3.5.1.jar;C:\Users\godar\.m2\ repository\org\springframework\data\spring-datacommons\3.5.1\spring-data-commons-3.5.1.jar;C:\Users\ godar\.m2\repository\org\springframework\spring-orm\6 .2.8\spring-orm-6.2.8.jar;C:\Users\godar\.m2\ repository\org\springframework\spring-context\6.2.8\ spring-context-6.2.8.jar;C:\Users\godar\.m2\ repository\org\springframework\spring-expression\6.2. 8\spring-expression-6.2.8.jar;C:\Users\godar\.m2\ repository\io\micrometer\micrometer-observation\1.15. 1\micrometer-observation-1.15.1.jar;C:\Users\godar\. m2\repository\io\micrometer\micrometer-commons\1.15.1 \micrometer-commons-1.15.1.jar;C:\Users\godar\.m2\ repository\org\springframework\spring-aop\6.2.8\ spring-aop-6.2.8.jar;C:\Users\godar\.m2\repository\ org\springframework\spring-tx\6.2.8\spring-tx-6.2.8. jar;C:\Users\godar\.m2\repository\org\springframework

```
1 \spring-beans\6.2.8\spring-beans-6.2.8.jar;C:\Users\
  godar\.m2\repository\org\slf4j\slf4j-api\2.0.17\slf4j
   -api-2.0.17.jar;C:\Users\godar\.m2\repository\org\
  springframework\spring-aspects\6.2.8\spring-aspects-6
   .2.8.jar;C:\Users\godar\.m2\repository\org\aspectj\
  aspectjweaver\1.9.24\aspectjweaver-1.9.24.jar;C:\
  Users\godar\.m2\repository\org\springframework\boot\
  spring-boot-devtools\3.5.3\spring-boot-devtools-3.5.3
   .jar;C:\Users\qodar\.m2\repository\org\
  springframework\boot\spring-boot\3.5.3\spring-boot-3.
  5.3.jar;C:\Users\godar\.m2\repository\org\
  springframework\boot\spring-boot-autoconfigure\3.5.3\
  spring-boot-autoconfigure-3.5.3.jar;C:\Users\godar\.
  m2\repository\com\mysql\mysql-connector-j\9.2.0\mysql
  -connector-j-9.2.0.jar;C:\Users\godar\.m2\repository\
  jakarta\xml\bind\jakarta.xml.bind-api\4.0.2\jakarta.
  xml.bind-api-4.0.2.jar;C:\Users\godar\.m2\repository\
  jakarta\activation\jakarta.activation-api\2.1.3\
  jakarta.activation-api-2.1.3.jar;C:\Users\godar\.m2\
  repository\org\springframework\spring-core\6.2.8\
  spring-core-6.2.8.jar;C:\Users\godar\.m2\repository\
  org\springframework\spring-jcl\6.2.8\spring-jcl-6.2.8
   .jar" com.cognizant.orm_learn.OrmLearnApplication
 2
3
 4
  7
 8
    ======|_|=======|__/=/_/_/
 9
                                    (v3.5.3)
10
    :: Spring Boot ::
11
12 04-07-25 12:17:17.956 restartedMain
                                             INFO c.c.
  o.OrmLearnApplication
                                     logStarting
  Starting OrmLearnApplication using Java 22.0.1 with
  PID 7764 (C:\Users\godar\OneDrive\Desktop\Cognizant
  Deep Skilling\Week-3-SpringCore_Maven_and_Spring-
  data_jpa\Spring_Data_JPA_with_Hibernate\Hands-on-1\
  Code\orm-learn\target\classes started by godar in C:\
  Users\godar\OneDrive\Desktop\Cognizant Deep Skilling\
```

- 12 Week-3-SpringCore\_Maven\_and\_Spring-data\_jpa\
   Spring\_Data\_JPA\_with\_Hibernate\Hands-on-1\Code\ormlearn)
- 13 04-07-25 12:17:17.959 restartedMain DEBUG c.c. o.OrmLearnApplication logStarting 54 Running with Spring Boot v3.5.3, Spring v6.2.8
- 14 04-07-25 12:17:17.960 restartedMain INFO c.c. o.OrmLearnApplication logStartupProfileInfo 652 No active profile set, falling back to 1 default profile: "default"
- 15 04-07-25 12:17:18.015 restartedMain INFO ertyDefaultsPostProcessor logTo 252 Devtools property defaults active! Set 'spring. devtools.add-properties' to 'false' to disable
- 16 04-07-25 12:17:18.550 restartedMain INFO toryConfigurationDelegate registerRepositoriesIn 145 Bootstrapping Spring Data JPA repositories in DEFAULT mode.
- 17 04-07-25 12:17:18.607 restartedMain INFO toryConfigurationDelegate registerRepositoriesIn 213 Finished Spring Data repository scanning in 46 ms . Found 1 JPA repository interface.
- 18 04-07-25 12:17:18.984 restartedMain INFO o.h. j.i.util.LogHelper logPersistenceUnitInformation 31 HHH000204: Processing PersistenceUnitInfo [name : default]
- 19 04-07-25 12:17:19.045 restartedMain INFO org. hibernate.Version logVersion 44 HHH000412: Hibernate ORM core version 6.6.18.Final
- 20 04-07-25 12:17:19.097 restartedMain INFO .i.

  RegionFactoryInitiator initiateService 50

  HHH000026: Second-level cache disabled
- 21 04-07-25 12:17:19.481 restartedMain INFO
  SpringPersistenceUnitInfo addTransformer
  87 No LoadTimeWeaver setup: ignoring JPA class
  transformer
- 22 04-07-25 12:17:19.511 restartedMain INFO c.z. h.HikariDataSource getConnection 109 HikariPool-1 Starting...
- 23 04-07-25 12:17:19.918 restartedMain INFO c.z. h.pool.HikariPool checkFailFast 575

```
23 HikariPool-1 - Added connection com.mysql.cj.jdbc.
   ConnectionImpl@3eb78969
24 04-07-25 12:17:19.920 restartedMain
                                                INFO c.z.
   h.HikariDataSource
                                                     122
                                      getConnection
   HikariPool-1 - Start completed.
25 04-07-25 12:17:20.000 restartedMain
                                                WARN o.h.
   orm.deprecation
                                  constructDialect
                                                     153
   HHH90000025: MySQLDialect does not need to be
   specified explicitly using 'hibernate.dialect' (
   remove the property setting and it will be selected
   by default)
26 04-07-25 12:17:20.024 restartedMain
                                                INFO o.h.
   o.connections.pooling
                                 logConnectionInfo
                                                     163
   HHH10001005: Database info:
       Database JDBC URL [Connecting through datasource
27
    'HikariDataSource (HikariPool-1)']
28
       Database driver: undefined/unknown
29
       Database version: 8.0.42
30
       Autocommit mode: undefined/unknown
31
       Isolation level: undefined/unknown
32
       Minimum pool size: undefined/unknown
33
       Maximum pool size: undefined/unknown
34 04-07-25 12:17:20.047 restartedMain
                                               DEBUG h.t.
   d.s.s.DdlTypeRegistry
                                     addDescriptor
   addDescriptor(12, org.hibernate.type.descriptor.sql.
   internal.CapacityDependentDdlType@34ea6ca2) replaced
   previous registration(org.hibernate.type.descriptor.
   sql.internal.CapacityDependentDdlType@3bf5ee98)
35 04-07-25 12:17:20.047 restartedMain
                                               DEBUG h.t.
   d.s.s.DdlTypeRegistry
                                     addDescriptor
   addDescriptor(-9, org.hibernate.type.descriptor.sql.
   internal.CapacityDependentDdlType@3219e1ed) replaced
   previous registration(org.hibernate.type.descriptor.
   sql.internal.CapacityDependentDdlType@1d00c719)
36 04-07-25 12:17:20.047 restartedMain
                                               DEBUG h.t.
   d.s.s.DdlTypeRegistry
                                     addDescriptor
   addDescriptor(-3, org.hibernate.type.descriptor.sql.
   internal.CapacityDependentDdlType@7a683767) replaced
   previous registration(org.hibernate.type.descriptor.
   sql.internal.CapacityDependentDdlType@6efd879c)
37 04-07-25 12:17:20.048 restartedMain
                                               DEBUG h.t.
```

- 37 d.s.s.DdlTypeRegistry addDescriptor 64 addDescriptor(4003, org.hibernate.type.descriptor.sql.internal.DdlTypeImpl@13160527) replaced previous registration(org.hibernate.type.descriptor.sql.internal.DdlTypeImpl@8353053)
- 38 04-07-25 12:17:20.049 restartedMain DEBUG h.t. d.s.s.DdlTypeRegistry addDescriptor 64 addDescriptor(4001, org.hibernate.type.descriptor.sql.internal.DdlTypeImpl@335ded3d) replaced previous registration(org.hibernate.type.descriptor.sql.internal.DdlTypeImpl@319e5dad)
- 39 04-07-25 12:17:20.049 restartedMain DEBUG h.t. d.s.s.DdlTypeRegistry addDescriptor 64 addDescriptor(4002, org.hibernate.type.descriptor.sql.internal.DdlTypeImpl@12024984) replaced previous registration(org.hibernate.type.descriptor.sql.internal.DdlTypeImpl@3314543f)
- 40 04-07-25 12:17:20.049 restartedMain DEBUG h.t. d.s.s.DdlTypeRegistry addDescriptor 64 addDescriptor(2004, org.hibernate.type.descriptor.sql.internal.CapacityDependentDdlType@6f7c7365) replaced previous registration(org.hibernate.type.descriptor.sql.internal.DdlTypeImpl@2c4c2812)
- 41 04-07-25 12:17:20.050 restartedMain DEBUG h.t. d.s.s.DdlTypeRegistry addDescriptor 64 addDescriptor(2005, org.hibernate.type.descriptor.sql.internal.CapacityDependentDdlType@2c021a76) replaced previous registration(org.hibernate.type.descriptor.sql.internal.DdlTypeImpl@3da61665)
- 42 04-07-25 12:17:20.050 restartedMain DEBUG h.t. d.s.s.DdlTypeRegistry addDescriptor 64 addDescriptor(2011, org.hibernate.type.descriptor.sql.internal.CapacityDependentDdlType@314dbdef) replaced previous registration(org.hibernate.type.descriptor.sql.internal.DdlTypeImpl@7c8c1f6c)
- 43 04-07-25 12:17:20.860 restartedMain INFO .p.i
  .JtaPlatformInitiator initiateService 59
  HHH000489: No JTA platform available (set 'hibernate.
  transaction.jta.platform' to enable JTA platform
  integration)
- 44 04-07-25 12:17:20.900 restartedMain INFO

44	rEntityManagerFactoryBean	
	buildNativeEntityManagerFactory 447 Initialize	d JPA
	EntityManagerFactory for persistence unit 'defa	ult'
45	04-07-25 12:17:21.321 restartedMain INF	
	OptionalLiveReloadServer startSer	ver
	59 LiveReload server is running on port 35729	
46		0 c.c.
	o.OrmLearnApplication logStarted	59
	Started OrmLearnApplication in 3.915 seconds (p	
	running for 4.356)	
47	04-07-25 12:17:21.343 restartedMain INF	0 c.c.
		21
	Inside main	
48	04-07-25 12:17:21.344 restartedMain INF	0 c.c.
	o.OrmLearnApplication testGetAllCountries	
	Start	
49		G org.
	hibernate.SQL logStatement	_
	select c1_0.co_code,c1_0.co_name from country c	
50	04-07-25 12:17:21.559 restartedMain DEBU	
	o.OrmLearnApplication testGetAllCountries	30
	<pre>countries=[Country{code='IN', name='India'}, Co</pre>	untrv{
	code='US', name='United States of America'}]	, ,
51	04-07-25 12:17:21.560 restartedMain INF	0 c.c.
	o.OrmLearnApplication testGetAllCountries	
	End	
52	04-07-25 12:17:21.571 licationShutdownHook INF	0
	rEntityManagerFactoryBean des	troy
	660 Closing JPA EntityManagerFactory for persis	•
	unit 'default'	
53	04-07-25 12:17:21.575 licationShutdownHook INF	0 c.z.
	h.HikariDataSource close	349
	HikariPool-1 - Shutdown initiated	
54	04-07-25 12:17:21.588 licationShutdownHook INF	0 c.z.
	h.HikariDataSource close	351
	HikariPool-1 - Shutdown completed.	
55		
56	Process finished with exit code 0	
57		