

# Epiphone Dove Studio Acoustic-Electric Guitar – Violinburst

AUTHORIZED  
DISTRIBUTOR

*Epiphone*



Epiphone



*Epiphone*



# Now Featuring a Solid Spruce Top and Fishman Electronics

The Dove™ acoustic was first introduced at the legendary Gibson™ & Epiphone factory in Kalamazoo in 1962 and became one of the first acoustic guitars to become a recognized rock and roll classic. Now, both beginners and professionals can enjoy the classic sound of the Dove acoustically, or plugged in with the onboard Fishman® electronics. Epiphone stands behind every guitar they make with a Limited Lifetime Warranty and Gibson Brands™ Customer Service. A battery is not included. To power your pickup, you will need a 9-volt battery. (Previously called Dove Pro)

## SPECIFICATIONS

### BODY

**Body Styles :** Square Shoulder

**Body Shape :** Square Shoulder Dreadnought

**Body Material :** Select Maple

**Top :** Solid Spruce

**Back :** Select Maple

**Side :** Select Maple

**Binding :** Top (5-ply white and black), Back (1-ply white), Fingerboard (1-ply white)

**Body Finish :** Gloss

### NECK

**Profile :** SlimTaper™ D

**Scale Length :** 647.7 mm / 25.5 in

**Fingerboard Material :** Indian Laurel

**Fingerboard Radius :** 304.788 mm / 11.999 in

**Fret Count :** 20

**Frets :** Medium Jumbo

**Nut Material :** Graph Tech® NuBone®

**Nut Width :** 42.672 mm / 1.68 in

**Inlays :** Pearloid Parallelogram

**Joint :** Dovetail; Glued-in

### HARDWARE

**Finish :** Nickel

**Bridge :** Indian Laurel

**Tuning Machines :** Grover® Rotomatic® 14:1

**Pickguard** : Historic Dove Pickguard  
**Truss Rod** : Adjustable  
**Truss Rod Cover** : "Bell Shaped" 2-layer (Black/White) with Dove Pro  
**Strap Buttons** : 2; bottom and side of heel

## ELECTRONICS

**Under Saddle Pickup** : Fishman® Sonicore™  
**Controls** : 1 Volume, 1 Tone, soundhole-mounted  
**Output Jack** : 1/4"  
**Preamp** : Fishman® Sonitone™

## MISCELLANEOUS

**Strings Gauge** : Gibson™ Phosphor Bronze Acoustic Guitar Strings .012", .016", .024"w, .032" .042", .053"  
**Case** : Optional Acoustic AJ/Dreadnought Hard Case 940-EDREAD; Dread/AJ Acoustic EpiLite™ Case 940-EDREADHG

Dimension Packaging Weight : 20.0 kg