
RunPod proof of use - TomorrowWorks (team NoMoreTokens)


Screenshots from the team RunPod console and the team Mac terminal, taken 21 Oct 2026. Account balance and the API key are covered.

Job A: GPU Pod rear_amethyst_gull, ID 40jrr8aulh76tb, RTX A5000, EU-SE-1 Secure Cloud, used to embed the ESCO skills.


Job B: Serverless endpoint "Infinity Embedding 1.1.4" (BAAI/bge-m3), endpoint ID j6ssjfy9z074hp, used by the app and by the Coursera and SDG matching scripts.

Runpod - Account Balance & Usage Summary







Job A - GPU Pod details




Job A - GPU Pod telemetry (RTX A5000, CUDA 13.2)




Job A - Pods list, pod running



Job B - Serverless endpoint overview



Job B in use - Coursera course matching running on the endpoint (terminal beside the endpoint page, 170 requests completed, 0 failed)



Job B in use - terminal: 25,051 Coursera courses embedded through the endpoint (endpoint ID j6ssjfy9z074hp)

```
TomorrowWorks — python3 scripts/match_courses_runpod.py — 90×36
ations, evaluate predictor significance, assess model performance, and interpret statistic
al evidence to support data-driven decisions. The course also reinforces key concepts with
 Excel-based logistic modeling.\n\nDesigned for learners who want practical experience wit
h predictive analytics in SPSS, this course combines conceptual understanding with step-by
-step implementation. By the end of the course, you will be able to develop logistic regre
ssion models, interpret SPSS output tables, evaluate prediction accuracy, and confidently
communicate analytical findings using statistical evidence.","id":"OK4S2mhbEfCCGA71N4veKQ"
,"slug":"spss-apply-interpret-logistic-regression-models","workload":"","primaryLanguages"
:["en"],"name":"SPSS: Apply & Interpret Logistic Regression Models"}],"paging":{"next":"2"
,"total":25052},"linked":{}}%
(base) kairos@Mac TomorrowWorks % cd ~/Documents/GitHub/TomorrowWorks
python3 scripts/import_coursera_catalog.py
export RUNPOD_API_KEY=<your key>
export RUNPOD_ENDPOINT_ID=j6ssjfy9z074hp
python3 scripts/match_courses_runpod.py
zsh: parse error near `\n'
(base) kairos@Mac TomorrowWorks % cd ~/Documents/GitHub/TomorrowWorks
python3 scripts/import_coursera_catalog.py
export RUNPOD_API_KEY=<your key>
export RUNPOD_ENDPOINT_ID=j6ssjfy9z074hp
python3 scripts/match_courses_runpod.py
zsh: parse error near `\n'
(base) kairos@Mac TomorrowWorks %
cd ~/Documents/GitHub/TomorrowWorks
python3 scripts/import_coursera_catalog.py
export RUNPOD_API_KEY=[redacted]
export RUNPOD_ENDPOINT_ID=j6ssjfy9z074hp
python3 scripts/match_courses_runpod.py
25051 / 25051
Wrote data/raw/coursera-catalog.json: 25051 courses (Coursera says 25051).
25051 courses with a description (catalogue retrieved 2026-10-21)
  embedded 3360/25051  (2 courses/s)

  embedded 9696/25051  (2 courses/s)
  RunPod: The read operation timed out; retrying in 10 s
  embedded 11104/25051  (2 courses/s)
```

Job B in use - terminal: 126 numbered UN SDG targets embedded through the endpoint

