

心若不动，风又奈何；你若不伤，岁月无恙。

博客新地址CSDN：<https://blog.csdn.net/yanxinduan>

博客园 首页 新随笔 联系 管理 订阅 [XML](#)

随笔- 236 文章- 0 评论- 23

昵称：[风又奈何](#)  
园龄：[3年3个月](#)  
粉丝：[26](#)  
关注：[0](#)  
[+加关注](#)

< 2018年8月 >						
日	一	二	三	四	五	六
29	30	31	1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	1
2	3	4	5	6	7	8

搜索

常用链接

[我的随笔](#)  
[我的评论](#)  
[我的参与](#)  
[最新评论](#)  
[我的标签](#)

最新随笔

- 1. 前端工程师必备实用网站
- 2. 【置顶】以后在CSDN写博客了，地址已在内容里
- 3. 集群环境下定时调度的解决方案之Quartz集群
- 4. 一个JAVA程序员经常访问的网站
- 5. eclipse定制化配置调优、初始化配置指南、可以解决启动慢等问题
- 6. Tomcat的三种部署方式
- 7. 解决Eclipse添加新server时无法选择Tomcat7的问题
- 8. Zookeeper 在Windows下的安装过程及测试
- 9. powerdesigner中实现PDM到MySQL数据库的转换
- 10. SSH异常“Failed to start OpenSSH Server daemon”

我的标签

[自定义域名\(5\)](#)  
[maven\(2\)](#)  
[MySQL\(1\)](#)  
[PowerDesigner 的mysql PDM 的COMM ENT注释\(1\)](#)  
[Request Payload\(1\)](#)  
[svn\(1\)](#)  
[安全相关\(1\)](#)  
[获取request以及response对象\(1\)](#)  
[设计模式\(1\)](#)

错误信息

```
[root@bogon apache-tomcat-7.0.70]# yum install gcc-c++
Loaded plugins: product-id, search-disabled-repos, subscription-manager
This system is not registered with an entitlement server. You can use subscription-manager to register.
There are no enabled repos.
Run "yum repolist all" to see the repos you have.
To enable Red Hat Subscription Management repositories:
    subscription-manager repos --enable <repo>
To enable custom repositories:
    yum-config-manager --enable <repo>
```

解决方法

1、查看redhat 7.0系统本身所安装的那些yum软件包

```
[root@bogon apache-tomcat-7.0.70]# rpm -qa | grep yum
yum-rhn-plugin-2.0.1-10.el7.noarch
yum-metadata-parser-1.1.4-10.el7.x86_64
yum-3.4.3-158.el7.noarch
```

2、卸载这些软件包

```
[root@bogon apache-tomcat-7.0.70]# rpm -e yum-rhn-plugin-2.0.1-10.el7.noarch --nodeps
[root@bogon apache-tomcat-7.0.70]# rpm -e yum-metadata-parser-1.1.4-10.el7.x86_64 --nodeps
[root@bogon apache-tomcat-7.0.70]# rpm -e yum-3.4.3-158.el7.noarch --nodeps
```

3、保证本机电脑能上网

```
[root@bogon apache-tomcat-7.0.70]# ping www.baidu.com
PING www.a.shifen.com (61.135.169.121) 56(84) bytes of data.
64 bytes from 61.135.169.121 (61.135.169.121): icmp_seq=1 ttl=57 time=5.17 ms
64 bytes from 61.135.169.121 (61.135.169.121): icmp_seq=2 ttl=57 time=4.52 ms
64 bytes from 61.135.169.121 (61.135.169.121): icmp_seq=3 ttl=57 time=5.69 ms
64 bytes from 61.135.169.121 (61.135.169.121): icmp_seq=4 ttl=57 time=3.33 ms
64 bytes from 61.135.169.121 (61.135.169.121): icmp_seq=5 ttl=57 time=5.57 ms
64 bytes from 61.135.169.121 (61.135.169.121): icmp_seq=6 ttl=57 time=5.18 ms
```

4、找到自己所需要的版本下载

wget [http://mirrors.163.com/centos/7/os/x86\\_64/Packages/python-kitchen-1.1.1-5.el7.noarch.rpm](http://mirrors.163.com/centos/7/os/x86_64/Packages/python-kitchen-1.1.1-5.el7.noarch.rpm)  
wget [http://mirrors.163.com/centos/7/os/x86\\_64/Packages/python-chardet-2.2.1-1.el7\\_1.noarch.rpm](http://mirrors.163.com/centos/7/os/x86_64/Packages/python-chardet-2.2.1-1.el7_1.noarch.rpm)  
wget [http://mirrors.163.com/centos/7/os/x86\\_64/Packages/yum-3.4.3-158.el7.centos.noarch.rpm](http://mirrors.163.com/centos/7/os/x86_64/Packages/yum-3.4.3-158.el7.centos.noarch.rpm)  
wget [http://mirrors.163.com/centos/7/os/x86\\_64/Packages/yum-metadata-parser-1.1.4-10.el7.x86\\_64.rpm](http://mirrors.163.com/centos/7/os/x86_64/Packages/yum-metadata-parser-1.1.4-10.el7.x86_64.rpm)  
wget [http://mirrors.163.com/centos/7/os/x86\\_64/Packages/yum-utils-1.1.31-45.el7.noarch.rpm](http://mirrors.163.com/centos/7/os/x86_64/Packages/yum-utils-1.1.31-45.el7.noarch.rpm)  
wget [http://mirrors.163.com/centos/7/os/x86\\_64/Packages/yum-updateonboot-1.1.31-45.el7.noarch.rpm](http://mirrors.163.com/centos/7/os/x86_64/Packages/yum-updateonboot-1.1.31-45.el7.noarch.rpm)

wget http://mirrors.163.com/centos/7/os/x86\_64/Packages/yum-plugin-fastestmirror-1.1.31-45.el7.noarch.rpm

自定义注解(1)  
更多

5、安装软件包

rpm -ivh python-\*  
rpm -ivh yum-\*

6、新建repo 配置文件（如果是其他版本，则将下面的7改为你当前的版本数字）

vim /etc/yum.repos.d/CentOS-Base.repo



```
#CentOS-Base.repo
#
# The mirror system uses the connecting IP address of the client and the
# update status of each mirror to pick mirrors that are updated to and
# geographically close to the client. You should use this for CentOS updates
# unless you are manually picking other mirrors.
#
# If the mirrorlist= does not work for you, as a fall back you can try the
# remarked out baseurl= line instead.
#
#
[base]
name=CentOS-$7 - Base - 163.com
#mirrorlist=http://mirrorlist.centos.org/?release=$7&arch=$basearch&repo=os
baseurl=http://mirrors.163.com/centos/7/os/$basearch/
gpgcheck=1
gpgkey=http://mirrors.163.com/centos/RPM-GPG-KEY-CentOS-7

#released updates
[updates]
name=CentOS-$7 - Updates - 163.com
#mirrorlist=http://mirrorlist.centos.org/?release=$7&arch=$basearch&repo=updates
baseurl=http://mirrors.163.com/centos/7/updates/$basearch/
gpgcheck=1
gpgkey=http://mirrors.163.com/centos/RPM-GPG-KEY-CentOS-7

#additional packages that may be useful
[extras]
name=CentOS-$7 - Extras - 163.com
#mirrorlist=http://mirrorlist.centos.org/?release=$7&arch=$basearch&repo=extras
baseurl=http://mirrors.163.com/centos/7/extras/$basearch/
gpgcheck=1
gpgkey=http://mirrors.163.com/centos/RPM-GPG-KEY-CentOS-7

#additional packages that extend functionality of existing packages
[centosplus]
name=CentOS-$7 - Plus - 163.com
baseurl=http://mirrors.163.com/centos/7/centosplus/$basearch/
gpgcheck=1
enabled=0
gpgkey=http://mirrors.163.com/centos/RPM-GPG-KEY-CentOS-7
```



7、清除缓存

yum clean all

8、测试是否正常

yum -y install lftp

参考网址：

- <https://www.linuxidc.com/Linux/2017-04/142444.htm>
- <http://qingfengjushi1.iteye.com/blog/2282986>（这个链接地址里面有已经下载好的rpm）
- <https://www.cnblogs.com/horizonli/p/5507112.html>

分类: 遇到的错误

好文要顶

关注我

收藏该文





随笔分类 (225)

- AOP(2)
- excel相关(2)
- Git(1)
- IMB MQ(11)
- java代码分析及分析工具(1)
- java基础(10)
- java技术研究(2)
- Java相关方法杂记(4)
- Jenkins(3)
- JqeryTable(3)
- json工具(2)
- Kafka(8)
- Linux(5)
- maven(7)
- nginx(2)
- pdf(3)
- Python(11)
- redis(12)
- session(1)
- solr(2)
- spring-security(13)
- tomcat(8)
- webservice(2)
- websocket(1)
- zookeeper(1)
- 安全相关(1)
- 查看浏览器保存账号密码(5)
- 大数据(10)
- 单元测试(1)
- 定时任务(2)
- 读取配置文件(1)
- 故障排查(1)
- 机器学习算法
- 技术储备(1)
- 技术之外(7)
- 面试(4)
- 前端(10)
- 上传下载(2)
- 设计模式(1)
- 数据库(8)
- 通往架构师之路(4)
- 网络爬虫(1)
- 线程(10)
- 相关命令(1)
- 项目管理(1)
- 小程序(9)
- 遇到的错误(10)
- 远程文件读写(7)
- 云计算(5)
- 云相关(1)
- 运动(4)
- 自定义注解(1)

随笔档案 (236)

- 2018年7月 (8)
- 2018年6月 (3)
- 2018年5月 (9)
- 2018年4月 (2)
- 2018年3月 (9)
- 2018年2月 (2)
- 2018年1月 (7)
- 2017年11月 (2)
- 2017年9月 (4)
- 2017年8月 (9)
- 2017年7月 (43)
- 2017年6月 (6)
- 2017年5月 (19)
- 2017年4月 (22)
- 2017年3月 (22)

风又奈何

关注 - 0

粉丝 - 26

+加关注

0

0

« 上一篇: [wget: command not found](#)

» 下一篇: [nginx: \[emerg\] mkdir\(\) "/var/temp/nginx/client" failed \(2: No such file or directory\).](#)

posted @ 2018-05-24 17:12 风又奈何 阅读(1066) 评论(0) 编辑 收藏

刷新评论

刷新页面

返回顶部

注册用户登录后才能发表评论，请 [登录](#) 或 [注册](#)，[访问网站首页](#)。

最新IT新闻:

· [Uber人工智能负责人跳槽Lyft 自动驾驶项目或变卖](#)

· [苹果财报电话会议：iPhone X和订阅驱动增长](#)

· [Harbor开源镜像仓库成为CNCF托管项目](#)

· [微软修复了由2018年7月更新引起的.NET Framework错误](#)

· [拼多多的打假宣言：假货都怪拼多多不公平 需一起努力](#)

» [更多新闻...](#)

最新知识库文章:

· [历史转折中的“杭派工程师”](#)

· [如何提高代码质量?](#)

· [在腾讯的八年，我的职业思考](#)

· [为什么我离开了管理岗位](#)

· [那些让人睡不着觉的bug，你有没有遭遇过?](#)

» [更多知识库文章...](#)

历史上的今天:

2017-05-24 [VMware虚拟机三种网络模式的区别](#)

2017年2月 (2)

2017年1月 (1)

2016年12月 (2)

2016年11月 (2)

2016年10月 (2)

2016年9月 (1)

2016年5月 (1)

2016年4月 (8)

2016年3月 (9)

2016年2月 (10)

2016年1月 (14)

2015年12月 (3)

2015年11月 (3)

2015年10月 (4)

2015年7月 (2)

2015年5月 (1)

2015年4月 (4)

## maven

Maven私有仓库搭建和使用  
适用于linux版  
[Nexus3.0.0+Maven的使用\(一\)](#)  
[使用Nexus创建Maven私有仓库](#)  
适用windows版

## Mq

[activemq安全设置](#) [设置admin的用户名和密码](#)  
[Java ActiveMQ 讲解（一）理解JMS 和 ActiveMQ基本使用](#)

## svn

[svn强制添加注释](#)  
针对于windows、Linux

## 远程请求

[JSCH](#)  
[sftp对文件的相关请求](#)  
[PostMan](#)

## 积分与排名

积分 - 99217  
排名 - 3617

## 最新评论

1. [Re:java上传并下载以及解压zip文件有时会报文件被损坏错误分析以及解决](#)  
如果文件比较大的话，就不能用这种方式了，要使用BufferedReader类读写超大文件。文件比较小的话，用这种方式读取的速度还是可以的。  
--风又奈何

2. [Re:java上传并下载以及解压zip文件有时会报文件被损坏错误分析以及解决](#)  
一次读取一个字节不会太慢么?  
--一帘幽梦&nn

3. [Re:Spring security 获取当前用户](#)  
@  
额 加你了- -  
--晓帆船

4. [Re:Spring security 获取当前用户](#)  
@晓帆船方便的话加个qq970169543详聊...  
--嘟嘟粑粑

5. [Re:Spring security 获取当前用户](#)

https://www.cnblogs.com/yanduanduan/p/9083887.html

3/4

你把方法代码发来看看先。是不是点击登录，然后这个方法执行30次？最终登录成功了吗还是报错，报错信息也发一下。因为你说的很可能是一个小bug，我不了解具体你写的代码

--晓帆船

## 阅读排行榜

- 1. [org.springframework.transaction.CannotCreateTransactionException\(18139\)](#)
- 2. [Spring security 获取当前用户\(17028\)](#)
- 3. [WebMagic写的网络爬虫\(6767\)](#)
- 4. [使用Spring+JUnit4进行测试\(5346\)](#)
- 5. [通过哨兵机制实现Redis主从配置以及java调用\(5251\)](#)

## 评论排行榜

- 1. [Spring security 获取当前用户\(19\)](#)
- 2. [java上传并下载以及解压zip文件有时会报文件被损坏错误分析以及解决\(4\)](#)

## 推荐排行榜

- 1. [WebMagic写的网络爬虫\(4\)](#)
- 2. [Spring security 获取当前用户\(2\)](#)
- 3. [大数据入门指导\(1\)](#)
- 4. [spring security: ajax请求的session超时处理\(1\)](#)
- 5. [在微信小程序中调用本地接口\(1\)](#)