Working with MySQL Workbench


Contents

Open Command Prompt Window 2
Start MySQL Server and Client 3
An alternate way to Start MySQL Server and Client ..... **Error! Bookmark not defined.**
Open MySQL Workbench 4
Download Database Files from Moodle 7
Setup and Create New Schema 7
Create and Populate Tables in the MDC Schema 12
Open New tab to Record Queries 13

Open Command Prompt Window


1. Log in to the computer

2. Open the 'command prompt window'
   You will have



3. For the first time only, you need to **execute a batch script** that will initialize a blank schema in your M drive.
   Simply type the following at the command prompt: ***c:\mysql\copy.bat***

   (this command will set up a blank database configuration)
   (this command can also be used to reset the database server to the initial state if you messed up)
   Now, you will get this screen.




Start MySQL Server and Client

1. Run the following command to start the **MySQL server**
   mysqld
   This command starts a MySQL server on the local machine. *Do not close the command prompt*

2. Now open another command prompt window and run this command to start the **MySQL client**
   mysql -u root

You will get this screen




HURRAY! ALL IS SET

Now proceed to the next section: **Open MySQL Workbench**


Open MySQL Workbench

1. Go to the search icon and type MySQL Workbench, and open it.
   You will get this screen.



2. Click on ⊕


You will get this screen.



3. Type ‘Connection Name’ (whatever you want, say, ‘**Lab1**’)

Then click on ‘ok’.

Now you will have this screen.



Click here

So, the Workbench window is open now.

The **SQL Editor**


In our case, 'Lab1'

The **Add Schema** button

The **Navigator** window showing only the **SCHEMAS** objects

The **Navigator Schemas refresh** button—use this button to refresh the objects displayed in **SCHEMAS**

The **Navigator objects expand/ contract** button—use this button to hide the **MANAGEMENT, INSTANCE, and PERFORMANCE** objects when they are not needed



Download Database Files from Moodle


1. Download .**sql** files from Moodle, **MDC-Create-Tables** and **MDC-Insert-Data.** These files are available in the folder Lab (week3) under section **Unit 1.**

   Place these files in M drive.


Setup and Create New Schema

1. Now add schema in the workbench using 'Add Schema button (see the last figure)'


You will get this screen and add the name of the schema in '**Name**' (Say, **MDC**)




2. Click 'Apply' and then Click 'OK' on the following screen




3. Now, you will get this screen and click on '**Apply**'



4. This screen will appear; click on '**Finish**'.




5. The schema is added successfully, and this screen will appear



Now click on ‘Schemas’

6. You will have this screen.




7. Right-click on '**mdc**' and 'set as default schema'

Create and Populate Tables in the MDC Schema

1. Now click on this icon to open the file '**MDC-Create-Tables**' *(you have downloaded this file from moodle)*




2. The SQL code is open to create the tables.



3. Execute the code by clicking on this icon (it will execute the whole code)



4. You will see this in the output section.




Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	18:07:00	Apply changes to MDC	Changes applied	
2	18:23:38	CREATE TABLE CUSTOMER(CustomerIDInt NOT NULL auto_increment, Fi...	0 row(s) affected	0.156 sec
3	18:23:38	CREATE TABLE INVOICE(InvoiceNumber Int NOT NULL auto_incremen...	0 row(s) affected	0.094 sec
4	18:23:38	ALTER TABLE invoice AUTO_INCREMENT = 20150001	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.015 sec
5	18:23:38	CREATE TABLE INVOICE_ITEM(InvoiceNumber Int NOT NULL, ItemNum...	0 row(s) affected	0.079 sec

5. Similarly, open another file (**MDC-Insert-Data**) to populate the tables and execute it.

You will see the following messages in the output section.



Output

Action Output

#	Time	Action	Message	Duration / Fetch
33	18:24:57	INSERT INTO INVOICE_ITEM VALUES(2015005, 2, 'Dress Shirt', 2, 2.50)	1 row(s) affected	0.000 sec
34	18:24:57	INSERT INTO INVOICE_ITEM VALUES(2015006, 1, 'Blouse', 5, 3.50)	1 row(s) affected	0.000 sec
35	18:24:57	INSERT INTO INVOICE_ITEM VALUES(2015006, 2, 'Dress Shirt', 10, 2.50)	1 row(s) affected	0.000 sec
36	18:24:57	INSERT INTO INVOICE_ITEM VALUES(2015006, 3, 'Slacks-Mens', 10, 5.00)	1 row(s) affected	0.016 sec
37	18:24:57	INSERT INTO INVOICE_ITEM VALUES(2015006, 4, 'Slacks-Womens', 10, 6...	1 row(s) affected	0.016 sec
38	18:24:57	INSERT INTO INVOICE_ITEM VALUES(2015007, 1, 'Blouse', 2, 3.50)	1 row(s) affected	0.000 sec
39	18:24:57	INSERT INTO INVOICE_ITEM VALUES(2015008, 1, 'Blouse', 3, 3.50)	1 row(s) affected	0.000 sec
40	18:24:57	INSERT INTO INVOICE_ITEM VALUES(2015008, 2, 'Dress Shirt', 12, 2.50)	1 row(s) affected	0.000 sec
41	18:24:57	INSERT INTO INVOICE_ITEM VALUES(2015008, 3, 'Slacks-Mens', 8, 5.00)	1 row(s) affected	0.000 sec
42	18:24:57	INSERT INTO INVOICE_ITEM VALUES(2015008, 4, 'Slacks-Womens', 10, 6...	1 row(s) affected	0.016 sec
43	18:24:57	INSERT INTO INVOICE_ITEM VALUES(2015009, 1, 'Suit-Mens', 3, 9.00)	1 row(s) affected	0.016 sec

Open the New tab to Record Queries

6. Now click on this icon ‘to create a new SQL tab for executing queries and save it with any name (say, **MDC-queries**)



7. Write your first query and execute it.


This icon executes the query under the key board cursor (in other words, you can execute queries one by one using this icon)



Example Query:

Select * from CUSTOMER

After executing this query, you will get this screen



Now answer the questions given for Marcia's Dry Cleaning Database