

HTML5

CS 146 Intro to Web Programming and Project Development



What is HTML?

- HyperText Markup Language
- It is based on the use of tags to format content as in all other markup languages,
 - SGML Standard Generalized Markup Language (1986)
 - XML eXtensible Markup Language (1998)
 - XHTML eXtensible HyperText Markup Language (2000)
- Relies on the use of Universal Resource Identifiers (like for example URLs)



What's Special about HTML5?

- HTML5 is the new standard.
- The specification was finalized and published on October 28th 2014 by the World Wide Web Consortium (W3C).
- Most browsers already support a large portion of the new tags that have been created.
- Improves the language with support for the latest multimedia while keeping it easily readable by humans and consistently understood by computers and devices.



Should We Still Learn HTML4?

- While it would be easier to learn a mature standard (and necessary for supporting old web sites), you might as well learn the current standard.
- It will prevent you from using features that have been removed, like frames.
- There are exciting new features in HTML5 worth learning:
 - <canvas>, <audio>, <video> elements
 - SVG
 - MathML



The Basics

Every HTML5 page should have the same skeleton. Here it is:



Formatting Your Content

- After getting the basic elements in place, the next thing to do is decide how to organize your page.
- For now we will constrain ourselves to have good structure in our code.
- Styling will come later with the use of CSS3.
- HTML5 introduces meaningful tags to explain portions of your page.



Organizational Tags

- In order to write clean HTML, you must structure your code correctly. HTML5 achieves this through new tags:
 - <header>
 - <footer>
 - <nav>
 - <article>
 - <section>
 - <aside>
 - <figure>
 - <details>




Structure of a Simple Document





Slightly More Complicated





White Space

- When writing HTML, be aware that a group of white spaces (including new lines, tabs, and regular white spaces) will always translate to a single space.
- For

Example
Will show as "For Example".

To force a line break, use
.



Formatting Tags

- Once your site is properly organized, you need to format your data.
- for paragraphs
- <h1></h1> through <h6></h6>
 - These allow the declaration of different levels of headings.
- <blockquote></ blockquote >
 - Automatically indents anything inside of it.



Creating Links

- Link
- Address can be a URL or for example a mailto:bborowsk@stevens.edu
- Can also be used as

here
allowing you to place anchors on your
page (that you can access as #name)



Inserting an Image

- <img src="file" alt="description" width=".."</p> height=".." />
- Width and height should no longer contain percentages.
- Can contain a longdesc attribute (URL or a document containing a description of the image).

10/2/2015 13



Lists

- Ordered Lists: ...
- Unordered Lists: ...
- Every item in the list should be wrapped in ...



Tables

- ...
 - width (in pixels or %)
 - border ("1" or "")
 - summary
 - rules (none, groups, rows, cols, all)
- Rows are defined with </ir>
- Cells are defined with ... or ...
 - rowspan (number)
 - colspan (number)
 - abbr (text)
 - align (left, right, center, justify, char)
 - valign (top, middle, bottom, baseline)

A test table with merged cells			
	Average		Red
	height	weight	eyes
Males	1.9	0.003	40%
Females	1.7	0.002	43%




Inline Frames

- <iframe>...</iframe>
 - src (url)
 - name
 - height
 - width
- Also contains new attributes called sandbox, seamless, and srcdoc for sandboxing content (but is not widely supported at this time).



Meter Tag



- <meter title="" id="" value="" min=""</p> max="">text for non-supporting browsers</meter>
- Allows to have a progress bar shown.
- Value can be fed from a database.
- With technologies like AJAX, the bar can be updated in real time.

10/2/2015 17



What About MSIE Users?

- MSIE 9 should support everything presented.
- People still use older MSIEs (like MSIE6! Yikes!)
- If you want to support them, add this code at the top of your header: