Networth Matrimony ??? Deployment Requirements (Client Action Needed)

Date: October 23, 2026
Branch: `main` (commit `92a2acc`)
Status: Code complete ??? awaiting client credentials for live deployment

---

???? What the Client Must Provide

The platform code is feature-complete and tested (888 tests passing). The following credentials/configurations must be supplied by the client to move from staging to production.

---

1. Mobile App Store Identifiers (Required for Device QA & Release)

Identifier	Platform	Where to Get It
`bundleIdentifier` (e.g., `com.networthmatrimony.app`)	iOS	Apple Developer Console ??? Certificates, Identifiers & Profiles ??? Identifiers
`package` (e.g., `com.networthmatrimony.app`)	Android	Google Play Console ??? Create app ??? Package name
Apple Developer Team ID	iOS	Apple Developer Console ??? Membership
Google Play Service Account JSON	Android	Google Play Console ??? Setup ??? API access

Without these: Cannot build a production EAS build, cannot submit to TestFlight/Play Internal, cannot test on real devices with push notifications.

---

2. Payment Gateway (Razorpay) ??? Live Credentials

Credential	Where to Get It
`RAZORPAY_KEY_ID` (live)	Razorpay Dashboard ??? Settings ??? API Keys ??? Generate Live Key

Credential	Where to Get It
`RAZORPAY_KEY_SECRET` (live)	Same as above
`RAZORPAY_WEBHOOK_SECRET` (live)	Razorpay Dashboard ??? Settings ??? Webhooks ??? Add webhook ??? Copy secret
Webhook URL to register	`https://<your-api-domain>/payments/razorpay/webhook`

Without these: Payment flow works in test mode only; no real transactions, no unlock grants, no setup-fee collection.

---

3. Push Notifications (Firebase Cloud Messaging) ??? Live Config

Credential	Where to Get It
FCM Service Account JSON (with `fcm.send` scope)	Firebase Console ??? Project Settings ??? Service Accounts ??? Generate new private key
`FIREBASE_PROJECT_ID`	Firebase Console ??? Project Settings ??? General
Sender ID	Firebase Console ??? Project Settings ??? Cloud Messaging

Without these: Push notifications fail silently (gateway fails closed); in-app notifications still work.

---

4. SMS + Email (MSG91) ??? Live Config

Credential	Where to Get It
`MSG91_AUTH_KEY` (live)	MSG91 Dashboard ??? API ??? Auth Key
`MSG91_SENDER_ID` (6 chars, approved)	MSG91 Dashboard ??? Sender ID ??? Request approval
`MSG91_SMS_TEMPLATE_ID` (OTP template)	MSG91 Dashboard ??? Flow ??? Create OTP template
`MSG91_OTP_TEMPLATE_VAR` (variable name, e.g., `otp`)	Same as above
`MSG91_EMAIL_TEMPLATE_ID` (if using MSG91 for email)	MSG91 Dashboard ??? Email ??? Templates

Credential	Where to Get It
`MSG91_EMAIL_FROM` (verified domain)	MSG91 Dashboard ??? Email ??? Domains

Without these: OTP SMS/email fails (gateway fails closed); user cannot sign up or log in.

---

5. Privacy Policy Update (GAP-11)

Action	Details
Update Privacy Policy	State that profile photos/documents are stored on **Cloudflare R2 with best-effort Asia-Pacific placement** (no guaranteed India jurisdiction).
Publish URL	Add the public Privacy Policy URL to the app's legal screens and onboarding.

Decision already recorded: Client accepted "go with India" ??? R2 best-effort APAC, policy wording accordingly.

??? What Is Already Done (No Action Needed)

Item	Status
All client clarifications (GAP-1, 2, 11, 12)	Closed
Biodata import (PDF/text ??? auto-fill)	Implemented & tested
AI recommendations (10% rollout)	Enabled via `FEATURE_AI_RECOMMENDATIONS=10`
Next.js security upgrade	16.4.2 deployed
Admin dashboard (Next.js 16 + React 19)	Built & deployed
All automated tests (888)	Passing
Typecheck, lint, build, verify	All green

???? Deliverables to Client

Once the above credentials are provided, the engineering team will:

1. Populate `.env` (or secret manager) with the live values
2. Build production EAS builds for iOS (`.ipa`) and Android (`.aab`)
3. Submit to TestFlight / Play Internal for QA
4. Register Razorpay webhook + MSG91 templates
5. Flip `FEATURE_AI_RECOMMENDATIONS` to higher percentage after QA sign-off

???? Next Step

Please provide the credentials in a secure channel (e.g., 1Password shared vault, encrypted email, or a secret manager invite). The team can then complete the deployment within one sprint.

Generated from the canonical status report at `docs/reports/PROJECT_STATUS_TILL_NOW.md`