

MATRIMONY APP

INTERNAL DEVELOPER WORK DOCUMENT

Purpose: Detailed product, functional, backend, dashboard and QA requirements for the development team

This document is the working specification for the internal development team. Developers, UI/UX designers, backend engineers, mobile developers, QA and admin-panel developers should use it as the common reference while building the application.

1. PRODUCT CONCEPT

Build a mobile-focused matrimony platform where users register under one of two net-worth categories, create a matrimonial profile, define Partner Preference, discover profiles only within their own category, and pay to unlock a selected profile and contact for 24 hours.

```
REGISTRATION
↓
NET-WORTH CATEGORY
↓
PROFILE CREATION
↓
PARTNER PREFERENCE
↓
ADMIN APPROVAL
↓
DISCOVERY
↓
PROFILE PREVIEW
↓
PAYMENT
↓
FULL PROFILE + CONTACT
↓
24-HOUR EXPIRY
```

2. USER TYPES & ACCESS LEVELS

Role	Access
Guest	Registration/login and limited public app screens.
Registered User	Own profile, Partner Preference, same-category discovery, profile preview and payment/unlock.
Admin	Full administration through Admin Dashboard.
Super Admin	All admin functions plus admin/role/configuration management.

3. NET-WORTH SEGMENTATION

Registration must require the user to select one category:

- Option 1 — Net Worth Below **₹2 Crores**.
- Option 2 — Net Worth Above **₹2 Crores**.

The selected category is a core access-control attribute and must be stored server-side. Users must not be able to change it through normal profile editing.

Business rule:

- Below **₹2 Cr** users can discover only Below **₹2 Cr** profiles.
- Above **₹2 Cr** users can discover only Above **₹2 Cr** profiles.
- An API request attempting to access the opposite category must be rejected server-side.
- Exactly **₹2 Cr** should be routed to an admin-review classification flow.

4. PRICING & UNLOCK MODEL

User Category	Base	GST	Total Payable
---------------	------	-----	---------------

Below ■2 Cr	■99	18% = ■17.82	■116.82
Above ■2 Cr	■249	18% = ■44.82	■293.82

Payment is for unlocking one selected profile/contact for 24 hours. Pricing must be fetched from backend configuration and not hard-coded as the final authority inside the mobile application.

5. USER APP — SCREEN STRUCTURE

The mobile app should contain the following major screens/modules:

- Splash / App launch
- Login / Registration
- OTP verification
- Net-worth selection
- Profile creation
- Photo management
- Partner Preference
- Home / Discovery
- Search & Filters
- Profile Preview
- Payment / Unlock
- Unlocked Profile
- Active Unlocks
- Payment History
- Block / Report
- My Profile
- Settings
- Delete Account
- Notifications
- Help / Support

6. REGISTRATION & OTP

Screen: Registration

- Mobile number input.
- OTP request.
- OTP verification.
- Resend OTP with cooldown.
- Invalid/expired OTP handling.
- Session creation after successful verification.
- Basic anti-abuse/rate limiting.

After OTP verification, user must select the net-worth category before continuing to profile creation.

7. NET-WORTH SELECTION SCREEN

Display two clear choices:

OPTION 1
Net Worth Below ■2 Crores

OPTION 2
Net Worth Above ■2 Crores

- Selection is mandatory.
- Explain that this determines the profile group shown to the user and applicable unlock price.
- Store selection server-side.
- Do not allow normal users to edit category later.

8. PROFILE CREATION

Profile creation should be divided into logical sections so the user can save progress.

8.1 Personal Information

- Name
- Gender
- Date of birth
- Time of birth
- Place of birth
- Height
- Marital status

8.2 Religious / Horoscope Information

- Religion
- Community/caste where applicable
- Mother tongue
- Swagotra
- Maternal Gothra
- Nakshatra/Rashi and other configured horoscope fields

8.3 Education & Career

- Education
- Profession
- Company/business
- Annual income
- Work location

8.4 Family Information

- Father's occupation
- Mother's occupation
- Siblings
- Family location
- Family description

8.5 Lifestyle & About

- Food preference
- Smoking

- Drinking
- About me
- Other configurable lifestyle fields

8.6 Location

- Country
- State
- City
- Other location fields required for search

9. PHOTO MANAGEMENT

Users can upload multiple profile photos.

- Upload multiple images.
- Validate file type, dimensions and size.
- Generate thumbnails.
- Allow reorder.
- Allow delete.
- Mark primary photo.
- Admin can approve/reject photos.
- Only approved photos are displayed to other users.

Pre-payment rule: all approved uploaded photos must be visible. Photos are not locked behind payment.

10. PARTNER PREFERENCE — CORE MODULE

Partner Preference is stored as part of the user's account and is the default discovery filter.

Recommended preference fields:

- Gender
- Age minimum / maximum
- Height minimum / maximum
- Preferred country/state/city
- Education
- Profession
- Marital status
- Religion
- Community/caste
- Mother tongue
- Income
- Horoscope preferences
- Other business-approved criteria

Behavior rules:

- User can create preferences during onboarding or later.
- User can edit and save preferences.
- Saved preferences automatically apply when opening Discovery.

- Temporary filters can be applied without overwriting saved preferences.
- Provide 'Reset to Partner Preference'.
- Provide 'Save as Partner Preference' when the user wants to replace saved values.
- Net-worth category is not a user-editable preference; it is an access-control rule.

11. HOME / USER DASHBOARD

The User Dashboard is the main authenticated area.

- Profile completion status.
- Discovery/profile cards.
- Saved Partner Preference summary.
- Active unlocks.
- Recent payment history.
- Notifications.
- Quick access to Edit Profile and Partner Preference.
- Search and filters.

Bottom navigation can be structured as: Home | Search | Unlocked | Payments | Profile. Final navigation should follow approved UI/UX.

12. DISCOVERY ENGINE

Default discovery query must combine:

```
User's Net-Worth Category
+
Saved Partner Preference
+
Profile Status = APPROVED
+
Profile Visibility = ACTIVE
```

Additional temporary filters may narrow the result.

- Only same-category profiles.
- Only approved/active profiles.
- Blocked profiles excluded.
- Deleted/suspended profiles excluded.
- Pagination/infinite scrolling.
- Search response must not include locked fields.
- Profile IDs must not allow unauthorized cross-category access.

13. PROFILE PREVIEW — BEFORE PAYMENT

The preview screen is intentionally limited.

VISIBLE BEFORE PAYMENT

- All approved photos
- Swagotra
- Maternal Gothra
- Date of birth
- Time of birth

HIDDEN BEFORE PAYMENT

- Name
- Age display if derived from DOB
- Height
- Education
- Profession
- Company/business
- Income
- Location
- Religion
- Community/caste
- Family details
- Lifestyle
- About
- Partner expectations
- Other horoscope information
- Contact number
- Any other profile field not explicitly approved for preview

The backend must not send hidden values to the app. UI blur/lock alone is not sufficient.

14. PROFILE UNLOCK PAYMENT FLOW

```
Open locked profile
↓
Tap Unlock Contact / Unlock Profile
↓
Backend returns applicable price
↓
Create payment order
↓
Payment gateway
↓
Gateway callback/webhook
↓
Server verifies payment
↓
Create unlock record
↓
Return full profile + contact
↓
Start 24-hour access
```

Payment must be verified server-side. The mobile app must never be trusted to declare a payment successful.

15. 24-HOUR UNLOCK ENGINE

```
unlocked_at = server-confirmed payment success time
unlock_expires_at = unlocked_at + 24 hours
```

```
if current_time < unlock_expires_at:
    FULL ACCESS
else:
    LOCKED
```

- Unlock applies to the selected profile only.
- Access includes complete profile and contact.
- Active unlock must not require another payment.

- At expiry, full information and contact become inaccessible.
- Same profile may be unlocked again after expiry.
- Expiry must be checked on every protected API request.
- Do not rely only on a client-side timer.

16. ACTIVE UNLOCKS SCREEN

User Dashboard should provide a list of currently unlocked profiles.

- Profile photo.
- Profile identifier/name as permitted after unlock.
- Unlock date/time.
- Expiry date/time.
- Remaining access indicator.
- Open full profile.
- Open contact.
- Expired records should move to history or become locked.

17. CONTACT ACCESS

- Contact number hidden before payment.
- Contact returned only when active unlock exists.
- Contact access checked server-side.
- Direct profile API cannot expose contact without authorization.
- Expired unlock returns locked response.
- Contact should not be cached insecurely by the app.

18. PAYMENT HISTORY

Create a Payment History page in the User Dashboard.

Each transaction should display:

- Transaction date/time
- Profile unlocked
- Amount
- Payment status
- Unlock start
- Unlock expiry
- Payment/reference ID where appropriate

Backend should retain the transaction information required for reconciliation and accounting.

19. BLOCK PROFILE

- Block action on profile.
- Confirmation before blocking.
- Blocked profile immediately excluded from user's discovery.
- Maintain block relationship in backend.
- Provide blocked-profile management in Settings.

- Allow unblock if product rules permit.

20. REPORT PROFILE

Report reasons should be configurable by Admin.

- Fake profile
- Incorrect information
- Inappropriate photo/content
- Incorrect contact information
- Harassment
- Other

User submits report → backend stores report → Admin Dashboard receives report → admin reviews → admin action/status is recorded.

21. DELETE PROFILE / ACCOUNT

- Settings → Delete Account.
- Show clear confirmation.
- Require re-authentication/OTP if configured.
- Immediately remove profile from discovery.
- Invalidate active profile access where required.
- Prevent new users from accessing deleted profile.
- Keep required payment records.
- Use soft deletion/anonymization before permanent deletion where appropriate.
- Admin can see deletion status.

22. SCREENSHOT & SCREEN RECORDING PROTECTION

- Android: implement FLAG_SECURE on protected screens.
- iOS: detect screen capture/recording/mirroring where supported and obscure sensitive content.
- Protect recent-app previews where possible.
- Add watermark to protected profile/contact screens.
- Watermark should contain viewer identifier or masked mobile plus timestamp/session marker.
- QA must test screenshots, recording and screen mirroring on supported devices.

This is a platform security feature, not a guarantee against external cameras or modified operating systems.

23. USER SETTINGS

- Edit Profile
- Partner Preference
- Notification settings
- Blocked Profiles
- Privacy/settings
- Help/Support
- Delete Account
- Logout

24. ADMIN DASHBOARD — OVERVIEW

Admin Dashboard is a separate web interface with role-based access.

Dashboard widgets:

- Total users
- Below ■2 Cr users
- Above ■2 Cr users
- New registrations
- Pending approvals
- Approved profiles
- Rejected profiles
- Suspended profiles
- Deleted profiles
- Payments today
- Payments this month
- Total payment value
- Active unlocks
- Expired unlocks
- Pending reports

25. ADMIN — USER MANAGEMENT

Functions:

- Search by user ID
- Search by mobile
- Search by name
- Search by category
- Search by city
- Filter by status
- Open complete user profile
- View photos
- View Partner Preference
- View payments
- View unlocks
- View reports
- Approve/reject
- Suspend/restore
- Delete
- Block/unblock
- Change category with reason and audit log

26. ADMIN — PROFILE APPROVAL

```
PROFILE CREATED
↓
PENDING REVIEW
↓
ADMIN REVIEW
■ ■
APPROVED REJECTED
↓
DISCOVERY
```

- Review profile information.
- Review every uploaded photo.
- Approve profile.
- Reject profile with reason.
- Reject individual photos.
- Request correction if workflow supports it.
- Suspend approved profiles.
- Restore suspended profiles.

27. ADMIN — PAYMENT MANAGEMENT

- List payments.
- Search by user/profile/transaction ID.
- Filter by date/status.
- View base amount, GST and total.
- View gateway reference.
- View payment status.
- View unlock start/end.
- View failed/cancelled payments.
- View refund status where supported.

28. ADMIN — UNLOCK MANAGEMENT

- View active unlocks.
- View expired unlocks.
- Search buyer.
- Search target profile.
- View payment linked to unlock.
- View unlock start/end timestamps.
- Audit manual administrative actions.
- Do not provide arbitrary manual unlock capability without role permission and audit logging.

29. ADMIN — PRICING CONFIGURATION

Pricing should be stored in a configuration table.

```
BELOW_2CR_BASE = 99
ABOVE_2CR_BASE = 249
GST_RATE = 18%
```

- Authorized admin can update prices.
- Every pricing change is audited.
- Existing completed payments retain their original transaction amount.

- New payments use the current active price.

30. ADMIN — REPORTS & BLOCKS

- Report queue.
- Report reason.
- Reported user/profile.
- Reporter.
- Date/time.
- Review notes.
- Action: dismiss, warn, suspend, block or delete.
- Action history.
- Blocked-user list.

31. ADMIN — NOTIFICATIONS

- Create configured notification messages.
- Send targeted notification to user/group where required.
- Profile approval/rejection notifications.
- Payment notifications.
- Account-status notifications.
- System announcements.

32. ADMIN — AUDIT LOG

Record security-sensitive administrative actions.

- Admin ID
- Action
- Target user/profile
- Previous value where relevant
- New value where relevant
- Reason
- Timestamp

33. ADMIN ROLES & PERMISSIONS

At minimum support:

- Super Admin — full access.
- Admin — operational access.
- Moderation Admin — profiles/photos/reports.
- Finance/Admin — payments and transaction views.

The exact role matrix should be finalized before production, but backend permissions must be role-based rather than hidden UI buttons.

34. BACKEND ARCHITECTURE

Core services/modules:

- Authentication
- Users
- Profiles
- Photos
- Partner Preference
- Discovery/Search
- Net-worth authorization
- Payments
- Contact Unlocks
- Reports
- Blocks
- Notifications
- Admin
- Audit Logs
- Configuration

35. DATABASE STRUCTURE

Minimum logical entities:

```
users
profiles
profile_photos
partner_preferences
networth_categories
payments
contact_unlocks
reports
blocked_users
admin_users
admin_roles
pricing_config
notifications
audit_logs
```

Use proper primary keys, foreign keys, indexes, status fields, timestamps and soft-delete handling where required.

36. IMPORTANT DATA RULES

- User category is server-controlled.
- Profile approval status is server-controlled.
- Contact is protected information.
- Locked profile fields must not be included in preview API responses.
- Every unlock must reference a verified payment.
- Unlock expiry must be calculated from server time.
- Deleted/suspended profiles must not appear in discovery.
- Blocked profiles must be filtered from discovery.
- Payment records must be immutable except for controlled status updates.
- Admin changes must be auditable.

37. API REQUIREMENTS

Suggested API groups:

```
/auth/*
/users/*
/profile/*
/photos/*
/partner-preference/*
/discovery/*
/profiles/*
/payments/*
/unlocks/*
/reports/*
/blocks/*
/notifications/*
/admin/*
```

Required API behavior:

- Authenticate every protected request.
- Authorize resource ownership/access.
- Apply net-worth filtering server-side.
- Apply unlock authorization before returning full profile/contact.
- Return only permitted fields.
- Validate pagination/filter inputs.
- Rate-limit sensitive endpoints.
- Log security-sensitive operations.

38. LOCKED PROFILE API — EXPECTED BEHAVIOR

A locked profile response should contain only permitted preview information.

```
profile_id
photos[]
swagotra
maternal_gothra
date_of_birth
time_of_birth
profile_locked = true
unlock_price
```

It must not contain hidden fields under alternative JSON keys, nested objects or metadata.

39. UNLOCKED PROFILE API — EXPECTED BEHAVIOR

When a valid active unlock exists:

```
profile_id
photos[]
full_profile
contact
profile_locked = false
unlock_expires_at
```

The server must verify the active unlock before generating this response.

40. PAYMENT DATA FLOW

```
User → Create Order
↓
Payment Gateway
↓
Gateway Response/Webhook
↓
Backend Verification
↓
Payment = SUCCESS
↓
Create Contact Unlock
↓
Return Unlock Status
```

- Never trust only client-side payment success.

- Webhook must be idempotent.
- Duplicate webhook events must not create duplicate unlocks.
- Payment amount must be verified against server-side order data.

41. SECURITY & ANTI-SCRAPING

- JWT/session security or equivalent.
- Role-based authorization.
- Rate limiting.
- Device/session monitoring for suspicious activity.
- Profile enumeration protection.
- Pagination limits.
- Secure image URLs/storage.
- API request validation.
- Secure payment credentials.
- Encryption in transit.
- Production secrets outside source code.
- Audit logs.

42. NOTIFICATION EVENTS

Event	User Notification
OTP requested	OTP delivery
Profile approved	Profile is approved
Profile rejected	Profile requires correction/review
Payment successful	Profile unlocked for 24 hours
Unlock approaching expiry	Expiry reminder if enabled
Unlock expired	Profile access expired
Account suspended	Account status notification
Report/admin action	Notification where applicable

43. QA TEST PLAN

QA must test the application module-by-module and also as an end-to-end user journey.

Registration

- OTP success/failure
- Resend cooldown
- Invalid OTP
- Session creation
- Net-worth selection

Profile

- Required fields
- Save/edit
- Photo upload

- Photo deletion
- Photo ordering
- Approval/rejection

Partner Preference

- Create
- Edit
- Save
- Default search
- Temporary filters
- Reset

Discovery

- Same-category isolation
- Preference filtering
- Pagination
- Blocked users excluded
- Deleted/suspended excluded

Privacy

- Preview fields only
- No hidden data in API
- Contact locked
- Cross-user access denied

Payments

- Correct price
- GST calculation
- Success
- Failure
- Cancellation
- Duplicate webhook
- Payment history

Unlock

- Start timestamp
- 24-hour expiry
- Expired API access denied
- Re-purchase after expiry

Admin

- Login
- Roles
- User management
- Moderation

- Payments
- Reports
- Pricing
- Audit logs

Security

- API authorization
- Rate limiting
- IDOR tests
- Screenshot/recording protection
- Sensitive-data leakage

44. END-TO-END ACCEPTANCE FLOW

1. Register
2. Verify OTP
3. Select net-worth category
4. Create profile
5. Upload photos
6. Set Partner Preference
7. Admin approves profile
8. User opens Home
9. Default Partner Preference filters apply
10. Same-category profiles appear
11. User opens profile
12. Only approved photos + Swagotra + Maternal Gothra + DOB + birth time appear
13. User pays applicable amount
14. Server verifies payment
15. Full profile + contact become available
16. Unlock remains active for 24 hours
17. Access expires after 24 hours
18. User can purchase another 24-hour unlock
19. User can view Payment History
20. User can block/report/delete account

45. DEVELOPMENT CHECKLIST

- UI/UX screens completed
- Registration & OTP completed
- Net-worth selection completed
- Profile creation completed
- Photo management completed
- Partner Preference completed
- Discovery completed
- Profile privacy completed
- Payment gateway completed
- 24-hour unlock completed
- Contact protection completed
- Payment History completed
- Block/report completed
- Delete account completed
- User Dashboard completed
- Admin Dashboard completed

- Profile moderation completed
- Payment administration completed
- Pricing configuration completed
- Notifications completed
- Audit logs completed
- Security testing completed
- QA completed
- Production deployment completed
- Source code/documentation updated

46. DEVELOPMENT PRINCIPLES

- Business rules must be enforced in backend, not only UI.
- Do not send information to the mobile app unless the user is authorized to see it.
- Use server time for payment/unlock expiry.
- Keep pricing configurable.
- Keep admin actions auditable.
- Design database and APIs so future features can be added without rebuilding the core profile/access system.
- Keep User Dashboard and Admin Dashboard as separate permission domains.
- Every production feature must have QA test coverage.

47. FINAL MODULE LIST

User Application: Authentication, Net-Worth Selection, Profile, Photos, Partner Preference, Discovery, Search, Profile Preview, Payment, 24-Hour Unlock, Full Profile, Contact, Active Unlocks, Payment History, Block, Report, Notifications, Settings and Delete Account.

Admin Dashboard: Dashboard, Users, Profiles, Profile Approval, Photo Moderation, Net-Worth Management, Payments, Unlocks, Reports, Blocks, Deleted Users, Pricing, Notifications, Admin Roles and Audit Logs.

Backend: Authentication, Authorization, Profile, Photo, Partner Preference, Discovery, Payment, Unlock, Contact Access, Reports, Blocks, Notifications, Admin and Audit systems.

48. DEVELOPER TEAM WORKING RULE

Before marking any module as complete, the developer responsible for that module must verify the UI flow, backend behavior, database updates, authorization, error states and QA test cases. A feature is considered complete only when it works end-to-end and does not expose data outside the defined access rules.