4.2 DIRECTED DFS DEMO

Algorithms

FOURTH EDITION

ROBERT SEDGEWICK | KEVIN WAYNE

http://algs4.cs.princeton.edu

Directed depth-first search demo

To visit a vertex v :

- Mark vertex v as visited.

- Recursively visit all unmarked vertices pointing from v.

a directed graph

4→2
2→3
3→2
6→0
0→1
2→0
11→12
12→9
9→10
9→11
7→9
10→12
11→4
4→3
3→5
6→8
8→6
5→4
0→5
6→4
6→9
7→6

Directed depth-first search demo

To visit a vertex *v* :

- Mark vertex *v* as visited.

- Recursively visit all unmarked vertices pointing from *v*.

a directed graph

v	marked[]	edgeTo[]
0	F	–
1	F	–
2	F	–
3	F	–
4	F	–
5	F	–
6	F	–
7	F	–
8	F	–
9	F	–
10	F	–
11	F	–
12	F	–

Directed depth-first search demo

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v.

v	marked[]	edgeTo[]
0	T	–
1	F	–
2	F	–
3	F	–
4	F	–
5	F	–
6	F	–
7	F	–
8	F	–
9	F	–
10	F	–
11	F	–
12	F	–

visit 0: check 5 and check 1

Directed depth-first search demo

To visit a vertex *v* :

- Mark vertex *v* as visited.
- Recursively visit all unmarked vertices pointing from *v*.

v	marked[]	edgeTo[]
0	T	–
1	F	–
2	F	–
3	F	–
4	F	–
5	T	0
6	F	–
7	F	–
8	F	–
9	F	–
10	F	–
11	F	–
12	F	–

visit 5: check 4

Directed depth-first search demo

To visit a vertex v :

- Mark vertex v as visited.

- Recursively visit all unmarked vertices pointing from v.

v	marked[]	edgeTo[]
0	T	–
1	F	–
2	F	–
3	F	–
4	T	5
5	T	0
6	F	–
7	F	–
8	F	–
9	F	–
10	F	–
11	F	–
12	F	–

visit 4: check 3 and check 2

Directed depth-first search demo

To visit a vertex *v* :

- Mark vertex *v* as visited.
- Recursively visit all unmarked vertices pointing from *v*.

v	marked[]	edgeTo[]
0	T	–
1	F	–
2	F	–
3	T	4
4	T	5
5	T	0
6	F	–
7	F	–
8	F	–
9	F	–
10	F	–
11	F	–
12	F	–

visit 3: check 5 and check 2

Directed depth-first search demo

To visit a vertex *v* :

- Mark vertex *v* as visited.
- Recursively visit all unmarked vertices pointing from *v*.

v	marked[]	edgeTo[]
0	T	–
1	F	–
2	F	–
3	T	4
4	T	5
5	T	0
6	F	–
7	F	–
8	F	–
9	F	–
10	F	–
11	F	–
12	F	–

visit 3: check 5 and **check 2**

Directed depth-first search demo

To visit a vertex *v* :

- Mark vertex *v* as visited.

- Recursively visit all unmarked vertices pointing from *v*.

v	marked[]	edgeTo[]
0	T	–
1	F	–
2	T	3
3	T	4
4	T	5
5	T	0
6	F	–
7	F	–
8	F	–
9	F	–
10	F	–
11	F	–
12	F	–

visit 2: check 0 and check 3

Directed depth-first search demo

To visit a vertex v :

- Mark vertex v as visited.

- Recursively visit all unmarked vertices pointing from v.

v	marked[]	edgeTo[]
0	T	–
1	F	–
2	T	3
3	T	4
4	T	5
5	T	0
6	F	–
7	F	–
8	F	–
9	F	–
10	F	–
11	F	–
12	F	–

visit 2: check 0 and check 3

Directed depth-first search demo

To visit a vertex v :

- Mark vertex v as visited.

- Recursively visit all unmarked vertices pointing from v.

v	marked[]	edgeTo[]
0	T	–
1	F	–
2	T	3
3	T	4
4	T	5
5	T	0
6	F	–
7	F	–
8	F	–
9	F	–
10	F	–
11	F	–
12	F	–

done 2

Directed depth-first search demo

To visit a vertex *v* :

- Mark vertex *v* as visited.

- Recursively visit all unmarked vertices pointing from *v*.

v	marked[]	edgeTo[]
0	T	–
1	F	–
2	T	3
3	T	4
4	T	5
5	T	0
6	F	–
7	F	–
8	F	–
9	F	–
10	F	–
11	F	–
12	F	–

done 3

Directed depth-first search demo

To visit a vertex *v* :

- Mark vertex *v* as visited.

- Recursively visit all unmarked vertices pointing from *v*.

v	marked[]	edgeTo[]
0	T	–
1	F	–
2	T	3
3	T	4
4	T	5
5	T	0
6	F	–
7	F	–
8	F	–
9	F	–
10	F	–
11	F	–
12	F	–

visit 4: check 3 and **check 2**

Directed depth-first search demo

To visit a vertex *v* :

- Mark vertex *v* as visited.

- Recursively visit all unmarked vertices pointing from *v*.

v	marked[]	edgeTo[]
0	T	–
1	F	–
2	T	3
3	T	4
4	T	5
5	T	0
6	F	–
7	F	–
8	F	–
9	F	–
10	F	–
11	F	–
12	F	–

done 4

Directed depth-first search demo

To visit a vertex v :

- Mark vertex v as visited.

- Recursively visit all unmarked vertices pointing from v.

v	marked[]	edgeTo[]
0	T	–
1	F	–
2	T	3
3	T	4
4	T	5
5	T	0
6	F	–
7	F	–
8	F	–
9	F	–
10	F	–
11	F	–
12	F	–

done 5

To visit a vertex *v* :

- Mark vertex *v* as visited.

- Recursively visit all unmarked vertices pointing from *v*.

v	marked[]	edgeTo[]
0	T	–
1	F	–
2	T	3
3	T	4
4	T	5
5	T	0
6	F	–
7	F	–
8	F	–
9	F	–
10	F	–
11	F	–
12	F	–

visit 0: check 5 and **check 1**

Directed depth-first search demo

To visit a vertex *v* :

- Mark vertex *v* as visited.

- Recursively visit all unmarked vertices pointing from *v*.

v	marked[]	edgeTo[]
0	T	–
1	T	0
2	T	3
3	T	4
4	T	5
5	T	0
6	F	–
7	F	–
8	F	–
9	F	–
10	F	–
11	F	–
12	F	–

visit 1

Directed depth-first search demo

To visit a vertex *v* :

- Mark vertex *v* as visited.

- Recursively visit all unmarked vertices pointing from *v*.

v	marked[]	edgeTo[]
0	T	–
1	T	0
2	T	3
3	T	4
4	T	5
5	T	0
6	F	–
7	F	–
8	F	–
9	F	–
10	F	–
11	F	–
12	F	–

done 1

Directed depth-first search demo

To visit a vertex *v* :

- Mark vertex *v* as visited.

- Recursively visit all unmarked vertices pointing from *v*.

v	marked[]	edgeTo[]
0	T	–
1	T	0
2	T	3
3	T	4
4	T	5
5	T	0
6	F	–
7	F	–
8	F	–
9	F	–
10	F	–
11	F	–
12	F	–

done 0

Directed depth-first search demo

To visit a vertex *v* :

- Mark vertex *v* as visited.

- Recursively visit all unmarked vertices pointing from *v*.

v	marked[]	edgeTo[]
0	T	–
1	T	0
2	T	3
3	T	4
4	T	5
5	T	0
6	F	–
7	F	–
8	F	–
9	F	–
10	F	–
11	F	–
12	F	–

done

Directed depth-first search demo

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v.

reachable
from vertex 0

v	marked[]	edgeTo[]
0	T	–
1	T	0
2	T	3
3	T	4
4	T	5
5	T	0
6	F	–
7	F	–
8	F	–
9	F	–
10	F	–
11	F	–
12	F	–

reachable from 0