1. What are props in React? (3 responses)

- a) Kudos for a job well-done!
- b) A mutable object containing data in a component, which re-renders every time there is a change. (67%)
- c) An object on a theater set
- d) An immutable piece of data passed between a parent component and a child component. (33%)

2. Which kind of components can hold state? (27 responses)

- a) Functional components (4%)
- b) Class-based components (52%)
- c) Both (44%)

3. What is the terminal command to create a Docker image from a Dockerfile? (37)

- a) docker exec
- b) docker build (100%)
- c) docker run
- d) docker up
- 4. What is the command for firing up the server in create-react-app? (37)
- a) npm run build (16%)
- b) npm start (78%)
- c) npm install
- d) npm run test

5. What is the name of the file in a Node application that contains a list of all the dependencies that need to be installed? (39)

- a) requirements.txt (16%)
- b) package.json (64%)
- c) .env (10%)
- d) .gitignore

6. What is the class name of the HTML div in React where the application is displayed? (41)

- a) App.js (32%)
- b) Index.js (15%)
- c) Root (49%)
- d) Main (5%)

- 7. How do you keep a HTML form element from automatically restarting upon submit? (38)
- a) this.preventRestart() (24%)
- b) componentDidUpdate()
- c) e.preventDefault (74%)
- d) .gitignore
- 8. Which method is not part of the Mount phase of the component lifecycle? (39)
- a) constructor() (18%)
- b) render() (10%)
- c) componentDidMount() (5%)
- d) getSnapshotBeforeUpdate() (67%)
- 9. Javascript is... (43)
- a) single-threaded (49%)
- b) multi-threaded (51%)
- 10. This React Router Dom element inside a parent route element allows for the rendering of child route elements, and allows nested UI to show up when child routes are rendered.
- a) BrowserRouter (48%)
- b) NavLink (15%)
- c) Outlet (19%)
- d) Routes (19%)