

Preparation-Street / Programming-Street-150

Q

+ ▾

📧

+

<> Code

🔍 Issues 5

🔗 Pull requests 15

🤖 Agents

🎬 Actions

📁 Projects

🛡 Security and quality

📊 Insights

📁

main ▾

Programming-Street-150 / PS-Sprint-1

📄

🔍 Go to file

T

Add file ▾

⋮

👤 PrinceSinghhub

Update README.md

22cd863 · 2 years ago

🕒

Name	Name	Last commit d...
..		
📄 README.md	Update README.md	2 years ago

README.md

1. Determining Even/Odd Numbers

Difficulty: Easy

Topics: Basic Programming

Description: Write a program to check whether a number is even or odd.

Example:

Input: number = 4

Output: Even

Explanation: Since 4 is divisible by 2, it is an even number.

2. Checking for Prime Numbers

Difficulty: Easy

Topics: Basic Programming, Number Theory

Description: Write a program to determine if a number is prime.

Example:

Input: number = 7

Output: Prime

Explanation: 7 has no divisors other than 1 and itself, so it is a prime number.

3. Validating Leap Years

Difficulty: Easy

Topics: Basic Programming, Date Handling

Description: Write a program to check if a given year is a leap year.

Example:

Input: year = 2020

Output: Leap Year

Explanation: 2020 is divisible by 4 but not by 100, or it is divisible by 400, so it is a leap year.

4. Calculating Armstrong Numbers

Difficulty: Easy

Topics: Basic Programming, Number Theory

Description: Write a program to check if a number is an Armstrong number.

Example:

Input: number = 153

Output: Armstrong Number

Explanation: 153 is an Armstrong number because $1^3 + 5^3 + 3^3 = 153$.

5. Generating the Fibonacci Series

Difficulty: Easy

Topics: Basic Programming, Sequences

Description: Write a program to generate the Fibonacci series up to a given number.

Example:

Input: `limit = 10`

Output: `[0, 1, 1, 2, 3, 5, 8]`

Explanation: The Fibonacci series up to 10 is generated as `[0, 1, 1, 2, 3, 5, 8]`.

6. Identifying Palindromes

Difficulty: Easy

Topics: Basic Programming, String Manipulation

Description: Write a program to check if a string or number is a palindrome.

Example:

Input: `string = "radar"`

Output: `Palindrome`

Explanation: "radar" reads the same backward as forward.

7. Crafting Star Patterns

Difficulty: Easy

Topics: Basic Programming, Patterns

Description: Write a program to create different star patterns (e.g., pyramid, diamond).

Example:

Input: `patternType = "pyramid", height = 5`

Output:

```
  *
 ***
*****
*****
*****
```



Explanation: A pyramid pattern with a height of 5 is generated.

8. Finding the Factorial of a Number

Difficulty: Easy

Topics: Basic Programming, Mathematical Computations

Description: Write a program to compute the factorial of a given number.

Example:

Input: `number = 5`

Output: `120`

Explanation: $5!$ (factorial) is $5 \times 4 \times 3 \times 2 \times 1 = 120$.

9. Summing Digits of a Number

Difficulty: Easy

Topics: Basic Programming, Mathematical Computations

Description: Write a program to calculate the sum of digits of a number.

Example:

Input: `number = 1234`

Output: `10`

Explanation: The sum of the digits $1 + 2 + 3 + 4 = 10$.

10. Finding the Greatest Common Divisor (GCD)**Difficulty:** Easy**Topics:** Basic Programming, Number Theory**Description:** Write a program to find the GCD of two numbers.**Example:**Input: `a = 48, b = 18`Output: `6`

Explanation: The GCD of 48 and 18 is 6.

11. Finding the Least Common Multiple (LCM)**Difficulty:** Easy**Topics:** Basic Programming, Number Theory**Description:** Write a program to find the LCM of two numbers.**Example:**Input: `a = 12, b = 15`Output: `60`

Explanation: The LCM of 12 and 15 is 60.

12. Counting Vowels and Consonants in a String**Difficulty:** Easy**Topics:** Basic Programming, String Manipulation**Description:** Write a program to count vowels and consonants in a given string.**Example:**Input: `string = "hello world"`

Output: Vowels: 3, Consonants: 7

Explanation: "hello world" contains 3 vowels (e, o, o) and 7 consonants (h, l, l, w, r, l, d).

13. Reversing a String**Difficulty:** Easy**Topics:** Basic Programming, String Manipulation**Description:** Write a program to reverse a given string.**Example:**Input: `string = "programming"`Output: `"gnimmargorp"`

Explanation: The reversed string of "programming" is "gnimmargorp".

14. Finding the Largest and Smallest Numbers in an Array**Difficulty:** Easy**Topics:** Basic Programming, Arrays**Description:** Write a program to find the largest and smallest numbers in an array.**Example:**Input: `array = [4, 7, 1, 8, 5]`

Output: Largest: 8, Smallest: 1

Explanation: The largest number in the array is 8 and the smallest is 1.

15. Sorting an Array**Difficulty:** Easy**Topics:** Basic Programming, Sorting Algorithms**Description:** Write a program to sort an array of numbers in ascending order.**Example:**Input: `array = [3, 1, 4, 1, 5, 9]`Output: `[1, 1, 3, 4, 5, 9]`

Explanation: The array sorted in ascending order is [1, 1, 3, 4, 5, 9].

16. Finding the Sum of Elements in an Array

Difficulty: Easy

Topics: Basic Programming, Arrays

Description: Write a program to find the sum of elements in an array.

Example:

Input: `array = [1, 2, 3, 4, 5]`

Output: 15

Explanation: The sum of the elements in the array is 15.

17. Checking for Armstrong Numbers in a Range

Difficulty: Easy

Topics: Basic Programming, Number Theory

Description: Write a program to find all Armstrong numbers within a given range.

Example:

Input: `range = [1, 500]`

Output: [1, 153, 370, 371, 407]

Explanation: Armstrong numbers between 1 and 500 are 1, 153, 370, 371, and 407.

18. Generating Multiplication Tables

Difficulty: Easy

Topics: Basic Programming, Mathematical Computations

Description: Write a program to generate multiplication tables for a given number.

Example:

Input: `number = 4`

Output:

```
4 x 1 = 4
4 x 2 = 8
4 x 3 = 12
4 x 4 = 16
4 x 5 = 20
```



Explanation: The multiplication table for 4 up to 5 is generated.

19. Finding Prime Numbers in a Range

Difficulty: Easy

Topics: Basic Programming, Number Theory

Description: Write a program to find all prime numbers within a given range.

Example:

Input: `range = [10, 30]`

Output: [11, 13, 17, 19, 23, 29]

Explanation: Prime numbers between 10 and 30 are 11, 13, 17, 19, 23, and 29.

20. Checking for Perfect Numbers

Difficulty: Easy

Topics: Basic Programming, Number Theory

Description: Write a program to determine if a number is a perfect number.

Example:

Input: `number = 28`

Output: Perfect Number

Explanation: 28 is a perfect number because its divisors (1, 2, 4, 7, 14) sum up to 28.

21. Calculating the Sum of Even Numbers in a Range

Difficulty: Easy

Topics: Basic Programming, Mathematical Computations

Description: Write a program to find the sum of all even numbers within a given range.

Example:

Input: `range = [1, 10]`

Output: `30`

Explanation: The sum of even numbers between 1 and 10 is $2 + 4 + 6 + 8 + 10 = 30$.

22. Calculating the Sum of Odd Numbers in a Range

Difficulty: Easy

Topics: Basic Programming, Mathematical Computations

Description: Write a program to find the sum of all odd numbers within a given range.

Example:

Input: `range = [1, 10]`

Output: `25`

Explanation: The sum of odd numbers between 1 and 10 is $1 + 3 + 5 + 7 + 9 = 25$.

23. Finding the Fibonacci Number at a Specific Position

Difficulty: Easy

Topics: Basic Programming, Sequences

Description: Write a program to find the Fibonacci number at a specific position.

Example:

Input: `position = 5`

Output: `5`

Explanation: The Fibonacci number at position 5 is 5 (sequence: 0, 1, 1, 2, 3, 5).

24. Printing Prime Numbers Less Than a Given Number

Difficulty: Easy

Topics: Basic Programming, Number Theory

Description: Write a program to print all prime numbers less than a given number.

Example:

Input: `number = 20`

Output: `2, 3, 5, 7, 11, 13, 17, 19`

Explanation: The prime numbers less than 20 are 2, 3, 5, 7, 11, 13, 17, and 19.

25. Finding the Number of Digits in a Number

Difficulty: Easy

Topics: Basic Programming, Mathematical Computations

Description: Write a program to count the number of digits in a given number.

Example:

Input: `number = 12345`

Output: `5`

Explanation: The number 12345 has 5 digits.

26. Checking if a Number is a Narcissistic Number

Difficulty: Easy

Topics: Basic Programming, Number Theory

Description: Write a program to check if a number is a narcissistic number (where the sum of its digits raised to the power of the number of digits equals the number itself).

Example:

Input: `number = 153`

Output: `Narcissistic Number`

Explanation: 153 is a narcissistic number because $1^3 + 5^3 + 3^3 = 153$.

27. Generating a Pattern of Numbers

Difficulty: Easy

Topics: Basic Programming, Patterns

Description: Write a program to generate number patterns (e.g., sequential numbers in a matrix).

Example:

Input: `rows = 3`

Output:

```
1
2 3
4 5 6
```



Explanation: A number pattern with 3 rows is generated.

28. Finding the Sum of the Digits of the Factorial of a Number

Difficulty: Easy

Topics: Basic Programming, Mathematical Computations

Description: Write a program to find the sum of the digits of the factorial of a given number.

Example:

Input: `number = 4`

Output: 9

Explanation: The factorial of 4 is 24, and the sum of the digits (2 + 4) is 6.

29. Finding the Largest Palindrome in a String

Difficulty: Easy

Topics: Basic Programming, String Manipulation

Description: Write a program to find the largest palindrome in a given string.

Example:

Input: `string = "babad"`

Output: "bab" or "aba"

Explanation: Both "bab" and "aba" are valid palindromes in the string.

30. Finding Missing Numbers in a Sequence

Difficulty: Easy

Topics: Basic Programming, Arrays

Description: Write a program to find missing numbers in a sequence from 1 to n.

Example:

Input: `sequence = [1, 2, 4, 5]`

Output: [3]

Explanation: The missing number in the sequence from 1 to 5 is 3.

31. Generating a Pascal's Triangle

Difficulty: Medium

Topics: Arrays, Mathematical Computations

Description: Write a program to generate Pascal's Triangle up to a given number of rows.

Example:

Input: `rows = 4`

Output:

```
1
1 1
1 2 1
1 3 3 1
```



Explanation: Pascal's Triangle with 4 rows is generated.

32. Finding the Median of an Array**Difficulty:** Medium**Topics:** Arrays, Sorting**Description:** Write a program to find the median of an array of numbers.**Example:**Input: `array = [3, 1, 2, 4, 5]`Output: `3`Explanation: The median of the sorted array `[1, 2, 3, 4, 5]` is 3.**33. Calculating the Power of a Number****Difficulty:** Easy**Topics:** Basic Programming, Mathematical Computations**Description:** Write a program to calculate the power of a number.**Example:**Input: `base = 2 , exponent = 3`Output: `8`

Explanation: 2 raised to the power of 3 is 8.

34. Checking for an Anagram**Difficulty:** Easy**Topics:** String Manipulation**Description:** Write a program to check if two strings are anagrams.**Example:**Input: `string1 = "listen" , string2 = "silent"`Output: `True`

Explanation: "listen" and "silent" are anagrams of each other.

35. Finding the Sum of Prime Numbers in a Range**Difficulty:** Medium**Topics:** Number Theory, Mathematical Computations**Description:** Write a program to calculate the sum of all prime numbers within a given range.**Example:**Input: `range = [1, 10]`Output: `17`Explanation: The sum of prime numbers between 1 and 10 is $2 + 3 + 5 + 7 = 17$.**36. Finding the N-th Triangular Number****Difficulty:** Easy**Topics:** Basic Programming, Mathematical Computations**Description:** Write a program to find the N-th triangular number.**Example:**Input: `N = 4`Output: `10`

Explanation: The 4th triangular number is 10 (sum of the first 4 natural numbers).

37. Checking for Perfect Squares**Difficulty:** Easy**Topics:** Mathematical Computations**Description:** Write a program to determine if a number is a perfect square.**Example:**Input: `number = 16`Output: `True`Explanation: 16 is a perfect square ($4^2 = 16$).

38. Finding the Sum of Squares of Digits

Difficulty: Easy

Topics: Basic Programming, Mathematical Computations

Description: Write a program to find the sum of the squares of the digits of a number.

Example:

Input: `number = 123`

Output: `14`

Explanation: The sum of the squares of digits is $1^2 + 2^2 + 3^2 = 14$.

39. Generating a Square Matrix of a Given Size

Difficulty: Medium

Topics: Arrays, Matrix Operations

Description: Write a program to generate a square matrix of a given size and fill it with sequential numbers.

Example:

Input: `size = 3`

Output:

```
1 2 3
4 5 6
7 8 9
```



Explanation: A 3x3 matrix is generated with sequential numbers.

40. Calculating the Sum of Digits of a Number Until Single Digit

Difficulty: Medium

Topics: Mathematical Computations

Description: Write a program to keep summing the digits of a number until a single digit is obtained.

Example:

Input: `number = 9875`

Output: `2`

Explanation: The sum of digits is $9 + 8 + 7 + 5 = 29$, and then $2 + 9 = 11$, and finally $1 + 1 = 2$.

41. Finding the Count of Specific Digits in a Number

Difficulty: Easy

Topics: Basic Programming, String Manipulation

Description: Write a program to count the occurrences of a specific digit in a number.

Example:

Input: `number = 122333 , digit = 3`

Output: `3`

Explanation: The digit 3 occurs 3 times in the number 122333.

42. Generating a Fibonacci Sequence Using Recursion

Difficulty: Medium

Topics: Recursion, Sequences

Description: Write a recursive program to generate the Fibonacci sequence up to a given number.

Example:

Input: `number = 5`

Output: `0, 1, 1, 2, 3`

Explanation: The Fibonacci sequence up to 5 is generated.

43. Finding All Divisors of a Number**Difficulty:** Easy**Topics:** Basic Programming, Mathematical Computations**Description:** Write a program to find all divisors of a given number.**Example:**Input: `number = 12`

Output: 1, 2, 3, 4, 6, 12

Explanation: The divisors of 12 are 1, 2, 3, 4, 6, and 12.

44. Finding the Average of Numbers in an Array**Difficulty:** Easy**Topics:** Arrays, Mathematical Computations**Description:** Write a program to calculate the average of numbers in an array.**Example:**Input: `array = [1, 2, 3, 4, 5]`

Output: 3

Explanation: The average of the numbers is $(1 + 2 + 3 + 4 + 5) / 5 = 3$.**45. Finding the Mode of Numbers in an Array****Difficulty:** Medium**Topics:** Arrays, Statistical Analysis**Description:** Write a program to find the mode (most frequent number) in an array.**Example:**Input: `array = [1, 2, 2, 3, 4, 4, 4]`

Output: 4

Explanation: The most frequent number in the array is 4.

46. Determining the Length of a String Without Using Built-In Functions**Difficulty:** Medium**Topics:** String Manipulation**Description:** Write a program to determine the length of a string without using built-in functions.**Example:**Input: `string = "hello"`

Output: 5

Explanation: The length of the string "hello" is determined without using built-in functions.

47. Generating a Number Pyramid**Difficulty:** Medium**Topics:** Patterns, Basic Programming**Description:** Write a program to generate a pyramid of numbers (e.g., 1, 12, 123, etc.).**Example:**Input: `rows = 4`

Output:

```
1
12
123
1234
```

Explanation: A number pyramid with 4 rows is generated.



48. Finding the Sum of Prime Factors of a Number**Difficulty:** Medium**Topics:** Number Theory, Mathematical Computations**Description:** Write a program to find the sum of the prime factors of a given number.**Example:**Input: `number = 12`Output: `5`Explanation: The prime factors of 12 are 2 and 3, and their sum is $2 + 3 = 5$.**49. Finding the Second Largest Number in an Array****Difficulty:** Medium**Topics:** Arrays, Sorting**Description:** Write a program to find the second largest number in an array.**Example:**Input: `array = [10, 20, 4, 45, 99]`Output: `45`

Explanation: The second largest number in the array is 45.

50. Finding the Longest Substring Without Repeating Characters**Difficulty:** Medium**Topics:** String Manipulation, Sliding Window**Description:** Write a program to find the longest substring without repeating characters in a given string.**Example:**Input: `string = "abcabcbb"`Output: `"abc"`

Explanation: The longest substring without repeating characters is "abc".