# **Revolve Solutions SQL Assessment Answers**

1) How many organisations in total?

```
Query -
```

```
select count(org_name) from public.organisations;
Result - 100
Query Run time - 4ms
```

2) How many organisations do not have offer\_requests?

# Query -

```
SELECT * FROM public.offer_requests
WHERE "organisation_id" NOT IN ("organisation_id");
Or
select id from public.organisations org
where id not in (select organisation_id from public.offer_requests off_req
where org.id = off_req.organisation_id);
Result - 0
Query Run time - 4ms
```

3) How many organisations have offer\_requests?

#### Query -

```
select distinct organisation_id from public.offer_requests;
or
select id from public.organisations org
where id in (select organisation_id from public.offer_requests off_req
where org.id = off_req.organisation_id);
Result- 100
Query Run time - 4ms
```

4) How many organisations have no offers?

### Query-

```
select organisation_id from public.offers where organisation_id not in
(organisation id);
```

```
select id from public.organisations org
where id not in (select distinct organisation_id from public.offers off
where org.id = off.organisation_id );

Result- 0
Query Run time - 4ms
```

5) Which organisation has maximum offers and how many offers?

#### Query-

```
select organisation_id ,max(id) as offer_id ,count(id)
from public.offers
group by organisation_id
order by max(id) desc
```

Note: on sorting the result we get.

```
        Result- organisation_id
        offer_id
        count

        1)org_000000000WR10DFx1nc6
        off_000000000WR10FZVW2BH
        10915
```

Query Run time - 4ms

6) Which organisation has minimum offers and how many offers?

### Query-

```
select organisation_id ,min(id) as offer_id ,count(id)
from public.offers
group by organisation_id
order by min(id) asc
```

Note: on sorting the results we get.

```
Result- organisation_id offer_id count
1) org 000000000WR10DFzIaeZ off 000000000WR10DnPQMBU 420
```

Query Run time - 4ms

7) Which organisation has maximum orders and how many orders?

#### Query-

```
select organisation_id, max(id) as orders ,count(id)
from public.orders
group by organisation_id
order by max(id) desc;
```

Note: on sorting the result we get.

 Result organisation\_id
 orders
 count

 org\_000000000WR10DFx1nc8
 ord\_00000000WR10GYos86y
 32

Query Run time - 4ms

8) Which organisation has minimum orders and how many orders?

# Query-

```
select organisation_id, min(id) as orders ,count(id)
from public.orders
group by organisation_id
order by min(id) asc
```

Note: on sorting in the result we get: 31 records

Result-		
organisation id	orders count	t
org_0000000000WR10DFyAC8Y	ord_0000000000WR10FyAul0a	1
org_0000000000WR10DFyAC8S	ord_0000000000WR10Fz5gX1U	1
org_0000000000WR10DFx1ncR	ord_00000000000WR10Fzh9aC0	1
org_0000000000WR10DFx1ncM	ord_00000000000WR10G03rUbA	1
org_0000000000WR10DFzlaex	ord_00000000000WR10G0d3kjB	1
org_0000000000WR10DFyAC8V	ord_0000000000WR10G1VYjhY	1
org_0000000000WR10DFx1ncN	ord_00000000000WR10G3zyWSe	1
org_0000000000WR10DFx1ncP	ord_0000000000WR10G4x15W5	1
org_0000000000WR10DFzlaez	ord_0000000000WR10G7gC12W	1
org_0000000000WR10DFyAC8H	ord_0000000000WR10GBpvn96	1
org_0000000000WR10DFx1ncG	ord_0000000000WR10GC2Q8rw	1
org_0000000000WR10DFzlaeg	ord_0000000000WR10GETQk4G	1
org_0000000000WR10DFzlaed	ord_0000000000WR10GG7cKtU	1
org_0000000000WR10DFyAC8W	ord_0000000000WR10GJUX6cz	1
org_0000000000WR10DFyAC8T	ord_0000000000WR10GK1SZiT	1
org_0000000000WR10DFyAC8k	ord_0000000000WR10GLfeAXg	1
org_0000000000WR10DFx1ncH	ord_0000000000WR10GLnawBU	1
org_0000000000WR10DFzlaep	ord_00000000000WR10GM3UTT6	1
org_0000000000WR10DFyAC8J	ord_00000000000WR10GNM6YPQ	1
org_0000000000WR10DFx1ncJ	ord_00000000000WR10GOCKkLI	1
org_0000000000WR10DFx1ncF	ord_00000000000WR10GPzbVKa	1
org_0000000000WR10DFzlaei	ord_0000000000WR10GQxmSuG	1
org_0000000000WR10DFzlaes	ord_00000000000WR10GRup1xg	1
org_0000000000WR10DFzlael	ord_0000000000WR10GRZFW4m	1
org_0000000000WR10DFx1ncE	ord_00000000000WR10GSJnjPM	1
org_0000000000WR10DFzlaee	ord_0000000000WR10GUaalvM	1
org_0000000000WR10DFx1ncL	ord_00000000000WR10GWVoIYS	1
org_0000000000WR10DFyAC8j	ord_0000000000WR10GX68xCi	1
org_0000000000WR10DFyAC8d	ord_00000000000WR10GXE5iqW	1
org_0000000000WR10DFyAC8N	ord_0000000000WR10GY4JumO	1

Query Run time - 4ms

9) Which organisation has the maximum total amount of offers and what is the amount?

# Query-

```
select organisation_id, max(total_amount) as max_amount
from public.offers
group by organisation_id
order by max(total_amount) desc
```

Result-	
organisation_id	max_amount
org_0000000000WR10DFyAC8T	50000
org_0000000000WR10DFyAC8e	50000
org_00000000000WR10DFyAC8I	50000
org_0000000000WR10DFx1ncS	50000
org_00000000000WR10DFyAC8i	50000
org_00000000000WR10DFyAC8G	50000
org_0000000000WR10DFx1ncJ	50000
org_0000000000WR10DFzlaen	50000
org_0000000000WR10DFx1ncM	50000
org_0000000000WR10DFzlaey	50000
org_0000000000WR10DFzlaeW	50000
org_0000000000WR10DFx1ncl	50000
org_0000000000WR10DFx1ncN	50000
org_0000000000WR10DFyAC8J	50000
org_0000000000WR10DFyAC8d	50000
org_0000000000WR10DFyAC8Y	50000
org_0000000000WR10DFzlaeo	50000
org_0000000000WR10DFyAC8X	50000
org_0000000000WR10DFyAC8g	50000
org_0000000000WR10DFzlaeb	50000
org_0000000000WR10DFzlaeu	50000
org_0000000000WR10DFx1ncU	50000
org_0000000000WR10DFyAC8j	50000
org_0000000000WR10DFyAC8N	50000
org_0000000000WR10DFx1ncQ	50000
org_0000000000WR10DFyAC8V	50000
org_0000000000WR10DFzlaez	50000
org_0000000000WR10DFyAC8U	50000
org_0000000000WR10DFzlaeY	50000
org_0000000000WR10DFyAC8h	50000
org 0000000000WR10DFzlaea	50000
org_0000000000WR10DFzlaej	50000
org 0000000000WR10DFzlaev	50000
<del>-</del>	

org	_00000000000WR10DFzlaei	50000
_	_00000000000WR10DFyAC8a	50000
_		50000
	_00000000000WR10DFyAC8Z	50000
	_00000000000WR10DFzlaf0	50000
	_00000000000WR10DFzlaet	50000
	_00000000000WR10DFyAC8k	50000
_	_00000000000WR10DFzlaeh	50000
	_000000000000WR10DFzlaee	50000
	_00000000000WR10DFx1ncR	50000
	_00000000000WR10DFyAC8f	50000
_	_00000000000WR10DFyActi	50000
	_00000000000WR10DFx1ncP	50000
_	_00000000000WR10DFx111CF	50000
	<del>-</del>	
_	_000000000000WR10DFyAC8P	50000
_	_000000000000WR10DFzlaeg	50000
_	_000000000000WR10DFyAC8H	50000
	_00000000000WR10DFzlaeX	50000
	_000000000000WR10DFyAC8S	50000
_	_00000000000WR10DFzlaes	50000
	_00000000000WR10DFzlaek	50000
	_00000000000WR10DFyAC8Q	
	_00000000000WR10DFyAC8b	50000
_	_00000000000WR10DFx1ncT	50000
_	_00000000000WR10DFzlaex	50000
	_00000000000WR10DFzlaep	50000
_	_00000000000WR10DFzlaef	50000
_	_00000000000WR10DFx1ncE	50000
_	_00000000000WR10DFx1ncK	50000
_	_00000000000WR10DFyAC8M	50000
org_	_00000000000WR10DFx1ncL	50000
org_	_00000000000WR10DFzlaed	50000
org_	_00000000000WR10DFx1ncH	50000
org_	_00000000000WR10DFx1ncG	50000
org_	_00000000000WR10DFx1nc2	50000
org_	_00000000000WR10DFvtP5k	50000
org_	_00000000000WR10DFyAC8L	50000
	_00000000000WR10DFyAC8c	50000
_	_00000000000WR10DFyAC8W	50000
_	_00000000000WR10DFzlaew	50000
_	_00000000000WR10DFyAC8K	50000
_	_00000000000WR10DFzlaem	50000
	_00000000000WR10DFzlael	50000
_	_00000000000WR10DFx1nc6	50000
_	_00000000000WR10DFzlaeq	50000
_	_00000000000WR10DFyAC8O	50000
_	_00000000000WR10DFvtP5o	50000
_	_00000000000WR10DFx1nc1	50000
J. 9_	_000000000001111100017111101	30000

```
org_000000000WR10DFzlaeZ
                                50000
org 0000000000WR10DFx1ncF
                                50000
org 0000000000WR10DFx1nc8
                                50000
org 0000000000WR10DFyAC8R
                                50000
org 0000000000WR10DFzlaf1
                                50000
org_0000000000WR10DFvtP5m
                                50000
org 000000000WR10DFvtP5n
                                50000
                                50000
org 000000000WR10DFvtP5p
org 0000000000WR10DFx1ncA
                                50000
org 0000000000WR10DFx1nc4
                                50000
org 0000000000WR10DFx1ncC
                                50000
org_0000000000WR10DFx1nc7
                                50000
org 0000000000WR10DFx1ncD
                                50000
org 0000000000WR10DFx1nc0
                                50000
org 0000000000WR10DFvtP5I
                                50000
org 0000000000WR10DFx1nc9
                                50000
org 000000000WR10DFx1nc5
                                50000
org 0000000000WR10DFx1ncB
                                50000
org_0000000000WR10DFx1nc3
                                50000
```

Query Run time - 4ms

10) Which organisation has the maximum total amount of orders and what is the amount?

# Query-

```
select organisation id, max(total amount) as max amount
from public.orders
group by organisation id
order by max (total amount) desc
Result-
organisation_id
                            max_amount
org_0000000000WR10DFyAC8Z50000
org 0000000000WR10DFzlaem 50000
org 0000000000WR10DFx1nc2 50000
org 0000000000WR10DFx1ncD50000
org 0000000000WR10DFx1nc7 50000
org 0000000000WR10DFzlaej 50000
org 0000000000WR10DFzlaec 50000
org 0000000000WR10DFx1nc9 50000
org 0000000000WR10DFvtP5I 50000
org 0000000000WR10DFx1nc5 50000
org_0000000000WR10DFx1ncC50000
```

org\_0000000000WR10DFzlaer 50000 org\_000000000WR10DFvtP5k 50000 org\_0000000000WR10DFx1ncJ 50000
org\_000000000WR10DFvtP5m 50000
org\_0000000000WR10DFx1ncA 50000
org\_0000000000WR10DFx1ncA 50000
org\_000000000WR10DFx1nc6 50000
org\_000000000WR10DFx1nc6 50000
org\_000000000WR10DFx1ncB 50000
org\_000000000WR10DFx1ncB 50000
org\_000000000WR10DFx1ncB 50000
org\_000000000WR10DFx1ncB 50000
org\_000000000WR10DFx1ncB 50000
org\_000000000WR10DFx1ncA 50000
org\_000000000WR10DFx1ncA 50000
org\_0000000000WR10DFx1ncA 50000
org\_0000000000WR10DFx1ncA 50000
org\_00000000000WR10DFx1ncA 50000
org\_00000000000WR10DFx1ncA 50000

Query Run time - 4ms