```
MariaDB [kajal test]> delimiter //
MariaDB [kajal_test]> create procedure sp_get1() begin select * from employee; end//
ERROR 1304 (42000): PROCEDURE sp. get1 already exists
MariaDB [kajal test]> create procedure sp_get2() begin select * from employee; end//
Query OK, 0 rows affected (0.105 sec)
MariaDB [kajal_test]> delimiter;
MariaDB [kajal test] > call sp get2();
emp_id emp_name emp_email
                             emp_city emp_salary
+-----+
   1 | kajal | kajajl@gmail.com | Ahmedabad | 25000
   2 | Anjani | Anjani@gmail.com | Ahmedabad | 25000
   3 | Shriva
            | shriya@gmail.com
                               | Ahmedabad | 25000
             | Riya@gmail.com
                               | Ahmedabad | 25000
   4 | Riya
   5 | Avni
            | Avni@gmail.com
                               | Ahmedabad | 25000
   6 | Shreyanshi | Shreyanshi@gmail.com | Ahmedabad | 25000
   7 | Devarsh | Devarsh@gmail.com | Ahmedabad | 25000
             | manish@gmail.com
                                 | Ahmedabad | 25000
   8 | manish
   9 | Ranjeet | ranjeet@gmail.com | Ahmedabad | 25000
   10 | Jaydeep | jaydeep@gmail.com | ahmedabad | 25000
```

-----+------+-----+

Query OK, 0 rows affected (0.001 sec)

10 rows in set (0.001 sec)