Session 1 (defect management)

1.Pick any mobile app you use daily (like Zomato, Instagram, or Paytm), open its login or signup form, and identify 5 possible defects in the UI or workflow. Write each defect as a clear defect statement.

- I have selected the Instagram mobile app and checked its login form. I found the following 5 possible defects:

1. Login button defect: The login button can be clicked even when the username and password fields are empty.

2. Password visibility defect: There is no option to show or hide the password, making it difficult to check whether the password is entered correctly.

3. Error message defect: When a user enters an incorrect password, the error message is not clear enough to help the user understand the problem.

4. Input validation defect: When a user enters an invalid email address during signup, the app does not clearly highlight the mistake.

5. Keyboard layout defect: When the keyboard opens on a small screen, it may cover the login button, making it difficult for the user to click it.

2.For each defect you found in the previous task, assign a Severity level (Blocker, Critical, Major, Minor, Trivial) and a Priority level (High, Medium, Low). Briefly justify your choice for one defect where severity and priority are different.

Hint:

TTask 2: Severity and Priority of Instagram Login Defects

No.	Defect	Severity	Priority

1	Login button can be clicked when username and password are empty.	Minor	Low
2	No option to show or hide the password.	Minor	Mediu m
3	Error message is not clear when the password is incorrect.	Major	High
4	Invalid email address is not clearly highlighted during signup.	Major	High
5	Keyboard may cover the login button on a small screen.	Major	Mediu m

how quickly it should be fixed (priority).


Justification for one defect

Defect 5: Keyboard covers the login button.

- Severity: Major — The user may not be able to click the login button and complete the login process.
- Priority: Medium — The issue may affect only some devices, so the team can first check how many users are affected before fixing it.

hink about how badly the defect impacts users (severity) versus

3. Draw a Bug Life Cycle diagram showing all the main states (New, Assigned, Open, Fixed, Retest, Verified, Closed, Rejected, Deferred, Duplicate, Not a Bug) and the transitions between them. You can use pen-paper and upload a photo, or use any diagram tool you like.



4. Write a short scenario where a defect in a UPI payment feature (like in PhonePe or Paytm) is found very late—after the app is live. Explain in 4-5 lines how the cost and impact of fixing this defect would be different if it was caught during development instead.

Suppose I am testing the PhonePe app and a defect is found in the UPI payment feature after the app is released to users. When a user makes a payment, the money is deducted

from their bank account, but the receiver does not receive the money, and the app shows a failed transaction message.

If this defect had been found during development, the testing team could have fixed it before releasing the app, at a lower cost and with less effort. After the app goes live, the company must investigate the issue, fix the defect, test the solution, and release an update. It may also need to handle customer complaints, refund delays, and financial losses. The defect can damage users' trust and the company's reputation. Therefore, finding and fixing defects early saves time and money and prevents serious problems for users.